

Airport		
airport_id 🔗	int	
airport_name	varchar(100)	NN
country	varchar(100)	NN
state	varchar(100)	
city	varchar(100)	NN
created_at	datetime	NN
updated_at	datetime	NN

Airline		
airline_id 🔗	int	
airline_code 🔑	varchar(10)	NN
name	varchar(100)	NN
country	varchar(100)	NN
created_at	datetime	NN
updated_at	datetime	NN

Passenger		
passenger_id 🔗	int	
first_name	varchar(50)	NN
last_name	varchar(50)	NN
gender	varchar(20)	
date_of_birth	date	
country_of_citizenship	varchar(100)	
country_of_residence	varchar(100)	
passport_number 🔑	varchar(50)	NN
created_at	datetime	NN
updated_at	datetime	NN

Flight		
flight_id 🔗	int	
departing_gate	varchar(20)	
arriving_gate	varchar(20)	
created_at	datetime	NN
updated_at	datetime	NN
airline_id 🔗	int	NN
departure_airport_id 🔗	int	NN
arrival_airport_id 🔗	int	NN
scheduled_departure_time	datetime	NN
scheduled_arrival_time	datetime	NN
actual_departure_time	datetime	
actual_arrival_time	datetime	

SecurityCheck		
security_check_id 🔗	int	
check_results	varchar(100)	
created_at	datetime	NN
updated_at	datetime	NN
passenger_id 🔗	int	NN

Booking		
booking_id 🔗	int	
flight_id 🔗	int	NN
passenger_id 🔗	int	NN
status	varchar(30)	NN
booking_platform	varchar(50)	
created_at	datetime	NN
updated_at	datetime	NN
ticket_price	decimal(10,2)	NN

BoardingPass		
boarding_pass_id 🔗	int	
seat	varchar(10)	
boarding_time	datetime	
created_at	datetime	NN
updated_at	datetime	NN
booking_id 🔗 🔑	int	NN

Baggage		
baggage_id 🔗	int	
weight_kg	decimal(5,2)	NN
created_at	datetime	NN
updated_at	datetime	NN
booking_id 🔗	int	NN

BookingChange		
booking_change_id 🔗	int	
booking_id 🔗	int	NN
change_description	varchar(255)	
created_at	datetime	NN

BaggageCheck		
baggage_check_id 🔗	int	
check_results	varchar(100)	
created_at	datetime	NN
updated_at	datetime	NN
booking_id 🔗	int	NN
passenger_id 🔗	int	NN

