Université de Technologie d'Haïti

Unitech

Sciences Informatiques

TD : Sécurité informatique et cybersécurité

Nom : AUGUSTE

Prénom : Melandecia

Niveau : IV

4/03/2026

INTRODUCTION

OBJECTIF DU TD

L'objectif de ce travail pratique était de comprendre et appliquer la méthodologie OSINT *(*Open Source Intelligence*)* à travers l'utilisation d'outils spécialisés. Il s'agissait de collecter, croiser et analyser des informations publiquement accessibles à partir d'une identité fictive fournie par le formateur, afin d'évaluer les risques liés à l'exposition des données personnelles sur Internet.

Pour atteindre cet objectif, nous avons suivi une approche structurée en plusieurs étapes :

1. **Installation des outils OSINT** : nous avons installé et configuré plusieurs outils dans notre environnement Kali Linux, notamment **GhostTrack**, **Sherlock**, **Social-Analyzer**, **Maigret** et **Holehe**.
2. **Recherche par pseudonyme** : à l'aide de ces outils, nous avons recherché la présence du pseudo `darkfox92` sur différentes plateformes (réseaux sociaux, forums, sites de développement, etc.).
3. **Recherche par adresse e-mail** : nous avons utilisé **Holehe** pour identifier les services en ligne associés à l'adresse `alex.martin.test@gmail.com` et détecter d'éventuels comptes critiques.
4. **Recherche par numéro de téléphone** : avec **GhostTrack**, nous avons analysé le numéro `06 11 22 33 44` pour déterminer l'opérateur, la localisation et d'éventuels comptes associés.
5. **Analyse des profils et des contenus** : nous avons examiné les informations visibles sur les profils trouvés (photo, bio, localisation, centres d'intérêt) et analysé les contenus publiés pour construire un profil comportemental.
6. **Évaluation des risques** : enfin, nous avons évalué les risques potentiels liés à l'exposition de ces informations et proposé des recommandations pour limiter son empreinte numérique.

1.INSTALLATION DE GHOST-TRACK

Mettre à jour le système :

- **sudo apt update && sudo apt upgrade –y**

INSTALLER LES DEPENDANCES :

- **sudo apt install git python3 python3-pip -y**

```
┌──(melandecia㉿melandecia)-[~]
└─$ sudo apt install git python3 python3-pip -y
sudo: impossible de résoudre l'hôte melandecia: Nom ou service inconnu
[sudo] Mot de passe de melandecia :
Désolé, essayez de nouveau.
[sudo] Mot de passe de melandecia :
Désolé, essayez de nouveau.
[sudo] Mot de passe de melandecia :
git est déjà la version la plus récente (1:2.51.0-1).
git passé en « installé manuellement ».
python3 est déjà la version la plus récente (3.13.7-1+b1).
python3 passé en « installé manuellement ».
python3-pip est déjà la version la plus récente (25.3+dfsg-1).
python3-pip passé en « installé manuellement ».
Les paquets suivants ont été installés automatiquement et ne sont plus nécessaires :
  amass-common              libgdata-common         libopenh264-7          libutempter0                        python3-packaging-whl
  bloodhound.py             libgdata22              libplacebo349          libvdpau-va-gl1                     python3-poetry-dynamic-version
  curlftpfs                 libgeos3.13.0           libpocketsphinx3       libwireshark18                      python3-protobuf
  firmware-ti-connectivity  libgirepository-1.0-1   libpoppler145          libwiretap15                        python3-pysmi
  gir1.2-girepository-2.0   libglapi-mesa           libportmidi0           libwsutil16                         python3-pywerview
  icu-devtools              libgpgme11t64           libpostproc58          libxnnpack0                         python3-requests-ntlm
  libabsl20230802           libgpgmepp6t64          libpython3.12-minimal  libyelp0                            python3-tomlkit
  libarmadillo14            libhdf4-0-alt           libpython3.12-stdlib   pocketsphinx-en-us                  python3-wheel-whl
  libavfilter10             libicu-dev              libpython3.12t64       python3-aioconsole                  python3-xlrd
  libavformat61             libinstpatch-1.0-2      libqt5ct-common1.8     python3-bluepy                      python3-xlutils
  libbluray2                libjs-jquery-ui         libradare2-5.0.0t64    python3-click-plugins               python3-xlwt
  libbson-1.0-0t64          libjs-underscore        libsframe1             python3-dunamai                     python3-zombie-imp
  libconfig-inifiles-perl   liblbfgsb0              libsigsegv2            python3-gpg                         python3.12-tk
  libdisplay-info2          libmjpegutils-2.1-0t64  libsoup-2.4-1          python3-kismetcapturebtgeiger       ruby-zeitwerk
  libdnnl3                  libmongoc-1.0-0t64      libsoup2.4-common      python3-kismetcapturefreaklabszigbee samba-ad-dc
  libflac12t64              libmpeg2encpp-2.1-0t64  libsphinxbase3t64      python3-kismetcapturertl433         samba-ad-provision
  libfuse2t64               libmplex2-2.1-0t64      libsqlcipher1          python3-kismetcapturertladsb        samba-dsdb-modules
  libfuse3-3                libnet1                 libswscale8            python3-kismetcapturertlamr         strongswan
  libgav1-1                 libobjc-14-dev          libtheora0             python3-multipart
  libgdal36                 libogdi4.1              libudfread0            python3-nfsclient
Veuillez utiliser « sudo apt autoremove » pour les supprimer.

Sommaire :
```

CLONER LE DEPOT :

- **git clone https://github.com/HunxByts/GhostTrack.git**

```
┌──(melandecia㉿melandecia)-[~]
└─$ git clone https://github.com/HunxByts/GhostTrack.git
Clonage dans 'GhostTrack'...
remote: Enumerating objects: 71, done.
remote: Counting objects: 100% (23/23), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 71 (delta 15), reused 12 (delta 12), pack-reused 48 (from 2)
Réception d'objets: 100% (71/71), 279.15 Kio | 5.00 Kio/s, fait.
Résolution des deltas: 100% (22/22), fait.
```

SE DEPLACER DANS LE DOSSIER :

- **cd GhostTrack**

INSTALLER LES DEPENDANCES PYTHON

- **pip3 install -r requirements.txt**

```
ession  Actions  Éditer  Vue  Aide

┌──(melandecia㉿melandecia)-[~]
└─$ cd GhostTrack

┌──(melandecia㉿melandecia)-[~/GhostTrack]
└─$ pip3 install -r requirements.txt
error: externally-managed-environment

 This environment is externally managed
╰─> To install Python packages system-wide, try apt install
    python3-xyz, where xyz is the package you are trying to
    install.

    If you wish to install a non-Kali-packaged Python package,
    create a virtual environment using python3 -m venv path/to/venv.
    Then use path/to/venv/bin/python and path/to/venv/bin/pip. Make
    sure you have pypy3-venv installed.

    If you wish to install a non-Kali-packaged Python application,
    it may be easiest to use pipx install xyz, which will manage a
    virtual environment for you. Make sure you have pipx installed.

    For more information, refer to the following:
    * https://www.kali.org/docs/general-use/python3-external-packages/
    * /usr/share/doc/python3.13/README.venv

note: If you believe this is a mistake, please contact your Python installation or OS distribution provider. You can override this, at the risk of breaking
our Python installation or OS, by passing --break-system-packages.
hint: See PEP 668 for the detailed specification.
```

L'erreur est lieu a l'environnement, alors on passe par la methode suivant :

- **python3 -m venv venv**
- **source venv/bin/activate**

```
┌──(melandecia㉿melandecia)-[~/GhostTrack]
└─$ python3 -m venv venv

┌──(melandecia㉿melandecia)-[~/GhostTrack]
└─$ source venv/bin/activate
```

- **pip install -r requirements.txt**

```
┌──(venv)(melandecia㉿melandecia)-[~/GhostTrack]
└─$ pip3 install -r requirements.txt -i https://pypi.org/simple/ --timeout 100
ooking in indexes: https://pypi.org/simple/
ollecting requests (from -r requirements.txt (line 1))
 Using cached requests-2.32.5-py3-none-any.whl.metadata (4.9 kB)
ollecting phonenumbers (from -r requirements.txt (line 2))
 Using cached phonenumbers-9.0.25-py2.py3-none-any.whl.metadata (10 kB)
ollecting charset_normalizer<4,≥2 (from requests→-r requirements.txt (line 1))
 Using cached charset_normalizer-3.4.4-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (37 kB)
ollecting idna<4,≥2.5 (from requests→-r requirements.txt (line 1))
 Using cached idna-3.11-py3-none-any.whl.metadata (8.4 kB)
ollecting urllib3<3,≥1.21.1 (from requests→-r requirements.txt (line 1))
 Downloading urllib3-2.6.3-py3-none-any.whl.metadata (6.9 kB)
ollecting certifi≥2017.4.17 (from requests→-r requirements.txt (line 1))
 Downloading certifi-2026.2.25-py3-none-any.whl.metadata (2.5 kB)
ownloading requests-2.32.5-py3-none-any.whl (64 kB)
ownloading charset_normalizer-3.4.4-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl (153 kB)
ownloading idna-3.11-py3-none-any.whl (71 kB)
ownloading urllib3-2.6.3-py3-none-any.whl (131 kB)
ownloading phonenumbers-9.0.25-py2.py3-none-any.whl (2.6 MB)
   ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 2.6/2.6 MB 181.6 kB/s  0:00:14
ownloading certifi-2026.2.25-py3-none-any.whl (153 kB)
nstalling collected packages: urllib3, phonenumbers, idna, charset_normalizer, certifi, requests
uccessfully installed certifi-2026.2.25 charset_normalizer-3.4.4 idna-3.11 phonenumbers-9.0.25 requests-2.32.5 urllib3-2.6.3

┌──(venv)(melandecia㉿melandecia)-[~/GhostTrack]
```

LANCER GHOST-TRACK

- **python3 ghosttrack.py**



RECHERCHE PAR PSEUDO

QUESTIONS

- **LE PSEUDO EST IL REUTILISE ?**

  Rép : oui, le pseudo est réutilisé

- **COMMENT RELIER PLUSIEURS COMPTES A UNE MEME PERSONNE ?**

  Rép : pour relier plusieurs comptes, il faut avoir des indices, par exemples(memes avatars, même biographie)etc…

Outils OSINT spécialisés réseaux sociaux

Sherlock → recherche de pseudos sur des centaines de sites

Social-Analyzer → analyse avancée de profils

Maigret → alternative rapide à Sherlock

Twint → OSINT Twitter/X (sans API)

Holehe → présence d'un e-mail sur les réseaux

INSTALLATION – SHERLOCK

- **git clone https://github.com/sherlock-project/sherlock.git**
- **cd Sherlock**
- **python3 -m pip install -r requirements.txt**

il y'a message d'erreurs, j'ai du passer par ce chemin.

```
┌──(venv)(melandecia㉿melandecia)-[~/GhostTrack/sherlock]
└─$ pipx install sherlock-project
⣿ installing sherlock-project
  installed package sherlock-project 0.16.0, installed using Python 3.13.11
  These apps are now globally available
    - sherlock
done! ✨ 🌟 ✨
```

UTILISATION

- **sherlock darkfox92**

```
┌──(melandecia㉿melandecia)-[~]
└─$ sherlock darkfox92
*] Checking username darkfox92 on:

+] Archive of Our Own: https://archiveofourown.org/users/darkfox92
+] Audiojungle: https://audiojungle.net/user/darkfox92
+] Bluesky: https://bsky.app/profile/darkfox92.bsky.social
+] Cults3D: https://cults3d.com/en/users/darkfox92/creations
+] DailyMotion: https://www.dailymotion.com/darkfox92
+] Discord: https://discord.com
+] Duolingo: https://www.duolingo.com/profile/darkfox92
+] GaiaOnline: https://www.gaiaonline.com/profiles/darkfox92
+] GitHub: https://www.github.com/darkfox92
+] HudsonRock: https://cavalier.hudsonrock.com/api/json/v2/osint-tools/search-by-username
username=darkfox92
+] Kongregate: https://www.kongregate.com/accounts/darkfox92
+] Minecraft: https://api.mojang.com/users/profiles/minecraft/darkfox92
+] Roblox: https://www.roblox.com/user.aspx?username=darkfox92
+] Scratch: https://scratch.mit.edu/users/darkfox92
+] Snapchat: https://www.snapchat.com/add/darkfox92
+] Star Citizen: https://robertsspaceindustries.com/citizens/darkfox92
+] Steam Community (User): https://steamcommunity.com/id/darkfox92/
+] TikTok: https://www.tiktok.com/@darkfox92
+] Telegram: https://t.me/darkfox92
+] ThemeForest: https://themeforest.net/user/darkfox92
+] Trello: https://trello.com/darkfox92
+] VK: https://vk.com/darkfox92
+] YouTube: https://www.youtube.com/@darkfox92
+] osu!: https://osu.ppy.sh/users/darkfox92
+] Pinterest: https://www.pinterest.com/darkfox92/
+] tumblr: https://darkfox92.tumblr.com/

*] Search completed with 26 results
```

INSTALLATION – SOCIAL-ANALYZER

- **git clone https://github.com/qeeqbox/social-analyzer.git**
- **cd social-analyzer**
- **python3 -m pip install -r requirements.txt**

```
┌──(melandecia㉿melandecia)-[~]
└─$ git clone https://github.com/qeeqbox/social-analyzer.git
lonage dans 'social-analyzer' ...
emote: Enumerating objects: 3232, done.
emote: Counting objects: 100% (788/788), done.
emote: Compressing objects: 100% (98/98), done.
emote: Total 3232 (delta 732), reused 690 (delta 690), pack-reused 2444 (from 1)
éception d'objets: 100% (3232/3232), 61.47 Mio | 119.00 Kio/s, fait.
ésolution des deltas: 100% (1993/1993), fait.

┌──(melandecia㉿melandecia)-[~]
```

```
-$ cd ~/social-analyzer

┌──(melandecia㉿melandecia)-[~/social-analyzer]
└─$ ^[[200~# 2. Kreye anviwònman vityèl la
: commande introuvable

┌──(melandecia㉿melandecia)-[~/social-analyzer]
└─$ python3 -m venv venv~

┌──(melandecia㉿melandecia)-[~/social-analyzer]
└─$ source venv/bin/activate
ash: venv/bin/activate: Aucun fichier ou dossier de ce nom

┌──(melandecia㉿melandecia)-[~/social-analyzer]
└─$ source venv~/bin/activate

┌──(venv~)(melandecia㉿melandecia)-[~/social-analyzer]
└─$ rm -rf venv~

┌──(venv~)(melandecia㉿melandecia)-[~/social-analyzer]
└─$ python3 -m venv venv

┌──(venv~)(melandecia㉿melandecia)-[~/social-analyzer]
└─$ source venv/bin/activate

┌──(venv)(melandecia㉿melandecia)-[~/social-analyzer]
└─$ pip install -r requirements.txt
ARNING: Retrying (Retry(total=4, connect=None, read=None, redirect=None, status=None)) af
er connection broken by 'ReadTimeoutError("HTTPSConnectionPool(host='pypi.org', port=443)
 Read timed out. (read timeout=15)")': /simple/beautifulsoup4/
ARNING: Retrying (Retry(total=3, connect=None, read=None, redirect=None, status=None)) af
er connection broken by 'ReadTimeoutError("HTTPSConnectionPool(host='pypi.org', port=443)
 Read timed out. (read timeout=15)")': /simple/beautifulsoup4/
ollecting BeautifulSoup4 (from -r requirements.txt (line 1))
 Using cached beautifulsoup4-4.14.3-py3-none-any.whl.metadata (3.8 kB)
```

INSTALLATION – MAIGRET

- **pip3 install maigret**

```
cd ~/maigret

┌──(melandecia㉿melandecia)-[~/maigret]
└─$ python3 -m venv venv

┌──(melandecia㉿melandecia)-[~/maigret]
└─$ source venv/bin/activate

┌──(venv)(melandecia㉿melandecia)-[~/maigret]
└─$ pip install maigret
WARNING: Retrying (Retry(total=4, connect=None, read=None, redirect=None, status=None)) af
ter connection broken by 'ReadTimeoutError("HTTPSConnectionPool(host='pypi.org', port=443)
: Read timed out. (read timeout=15)")': /simple/maigret/
Collecting maigret
  Downloading maigret-0.5.0-py3-none-any.whl.metadata (12 kB)
Collecting Jinja2<4.0.0,≥3.1.6 (from maigret)
  Downloading jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting MarkupSafe<4.0.0,≥3.0.2 (from maigret)
  Downloading markupsafe-3.0.3-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.many
linux_2_28_x86_64.whl.metadata (2.7 kB)
Collecting PyPDF2<4.0.0,≥3.0.1 (from maigret)
  Downloading pypdf2-3.0.1-py3-none-any.whl.metadata (6.8 kB)
Collecting PySocks<2.0.0,≥1.7.1 (from maigret)
  Using cached PySocks-1.7.1-py3-none-any.whl.metadata (13 kB)
Collecting XMind<2.0.0,≥1.2.0 (from maigret)
  Downloading XMind-1.2.0-py2.py3-none-any.whl.metadata (23 kB)
Collecting aiodns<4.0.0,≥3.0.0 (from maigret)
  Downloading aiodns-3.6.1-py3-none-any.whl.metadata (5.8 kB)
Collecting aiohttp<4.0.0,≥3.12.14 (from maigret)
  Downloading aiohttp-3.13.3-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manyli
nux_2_28_x86_64.whl.metadata (8.1 kB)
Collecting aiohttp-socks<0.11.0,≥0.10.1 (from maigret)
  Downloading aiohttp_socks-0.10.2-py3-none-any.whl.metadata (4.5 kB)
Collecting alive_progress<4.0.0,≥3.2.0 (from maigret)
  Downloading alive_progress-3.3.0-py3-none-any.whl.metadata (72 kB)
Collecting arabic-reshaper<4.0.0,≥3.0.0 (from maigret)
  Downloading arabic_reshaper-3.0.0-py3-none-any.whl.metadata (12 kB)
Collecting asgiref<4.0.0,≥3.9.1 (from maigret)
  Downloading asgiref-3.11.1-py3-none-any.whl.metadata (9.3 kB)
Collecting async-timeout<6.0.0,≥5.0.1 (from maigret)
  Downloading async_timeout-5.0.1-py3-none-any.whl.metadata (5.1 kB)
Collecting attrs<26.0.0,≥25.3.0 (from maigret)
  Using cached attrs-25.4.0-py3-none-any.whl.metadata (10 kB)
Collecting certifi<2026.0.0,≥2025.6.15 (from maigret)
  Downloading certifi-2025.11.12-py3-none-any.whl.metadata (2.5 kB)
Collecting chardet<6.0.0,≥5.0.0 (from maigret)
```

UTILISATION

maigret darkfox92

```
┌──(venv)(melandecia㉿melandecia)-[~/maigret]
└─$ maigret darkfox92
[-] Starting a search on top 500 sites from the Maigret database...
[-] You can run search by full list of sites with flag `-a`
[+] Checking username darkfox92 on:
[+] Trello: https://trello.com/darkfox92
    ├─id: 625c6291fce5ae8cc7f1f498
    ├─username: darkfox92
    ├─fullname: Usta Tilki
    ├─image: https://trello-members.s3.amazonaws.com/625c6291fce5ae8cc7f1f498/b7589c706eebc367a9a3245e12950508/170.png
    ├─type: normal
    ├─is_verified: True
    ├─gravatar_url: https://gravatar.com/
    └─gravatar_username: darkfox92
[+] Smule: https://www.smule.com/darkfox92
Searching |                                        | 500/500 [100%] in 2:32.8 (3.27/s)
[-] Too many errors of type "Connecting failure" (45.0%). Try to decrease number of parallel connections (e.g. -n 10)
[-] Too many errors of type "Request failed" (29.0%)
[-] Too many errors of type "Request timeout" (16.0%). Try to increase timeout or to switch to another internet service provider
[-] You can see detailed site check errors with a flag `--print-errors`
[-] Extracted IDs: {'darkfox92': 'username'}
[-] Short text report:
Search by username darkfox92 returned 2 accounts.
Extended info extracted from 1 accounts.
Interests (tags): tasks, music

┌──(venv)(melandecia㉿melandecia)-[~/maigret]
```

INSTALLATION – HOLEHE (OSINT EMAIL → réseaux sociaux)

- **pip3 install holehe**

```
┌──(melandecia㉿melandecia)-[~]
└─$ pipx install holehe
'holehe' already seems to be installed. Not modifying existing installation in
'/home/melandecia/.local/share/pipx/venvs/holehe'. Pass '--force' to force installation.

┌──(melandecia㉿melandecia)-[~]
└─$ python3 -m venv holehe-env

┌──(melandecia㉿melandecia)-[~]
└─$ source holehe-env/bin/activate

┌──(holehe-env)(melandecia㉿melandecia)-[~]
└─$ pip install holehe
Collecting holehe
  Using cached holehe-1.61-py3-none-any.whl
Collecting termcolor (from holehe)
  Using cached termcolor-3.3.0-py3-none-any.whl.metadata (6.5 kB)
Collecting bs4 (from holehe)
  Using cached bs4-0.0.2-py2.py3-none-any.whl.metadata (411 bytes)
Collecting httpx (from holehe)
  Using cached httpx-0.28.1-py3-none-any.whl.metadata (7.1 kB)
Collecting trio (from holehe)
  Using cached trio-0.33.0-py3-none-any.whl.metadata (8.5 kB)
Collecting tqdm (from holehe)
  Using cached tqdm-4.67.3-py3-none-any.whl.metadata (57 kB)
Collecting colorama (from holehe)
  Using cached colorama-0.4.6-py2.py3-none-any.whl.metadata (17 kB)
Collecting beautifulsoup4 (from bs4→holehe)
  Using cached beautifulsoup4-4.14.3-py3-none-any.whl.metadata (3.8 kB)
Collecting soupsieve≥1.6.1 (from beautifulsoup4→bs4→holehe)
  Using cached soupsieve-2.8.3-py3-none-any.whl.metadata (4.6 kB)
Collecting typing-extensions≥4.0.0 (from beautifulsoup4→bs4→holehe)
  Using cached typing_extensions-4.15.0-py3-none-any.whl.metadata (3.3 kB)
Collecting anyio (from httpx→holehe)
  Using cached anyio-4.12.1-py3-none-any.whl.metadata (4.3 kB)
Collecting certifi (from httpx→holehe)
  Using cached certifi-2026.2.25-py3-none-any.whl.metadata (2.5 kB)
Collecting httpcore==1.* (from httpx→holehe)
  Using cached httpcore-1.0.9-py3-none-any.whl.metadata (21 kB)
Collecting idna (from httpx→holehe)

*******************************
  alex.martin.test@gmail.com
*******************************
[x] about.me
```

UTILISATION

- **holehe email@gmail.com**

```
┌──(melandecia㉿melandecia)-[~]
└─$ pipx install holehe
holehe' already seems to be installed. Not modifying existing installation in
/home/melandecia/.local/share/pipx/venvs/holehe'. Pass '--force' to force installation.

┌──(melandecia㉿melandecia)-[~]
└─$ python3 -m venv holehe-env

┌──(melandecia㉿melandecia)-[~]
└─$ source holehe-env/bin/activate

┌──(holehe-env)(melandecia㉿melandecia)-[~]
└─$ pip install holehe
ollecting holehe
 Using cached holehe-1.61-py3-none-any.whl
ollecting termcolor (from holehe)
 Using cached termcolor-3.3.0-py3-none-any.whl.metadata (6.5 kB)
ollecting bs4 (from holehe)
 Using cached bs4-0.0.2-py2.py3-none-any.whl.metadata (411 bytes)
ollecting httpx (from holehe)
 Using cached httpx-0.28.1-py3-none-any.whl.metadata (7.1 kB)
ollecting trio (from holehe)
 Using cached trio-0.33.0-py3-none-any.whl.metadata (8.5 kB)
ollecting tqdm (from holehe)
 Using cached tqdm-4.67.3-py3-none-any.whl.metadata (57 kB)
ollecting colorama (from holehe)
 Using cached colorama-0.4.6-py2.py3-none-any.whl.metadata (17 kB)
ollecting beautifulsoup4 (from bs4→holehe)
 Using cached beautifulsoup4-4.14.3-py3-none-any.whl.metadata (3.8 kB)
ollecting soupsieve≥1.6.1 (from beautifulsoup4→bs4→holehe)
 Using cached soupsieve-2.8.3-py3-none-any.whl.metadata (4.6 kB)
ollecting typing-extensions≥4.0.0 (from beautifulsoup4→bs4→holehe)
 Using cached typing_extensions-4.15.0-py3-none-any.whl.metadata (3.3 kB)
ollecting anyio (from httpx→holehe)
 Using cached anyio-4.12.1-py3-none-any.whl.metadata (4.3 kB)
ollecting certifi (from httpx→holehe)
 Using cached certifi-2026.2.25-py3-none-any.whl.metadata (2.5 kB)
ollecting httpcore==1.* (from httpx→holehe)
 Using cached httpcore-1.0.9-py3-none-any.whl.metadata (21 kB)
ollecting idna (from httpx→holehe)

*******************************
  alex.martin.test@gmail.com
*******************************
x] about.me
```

LANCER UNE RECHERCHE AVEC L'E-MAIL FOURNI.

```
*********************************
   alex.martin.test@gmail.com
*********************************
[x] about.me
[-] adobe.com
[x] amazon.com
[x] amocrm.com
[-] any.do
[-] archive.org
[-] armurerie-auxerre.com
[x] atlassian.com
[x] axonaut.com
[x] babeshows.co.uk
[x] badeggsonline.com
[x] bios-mods.com
[x] biotechnologyforums.com
[x] bitmoji.com
[x] blablacar.com
[x] blackworldforum.com
[-] blip.fm
[x] forum.blitzortung.org
[x] bluegrassrivals.com
[x] bodybuilding.com
[x] buymeacoffee.com
[x] discussion.cambridge-mt.com
[x] caringbridge.org
[x] chinaphonearena.com
[x] clashfarmer.com
[x] codecademy.com
[x] forum.codeigniter.com
[x] codepen.io
[x] coroflot.com
[x] cpaelites.com
[x] cpahero.com
[x] cracked.to
[x] crevado.com
[x] deliveroo.com
[x] demonforums.net
[-] devrant.com
[x] diigo.com
[x] diigo.com
[x] discord.com
[x] docker.com
[x] dominos.fr
```

QUESTIONS

POURQUOI L'E-MAIL EST-IL UN PIVOT OSINT ?

R- L'e-mail est un pivot OSINT car il est unique et souvent réutilisé sur plusieurs plateformes.
À partir d'une seule adresse e-mail, on peut :

- Retrouver des comptes sur les réseaux sociaux, forums, sites e-commerce
- Détecter des fuites de données
- Découvrir d'autres informations comme un nom d'utilisateur ou un numéro de téléphone
  C'est un point de départ idéal pour élargir une enquête.

QUELS SONT LES RISQUES SI UN E-MAIL APPARAIT DANS UN LEAK ?

R- Si un e-mail apparaît dans une fuite de données, les risques sont :

- Exposition de mots de passe (souvent inclus dans les fuites)
- Réutilisation des mots de passe sur d'autres sites (credential stuffing)
- Phishing ciblé (spear-phishing) plus difficile à détecter
- Vol d'identité si d'autres informations personnelles fuient
- Pertes financières si des comptes sensibles (banque, PayPal) sont compromis

QUE PEUT FAIRE UN ATTAQUANT AVEC CES INFORMATIONS ?

Avec un e-mail et les données d'un leak, un attaquant peut :

- Tenter de se connecter à d'autres comptes (Amazon, Facebook, etc.)
- Envoyer des e-mails de phishing personnalisés
- Vendre les données sur le dark web
- Pratiquer le SIM swapping si un numéro de téléphone est associé
- Usurper l'identité de la victime pour commettre des fraudes

EXERCICE 2 – RECHERCHE PAR NUMERO DE TELEPHONE

QUESTIONS

QUELS SONT LES RISQUES D'EXPOSER SON NUMERO ?

Exposer son numéro de téléphone peut entraîner plusieurs risques :

Risque	Explication
Spam / Démarchage	Réception d'appels et SMS publicitaires non sollicités
Hameçonnage (smishing)	SMS frauduleux imitant des services officiels (banque, impôts, etc.)
SIM swapping	Un pirate peut prendre le contrôle de votre ligne téléphonique
Doxing	Votre numéro peut permettre de trouver votre nom, adresse, ou réseaux sociaux
Chantage	Si le numéro est lié à des comptes sensibles ou des conversations privées

QU'EST-CE QUE LE SIM SWAPPING ?

Le **SIM swapping** (ou échange de carte SIM) est une technique d'attaque où un pirate :

1. **Collecte des informations** sur vous (nom, date de naissance, adresse)
2. **Contacte votre opérateur** téléphonique en se faisant passer pour vous
3. **Demande le transfert** de votre numéro vers une nouvelle carte SIM qu'il possède
4. **Prend le contrôle** de votre ligne : il reçoit tous vos appels et SMS

Conséquence : il peut intercepter vos codes de confirmation (2FA) et prendre le contrôle de vos comptes bancaires, e-mails ou réseaux sociaux.

QUELLES ATTAQUES SONT POSSIBLES AVEC CETTE DONNEE ?

Attaque	Explication
SIM swapping	Prendre le contrôle de votre ligne pour recevoir vos SMS de confirmation
Smishing	Envoyer des SMS piégés pour voler vos identifiants
Vishing	Vous appelez en se faisant passer pour votre banque ou opérateur
Account takeover	Réinitialiser vos mots de passe si votre numéro est utilisé pour la 2FA
Recherche inversée	Trouver votre nom, adresse ou profils sociaux via des annuaires en ligne
Vente sur le dark web	Votre numéro peut être revendu à d'autres pirates

CONCLUSION

Ce travail pratique nous a permis de mettre en œuvre une enquête OSINT complète à partir d'une identité fictive fournie par le formateur. L'objectif était de comprendre la méthodologie de collecte d'informations publiques, d'utiliser des outils spécialisés et d'évaluer les risques liés à l'exposition des données personnelles sur Internet.