

# Iteration 3 - Test Document

**Team PA-PI-a**

**8 April 2018**

**Table 1:** Team

Name	ID Number
Melanie Taing	40009850
Laurie Gagnon	22943433
Wayne Yiel Leung	26586988
Jordan Rutty	27300107
Michael Foo	40000225
Pierre-Andre Leger	40004010
Colin Greczkowski	40001600

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Test Plan</b>	<b>3</b>
2.1	System Level Test Cases . . . . .	3
2.1.1	Test Case 1 . . . . .	9
2.2	Subsystem Level Test Cases . . . . .	9
2.2.1	Subsystem X . . . . .	9
2.3	Unit Test cases . . . . .	9
2.3.1	Unit X . . . . .	9
<b>3</b>	<b>Test Results</b>	<b>9</b>
<b>4</b>	<b>References</b>	<b>10</b>
<b>A</b>	<b>Description of Input Files</b>	<b>10</b>

# 1 Introduction

The purpose of this document is to gather all information necessary for testing of the My-Money application. This document describes the testing approach and overall framework that will be used to test the MyMoney application.

The following pages will identify the requirements that will be tested, the testing strategy used, the test cases and their results, and the description of input files.

## 2 Test Plan

*Describe what forms of testing you plan to do (unit, subsystem, integration), describe briefly the schedule and resources for testing, and how you designed your test cases.*

*Indicate which qualities (from requirements) were tested and which qualities were not tested.*

### 2.1 System Level Test Cases

*All test cases for testing at the system level.*

**Table 2:** Template Test Case

<b>Test Case Number</b>	UT-1
<b>Test Case Description</b>	This test case is used to ensure the generated puzzle board has the same dimensions as the input width and height
<b>Input</b>	<ol style="list-style-type: none"><li>1. None - Default 8-8 board size</li><li>2. Width/height from "input.txt" file.</li></ol>
<b>Expected Output</b>	<ol style="list-style-type: none"><li>1. "OK" - Test executed successfully.</li></ol>
<b>Expected Post-Conditions</b>	The system responds to the presence or absence of the input vector and outputs a success message upon test successful completion in "output.txt", along with a time-stamp containing the test's execution time and date.
<b>Execution History</b>	<ol style="list-style-type: none"><li>1. 05/04/2016 — Tester's name — Executed test successfully.</li></ol>

<b>Test Case Number</b>	UT-1
<b>Test Case Description</b>	This test case is used to ensure that transactions are properly saved or updated to their repository
<b>Input</b>	<ol style="list-style-type: none"> <li>1. A Transaction object populated with generic data</li> <li>2. A second Transaction object with the ID of the first one.</li> <li>3. A test transaction database.</li> </ol>
<b>Expected Output</b>	<ol style="list-style-type: none"> <li>1. Transaction details are printed to console.</li> </ol>
<b>Expected Post-Conditions</b>	A transaction database is created and a transaction is inserted. The balance of this transaction is then updated to a new value.
<b>Execution History</b>	<ol style="list-style-type: none"> <li>1. 04/03/2017 — Colin Greczkowski — Executed test successfully.</li> </ol>

<b>Test Case Number</b>	UT-2
<b>Test Case Description</b>	This test verifies that the deleteItem method works as intended, and deletes a Transaction record for a given ID
<b>Input</b>	<ol style="list-style-type: none"> <li>1. A generic account ID</li> <li>2. A Transaction object populated with generic data, associated to the generic account.</li> <li>3. A test transaction database.</li> </ol>
<b>Expected Output</b>	<ol style="list-style-type: none"> <li>1. "Delete Transaction 1"</li> </ol>
<b>Expected Post-Conditions</b>	The test transaction database should be empty.
<b>Execution History</b>	<ol style="list-style-type: none"> <li>1. 04/07/2017 — Colin Greczkowski — Executed test successfully.</li> </ol>

<b>Test Case Number</b>	UT-3
<b>Test Case Description</b>	This test case is used to make sure all Transactions associated to an account are properly purged from the repository.
<b>Input</b>	<ol style="list-style-type: none"> <li>1. A generic account ID</li> <li>2. Two Transaction objects populated with generic data, associated to the generic account.</li> <li>3. A test transaction database.</li> </ol>
<b>Expected Output</b>	<ol style="list-style-type: none"> <li>1. "Delete Transaction 1"</li> <li>2. "Delete Transaction 2"</li> </ol>
<b>Expected Post-Conditions</b>	The test transaction database does not contain the two transactions that had the generic account ID.
<b>Execution History</b>	<ol style="list-style-type: none"> <li>1. 04/03/2017 — Colin Greczkowski — Executed test successfully.</li> </ol>

<b>Test Case Number</b>	UT-4
<b>Test Case Description</b>	This tests the RepositoryContainer's ability to save a variety of types of objects (Transactions, Accounts, Budgets).
<b>Input</b>	<ol style="list-style-type: none"> <li>1. Test Transaction, Budget and Account Databases</li> <li>2. A test Transaction</li> <li>3. A test Account</li> <li>4. A test Budget</li> </ol>
<b>Expected Output</b>	<ol style="list-style-type: none"> <li>1. The test transaction's details are printed to console.</li> </ol>
<b>Expected Post-Conditions</b>	The account, transaction and budget items are saved to their respective test databases. Balances are updated correctly.
<b>Execution History</b>	<ol style="list-style-type: none"> <li>1. 04/07/2017 — Colin Greczkowski — Executed test successfully.</li> </ol>



### 2.1.1 Test Case 1

#### **Purpose**

State the purpose of the test. Indicate which requirement and which aspect of that requirement is being tested.

#### **Input Specification**

State the context for the test in terms of system state. State the input test data. You may need to mention operations invoked as well as data for the operation. You can cross-reference to actual file data specified in an appendix.

#### **Expected Output**

State the expected system response and output. You can cross-reference to actual file data specified in an appendix.

#### **Traces to Use Cases**

State which requirements (at the level of use case and scenario) are tested by this test case.

## 2.2 Subsystem Level Test Cases

*All test cases for testing at the subsystem level.*

*One subsection per subsystem*

### 2.2.1 Subsystem X

## 2.3 Unit Test cases

*All test cases for testing at the unit level.*

*One subsection per unit*

### 2.3.1 Unit X

## 3 Test Results

*List the tests, indicating which passed and which did not pass. List requirements indicating the percentage of tests that passed for that requirement.*

## **4 References**

### **A Description of Input Files**

Describe/include test data from input files.