

E1 CRM Entity	P1	E41 Appellation	P2	E55 Type	P4	E52 Time-Span	P7	E53 Place
	is identified by <i>P1i identifies</i> ▼ P48 has preferred identifier ▼ P102 has title ▼ P168 place is defined by ▼ P169i spacetime volume is defined by ▼ P170i time is defined by		has type <i>P2i is type of</i> ▼ P137 exemplifies ▼ P177 assigned property of type		has time-span <i>P4i is time-span of</i>		took place at <i>P7i witnessed</i>	
E7 Activity	P14	E39 Actor	P16	E70 Thing	P43	E54 Dimension	P44	E3 Condition State
	carried out by <i>P14i performed</i> ▲ P11 had participant ▼ P22 transferred title to ▼ P23 transferred title from ▼ P28 custody surrendered by ▼ P29 custody received by		used specific object <i>P16i was used for</i> ▲ P12 occurred in the presence of ▲ P15 was influenced by ▼ P33 used specific technique ▼ P111 added ▼ P142 used constituent		has dimension <i>P43i is dimension of</i>		has condition <i>P44i is condition of</i>	
E18 Physical Thing	P45	E57 Material	P46	E18 Physical Thing	P48	E42 Identifier	P67	E1 CRM Entity
	consists of <i>P45i is incorporated in</i>		is composed of <i>P46i forms part of</i> ▼ P56 bears feature		has preferred identifier <i>P48i is preferred identifier of</i> ▼ P15 was influenced by		refers to <i>P67i is referred to by</i> ▼ P15 was influenced by	
E52 Time-Span	P82	E62 Time Primitive	P82a	E62 Time Primitive	P82b	E62 Time Primitive	P86	E52 Time-Span
	at some time within <i>motivated</i> ▼ P82a begin of the begin ▼ P82b end of the end		begin of the begin ▲ P82 at some time within		end of the end ▲ P82 at some time within		falls within <i>P86i contains</i>	

P7 took place at

This property describes the spatial location of an instance of E4 Period. P7 took place at (witnessed) does not convey any meaning other than spatial positioning (frequently on the surface of the earth).

 CIDOC CRM v.7.1.3

P4 has time-span

This property associates an instance of E2 Temporal Entity with the instance of E52 Time-Span during which it was on-going.

 CIDOC CRM v.7.1.3

P2 has type

This property allows sub typing of CIDOC CRM entities – a form of specialisation – through the use of a terminological hierarchy, or thesaurus.

 CIDOC CRM v.7.1.3

P1 is identified by

This property describes the naming or identification of any real-world item by a name or any other identifier.

 CIDOC CRM v.7.1.3

P44 has condition

This property records an E3 Condition State for some E18 Physical Thing. This property is a shortcut of the more fully developed path from E18 Physical Thing through P34i was assessed by, E14 Condition Assessment, P35 has identified to E3 Condition State.

 CIDOC CRM v.7.1.3

P43 has dimension

This property records an instance of E54 Dimension of some instance of E70 Thing.

 CIDOC CRM v.7.1.3

P16 used specific object

This property describes the use of material or immaterial things in a way essential to the performance or the outcome of an instance of E7 Activity.

 CIDOC CRM v.7.1.3

P14 carried out by

This property describes the active participation of an instance of E39 Actor in an instance of E7 Activity.

 CIDOC CRM v.7.1.3

P67 refers to

This property documents that an instance of E89 Propositional Object makes a statement about an instance of E1 CRM Entity.

 CIDOC CRM v.7.1.3

P48 has preferred identifier

This property records the preferred instance of E42 Identifier that was used to identify an instance of E1 CRM Entity at the time this property was recorded.

 CIDOC CRM v.7.1.3

P46 is composed of

This property associates an instance of E18 Physical Thing with another instance of Physical Thing that forms part of it.

 CIDOC CRM v.7.1.3

P45 consists of

This property identifies the instances of E57 Materials of which an instance of E18 Physical Thing is composed.

 CIDOC CRM v.7.1.3

P86 falls within

This property describes the inclusion relationship between two instances of E52 Time-Span.

 CIDOC CRM v.7.1.3

P82b end of the end

This is defined as the second boundary of the property P82.

 CIDOC CRM v.7.1.3

P82a begin of the begin

This is defined as the first boundary of the property P82.

 CIDOC CRM v.7.1.3

P82 at some time within

This property describes the maximum period of time within which an E52 Time-Span falls.

 CIDOC CRM v.7.1.3

E54 Dimension	P90	E60 Number	E67 Birth	P98	E21 Person	E69 Death	P100	E21 Person	E72 Legal Object	P104	E30 Right
	has value			brought into life			was death of			is subject of	
				<i>P98i was born</i> ▲ P92 brought into existence			<i>P100i died in</i> ▲ P93 took out of existence			<i>P104i applies to</i>	
E12 Production	P108	E24 Physical Human-Made Thing	E18 Physical Thing	P128	E90 Symbolic Object	E89 Propositional Object	P148	E89 Propositional Object	E55 Type	P150	E56 Type
	has produced			carries			has component			defines typical parts of	
	<i>P108i was produced by</i> ▲ P31 has modified ▲ P92 brought into existence			<i>P128i is carried by</i> ▲ P130 shows features of ▼ P65 shows visual item			<i>P148i is component of</i>			<i>P150i defines typical wholes for</i>	
E52 Time-Span	P191	E54 Dimension	F1 Work	R3	F2 Expression	F3 Manifestation	R4	F2 Expression	F5 Item	R7	F3 Manifestation
	has duration			is realised in			embodies			exemplifies	
	<i>P191i was duration of</i> ▲ P130 shows features of			<i>R3i realises</i> ▲ P130 shows features of			<i>R4i is embodied in</i> ▲ P165 incorporates			<i>R7i is exemplified by</i> ▲ P128 carries	
F27 Work Creation	R16	F1 Work	F28 Expression Creation	R17	F2 Expression	F30 Manifestation Creation	R24	F3 Manifestation	F3 Manifestation	R71	F3 Manifestation
	created			created			created			has part	
	<i>R16i was created by</i> ▲ P94 has created			<i>R17i was created by</i> ▲ P94 has created			<i>R24i was created through</i> ▲ P94 has created			<i>R71i is part of</i> ▲ P148 has component	

P104 is subject to

This property links a particular instance of E72 Legal Object to the instances of E30 Right to which it is subject.

 CIDOC CRM v.7.1.3

P100 was death of

This property links an instance of E69 Death to the instance of E21 Person that died.

 CIDOC CRM v.7.1.3

P98 brought into life

This property links an instance of E67 Birth event to an instance of E21 Person in the role of offspring.

 CIDOC CRM v.7.1.3

P90 has value

This property allows an instance of E54 Dimension to be approximated by an instance of E60 Number primitive.

 CIDOC CRM v.7.1.3

P150 defines typical parts of

This property associates an instance of E55 Type "A" with an instance of E55 Type "B", when items of type "A" typically form part of items of type "B", such as "car motors" and "cars".

 CIDOC CRM v.7.1.3

P148 has component

This property associates an instance of E89 Propositional Object with a structural part of it that is by itself an instance of E89 Propositional Object.

 CIDOC CRM v.7.1.3

P128 carries

This property identifies an instance E90 Symbolic Object carried by an instance of E18 Physical Thing.

 CIDOC CRM v.7.1.3

P108 has produced

This property identifies the instance of E24 Physical Human-Made Thing that came into existence as a result of the instance of E12 Production.

 CIDOC CRM v.7.1.3

R7 exemplifies

This property associates an instance of F3 Manifestation with an instance of F5 Item that is one of its exemplars or its only exemplar.

 LRMoo v.1.0

R4 embodies

This property associates an instance of F3 Manifestation with one or more instances of F2 Expression which are rendered by this instance of F3 Manifestation.

 LRMoo v.1.0

R3 is realised in

This property associates an instance of F2 Expression with an instance of F1 Work.

 LRMoo v.1.0

P191 has duration

This property describes the length of time covered by an instance of E52 Time-Span.

 CIDOC CRM v.7.1.3

R71 has part

This property associates an instance of F3 Manifestation with a structural part of it that is itself an instance of F3 Manifestation.

 LRMoo v.1.0

R24 created

This property associates the instance of F3 Manifestation that was created during a particular instance of F30 Manifestation Creation with that instance of F30 Manifestation Creation event.

 LRMoo v.1.0

R17 created

This property associates an instance of F2 Expression that was externalised during a particular instance of F28 Expression Creation event with that particular creation event.

 LRMoo v.1.0

R16 created

This property associates the initial creation of a work and the instance of F1 Work that was created.

 LRMoo v.1.0

F3 Manifestation	R78	F3 Manifestation	D2 Digitization Process	L1	E18 Physical Thing	D7 Digital Machine Event	L11	D1 Digital Object	D13 Digital Information Carrier	L19	D1 Digital Object
	has alternate			digitized			had output			stores	
				<i>L1i was digitized by</i> ▲ P39 measured			<i>L11i was output of</i> ▲ P94 has created ▼ L20 has created ▼ L22 created derivative ▼ L24 created logfile			<i>L19i is stored on</i> ▲ P128 carries	
D9 Data Object	L56		D9 Data Object	L57		E1 CRM Entity	P1	E41 Appellation	E1 CRM Entity	P2	E56 Type
	has pixel width			has pixel height			is identified by			has type	
	▲ P90 has value			▲ P90 has value			<i>P1i identifies</i> ▼ P48 has preferred identifier ▼ P102 has title ▼ P168 place is defined by ▼ P169i spacetime volume is defined by ▼ P170i time is defined by			<i>P2i is type of</i> ▼ P137 exemplifies ▼ P177 assigned property of type	
E2 Temporal Entity	P4	E52 Time-Span	E1 CRM Entity	P2	E55 Type	E2 Temporal Entity	P4	E52 Time-Span	E4 Period	P7	E53 Place
	has time-span			has type			has time-span			took place at	
	<i>P4i is time-span of</i> ▼ P137 exemplifies ▼ P177 assigned property of type			<i>P2i is type of</i> ▼ P137 exemplifies ▼ P177 assigned property of type			<i>P4i is time-span of</i>			<i>P7i witnessed</i>	
E1 CRM Entity	P1	E41 Appellation	E1 CRM Entity	P2	E55 Type	E2 Temporal Entity	P4	E52 Time-Span	E4 Period	P7	E53 Place
	is identified by			has type			has time-span			took place at	
	<i>P1i identifies</i> ▼ P48 has preferred identifier ▼ P102 has title ▼ P168 place is defined by ▼ P169i spacetime volume is defined by ▼ P170i time is defined by			<i>P2i is type of</i> ▼ P137 exemplifies ▼ P177 assigned property of type			<i>P4i is time-span of</i>			<i>P7i witnessed</i>	

L19 stores

This property associates an instance of a D13 Digital Information Carrier with the instance of Digital Object that is stored on it.

 CRMdig v.3.2.1

L11 had output

This property associates an instance of D7 Digital Machine Event with an instance of D1 Digital Object which is the output of the activity.

 CRMdig v.3.2.1

L1 digitized

This property associates an instance of D2 Digitization Process with an instance of E18 Physical Thing which is a material thing.

 CRMdig v.3.2.1

R78 has alternate

This property associates one instance of F3 Manifestation with another instance of F3 Manifestation that exemplifies the same instance of F2 Expression, when the two instances of F3 Manifestation can be used as alternatives for each other in particular use cases.

 CRMdig v.3.2.1

P2 has type

This property allows sub typing of CIDOC CRM entities – a form of specialisation – through the use of a terminological hierarchy, or thesaurus.

 CIDOC CRM v.7.1.3

P1 is identified by

This property describes the naming or identification of any real-world item by a name or any other identifier.

 CIDOC CRM v.7.1.3

L57 has pixel height

This property records the pixel height of the data object; it approximates a dimension that is part of the image data analysis.

 CRMdig v.3.2.1

L56 has pixel width

This property records the pixel width of the data object; it approximates a dimension that is part of the image data analysis.

 CRMdig v.3.2.1

P7 took place at

This property describes the spatial location of an instance of E4 Period.

 CIDOC CRM v.7.1.3

P4 has time-span

This property associates an instance of E2 Temporal Entity with the instance of E52 Time-Span during which it was on-going.

 CIDOC CRM v.7.1.3

P2 has type

This property allows sub typing of CIDOC CRM entities – a form of specialisation – through the use of a terminological hierarchy, or thesaurus.

 CIDOC CRM v.7.1.3

P4 has time-span

This property associates an instance of E2 Temporal Entity with the instance of E52 Time-Span during which it was on-going.

 CIDOC CRM v.7.1.3

P7 took place at

This property describes the spatial location of an instance of E4 Period.

 CIDOC CRM v.7.1.3

P4 has time-span

This property associates an instance of E2 Temporal Entity with the instance of E52 Time-Span during which it was on-going.

 CIDOC CRM v.7.1.3

P2 has type

This property allows sub typing of CIDOC CRM entities – a form of specialisation – through the use of a terminological hierarchy, or thesaurus.

 CIDOC CRM v.7.1.3

P1 is identified by

This property describes the naming or identification of any real-world item by a name or any other identifier.

 CIDOC CRM v.7.1.3