

Whammy 5 - NEO - Version 1.05
By melatroid


First Working Version
Not fully Testet!
Wait for a Final Version!

melatroid@gmail.com




- Calibration
- Layer 1/2
- Time/Position
- OLED Display
- Effect On/OFF
- Momantary / Change Effects

Front



Back



6mm
Calibration



6mm
Layer 1/2 Switch

Poti 10K0hm
7mm




Momentary Switch
12mm

OLED Display
25x16,5 mm

Holes & Display



Drills




Print it with a 3D printer

Parts

 220 Ω 2x



Toggle Switch 2x
Layer 1/2 (2 Way)
Calibration (3 Way)



SPST Momentary



SSD1306
0-LED
I²C !!!



22-47
uF



100 nF
47 nF

ELKO/Ceramic
Condenser


B0505S-1W



DC/DC
LM2596



10K Ω




Raspberry Pi
2040 Zero



<https://tweakable-parts.com/en/footswitches/175-spst-momentary-switch.html>

Normally Open! → PBS 24B 4L
Long Version!

Power Supply




Dont connect 2040 Zero bevor Voltage is correct!



DC/DC Converter LM2596



B0505S-1W



BLM21PG121SN1D (Optional)

22-47 uF

100 nF

Check if 5V?


Not really needet

220 Ω


MIDI

220 Ω

RP2040Z
Free Version



**Bluetooth & Memory –
Only in PRO Version**




MICRO SD 2 < 32 GB
FAT32 Format




MICROSD SPI/SPIO
BREAKOUT BOARD



1528-4682-ND



Inside





Midi




Circuit Bord


Purchase the components and solder a board according to the circuit diagram.






Test Circuit Board



Display





Calibration Switch




Replace the original
switch with the SPST.

Remove the original
Effect on/off switch by
wiggling it back and
forth so that the
contacts break off on
the switch side.
If you need more space,
do it from behind.



Auto Pedal Return



50mm/2in

1,12kg

