

Whammy 5 – NEO – Version 1.07
By melatroid


First Working Version
Not fully Testet!
Wait for a Final Version!

melatroid@gmail.com




- Calibration
- Effect 2 / Settings Menü
- Time/Position
- OLED Display
- Effect On/OFF
- Momantary / Presets 1 - 2

Front



Back



6mm
Calibration



6-7mm
Layer 1/2 Switch

Poti 10K0hm
7mm

Momentary Switch
12mm

OLED Display
25x16,5 mm




Holes & Display



Drills

Be shure that layer switch is very short, there is only 9-10mm space to the circuity board


Print it with a 3D printer



Parts

<https://tweakable-parts.com/en/footswitches/175-spst-momentary-switch.html>


Normally Open! → PBS 24B 4L
Long Version!



SPST, NO, 1x
Layer 1/2 **Momentary !!!**



Toggle Switch 1x
Calibration (3 Way)



SPST, NO,
Momentary !!!



**SSD1306 OR
SSD1315**
O-LED
I²C !!!



22-47
uF



100 nF
47 nF

ELKO/Ceramic
Condenser


B0505S-1W



DC/DC
LM2596



10KΩ





Raspberry Pi
2040 Zero




220Ω 2x


Power Supply





RP2040Z



Inside





Midi




Circuit Board


Purchase the components and solder a board according to the circuit diagram.






Test Circuit Board



Display





Calibration Switch






Replace the original switch with the SPST.

Remove the original Effect on/off switch by wiggling it back and forth so that the contacts break off on the switch side.


If you need more solder space, do it from behind.



Classic Chords



Auto Pedal Return



50mm/2in

1,12kg

