TennisComp Test cases: Sprint 2

	Backend tests use Node's built-in test runner with @nestjs/testing; frontend tests use Vitest, with React Testing Library for rendering components. End to end tests use Playwright. Database tests run on a real PostgreSQL database inside a transaction that is rolled back. CI/CD runs on GitHub Actions.
Testing types:	Unit, Integration, Database, End to end, Live site, CI/CD checks
How to run:	npm test (unit + integration, no database needed) · npm run test:database --workspace=backend (a local Postgres) · npm run test:e2e (end to end; database running and seeded) · live-site and CI/CD checks run in GitHub Actions
Scope:	Every test added in Sprint 2, after the Sprint 1 plan of 28 Sep 2026: 147 of the 213 tests in TestingPlan.xlsx, plus 9 CI/CD checks.
Legend:	Test IDs match the test names in the code, e.g. test('AUTH-006: ...'). User story: the story a test covers (see the table below); blank for other stories and technical checks. Unit and integration tests are automated: npm test runs them, so their steps are the test code named in Setup.
Last run:	21 Oct 2026, GitHub Actions on the latest code (develop and main at a7d2a84): backend 131/131, database 15/15, frontend 123/123, end to end 24/24 passed. The live-site checks (LIVE-001, LIVE-002, CD-002, CD-003) run on the live site after each release and passed after the latest one, on 21 Oct 2026.

User stories covered

User story	What it covers	Tests
US-18	A club administrator sees and changes only their own club; the club comes from their role, never the request	AUTH-006, AUTH-007, FE-010, FE-011, FE-013, I-FE-005, I-FE-007, I-FE-008, I-UI-006, I-CLUBADMIN-001, I-CLUBADMIN-002, I-CLUBADMIN-003, I-CLUBADMIN-004, I-CLUBADMIN-005, I-CLUBADMIN-006, I-CLUBADMIN-007, I-CLUBADMIN-008, I-CLUBADMIN-009, I-CLUBADMIN-010, I-CLUBADMIN-011, I-CLUBADMIN-012, I-CLUBADMIN-013, I-CLUBADMIN-014, I-CLUBADMIN-016, I-CLUBDASH-001, I-CLUBDASH-002, I-CLUBDASH-003, I-CLUBDASH-004, I-CLUBDASH-005, I-CLUBDASH-006, I-CLUBDASH-007, I-CLUBFIX-001, I-CLUBFIX-002, I-CLUBFIX-003, I-CLUBFIX-004, I-CLUBFIX-005, JUNIOR-001, JUNIOR-002, JUNIOR-105, JUNIOR-106, JUNIOR-UI-004, E2E-011, E2E-012, E2E-013, E2E-014, E2E-016, E2E-022, LIVE-002 (48 tests)
US-19	Search the player registry before creating a new player	I-CLUBEDIT-014, I-CLUBEDIT-015, I-CLUBEDIT-016, I-UI-010, JUNIOR-003, JUNIOR-107, JUNIOR-UI-005, E2E-018, E2E-023 (9 tests)
US-20	Create a team in a season open for entries, with a name unique in that season	I-FE-006, I-CLUBEDIT-001, I-CLUBEDIT-002, I-CLUBEDIT-003, I-UI-011, E2E-017 (6 tests)
US-21	Only active, eligible club members join a team's squad	I-FE-006, I-CLUBEDIT-004, I-CLUBEDIT-005, I-CLUBEDIT-006, I-CLUBEDIT-007, I-UI-008, E2E-013, E2E-017 (8 tests)
US-22	Club administrator notifications	I-CLUBNOTE-001, I-CLUBNOTE-002, I-CLUBNOTE-003, I-CLUBNOTE-004, I-CLUBNOTE-005, I-CLUBNOTE-006, I-CLUBNOTE-007, I-CLUBNOTE-008, I-UI-007, E2E-015 (10 tests)
US-45	Team managers: who can be assigned, and what a manager can see	I-FE-006, I-CLUBADMIN-015, I-CLUBADMIN-016, I-CLUBADMIN-017, I-CLUBEDIT-008, I-CLUBEDIT-009, I-CLUBEDIT-010, I-CLUBEDIT-011, I-UI-008, I-UI-009, JUNIOR-005, JUNIOR-006, JUNIOR-014, JUNIOR-103, JUNIOR-104, JUNIOR-110, JUNIOR-UI-001, JUNIOR-UI-002, JUNIOR-UI-007, E2E-013, E2E-017, E2E-021 (22 tests)
Manage membership	Add a player to the club, or bring back a former member	I-FE-006, I-CLUBADMIN-011, I-CLUBADMIN-012, I-CLUBDASH-002, I-CLUBEDIT-012, I-CLUBEDIT-013, I-CLUBEDIT-014, I-UI-010, E2E-012, E2E-018 (10 tests)

Test cases

Test type	Test ID	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
Unit	AUTH-006	US-18	npm test	A Club Admin Login Reports The CLUB_ADMIN Role, Their Club And Their Name	Club Admin Account Exists	backend/test/auth.test.cjs	Automated: npm test	Y
	AUTH-007	US-18	npm test	A Revoked Role Is Not Reported	Role Is Revoked	backend/test/auth.test.cjs	Automated: npm test	Y
	AUTH-008		npm test	A Suspended Or Pending Account Cannot Log In, Even With The Right Password	Account Is Suspended Or Pending	backend/test/auth.test.cjs	Automated: npm test	Y
	TEAM-003		npm test	Two Teammates With The Same Name Are Both Listed, And Only The One Logged In Is Marked As You	Two Teammates Share A Name	backend/test/player.test.cjs	Automated: npm test	Y

SUP-002		npm test	A Player On Several Current Teams Gets Every Team, Each With Its Own Manager And Club	Player Is On Several Current Teams	backend/test/player.test.cjs	Automated: npm test	Y
SUP-004		npm test	A Team Whose Season Is About To Start Names Its Manager Too, So A Junior Knows Who To Call Before Round 1	Team's Season Has Not Started	backend/test/player.test.cjs	Automated: npm test	Y
UTR-005		npm test	The Demo Rating Comes Only From The Mock Provider, Never In Production	Utr Provider Set To Mock	backend/test/utr.test.cjs	Automated: npm test	Y
FE-008		npm test	Which Standings Section Opens	None	frontend/tests/standings-helpers.test.ts	Automated: npm test	Y
FE-009		npm test	Club Membership Lines And Order	None	frontend/tests/membership-helpers.test.ts	Automated: npm test	Y
FE-010	US-18	npm test	Which Fixtures And Teams Are The Administrator's Club's	None	frontend/tests/club-admin.test.ts	Automated: npm test	Y
FE-011	US-18	npm test	Club Administrator Fixtures And Results Tabs	None	frontend/tests/club-admin.test.ts	Automated: npm test	Y
FE-012		npm test	Dates In Melbourne For The Club Administrator Pages	None	frontend/tests/formatters.test.ts	Automated: npm test	Y
FE-013	US-18	npm test	The Club Administrator Dashboard's Season And Short Club Names	None	frontend/tests/club-admin.test.ts	Automated: npm test	Y
FE-014		npm test	Calendar Dates In Full	None	frontend/tests/formatters.test.ts	Automated: npm test	Y
DUP-001		npm test	Same Birthday And Fitting Names Are Flagged; Look-alikes, Opponents And Decided Pairs Are Not	Profiles With The Same Birthday (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y
DUP-002		npm test	Each New Pair Gets One Pending Merge Request Saying Why; Running Again Adds None	Profiles With The Same Birthday (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y
JUNIOR-004		npm test	A Teammate Sees Only The Names On A Junior's Team List, Never Their Details Or Parent	Junior With A Parent On Record (Simulated)	backend/test/player.test.cjs	Automated: npm test	Y
JUNIOR-005	US-45	npm test	The Team Manager, Who Need Not Play In The Team, Sees The Juniors And Their Parent's Phone And Email	Junior With A Parent On Record (Simulated)	backend/test/player.test.cjs	Automated: npm test	Y
JUNIOR-006	US-45	npm test	The Manager Of Another Team, Or A Player Not On It, Cannot Open A Junior Team At All	Junior With A Parent On Record (Simulated)	backend/test/player.test.cjs	Automated: npm test	Y
JUNIOR-013		npm test	A Parent Contact Is Only Ever A Junior's, And Only When One Is Recorded	None	backend/test/association-admin.test.cjs	Automated: npm test	Y
MATCH-001		npm test	Written Names Are Compared The Way Scoresheets Write Them	Team Rosters By Season (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y

	MATCH-002		npm test	The One Player On The Team's Roster Who Fits The Written Name Is Matched	Team Rosters By Season (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y
	MATCH-003		npm test	Two Players Who Fit Are Offered, Never Guessed; A Different Birthday Rules A Player Out	Team Rosters By Season (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y
	MATCH-004		npm test	The Match Date Picks Which Season's Roster Is Searched; Missing Details Are Reported, Not Thrown	Team Rosters By Season (Simulated)	backend/test/player-matching.test.cjs	Automated: npm test	Y
	SEED-001		npm test	Deferred Unique Tables Seed Successfully And Reruns Preserve Existing Rows	Workbook Loaded; Database Simulated In Memory	backend/test/seed-competition.test.cjs	Automated: npm test	Y
	SEED-003		npm test	Clubs And Players Keep Their Workbook IDs, And Older Rows Get Them Filled In	Workbook Loaded; Database Simulated In Memory	backend/test/seed-competition.test.cjs	Automated: npm test	Y
	SEED-004		npm test	A Workbook Code Already Taken By A Player Added Through The App Stops The Seed	Workbook Loaded; Database Simulated In Memory	backend/test/seed-competition.test.cjs	Automated: npm test	Y
Test type	Test ID	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
Integration	I-AUTH-003		npm test	An Email Or Password That Is Not Text Is A 400, Not A Server Error	None	POST /auth/login (backend/test/auth.test.cjs)	Automated: npm test	Y
	I-DASH-010		npm test	UTR History Says "Not Available" Rather Than Showing An Empty History, And Only For A Real Player	Account Is Linked To A Player	GET /api/v1/player-dashboard/utr-history (backend/test/dashboard.test.cjs)	Automated: npm test	Y
	I-FE-004		npm test	When The Server Is Starting Or Unreachable, Players See A Plain Message	Backend Answers Are Simulated	api adapters (frontend/tests/api-adapters.test.ts)	Automated: npm test	Y
	I-FE-005	US-18	npm test	Club Administrator Pages Always Load From The Backend, As The Signed-in Administrator	Backend Answers Are Simulated	club admin api adapters (frontend/tests/club-admin.test.ts)	Automated: npm test	Y
	I-FE-006	US-20, US-21, US-45, Manage membership	npm test	Club Administrator Changes Go To The Backend With The Right Method And Body	Backend Answers Are Simulated	club admin api adapters (frontend/tests/club-admin.test.ts)	Automated: npm test	Y
	I-FE-007	US-18	npm test	A Record That Is Not The Administrator's Club's Shows 'Not Found'	Backend Answers Are Simulated	club admin api adapters (frontend/tests/club-admin.test.ts)	Automated: npm test	Y
	I-FE-008	US-18	npm test	The Login's Role Decides Which Pages Open, And Keeps The Email They Identify With	Backend Answers Are Simulated	club admin api adapters (frontend/tests/club-admin.test.ts)	Automated: npm test	Y
	I-UI-004		npm test	Page Data Follows The Logged-in Player	Backend Answers Are Simulated	render pages as different players (frontend/tests/player-switching.test.tsx)	Automated: npm test	Y
	I-UI-005		npm test	The Session's Profile Belongs To Whoever Logged In Last	Backend Answers Are Simulated	render pages as different players (frontend/tests/player-switching.test.tsx)	Automated: npm test	Y

	I-UI-006	US-18	npm test	Club Administrator Sign-in Survives A Reload And Identifies Every Request	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-007	US-22	npm test	Marking Notifications Read Is Saved, And The Badge, Tile And List Agree	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-008	US-21, US-45	npm test	Team Details Show The Backend's Squad And Manager, And Removing Someone Is Saved	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-009	US-45	npm test	Assigning A Team Manager	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-010	US-19, Manage membership	npm test	Adding A Player Searches The Registry First, Then Saves The Membership Or The New Record	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-011	US-20	npm test	Creating A Team In A Season Open For Entries	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-UI-012		npm test	A Page That Changes Its Record Never Shows The Previous Record's Data	Backend Answers Are Simulated	render the club admin pages (frontend/tests/club-admin-pages.test.tsx)	Automated: npm test	Y
	I-CLUBADMIN-001	US-18	npm test	An Admin Sees Only Competitions Their Club Has A Team In	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-002	US-18	npm test	Sections Carry Their Season And Competition, And Exclude Other Clubs' Sections	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-003	US-18	npm test	Teams Are Only The Admin's Club's, Never A Rival In The Same Section	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-004	US-18	npm test	The Email Is Normalised Before Lookup	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-005	US-18	npm test	A Player Or A Revoked Admin Is Refused With 403	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-006	US-18	npm test	A Missing Or Malformed Email Is A 400 And An Unknown One A 401	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-007	US-18	npm test	Routes Are Refused In Production	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-008	US-18	npm test	A Database Failure Is A 503 That Leaks Nothing	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-009	US-18	npm test	Support Contacts Are The Admin's Own Club And Its Association, With Current Role Holders Named	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-010	US-18	npm test	A Role Nobody Holds Is Null, Not Another Association's Volunteer	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y

	I-CLUBADMIN-011	US-18, Manage membership	npm test	Players Are The Club's Members, Active Or Not, Without The Club Admin And Without Contact Details	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-012	US-18, Manage membership	npm test	A Player's Detail Lists Every Membership, Primary First, But Only This Club's Teams	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-013	US-18	npm test	Another Club's Player Or The Admin's Own Profile Is A 404, A Malformed ID A 400	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-014	US-18	npm test	A Team's Detail Has Its Roster By Name And Its Manager; Another Club's Team Is A 404	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-015	US-45	npm test	Each Player Says Whether They Can Manage A Team: Login, Role, And A Team Still Playing	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-016	US-18, US-45	npm test	The Teams List Has Each Team's Active Squad Size And Current Manager	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBADMIN-017	US-45	npm test	A Manager With No Profile Is Named By Their Email, With No Player ID	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/* (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-001	US-18	npm test	The Dashboard Names The Club And Greets The Admin By First Name	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-002	US-18, Manage membership	npm test	Active Members Are Distinct Players With A Current Membership, Not The Club Admin	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-003	US-18	npm test	Seasons Are Those The Club Has A Team In, Oldest First, Undated Last	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-004	US-18	npm test	Each Team Has Its Season, Active Squad Size And Current Manager	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-005	US-18	npm test	Recent Activity Is The Newest Result Events For The Club's Fixtures, Corrections Included	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-006	US-18	npm test	An Admin Without A Profile Is Greeted By Email; A Club With No Results Has No Activity	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBDASH-007	US-18	npm test	A Player Gets 403 And A Database Failure Is A 503 That Leaks Nothing	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/dashboard (backend/test/club-admin-dashboard.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-001	US-20	npm test	Open Sections Are The Association's UPCOMING Ones, Empty Or Not, With Their Team Count	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	GET /api/v1/club-admin/open-sections (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y

	I-CLUBEDIT-002	US-20	npm test	Creating A Team Enters It In The Section's Season And Logs Who Did It	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-003	US-20	npm test	A Team Cannot Enter A Running Season, Another Association's Section, Or Reuse A Name In The Season	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-004	US-21	npm test	Adding Players Makes Them ACTIVE, Bringing Back A Former And An Emergency Player	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-005	US-21	npm test	One Ineligible Player Refuses The Whole Request And Names Every Problem	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-006	US-21	npm test	Another Club's Team Is A 404 And A Finished Season's Squad Is Closed	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-007	US-21	npm test	Removing A Player Keeps Their Row As INACTIVE; Someone Not In The Squad Is A 404	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-008	US-45	npm test	Assigning A Manager Replaces The Old One, Who Becomes A Plain Player Again	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-009	US-45	npm test	A Manager From A Finished Season Can Move To A New Team, But Not One Whose Team Is Still Playing	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-010	US-45	npm test	A Manager Needs To Be An Active Club Member With A Login Account And No Other Role	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-011	US-45	npm test	Removing The Manager Turns Them Back Into A Player; A Team Without One Is A 404	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-012	Manage membership	npm test	Adding A Registered Player To The Club Starts A Membership Today And Keeps Their Player ID	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y

	I-CLUBEDIT-013	Manage membership	npm test	A Former Member Rejoins On Their Old Row; A Current Member, The Admin Or A Merged Profile Cannot Be Added	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-014	US-19, Manage membership	npm test	Creating A Player Registers Them As A Primary Member; The Same Name And Birthday Is Refused	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-015	US-19	npm test	A New Player Needs A Name, A Real Date Of Birth And A Gender	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-016	US-19	npm test	The Registry Search Finds People By Name, Ranks By Birthday And Email, And Shows No Personal Details	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	GET /api/v1/club-admin/registry/players (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-017		npm test	Only A Club Admin Can Make Changes	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBEDIT-018		npm test	A Database Failure During A Change Is A 503 That Leaks Nothing	Signed In As A Club Administrator; Each Test Starts From Fresh Simulated Data	POST, PUT and DELETE /api/v1/club-admin/* (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	I-CLUBFIX-001	US-18	npm test	The List Is Every Fixture A Club Team Plays In, Home Or Away, Never Other Clubs' Matches	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/fixtures (backend/test/club-admin-fixture.test.cjs)	Automated: npm test	Y
	I-CLUBFIX-002	US-18	npm test	A Fixture Has The Page's Shape, With Its Result, Rubbers And Set Scores Home First	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/fixtures (backend/test/club-admin-fixture.test.cjs)	Automated: npm test	Y
	I-CLUBFIX-003	US-18	npm test	Away Games, Postponements, Finals And Unsubmitted Results Show As They Are	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/fixtures (backend/test/club-admin-fixture.test.cjs)	Automated: npm test	Y
	I-CLUBFIX-004	US-18	npm test	A Fixture's Detail Has The Same Shape; Another Club's Or An Unknown Fixture Is A 404	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/fixtures (backend/test/club-admin-fixture.test.cjs)	Automated: npm test	Y
	I-CLUBFIX-005	US-18	npm test	A Player Gets 403 And A Database Failure Is A 503 That Leaks Nothing	Signed In As A Club Administrator (Simulated Data)	GET /api/v1/club-admin/fixtures (backend/test/club-admin-fixture.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-001	US-22	npm test	The Admin Sees Their Own In-app Notices, Newest First, Never Email Copies Or Anyone Else's	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-002	US-22	npm test	A Notice Has The Page's Shape, With The Fixture It Is About Named	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y

	I-CLUBNOTE-003	US-22	npm test	A Fixture That No Longer Exists Leaves The Match Empty Instead Of Failing	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-004	US-22	npm test	Marking A Notice Read Stores The Time And Answers With The Notice	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-005	US-22	npm test	Marking An Already Read Notice Keeps When It Was First Read	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-006	US-22	npm test	Only The Recipient Can Mark A Notice, And Only An In-app One	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-007	US-22	npm test	Mark All As Read Changes Only The Admin's Unread In-app Notices	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	I-CLUBNOTE-008	US-22	npm test	A Player Gets 403 And A Database Failure Is A 503 That Leaks Nothing	Signed In As A Club Administrator (Simulated Data)	GET and PATCH /api/v1/club-admin/notifications (backend/test/club-admin-notification.test.cjs)	Automated: npm test	Y
	JUNIOR-001	US-18	npm test	A Club Admin Sees Every Detail Of A Junior In Their Own Club, Parent Contact Included	Junior With A Parent On Record (Simulated)	GET /api/v1/club-admin/players/:id (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-002	US-18	npm test	A Junior Who Only Plays For Another Club Is A 404 To This Club Admin, Never Their Details	Junior With A Parent On Record (Simulated)	GET /api/v1/club-admin/players/:id (backend/test/club-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-003	US-19	npm test	Another Club's Admin Searching For A Junior Sees The Name And A Tick Or Cross, Never The Date Of Birth, Email, Phone Or Clubs	Junior With A Parent On Record (Simulated)	GET /api/v1/club-admin/registry/players (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	JUNIOR-007		npm test	A Junior, Or Their Parent On The Junior's Login, Sees The Junior's Own Details And Parent Contact	Junior With A Parent On Record (Simulated)	GET /api/v1/player-dashboard (backend/test/dashboard.test.cjs)	Automated: npm test	Y
	JUNIOR-008		npm test	The Association's Administrator Sees Every Detail Of A Junior, With Age And The Parent's Contact	Junior With A Parent On Record (Simulated)	GET /api/v1/association-admin/juniors (backend/test/association-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-009		npm test	A Junior Too Old For Their Section Is Flagged; A Section With No Limit, Or A Season With No Start Date, Has Nothing To Check	Junior With A Parent On Record (Simulated)	GET /api/v1/association-admin/juniors (backend/test/association-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-010		npm test	Only The Association's Own Juniors And Competitions Are Listed	Junior With A Parent On Record (Simulated)	GET /api/v1/association-admin/juniors (backend/test/association-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-011		npm test	Anyone But The Association's Administrator Is Refused, Whatever Else They Are	Junior With A Parent On Record (Simulated)	GET /api/v1/association-admin/juniors (backend/test/association-admin.test.cjs)	Automated: npm test	Y
	JUNIOR-012		npm test	A Database Failure Is A 503 That Leaks Nothing	Junior With A Parent On Record (Simulated)	GET /api/v1/association-admin/juniors (backend/test/association-admin.test.cjs)	Automated: npm test	Y

	JUNIOR-014	US-45	npm test	A Junior Cannot Be Made A Team Manager, Who Would See Other Juniors' Parent Contacts	Junior With A Parent On Record (Simulated)	PUT /api/v1/club-admin/teams/:id/manager (backend/test/club-admin-edit.test.cjs)	Automated: npm test	Y
	JUNIOR-UI-001	US-45	npm test	A Team's Page As Its Manager And As A Teammate	Backend Answers Are Simulated	render TeamDetailsPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-002	US-45	npm test	My Clubs Lists The Team A Manager Runs, Though They Play In None	Backend Answers Are Simulated	render MyClubsPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-003		npm test	The Junior's Own Profile Explains Who Sees Their Details, And Shows Their Parent	Backend Answers Are Simulated	render PlayerProfile (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-004	US-18	npm test	A Club Admin Sees Every Detail Of Their Own Club's Junior, Parent Included	Backend Answers Are Simulated	render ClubAdminPlayerDetailPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-005	US-19	npm test	Another Club's Admin Searching For A Junior Is Shown The Name And Ticks, And Told Why	Backend Answers Are Simulated	render ClubAdminAddPlayerPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-006		npm test	The Association Admin Sees Every Junior's Details, With Age Checks	Backend Answers Are Simulated	render AssociationAdminJuniorsPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-007	US-45	npm test	A Junior Cannot Be Picked As Team Manager, Since A Manager Sees Other Juniors' Parent Contacts	Backend Answers Are Simulated	render ClubAdminTeamAssignManagerPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
	JUNIOR-UI-008		npm test	A Junior's Entry In A Season About To Start Is Current, Not Past	Backend Answers Are Simulated	render CompetitionsPage (frontend/tests/junior-privacy.test.tsx)	Automated: npm test	Y
Test type	Test ID	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
Database	DUP-003		npm run test:database --workspace=backend	The Seeded Profiles Raise No False Alarm; Registering Thomas Mitchell Again As "Tom" Raises One Request, Once	Empty Postgres Database, Migrated	backend/test/player-matching.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Scan for likely duplicates: none • Register Thomas Mitchell again as Tom, same birthday • Scan again: one merge request; a third scan adds none	Y
	JUNIOR-101		npm run test:database --workspace=backend	The Junior, Or Their Parent On The Junior's Login, Sees The Junior's Own Details	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior's details as the junior, or the parent on the junior's login • Check their own details are shown	Y
	JUNIOR-102		npm run test:database --workspace=backend	A Teammate Sees The Junior's Name On The Team List, And Nothing Else	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior's team as a teammate • Check only the junior's name is shown	Y

	JUNIOR-103	US-45	npm run test:database --workspace=backend	The Team Manager Sees The Junior's Name And Their Parent's Phone And Email, Not The Junior's Own	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior's team as its manager • Check the parent's phone and email are shown, the junior's own are not	Y
	JUNIOR-104	US-45	npm run test:database --workspace=backend	Another Team's Manager, Or An Adult Player Not On The Team, Cannot Open It	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior's team as another team's manager, then as an adult player not on it • Check both are refused	Y
	JUNIOR-105	US-18	npm run test:database --workspace=backend	The Junior's Own Club Admin Sees Every Detail, Parent Contact Included	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior as their own club's administrator • Check every detail is shown, parent contact included	Y
	JUNIOR-106	US-18	npm run test:database --workspace=backend	Another Club's Admin Cannot Open The Junior Or Their Team, Or Find Them On Their List	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the junior and their team as another club's administrator • Check both are refused and the junior is not on that club's list	Y
	JUNIOR-107	US-19	npm run test:database --workspace=backend	Another Club's Admin Searching To Add The Junior Sees Only The Name, With A Tick Or Cross	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Search the registry for the junior as another club's administrator • Check only the name and a tick or cross come back	Y
	JUNIOR-108		npm run test:database --workspace=backend	The Association Admin Sees Every Junior's Details, Age And Eligibility	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the association's junior list as its administrator • Check every junior's details, age and eligibility	Y
	JUNIOR-109		npm run test:database --workspace=backend	Nobody But The Association Admin Can Open The Association's Junior List	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Open the association's junior list as anyone else • Check they are refused	Y
	JUNIOR-110	US-45	npm run test:database --workspace=backend	A Junior Cannot Be Made A Team Manager, Who Would See Other Juniors' Parent Contacts	Empty Postgres Database, Migrated	backend/test/junior-privacy.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Try to make a junior a team manager • Check it is refused	Y

	MATCH-005		npm run test:database --workspace=backend	On The Seeded Data, "Tom Mitchell" On One Of Thomas Mitchell's Scoresheets Is Thomas Mitchell	Empty Postgres Database, Migrated	backend/test/player-matching.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Match "Tom Mitchell" on one of Thomas Mitchell's teams, on a date in that season • Check it is Thomas Mitchell; with a wrong birthday, nobody	Y
	SEED-002		npm run test:database --workspace=backend	Seeding A Real Database A Second Time Adds No Players, Or Any Other Row	Empty Postgres Database, Migrated	backend/test/seed-competition.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed an empty database inside a transaction • Seed it a second time • Check the second run added no row to any table, then roll back	Y
	SEED-005		npm run test:database --workspace=backend	A Player Or Club Added Without A Code Gets The Next Free One From The Database	Empty Postgres Database, Migrated	backend/test/seed-competition.integration.cjs • Postgres running, with DATABASE_URL set (CI uses an empty database) • Seeds the workbook in a transaction that is rolled back, so nothing is left behind	• Seed the test data in a transaction that is rolled back afterwards • Add players and a club without a code, one at a time and several at once • Check each gets the next free code, and a code given on insert is kept	Y
Test type	Test ID (User story code)	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
End to end	E2E-010		npm run test:e2e	Two Players With The Same Name Each See Only Their Own Profile	Test Data Is Seeded	e2e/same-name-players.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as hiro.mitchell015@players.example / WaverleyDev#2026 and note the clubs and Player ID • Log in as hiro.mitchell026@players.example, the other Hiro Mitchell • Check each sees only their own clubs (Pinewood and Syndal; Forest Hill, Mulgrave and Wheelers Hill) and a different Player ID	Y
	E2E-011	US-18	npm run test:e2e	A Club Administrator Logs In To Their Club's Dashboard	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example / WaverleyDev#2026 • Check the dashboard welcomes Margaret: Glen Waverley Tennis Club, Waverley Tennis, 34 active club members • Check Weekend Senior · Winter 2026 · Current, managers Diego Brooks and Ethan Campbell, and Recent activity starting with Round 12 · Forest Hill B vs Glen Waverley B	Y
	E2E-012	US-18, Manage membership	npm run test:e2e	Find A Member And Open Their Record, And Stay Logged In After A Reload	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example and open Players • Check Active players (34), reload the page and check she is still logged in • Search "chloe", open View ›, and check Chloe Cooper's record with her Glen Waverley membership and Mount Waverley Tennis Club	Y
	E2E-013	US-18, US-21, US-45	npm run test:e2e	See A Team's Squad And Manager	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example and open Teams • Check Winter 2026 · 2 teams and open Glen Waverley A • Check Squad (6) and team manager Diego Brooks, diego.brooks100@players.example	Y

	E2E-014	US-18	npm run test:e2e	See My Club's Fixtures And A Recorded Result	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example and open Fixtures & Results • Check the scheduled and postponed fixtures, then open the Results tab • Open the newest result and check Forest Hill B vs Glen Waverley B, rubbers 2–1	Y
	E2E-015	US-22	npm run test:e2e	Check My Notices And Who To Contact	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example and open Notifications: All (0), "You’re all caught up." • Open Help & Support and check the association (Waverley Tennis, Raj Mitchell, Mia Coleman) and the club (Glen Waverley Tennis Club)	Y
	E2E-016	US-18	npm run test:e2e	A Player Cannot Open The Club Administrator Pages, Nor Their API	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as chloe.cooper005@players.example, a player • Open /club-admin/players and check the page goes back to her dashboard • Call GET /api/v1/club-admin/players as Chloe and check it answers 403 NOT_CLUB_ADMIN	Y
	E2E-017	US-20, US-21, US-45	npm run test:e2e	Enter A Team For Next Season, Pick Its Squad And Manager, Then Undo Them	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as karen.whitfield@admin.example (Wheelers Hill), open Teams, + Create team • Choose Weekend Senior, Summer 2026/27, Section 2 and a new name; create the team • Add two players and a manager, reload, and check they were saved • Remove a player and the manager; check the Teams list shows 1 in squad and No manager	Y
	E2E-018	US-19, Manage membership	npm run test:e2e	Register A New Player, Then Another Club Finds Them In The Registry And Adds Them	Test Data Is Seeded	e2e/club-admin-journeys.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as karen.whitfield@admin.example, Players → + Add a player, search a new name and create the player • Log in as robert.keane@admin.example (Burwood) and search the same name in Add a player • Check "Plays for Wheelers Hill Tennis Club", add them, and search again: Already in your club, primary club Wheelers Hill	Y
	E2E-019		npm run test:e2e	A Junior, Or Their Parent On The Junior's Login, Sees The Junior's Own Details And Who Else Can	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as leo.fitzgerald@juniors.example, a junior • Check the profile's junior privacy note, his phone 0414 300 800 and his parent: Siobhan Fitzgerald · 0413 200 700 · siobhan.fitzgerald@families.example	Y
	E2E-020		npm run test:e2e	A Teammate Sees Only The Junior's Name On The Team List	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as maya.okafor@juniors.example, Leo's teammate • My Clubs → View Teams for Glen Waverley Tennis Club → Glen Waverley 18U • Check Leo Fitzgerald is listed with no Junior badge, no parent contact, and no phone or date of birth	Y

	E2E-021	US-45	npm run test:e2e	The Team Manager Sees Each Junior's Parent Contact, But Not The Junior's Own	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as adaeze.okafor@families.example, the team manager • My Clubs → Teams you manage → Glen Waverley 18U • Check Leo is marked Junior with his parent's phone and email as links, and the team manager note • Check Leo's own phone, email and date of birth are not shown	Y
	E2E-022	US-18	npm run test:e2e	The Junior's Own Club Administrator Sees Every Detail, Parent Included	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as margaret.hayes@admin.example, Players, search Leo Fitzgerald, View › • Check Junior in the heading and Personal details: 14 Nov 2009, his email and phone, and his parent's contact	Y
	E2E-023	US-19	npm run test:e2e	Another Club's Administrator Searching For The Junior Sees The Name And A Tick, Nothing More	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as peter.lawson@admin.example (Mount Waverley), Players → + Add a player • Search Leo Fitzgerald with date of birth 14/11/2009 and a wrong email • Check the result shows Junior, Date of birth ✓, Email × and the junior privacy note, with no phone, email, parent or club • Check Leo is not among Mount Waverley's players	Y
	E2E-024		npm run test:e2e	The Association Administrator Lands On Every Junior's Details, With The Age Check	Test Data Is Seeded	e2e/junior-privacy.spec.ts • Database running and seeded (npm run seed:competition) • npm run test:e2e starts the backend and frontend if they are not running	• Log in as raj.mitchell001@players.example and check the Juniors page opens • Check 10 juniors, 1 outside a section's age limit, and Leo's details with ✓ Eligible: 16 on 31 Oct 2026 (18 and under) • Tick Only age problems: just Ruby Achebe, ✗ Too old for 12 & Under	Y
Test type	Test ID	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
Live site	LIVE-001		CI, after each release	A Seeded Player Logs In To The Live Site And Their Dashboard Loads In Full	Release Is Deployed; The Live Database Has The Seeded Test Accounts	e2e/live/live-site.spec.ts • Runs in CI after each release, against the live site • Only reads: it never changes the live database	• After a release, log in to the live site as charlotte.reed004@players.example • Check her whole dashboard loads, with nothing still loading and no error	Y
	LIVE-002	US-18	CI, after each release	A Seeded Club Administrator Logs In To The Live Site And Their Club's Pages Load	Release Is Deployed; The Live Database Has The Seeded Test Accounts	e2e/live/live-site.spec.ts • Runs in CI after each release, against the live site • Only reads: it never changes the live database	• After a release, log in to the live site as margaret.hayes@admin.example • Check her club's dashboard, Players, Teams and Fixtures & Results pages load without an error	Y
Test type	Test ID	User story	Execution Type	Objective	Pre-conditions	Setup	Testing steps	Done?
CI/CD checks	CI-001		CI: test-and-build	The Test-data Workbook Agrees With schema.prisma And The Competition Rules	None	npm run data:check --workspace=backend	• Read competition_data.xlsx • Check IDs, links between sheets, required fields and the competition rules • Fail with the list of problems	Y
	DATA-001		CI: test-and-build	No Player Is Registered Twice (Same Name And Date Of Birth) Unless A Merge Request Pairs Them, And Same-name Look-alikes Still Exist	None	npm run data:check (backend/prisma/check-competition-data.js)	• Group players by name and birthday • Fail on a pair no merge request covers • Fail if no same-name look-alikes are left	Y
	CI-002		CI: end-to-end	Every schema.prisma Change Has A Migration	Fresh Database Migrated	prisma migrate diff (.github/workflows/ci.yml)	• Migrate an empty database • Compare it with schema.prisma • Fail, naming the differences	Y

	CI-003	CI: test-and-build	The Frontend Tests And End To End Tests Type-check	None	npx tsc -p e2e; npm run build --workspace=frontend	• Type-check the end-to-end tests • Type-check the frontend and its tests while building it	Y
	CI-004	CI: test-and-build	Test Coverage Stays Above Its Minimums	None	npm run test:coverage in both workspaces	• Run the backend and frontend tests with coverage • Fail if a minimum is not met • Show the figures on the run's summary page	Y
	CI-005	CI: test-and-build	TestingPlan.xlsx Lists Every Test In The Code, And Every Row Has A Test	None	npm run test:plan (scripts/check-testing-plan.mjs)	• Collect every test ID in the code • Compare them with the plan's rows • Fail on a missing row, a row with no test, or a repeated ID	Y
	CD-001	CI: backend-package	The Backend Package, Built As Deployed, Migrates An Empty Database And Starts The Way Azure Starts It	Fresh Empty Database	backend-package job (.github/workflows/ci.yml)	• Package the backend as Azure receives it • Migrate an empty database with it and start it • Check it answers; on main, deploy this same package	Y
	CD-002	CI, after each backend release	The Live API Reaches Its Database, Its Club Admin Routes Are Deployed, And The Live Site May Call It, PUT, PATCH And DELETE Included	Backend Deployed	.github/scripts/smoke-test.mjs backend (runs on the live site)	• Log in with an unknown email: login_failed, with the live site's CORS header • Check the club admin routes refuse an unknown email with 401 • Check CORS lets the live site send PUT, PATCH and DELETE	Y
	CD-003	CI, after each frontend release	The Live Home Page And A Refreshed Deep Link Load The App	Frontend Deployed	.github/scripts/smoke-test.mjs frontend (runs on the live site)	• Open / and /dashboard on the live site • Check both load the app	Y

The problem with the testing: what isn't tested yet, and why

Not built yet, so there is nothing to test

- Score entry: results cannot be entered or confirmed in the app; they come from the seeded workbook. The matcher for incomplete scoresheet names (MATCH-001 to 005) is tested on its own, ready for it.
- Draw generation: the app does not generate fixtures; they come from the workbook.
- Finals eligibility: no rule checks who may play finals. Only squad eligibility (US-21) and the juniors' age check are built.
- Ending a membership: the page does not save it yet; its rules wait on client decision A07.
- Merging duplicate profiles: likely duplicates are raised for an administrator (DUP-001 to 003), but approving one does not move any records yet.
- Result corrections and disputes: these belong to the association and are not built.
- Email notifications: only in-app notifications exist; nothing sends email.
- Live UTR ratings: only the mock and the adapter are tested; the connection to Universal Tennis (OAuth) is not built.

Built, but only partly tested

- Sign-in: there are no real sessions yet. Pages identify the user by email, so the tests check roles and refusals, not session security.
- Browsers and devices: end-to-end tests run in Chrome at desktop size only; Safari, Firefox and phone layouts are not tested automatically.
- Accessibility, load and speed: no automated tests yet.
- The live site is only read after a release. Changes such as creating a team or registering a player are tested on CI's throwaway database, never on live data.
- Emergency players are not on team rosters, so the matcher reports them as unmatched, for an administrator to decide.