

An Inspiring Title for the MELBA Journal Sample Article

Adrian V. Dalca^{1,3}, Mert R. Sabuncu^{2,3} 

¹ EECS, Massachusetts Institute of Technology, Cambridge, MA, USA

² School of Electrical and Computer Engineering, Cornell University, Ithaca, NY, USA

³ Melba journal, The Internet, CERN, CH

Abstract

We develop a learning framework for building deformable templates, which play a fundamental role in many image analysis and computational anatomy tasks. Conventional methods for template creation and image alignment to the template have undergone decades of rich technical development. In these frameworks, templates are constructed using an iterative process of template estimation and alignment, which is often computationally very expensive. Due in part to this shortcoming, most methods compute a single template for the entire population of images, or a few templates for specific sub-groups of the data. In this work, we present a probabilistic model and efficient learning strategy that yields either universal or *conditional* templates, jointly with a neural network that provides efficient alignment of the images to these templates. We demonstrate the usefulness of this method on a variety of domains, with a special focus on neuroimaging. This is particularly useful for clinical applications where a pre-existing template does not exist, or creating a new one with traditional methods can be prohibitively expensive. Our code is available at <http://yoururl.com>.

Keywords

Machine Learning, Image Registration

Article informations

©YYYY Dalca and Sabuncu. License: CC-BY 4.0

1. Introduction

A **deformable template** is an image that can be geometrically deformed to match images in a dataset, providing a common reference frame. Templates are a powerful tool that enables the analysis of geometric variability. They have been used in computer vision, medical image analysis, graphics, and time series signals.

2. Related Works

Spatial alignment, or registration, between two images is a building block for estimation of deformable templates. Alignment usually involves two steps: a global affine transformation, and a deformable transformation (as in many optical flow applications).

Use `\cite{}` for reference that is part of the sentence, and `\citep{}` for references in parenthesis. For example, Viola and Wells III (1997) is awesome. Also, this is a citation (Viola and Wells III, 1997).

3. Methods

3.1 Equations

We estimate the deformable template parameters θ_t and the deformation fields for every data point using maximum

likelihood. Letting $\mathcal{V} = \{v_i\}$ and $\mathcal{A} = \{a_i\}$,

$$\begin{aligned}\hat{\theta}_t, \hat{\mathcal{V}} &= \arg \max_{\theta_t, \mathcal{V}} \log p_{\theta_t}(\mathcal{V} | \mathcal{X}, \mathcal{A}) \\ &= \arg \max_{\theta_t, \mathcal{V}} \log p_{\theta_t}(\mathcal{X} | \mathcal{V}; \mathcal{A}) + \log p(\mathcal{V}),\end{aligned}\quad (1)$$

where the first term captures the likelihood of the data and deformations, and the second term controls a prior over the deformation fields.

Proof Awesome proof. ■

3.2 Math styles

Different font styles can be used for equations:

- $\$a b c A B C 1 2 3\$$: $abcABC123$
- $\$\mathbf{a b c A B C 1 2 3\$}$: $\mathbf{abcABC123}$
- $\$\mathbf{a b c A B C 1 2 3\$}$: $\mathbf{abcABC123}$
- $\$\mathcal{ABC\$}$: \mathcal{ABC}
- $\$\mathbb{ABC\$}$: \mathbb{ABC}

Text and names in equations should be dealt with the `\text` command, for instance:

$\mathcal{L}_{\text{SuperLoss}}$ and not $\mathcal{L}_{SuperLoss}$.

39 **4. Section**

40 4.1 Subsection

41 4.1.1 Subsubsection

42 **Paragraph** Ex culpa ut commodo proident esse excep-
43 teur mollit in sed aliqua fugiat sed cupidatat dolor sint
44 quis veniam amet aute ea fugiat quis do excepteur sunt
45 commodo magna cupidatat veniam minim anim mollit do
46 enim et nostrud ad esse velit nisi est dolor do ut dolore
47 excepteur nulla ex sunt exercitation consequat ullamco ad
48 in fugiat ut ut enim adipisicing cillum nisi anim ullamco ul-
49 lamco nisi esse aute dolore amet nisi adipisicing dolor dolore
50 do ut aliqua in sunt aliqua tempor duis amet ut non adip-
51 isicing nostrud ex ullamco excepteur culpa anim est minim
52 fugiat laborum ex irure consectetur eu in reprehenderit sint
53 magna ut consequat laborum ex minim laboris culpa amet
54 incididunt laborum laborum dolore nulla cupidatat dolore
55 in aliqua ut eu in magna sunt eiusmod est labore sit eu in-
56 cididunt fugiat in culpa pariatur voluptate duis id velit sunt
57 reprehenderit pariatur amet esse dolore minim non fugiat
58 fugiat amet incididunt commodo sit dolor.

59 **5. Table and Figures**

Table 1: By convention, Table caption goes on top.

Left	center	right
111	222	333
444	555	666




Figure 1: Example figure. Notice that the caption goes below.

60 **6. Revision**

61 We provide, in `melba.sty` a helpful command to color
62 modifications after a revision: `\revision{}`. It is au-
63 tomatically de-activated for papers compiled with the
64 accepted, `arxiv` or `specialissue` options.

6.1 It can also color whole sections and paragraphs

Adipisicing laborum in officia veniam in officia dolor repre-
henderit ut ea sed ea reprehenderit veniam veniam culpa
commodo velit commodo cillum laborum magna esse duis
laboris esse in esse laborum consequat esse cupidatat.

Lorem ipsum exercitation voluptate adipisicing esse cu-
pidatat sint do excepteur laboris nisi anim mollit ut adip-
isicing velit quis sunt minim ut deserunt pariatur id amet
elit consectetur incididunt occaecat ad labore sit in magna
eiusmod.

Acknowledgments

This work was supported by grants X, Y and Z. We also
acknowledge important conversations with our colleagues
A, B and C.

Ethical Standards

The work follows appropriate ethical standards in conduct-
ing research and writing the manuscript, following all appli-
cable laws and regulations regarding treatment of animals
or human subjects.

Conflicts of Interest

The conflicts of interest have not been entered yet.

Data availability

Authors submitting articles to MELBA are required to in-
clude a Data Availability Statement in their manuscripts.
The Data Availability Statement should clearly indicate
whether the data supporting the findings of the study are
available and, if so, how readers can access them. If the
data are not available, authors should provide a brief justi-
fication for not sharing the data.

References

Paul Viola and William M Wells III. Alignment by maxi-
mization of mutual information. *International journal of
computer vision*, 24(2):137–154, 1997.




Figure 2: Example figure spanning the two columns.

98 **Appendix A. Proof of the central theorem**

99 In this appendix we prove the central theorem and present
100 additional experimental results.
101 *Remainder omitted in this sample.*

102 **Appendix B. Appendix section**

103 **B.1 Appendix subsection**

104 *B.1.1 Appendix subsubsection*

105 **Appendix paragraph** Lorem ipsum dolor sit amet, con-
106 sectetur adipisicing elit, sed do eiusmod tempor incididunt
107 ut labore et dolore magna aliqua. Ut enim ad minim
108 veniam, quis nostrud exercitation ullamco laboris nisi ut
109 aliquip ex ea commodo consequat. Duis aute irure dolor
110 in reprehenderit in voluptate velit esse cillum dolore eu fu-
111 giat nulla pariatur. Excepteur sint occaecat cupidatat non
112 proident, sunt in culpa qui officia deserunt mollit anim id
113 est laborum.