

Melbin 9555

POSTLAB:

1. What is the time complexity of the Water Jug problem?

In the worst-case scenario, we would need to visit every possible state to find a solution.

Each state has six possible next states (filling, emptying, or pouring each jug), so the

branching factor is 6. Therefore, the time complexity is exponential,

$O(6^d)$ , where  $d$  is the

depth of the search tree.

2. Why is DFS not used for solving a water jug problem?

Depth-First Search (DFS) is not typically used for solving the water jug problem efficiently

because DFS tends to search deeply into the search space before considering other

branches. In the water jug problem, the search space can be quite large, and DFS may end

up exploring a large portion of it before finding a solution, which can be inefficient.

The water jug problem involves finding a sequence of steps to measure out a certain

volume

of water using jugs of different capacities. The state space in this problem consists of all

possible combinations of water levels in the jugs. While DFS can be used to solve the

problem, it may not be the most efficient approach because it doesn't prioritize exploring the most promising paths first.

A more efficient approach for solving the water jug problem is using breadth-first search

(BFS) or other optimized search algorithms such as A\* search.

These algorithms explore the

search space more systematically, considering all possible moves at each level before

moving on to the next level. BFS, in particular, explores all possible solutions of a given

length before considering longer solutions, ensuring that the first solution found is the

shortest one.