

Project Two Template

MAT-350: Applied Linear Algebra

Melissa Cianfarano

Date: 06/19/2024

Problem 1

Use the **svd()** function in MATLAB to compute A_1 , the **rank-1 approximation of A** . Clearly state what A_1 is, rounded to 4 decimal places. Also, **compute** the root-mean square error (RMSE) between A and A_1 .

Solution:

```
%Consider the matrix:3x3 A  
A = [1 2 3; 3 3 4; 5 6 7]
```

```
A = 3x3  
1 2 3  
3 3 4  
5 6 7
```

```
% Use the svd() function to compute A1, the rank-1 approximation of A  
% rounded to 4 decimal places.  
[U, S, V] = svd(A)
```

```
U = 3x3  
-0.2904 0.9504 -0.1114  
-0.4644 -0.2418 -0.8520  
-0.8367 -0.1957 0.5115  
S = 3x3  
12.5318 0 0  
0 0.9122 0  
0 0 0.3499  
V = 3x3  
-0.4682 -0.8261 -0.3136  
-0.5581 0.0012 0.8298  
-0.6851 0.5635 -0.4616
```

```
A1 = U(:,1:1)*S(1:1,1:1)*V(:,1:1)'
```

```
A1 = 3x3  
1.7039 2.0313 2.4935  
2.7243 3.2477 3.9867  
4.9087 5.8517 7.1832
```

```
% Also compute the root mean square error(RMSE) beteen A and A1.  
RMSE = norm(A-A1, 'fro')/sqrt(3*3)
```

```
RMSE = 0.3257
```

Problem 2

Use the `svd()` function in MATLAB to compute A_2 , the **rank-2 approximation of A** . Clearly state what A_2 is, rounded to 4 decimal places. Also, **compute** the root-mean square error (RMSE) between A and A_2 . Which approximation is better, A_1 or A_2 ? Explain.

Solution:

```
%Use the svd() function to compute A2  
A2 = U(:,1:2)*S(1:2,1:2)*V(:,1:2)'
```

```
A2 = 3x3  
0.9878    2.0324    2.9820  
2.9065    3.2474    3.8624  
5.0561    5.8515    7.0826
```

```
%Compute root mean square error(RMSE) between A and A2.  
RMSE = norm(A-A2, 'fro')/sqrt(3*3)
```

```
RMSE = 0.1166
```

Explain: A_2 will be the better approximation. RMSE measures the deviation between data points, the lower the number means a lower error margin, making A_2 the best choice.

Problem 3

For the 3×3 matrix A , the singular value decomposition is $A = USV'$ where $U = [\mathbf{u}_1 \mathbf{u}_2 \mathbf{u}_3]$. Use MATLAB to **compute** the dot product $d_1 = \text{dot}(\mathbf{u}_1, \mathbf{u}_2)$.

Also, use MATLAB to **compute** the cross product $\mathbf{c} = \text{cross}(\mathbf{u}_1, \mathbf{u}_2)$ and dot product $d_2 = \text{dot}(\mathbf{c}, \mathbf{u}_3)$. Clearly state the values for each of these computations. Do these values make sense? **Explain**.

Solution:

```
%Compute the dot product d1 = dot(u1,u2)  
d1 = dot(U(:,1),U(:,2))
```

```
d1 = 1.6653e-16
```

```
%Compute cross product c = cross(u1,u2)  
c = cross(U(:,1),U(:,2))
```

```
c = 3x1  
-0.1114  
-0.8520  
0.5115
```

```
%Compute dot product d2 = dot(c,u3). Need to get U3 comparison first.  
u3 = U(:,3)
```

```
u3 = 3x1
```

```
-0.1114  
-0.8520  
0.5115
```

```
d2 = dot(c,u3)
```

```
d2 = 1.0000
```

Explain: The cross product of U_1 and U_2 should be equal to U_3 . As you can see above, U_3 is exactly equal to the cross of U_1 and U_2 with the same values. U_1 and U_2 are equal to U_3 . $\|U_1\| * \|U_2\| = 1$, it makes sense for the dot product to be 1.

Problem 4

Using the matrix $U = [u_1 \ u_2 \ u_3]$, determine whether or not the columns of U span \mathbb{R}^3 . Explain your approach.

Solution:

```
%Determine whether or not columns of U span R^3. Reduced matrix  
reducedU = rref(U)
```

```
reducedU = 3x3  
1 0 0  
0 1 0  
0 0 1
```

Explain: Reducing the matrix to echelon form shows that there are no zero rows and 3 pivot points. This confirms that Matrix U spans \mathbb{R}^3 .

Problem 5

Use the MATLAB `imshow()` function to load and display the image A stored in the `image.mat` file, available in the Project Two Supported Materials area in Brightspace. For the loaded image, derive the value of k that will result in a compression ratio of $CR \approx 2$. For this value of k , construct the rank- k approximation of the image.

Solution:

```
%Use imshow() function to load and display image A.  
load 'MAT 350 Project Two MATLAB Image.mat'  
imshow(A)
```



```
%Display m and n for image dimensions.
```

```
[m, n] = size(A)
```

```
m = 2583  
n = 4220
```

```
%perform svd function for A and store into USV
```

```
[U, S, V] = svd(double(A))
```

```
U = 2583x2583  
-0.0106 -0.0360 -0.0006 0.0032 -0.0032 0.0041 -0.0066 0.0022 ...  
-0.0105 -0.0361 -0.0006 0.0030 -0.0035 0.0049 -0.0062 0.0020  
-0.0105 -0.0362 -0.0006 0.0034 -0.0037 0.0042 -0.0064 0.0025  
-0.0105 -0.0362 -0.0009 0.0029 -0.0035 0.0052 -0.0056 0.0028  
-0.0106 -0.0361 -0.0011 0.0034 -0.0035 0.0046 -0.0061 0.0022  
-0.0106 -0.0363 -0.0011 0.0031 -0.0030 0.0049 -0.0061 0.0031  
-0.0106 -0.0364 -0.0008 0.0031 -0.0032 0.0043 -0.0057 0.0033  
-0.0106 -0.0365 -0.0006 0.0029 -0.0033 0.0050 -0.0052 0.0031  
-0.0106 -0.0366 -0.0007 0.0033 -0.0031 0.0040 -0.0053 0.0033  
-0.0106 -0.0368 -0.0009 0.0030 -0.0034 0.0044 -0.0052 0.0032  
:  
:
```

```
S = 2583x4220
```

```
10^5 x
```

```
4.0600 0 0 0 0 0 0 0 ...  
0 0.8702 0 0 0 0 0 0  
0 0 0.4169 0 0 0 0 0  
0 0 0 0.4104 0 0 0 0  
0 0 0 0 0.3405 0 0 0  
0 0 0 0 0 0.2992 0 0
```

```

0      0      0      0      0      0      0.2550      0
0      0      0      0      0      0      0      0.2268
0      0      0      0      0      0      0      0
0      0      0      0      0      0      0      0
:
V = 4220x4220
-0.0130  0.0044  -0.0358  0.0028  -0.0085  0.0177  0.0128  -0.0163 ...
-0.0130  0.0045  -0.0357  0.0024  -0.0079  0.0184  0.0134  -0.0162
-0.0130  0.0045  -0.0359  0.0025  -0.0078  0.0181  0.0124  -0.0168
-0.0130  0.0046  -0.0361  0.0030  -0.0087  0.0185  0.0125  -0.0158
-0.0130  0.0045  -0.0366  0.0032  -0.0095  0.0182  0.0116  -0.0149
-0.0129  0.0046  -0.0369  0.0034  -0.0095  0.0185  0.0112  -0.0151
-0.0130  0.0047  -0.0372  0.0046  -0.0104  0.0178  0.0103  -0.0141
-0.0130  0.0048  -0.0377  0.0045  -0.0097  0.0179  0.0108  -0.0145
-0.0130  0.0046  -0.0375  0.0049  -0.0094  0.0170  0.0102  -0.0147
-0.0130  0.0045  -0.0379  0.0043  -0.0090  0.0166  0.0095  -0.0142
:

```

%Derive the value of K for a compression ratio of approximately CR = 2.

CR = 2;

```
K = round((m*n)/(CR*(m+n+1)))
```

K = 801

%For this value of k(801), construct rank-k approximation of image

```
A801 = U(:,1:801) * S(1:801, 1:801) * V(:,1:801)'
```

```

A801 = 2583x4220
26.4896  27.2541  30.5810  28.9530  23.3828  25.7705  35.1037  29.3968 ...
32.6831  34.0733  28.4258  30.5682  27.6882  28.4547  35.6629  31.2002
35.5230  30.8250  18.7994  19.9743  19.8952  17.0400  24.6764  26.0911
33.6440  29.7702  26.1173  29.8858  26.5095  15.9739  24.7017  25.8886
27.7165  26.0012  30.5018  36.7547  35.3434  29.8915  34.5078  25.1416
27.3996  25.5183  26.6092  29.4463  25.5795  28.8615  33.9147  23.0624
32.0484  32.4889  27.5089  22.7250  20.3684  25.0803  33.3388  26.7700
26.0954  32.2044  27.4183  18.1894  21.2836  28.1417  31.7244  26.2813
23.2187  25.5412  22.1689  25.1362  29.2165  30.3222  34.5845  30.5812
21.3048  20.9797  19.1568  25.5860  26.9030  24.8220  30.0068  30.1700
:

```

%convert back to uint8

```
A801 = uint8(round(A801))
```

```

A801 = 2583x4220 uint8 matrix
26  27  31  29  23  26  35  29  33  36  30  26  32  27  28  34 ...
33  34  28  31  28  28  36  31  30  27  22  28  40  34  34  34
36  31  19  20  20  17  25  26  30  23  22  27  35  35  37  34
34  30  26  30  27  16  25  26  28  25  22  24  33  35  32  30
28  26  31  37  35  30  35  25  25  25  23  27  33  33  27  27
27  26  27  29  26  29  34  23  22  27  29  34  33  33  28  26
32  32  28  23  20  25  33  27  27  29  35  33  27  28  31  29
26  32  27  18  21  28  32  26  29  32  36  31  28  31  34  34
23  26  22  25  29  30  35  31  30  35  34  27  20  24  34  34
21  21  19  26  27  25  30  30  28  34  29  20  16  22  29  32
:

```

Explain: First the dimensions for the image were found and the matrix was doubled so we could use the svd function. After this we calculated the compression ratio and found that K = 801. Lastly, the rank-k approximation of rank-801 was calculated.

Problem 6

Display the image and compute the root mean square error (RMSE) between the approximation and the original image. Make sure to include a copy of the approximate image in your report.

Solution:

```
%display the image  
imshow(A801)
```



```
%compute the root mean square error (RMSE) between the approximation and the  
original image  
RSME801 = norm(double(A)-double(A801), 'fro')/sqrt(2583 * 4220)
```

RSME801 = 3.1664

Problem 7

Repeat Problems 5 and 6 for $CR \approx 10$, $CR \approx 25$, and $CR \approx 75$. **Explain** what trends you observe in the image approximation as CR increases and provide your recommendation for the best CR based on your observations. Make sure to include a copy of the approximate images in your report.

Solution:

```
%Repeat all steps in problems 5 and 6 for CR=10, CR=25, and CR=75
```

```
%Derive the value of K for a compression ratio of approximately CR = 10.
```

```
CR = 10;
```

```
K = round((m*n)/(CR*(m+n+1)))
```

```
K = 160
```

```
%For this value of k(160), construct rank-k approximation of image
```

```
A160 = U(:,1:160) * S(1:160, 1:160) * V(:,1:160)'
```

```
A160 = 2583x4220
```

```
29.0415 29.0508 30.3481 28.6840 28.4125 25.8146 26.5310 25.2709 ...
29.4990 29.1068 29.9563 28.2658 28.2759 26.2124 27.5634 26.0996
26.0110 25.7091 26.5596 24.7097 24.6572 23.0067 24.2242 22.2803
28.3636 28.5688 29.5533 27.3636 27.6176 25.7857 27.0061 24.7262
28.5023 28.4627 29.3196 27.9087 28.6184 26.5532 27.9189 25.7023
26.6380 26.7335 27.2446 25.9346 26.6994 25.3844 27.4323 25.3185
27.7105 26.9342 27.3695 25.8611 26.2616 24.8003 26.8496 24.7796
26.6047 26.2936 26.6370 25.8935 26.9915 25.8782 27.7421 25.4926
25.4761 25.3280 25.3720 24.6828 25.3964 24.6848 26.1862 23.9901
24.0066 23.4106 23.1904 22.8845 23.3535 22.7318 23.9445 22.0238
```

```
:
```

```
%convert back
```

```
A160 = uint8(round(A160))
```

```
A160 = 2583x4220 uint8 matrix
```

```
29 29 30 29 28 26 27 25 28 27 26 25 28 27 27 28 ...
29 29 30 28 28 26 28 26 28 27 26 25 28 27 28 29
26 26 27 25 25 23 24 22 24 24 24 23 26 25 27 27 28
28 29 30 27 28 26 27 25 26 26 26 24 28 27 27 28
29 28 29 28 29 27 28 26 27 26 27 25 28 27 27 28
27 27 27 26 27 25 27 25 27 26 26 24 26 26 27 27
28 27 27 26 26 25 27 25 26 25 26 24 26 26 27 27
27 26 27 26 27 26 28 25 27 25 25 23 25 24 25 25
25 25 25 25 25 25 26 24 25 24 24 21 23 23 23 23
24 23 23 23 23 23 24 22 23 21 21 19 21 21 22 23
```

```
:
```

```
%display the image
```

```
imshow(A160)
```



```
%compute the root mean square error (RMSE) between the approximation and the
original image
RSME160 = norm(double(A)-double(A160), 'fro')/sqrt(2583 * 4220)
```

```
RSME160 = 8.2127
```

```
%Derive the value of K for a compression ratio of approximately CR = 25.
CR = 25;
K = round((m*n)/(CR*(m+n+1)))
```

```
K = 64
```

```
%For this value of k(64), construct rank-k approximation of image
A64 = U(:,1:64) * S(1:64, 1:64) * V(:,1:64)'
```

```
A64 = 2583x4220
24.9993 24.3447 22.0100 22.2062 21.9511 21.9226 23.0593 23.7963 ...
25.2032 24.4691 22.2505 22.4141 22.3977 22.5232 23.5883 24.2551
23.7727 23.0131 20.8102 21.1738 20.9707 21.3994 22.4306 23.1625
24.3150 23.8209 21.6649 21.8529 21.8114 22.1064 23.1593 23.8830
24.8134 24.0232 21.8824 22.0873 22.2178 22.3894 23.4309 24.2761
24.1187 23.4903 21.2471 21.5617 21.6885 21.8974 22.7524 23.5456
24.0810 23.2159 21.0505 21.3372 21.4513 21.7045 22.5713 23.3211
25.0993 24.3390 22.2436 22.6802 23.0230 23.0038 23.7316 24.4781
23.7390 22.9025 20.8467 21.1917 21.5129 21.5312 22.1834 23.0650
22.2805 21.5541 19.4265 20.0297 20.3143 20.3821 20.8926 21.9840
```

```
%convert back  
A64 = uint8(round(A64))
```

```
A64 = 2583x4220 uint8 matrix  
25 24 22 22 22 22 23 24 25 26 27 27 29 29 28 30 ...  
25 24 22 22 22 23 24 24 25 26 27 27 30 29 29 31  
24 23 21 21 21 21 22 23 24 25 26 26 29 28 28 29  
24 24 22 22 22 22 23 24 25 26 27 27 29 28 28 29  
25 24 22 22 22 22 23 24 25 26 27 27 29 29 28 29  
24 23 21 22 22 22 23 24 24 25 26 26 28 28 27 28  
24 23 21 21 21 22 23 23 24 25 26 26 28 27 26 27  
25 24 22 23 23 23 24 24 25 26 27 27 29 28 27 28  
24 23 21 21 22 22 23 24 25 26 27 27 29 27 26 27  
22 22 19 20 20 20 21 22 23 24 25 25 27 26 26 26
```

```
%display the image  
imshow(A64)
```



```
%compute the root mean square error (RMSE) between the approximation and the  
original image  
RSME64 = norm(double(A)-double(A64), 'fro')/sqrt(2583 * 4220)
```

```
RSME64 = 12.3020
```

```
%Derive the value of K for a compression ratio of approximately CR = 75.  
CR = 75;  
K = round((m*n)/(CR*(m+n+1)))
```

K = 21

```
%For this value of k(21), construct rank-k approximation of image  
A21 = U(:,1:21) * S(1:21, 1:21) * V(:,1:21)'
```

```
A21 = 2583x4220  
26.2163 25.6337 24.9907 25.1005 25.5472 26.3732 27.4089 27.1685 ...  
26.5129 25.9007 25.2598 25.3699 25.8707 26.7271 27.7391 27.5112  
26.3007 25.6709 25.0385 25.1923 25.6988 26.5671 27.6553 27.4353  
27.0439 26.5387 25.9096 26.0592 26.5085 27.3315 28.3511 28.1032  
26.9099 26.2511 25.6362 25.6966 26.2742 27.0451 28.0548 27.8644  
26.6065 25.9442 25.3392 25.4571 26.0535 26.8352 27.8248 27.6089  
26.8196 26.1732 25.5741 25.6539 26.1657 26.8895 27.8945 27.6443  
27.2339 26.6413 26.0681 26.0830 26.6782 27.3193 28.2429 27.9771  
26.0167 25.3796 24.8159 24.7942 25.3968 25.9820 26.8889 26.6155  
27.3611 26.7141 26.1752 26.1811 26.7707 27.3992 28.3091 28.0254  
:  
:
```

```
%convert back  
A21 = uint8(round(A21))
```

```
A21 = 2583x4220 uint8 matrix  
26 26 25 25 26 26 27 27 28 28 29 29 30 31 30 32 ...  
27 26 25 25 26 27 28 28 29 29 30 29 30 31 31 32  
26 26 25 25 26 27 28 27 29 29 29 29 30 31 31 32  
27 27 26 26 27 27 28 28 29 29 30 30 31 32 31 33  
27 26 26 26 26 27 28 28 29 29 30 30 31 32 31 33  
27 26 26 26 26 27 28 28 29 29 30 30 31 32 31 33  
27 26 25 25 26 27 28 28 29 29 30 29 30 31 31 32  
27 26 26 26 26 27 28 28 29 29 30 29 30 31 31 32  
27 27 26 26 27 27 28 28 29 29 30 30 31 32 32 33  
26 25 25 25 25 26 27 27 28 28 29 28 30 30 30 32  
27 27 26 26 27 27 28 28 29 29 30 30 31 32 31 33  
:  
:
```

```
%display the image  
imshow(A21)
```



```
%compute the root mean square error (RMSE) between the approximation and the  
original image  
RSME21 = norm(double(A)-double(A21), 'fro')/sqrt(2583 * 4220)
```

```
RSME21 = 18.2650
```

Explain: Each time the imager was compressed and increased, the quality and deviation of the image decreased. Based on the examples above, the best CR would be 10. CR10 maintains the best image quality in regards to compression.