

1. Resolución de nombres

ftp.rediris.es

```
Microsoft Windows [Versión 10.0.22631.4460]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\DAW-A>nslookup nslookup ftp.rediris.es
DNS request timed out.
    timeout was 2 seconds.
Servidor: UnKnown
Address: 130.206.13.2

DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
*** Se agotó el tiempo de espera de la solicitud a UnKnown
```

```
dawa@pc-1726141644:~$ dig ftp.rediris.es

; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> ftp.rediris.es
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 51317
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;ftp.rediris.es.                IN      A

;; ANSWER SECTION:
ftp.rediris.es.                1930    IN      A      130.206.13.2

;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:26:30 CET 2024
;; MSG SIZE rcvd: 48
```

www.uniovi.es

```
C:\Users\DAW-A>nslookup www.uniovi.es
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2

Respuesta no autoritativa:
Nombre:   www.uniovi.es.red108.ieszaidinvergeles.org
Address:  80.28.211.131
```

```
dawa@pc-1726141644:~$ dig www.uniovi.es

; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> www.uniovi.es
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 4561
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;www.uniovi.es.                IN      A

;; ANSWER SECTION:
www.uniovi.es.                1474    IN      CNAME   crisb101.sic233.uniovi.es.
crisb101.sic233.uniovi.es. 300     IN      A       156.35.233.101

;; Query time: 40 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:27:48 CET 2024
;; MSG SIZE rcvd: 84
```

Nota: por alguna extraña razón si intento obtener la IP de esa dirección DNS en Linux, es totalmente distinta que en Windows.

www.haxe.org

```
C:\Users\DAW-A>nslookup www.haxe.org
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2

Respuesta no autoritativa:
Nombre:   www.haxe.org.red108.ieszaidinvergeles.org
Address:  80.28.211.131
```

```
dawa@pc-1726141644:~$ dig www.haxe.org

; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> www.haxe.org
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 44529
;; flags: qr rd ra; QUERY: 1, ANSWER: 5, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;www.haxe.org.                IN      A

;; ANSWER SECTION:
www.haxe.org.                 300     IN      CNAME   d28ija9q30bduw.cloudfront.net.
d28ija9q30bduw.cloudfront.net. 60 IN      A       52.84.66.58
d28ija9q30bduw.cloudfront.net. 60 IN      A       52.84.66.122
d28ija9q30bduw.cloudfront.net. 60 IN      A       52.84.66.90
d28ija9q30bduw.cloudfront.net. 60 IN      A       52.84.66.107

;; Query time: 90 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:28:22 CET 2024
;; MSG SIZE rcvd: 137
```

2. Resolución inversa

156.34.14.2

```
C:\Users\DAW-A>nslookup 156.34.14.2
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

```
Nombre:  mctnnbsa45w-156-34-14-2.dhcp-dynamic.fibreop.nb.bellaliant.net
Address:  156.34.14.2
```

```
dawa@pc-1726141644:~$ dig -x 156.34.14.2
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> -x 156.34.14.2
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 32483
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;2.14.34.156.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
2.14.34.156.in-addr.arpa. 20681 IN      PTR      sydnns0129w-156-34-14-2.dhcp-dynamic.fibreop.ns.bellaliant.net.
2.14.34.156.in-addr.arpa. 20681 IN      PTR      mctnnbsa45w-156-34-14-2.dhcp-dynamic.fibreop.nb.bellaliant.net.

;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:45:17 CET 2024
;; MSG SIZE rcvd: 180
```

217.76.145.25

```
C:\Users\DAW-A>nslookup 217.76.145.25
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

```
Nombre:  dns1.carloslatre.com
Address: 217.76.145.25
```

```
dawa@pc-1726141644:~$ dig -x 217.76.145.25
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> -x 217.76.145.25
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 53559
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;25.145.76.217.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
25.145.76.217.in-addr.arpa. 900 IN    PTR    dns1.carloslatre.com.

;; Query time: 30 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:45:52 CET 2024
;; MSG SIZE rcvd: 78
```

217.160.0.64

```
C:\Users\DAW-A>nslookup 217.160.0.64
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2

Nombre:   217-160-0-64.elastic-ssl.ui-r.com
Address:  217.160.0.64
```

```
dawa@pc-1726141644:~$ dig -x 217.160.0.64

; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> -x 217.160.0.64
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 26173
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;64.0.160.217.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
64.0.160.217.in-addr.arpa. 8181 IN      PTR      217-160-0-64.elastic-ssl.ui-r.com.

;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 10:46:15 CET 2024
;; MSG SIZE rcvd: 90
```

3. Determinar los servidores de nombres

parqueciencias.com

```
C:\Users\DAW-A>nslookup -type=ns parqueciencias.com
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

Respuesta no autoritativa:

```
parqueciencias.com      nameserver = ns.juntadeandalucia.es
parqueciencias.com      nameserver = ns3.juntadeandalucia.es
parqueciencias.com      nameserver = ns1.juntadeandalucia.es
parqueciencias.com      nameserver = ns4.juntadeandalucia.es

parqueciencias.com      nameserver = ns3.juntadeandalucia.es
parqueciencias.com      nameserver = ns1.juntadeandalucia.es
parqueciencias.com      nameserver = ns4.juntadeandalucia.es
parqueciencias.com      nameserver = ns.juntadeandalucia.es
```

```
dawa@pc-1726141644:~$ dig parqueciencias.com ANY
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> parqueciencias.com ANY
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 7169
;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 4, ADDITIONAL: 0
```

```
;; QUESTION SECTION:
;parqueciencias.com.      IN      ANY
```

;; ANSWER SECTION:

```
parqueciencias.com.      21211   IN      NS      ns.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns3.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns1.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns4.juntadeandalucia.es.
```

;; AUTHORITY SECTION:

```
parqueciencias.com.      21211   IN      NS      ns3.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns1.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns4.juntadeandalucia.es.
parqueciencias.com.      21211   IN      NS      ns.juntadeandalucia.es.
```

```
;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (TCP)
;; WHEN: Mon Nov 18 11:03:39 CET 2024
;; MSG SIZE rcvd: 199
```

uv.es

```
C:\Users\DAW-A>nslookup -type=ns uv.es
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

Respuesta no autoritativa:

```
uv.es      nameserver = chico.rediris.es
uv.es      nameserver = shackleton.red.uv.es
uv.es      nameserver = sun.rediris.es
uv.es      nameserver = peque.ci.uv.es
uv.es      nameserver = gong.ci.uv.es
```

```
uv.es      nameserver = shackleton.red.uv.es
uv.es      nameserver = sun.rediris.es
uv.es      nameserver = peque.ci.uv.es
uv.es      nameserver = gong.ci.uv.es
uv.es      nameserver = chico.rediris.es
```

```
dawa@pc-1726141644:~$ dig uv.es. ANY
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> uv.es. ANY
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 18807
;; flags: qr rd ra; QUERY: 1, ANSWER: 3, AUTHORITY: 0, ADDITIONAL: 0
```

```
;; QUESTION SECTION:
;uv.es.                IN      ANY
```

;; ANSWER SECTION:

```
uv.es.      589      IN      DNSKEY  256 3 13 TRNbtUYBsekAYCqUViWx+kgxR7Cp7QspHw05AEfMQngpKPydoamQF8F+ W8m2iM
p9d9w02j6q9/g8raLJWd0yDA==
uv.es.      589      IN      RRSIG   DNSKEY 13 2 600 20241127065614 20241028064014 53565 uv.es. solXibo68fnRO
zp6Tg1kSR9fchowdxACChV1SFi+R/rzWC7wJSizSfeQ YOzIXMtHrQ4NTb82vYk0v39QbZkjug==
uv.es.      589      IN      DNSKEY  257 3 13 x+EBWS3xHaoVEhekVQ2jhVuCaRj8yoDSrgZaNcDILfp/Uv+y6HiSGniR jYC7Wf
LL+2Yg1J2vHksTPpCZd7E8Yw==
```

```
;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (TCP)
;; WHEN: Mon Nov 18 11:08:46 CET 2024
;; MSG SIZE rcvd: 284
```

ieszaidinvergeles.org

```
C:\Users\DAW-A>nslookup -type=ns ieszaidinvergeles.org
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

Respuesta no autoritativa:

```
ieszaidinvergeles.org  nameserver = ns1025.ui-dns.de
ieszaidinvergeles.org  nameserver = ns1074.ui-dns.biz
ieszaidinvergeles.org  nameserver = ns1020.ui-dns.com
ieszaidinvergeles.org  nameserver = ns1022.ui-dns.org
```

```
ieszaidinvergeles.org  nameserver = ns1074.ui-dns.biz
ieszaidinvergeles.org  nameserver = ns1020.ui-dns.com
ieszaidinvergeles.org  nameserver = ns1022.ui-dns.org
ieszaidinvergeles.org  nameserver = ns1025.ui-dns.de
```


4. Determinar los servidores de correo

ieszaidinvergeles.org

```
C:\Users\DAW-A>nslookup -type=MX ieszaidinvergeles.org
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

```
ieszaidinvergeles.org  nameserver = ns1022.ui-dns.org
ieszaidinvergeles.org  nameserver = ns1025.ui-dns.de
ieszaidinvergeles.org  nameserver = ns1074.ui-dns.biz
ieszaidinvergeles.org  nameserver = ns1020.ui-dns.com
```

```
dawa@pc-1726141644:~$ dig ieszaidinvergeles.org MX
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> ieszaidinvergeles.org MX
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 24259
;; flags: qr rd ra; QUERY: 1, ANSWER: 5, AUTHORITY: 4, ADDITIONAL: 5
```

```
;; QUESTION SECTION:
ieszaidinvergeles.org.      IN      MX
```

```
;; ANSWER SECTION:
ieszaidinvergeles.org.  2013    IN      MX      1 aspmx.l.google.com.
ieszaidinvergeles.org.  2013    IN      MX      10 alt4.aspmx.l.google.com.
ieszaidinvergeles.org.  2013    IN      MX      5 alt1.aspmx.l.google.com.
ieszaidinvergeles.org.  2013    IN      MX      10 alt3.aspmx.l.google.com.
ieszaidinvergeles.org.  2013    IN      MX      5 alt2.aspmx.l.google.com.
```

```
;; AUTHORITY SECTION:
ieszaidinvergeles.org.  21323   IN      NS      ns1025.ui-dns.de.
ieszaidinvergeles.org.  21323   IN      NS      ns1074.ui-dns.biz.
ieszaidinvergeles.org.  21323   IN      NS      ns1020.ui-dns.com.
ieszaidinvergeles.org.  21323   IN      NS      ns1022.ui-dns.org.
```

```
;; ADDITIONAL SECTION:
aspmx.l.google.com.    86      IN      A       64.233.166.26
alt4.aspmx.l.google.com. 163     IN      A       74.125.200.26
alt1.aspmx.l.google.com. 185     IN      A       142.250.153.26
alt3.aspmx.l.google.com. 206     IN      A       142.250.150.26
alt2.aspmx.l.google.com. 142     IN      A       142.251.9.26
```

```
;; Query time: 0 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 11:14:39 CET 2024
;; MSG SIZE rcvd: 363
```

ionos.com

```
C:\Users\DAW-A>nslookup -type=MX ionos.com
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

```
ieszaidinvergeles.org    nameserver = ns1025.ui-dns.de
ieszaidinvergeles.org    nameserver = ns1074.ui-dns.biz
ieszaidinvergeles.org    nameserver = ns1020.ui-dns.com
ieszaidinvergeles.org    nameserver = ns1022.ui-dns.org
```

```
dawa@pc-1726141644:~$ dig ionos.com MX
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> ionos.com MX
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 34324
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 0
```

```
;; QUESTION SECTION:
```

```
;ionos.com.                IN      MX
```

```
;; ANSWER SECTION:
```

```
ionos.com.                43200   IN      MX      10 mxint01.1and1.com.
ionos.com.                43200   IN      MX      10 mxint02.1and1.com.
```

```
;; Query time: 10 msec
```

```
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
```

```
;; WHEN: Mon Nov 18 11:49:55 CET 2024
```

```
;; MSG SIZE rcvd: 81
```

microsoft.com

```
C:\Users\DAW-A>nslookup -type=MX microsoft.com
Servidor:  informatica.ieszaidinvergeles.org
Address:  10.0.0.2
```

```
ieszaidinvergeles.org    nameserver = ns1020.ui-dns.com
ieszaidinvergeles.org    nameserver = ns1022.ui-dns.org
ieszaidinvergeles.org    nameserver = ns1025.ui-dns.de
ieszaidinvergeles.org    nameserver = ns1074.ui-dns.biz
```

```
C:\Users\DAW-A>
```

```
dawa@pc-1726141644:~$ dig microsoft.com MX
```

```
; <<>> DiG 9.18.28-1~deb12u2-Debian <<>> microsoft.com MX
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 61950
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0
```

```
;; QUESTION SECTION:
;microsoft.com.
```

```
IN MX
```

```
;; ANSWER SECTION:
microsoft.com.      552      IN      MX      10 microsoft-com.mail.protection.outlook.com.
```

```
;; Query time: 10 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Mon Nov 18 11:52:00 CET 2024
;; MSG SIZE rcvd: 88
```

5. Usar un servidor de nombres determinado para resolver un nombre

www.nytimes.com

```
Administrador: Símbolo del si x + -
C:\Users\DAW-A>nslookup www.nytimes.com 208.67.222.222
Servidor: dns.sse.cisco.com
Address: 208.67.222.222

Respuesta no autoritativa:
Nombre: www.nytimes.com.red108.ieszaidinverges.org
Address: 80.28.211.131

C:\Users\DAW-A>
```

```
dawa@pc-1726141644: ~$ dig @208.67.222.222 www.nytimes.com

;<<>> DiG 9.18.28-1-deb12u2-Debian <<>> @208.67.222.222 www.nytimes.com
; (1 server found)
; global options: +cmd
; Got answer:
;-->HEADER<-- opcode: QUERY, status: NOERROR, id: 47658
; flags: qr rd ra; QUERY: 1, ANSWER: 7, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1410
;; QUESTION SECTION:
;www.nytimes.com.                IN      A

;; ANSWER SECTION:
www.nytimes.com.                282     IN      CNAME  www.prd.map.nytimes.com.
www.prd.map.nytimes.com.        282     IN      CNAME  www.prd.map.nytimes.xovr.nytimes.net.
www.prd.map.nytimes.xovr.nytimes.net. 133     IN      CNAME  nytimes.map.fastly.net.
nytimes.map.fastly.net.         60      IN      A       151.101.1.164
nytimes.map.fastly.net.         60      IN      A       151.101.65.164
nytimes.map.fastly.net.         60      IN      A       151.101.129.164
nytimes.map.fastly.net.         60      IN      A       151.101.193.164

;; Query time: 20 msec
;; SERVER: 208.67.222.222#53(208.67.222.222) (UDP)
;; WHEN: Mon Nov 19 11:54:32 CET 2024
;; MSG SIZE rcvd: 213
```

```
Administrador: Símbolo del si x + -
C:\Users\DAW-A>nslookup www.nytimes.com 218.93.26.250
Servidor: Unknown
Address: 218.93.26.250

Respuesta no autoritativa:
Nombre: www.nytimes.com.red108.ieszaidinverges.org
Address: 80.28.211.131

C:\Users\DAW-A>
```

```
dawa@pc-1726141644: ~$ dig @218.93.26.250 www.nytimes.com

;<<>> DiG 9.18.28-1-deb12u2-Debian <<>> @218.93.26.250 www.nytimes.com
; (1 server found)
; global options: +cmd
; Got answer:
;-->HEADER<-- opcode: QUERY, status: NOERROR, id: 39821
; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1024
;; QUESTION SECTION:
;www.nytimes.com.                IN      A

;; ANSWER SECTION:
www.nytimes.com.                60      IN      A       162.125.32.15

;; Query time: 230 msec
;; SERVER: 218.93.26.250#53(218.93.26.250) (UDP)
;; WHEN: Mon Nov 18 12:02:36 CET 2024
;; MSG SIZE rcvd: 60
```

www.marxist.org

```
Administrador: Símbolo del si x + v
C:\Users\DAW-A>nslookup www.marxist.org 208.67.222.222
Servidor: dns.sse.cisco.com
Address: 208.67.222.222

Respuesta no autoritativa:
Nombre: www.marxist.org.red108.ieszaidinvergeles.org
Address: 80.28.211.131

C:\Users\DAW-A>
```

```
dawa@pc-1726141644:~$ dig @208.67.222.222 www.marxist.org
;; communications error to 208.67.222.222#53: timed out
;; communications error to 208.67.222.222#53: timed out

;<<>> DiG 9.18.28-1-deb12u2-Debian <<>> @208.67.222.222 www.marxist.org
; (1 server found)
;; global options: +cmd
;; Got answer:
;; -->HEADER<-- opcode: QUERY, status: NOERROR, id: 45934
;; flags: qr rd ra; QUERY: 1, ANSWER: 12, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 1410
;; QUESTION SECTION:
;www.marxist.org.                IN      A

;; ANSWER SECTION:
www.marxist.org.        600     IN      A      45.33.2.79
www.marxist.org.        600     IN      A      45.33.18.44
www.marxist.org.        600     IN      A      45.33.20.235
www.marxist.org.        600     IN      A      45.33.23.183
www.marxist.org.        600     IN      A      45.33.30.197
www.marxist.org.        600     IN      A      45.56.79.23
www.marxist.org.        600     IN      A      45.79.19.196
www.marxist.org.        600     IN      A      72.14.178.174
www.marxist.org.        600     IN      A      72.14.185.43
www.marxist.org.        600     IN      A      96.126.123.244
www.marxist.org.        600     IN      A      173.255.194.134
www.marxist.org.        600     IN      A      198.58.118.167

;; Query time: 240 msec
;; SERVER: 208.67.222.222#53(208.67.222.222) (UDP)
;; WHEN: Mon Nov 18 11:56:08 CET 2024
;; MSG SIZE rcvd: 236
```

```
Administrador: Símbolo del si x + v
C:\Users\DAW-A>nslookup www.marxist.org 218.93.26.250
Servidor: Unknown
Address: 218.93.26.250

Respuesta no autoritativa:
Nombre: www.marxist.org.red108.ieszaidinvergeles.org
Address: 80.28.211.131

C:\Users\DAW-A>
```

```
dawa@pc-1726141644:~$ dig @218.93.26.250 www.marxist.org
;; communications error to 218.93.26.250#53: timed out
;; communications error to 218.93.26.250#53: timed out

;<<>> DiG 9.18.28-1-deb12u2-Debian <<>> @218.93.26.250 www.marxist.org
; (1 server found)
;; global options: +cmd
;; Got answer:
;; -->HEADER<-- opcode: QUERY, status: NOERROR, id: 43929
;; flags: qr rd ra; QUERY: 1, ANSWER: 12, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 1024
;; QUESTION SECTION:
;www.marxist.org.                IN      A

;; ANSWER SECTION:
www.marxist.org.        600     IN      A      96.126.123.244
www.marxist.org.        600     IN      A      45.79.19.196
www.marxist.org.        600     IN      A      72.14.185.43
www.marxist.org.        600     IN      A      45.33.20.235
www.marxist.org.        600     IN      A      45.33.23.183
www.marxist.org.        600     IN      A      45.33.2.79
www.marxist.org.        600     IN      A      45.33.18.44
www.marxist.org.        600     IN      A      198.58.118.167
www.marxist.org.        600     IN      A      45.33.30.197
www.marxist.org.        600     IN      A      72.14.178.174
www.marxist.org.        600     IN      A      45.56.79.23
www.marxist.org.        600     IN      A      173.255.194.134

;; Query time: 240 msec
;; SERVER: 218.93.26.250#53(218.93.26.250) (UDP)
;; WHEN: Mon Nov 18 12:00:44 CET 2024
;; MSG SIZE rcvd: 236
```

www.falundafa.org

Administrador: Símbolo del si

C:\Users\DAW-A>nslookup www.falundafa.org 208.67.222.222
Servidor: dns.sse.cisco.com
Address: 208.67.222.222

Respuesta no autoritativa:
Nombre: www.falundafa.org.red108.ieszaidinvergeles.org
Address: 80.28.211.131

C:\Users\DAW-A>

dawa@pc-1726141644:~\$ dig @208.67.222.222 www.falundafa.org

;<>> DiG 9.18.28-1-deb12u2-Debian <>> @208.67.222.222 www.falundafa.org
; (1 server found)
; global options: +cmd
; Got answer:
;-->HEADER<-- opcode: QUERY, status: NOERROR, id: 11142
; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 1410
;; QUESTION SECTION:
;www.falundafa.org. IN A

;; ANSWER SECTION:
www.falundafa.org. 300 IN A 104.18.11.198
www.falundafa.org. 300 IN A 104.18.10.198

;; Query time: 60 msec
;; SERVER: 208.67.222.222#53(208.67.222.222) (UDP)
;; WHEN: Mon Nov 18 11:57:13 CET 2024
;; MSG SIZE rcvd: 78

Administrador: Símbolo del si

C:\Users\DAW-A>nslookup www.nytimes.com 218.93.26.250
Servidor: Unknown
Address: 218.93.26.250

Respuesta no autoritativa:
Nombre: www.nytimes.com.red108.ieszaidinvergeles.org
Address: 80.28.211.131

C:\Users\DAW-A>

dawa@pc-1726141644:~\$ dig @218.93.26.250 www.falundafa.org

;<>> DiG 9.18.28-1-deb12u2-Debian <>> @218.93.26.250 www.falundafa.org
; (1 server found)
; global options: +cmd
; Got answer:
;-->HEADER<-- opcode: QUERY, status: NOERROR, id: 4613
; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;www.falundafa.org. IN A

;; ANSWER SECTION:
www.falundafa.org. 185 IN A 199.59.148.102

;; Query time: 240 msec
;; SERVER: 218.93.26.250#53(218.93.26.250) (UDP)
;; WHEN: Mon Nov 18 12:04:15 CET 2024
;; MSG SIZE rcvd: 51