La prochaine étape, c’est :

Observer le site Freemans manuellement pour comprendre le parcours à automatiser

Avant de coder, tu dois comprendre :

- comment arriver sur une fiche produit,
- comment ajouter au panier,
- comment accéder au checkout,
- combien d’étapes il y a dans le checkout,
- quels champs doivent être remplis.

Sinon tu vas coder à l’aveugle, et l’aveugle en automation web finit souvent dans un mur CSS.

---

1. Va toi-même sur le site Freemans

Dans ton navigateur normal, pas via Puppeteer pour l'instant.

Tu dois naviguer comme une vraie utilisatrice :

- *ouvrir le site*
- *choisir un produit*
- *l'ajouter au panier*
- *aller au checkout*

J'ai été sur [un produit](#) j'ai voulu ajouter mais bloquer car d'abord il faut:



2. Observe le tunnel

À chaque étape, regarde :

Sur la fiche produit

Repère :

- *s'il faut choisir une taille / couleur / variation:*
  - *on doit choisir loption long court ou normal*
  - *on doit choisir la taille*

- *le bouton "add to bag" / "add to cart"*
  - *on a save pour plus tard*
  - *et mettre dans le panier*

- *si un pop-up apparaît après ajout panier*
  - *oui on a un popup* ✅

Sur le panier

Repère :

- le bouton pour aller au checkout
  - le bouton est en haut à droite



  - quand on descend dans la page la navbar est plus la

- s'il y a une étape "guest checkout" ou "continue as guest"
  - obliger de sinscrire pour payer

Sur le checkout

Regarde quelles infos sont demandées :

- Title (madame monsieur etc
- prénom ✅
- nom ✅
- date de naissance ✅
- téléphone ✅ pas besoin de preciser le pays je pense que cest un probleme. jai essaye de mettre mon numero israel seulement 053 jai vu que yavais une alert "Please enter a valid telephone number." mais pas de precision sur comment ecrire le numero. cest un site anglais je suppose quil me faut un numero anglais. numero anglais de ma cousine marche
- adresse ✅ quand on met une adresse comme ca jai mis golders gren ca met " Please enter a valid House Number or Name." on doit preciser la ville aussi
- zip code

  il faut cliquer sur find adress pour que la suite du forme souvre

- email ✅
- confirm email ✅
- Password ✅ at leat 8 char sans truc special
- confirm Password ✅



- carte bancaire ✅
- date expiration ✅
- CVV ✅


freemans
SECURE CHECKOUT
Login
Delivery
Payment
Delivery
Delivery Address
Prime Minister & 1st Lord Of, 10 Downing St, LONDON, SW1A 2AA.
Delivery Method
Next Day Delivery £5.99 Delivering on: Tuesday
Stated Day £5.99 Wednesday 4th
Standard Delivery £1.49
Further Info
Leave my parcel in a safe place (optional): (This will be at your own risk) Greenhouse
Item Delivery Summary
bonprix High Waist Wide Leg Jeans, 12, Light Blue
Standard delivery
Wed 4/3 - Thu 5/3
bonprix High Waist Wide Leg Jeans, 18, Light Blue
Standard delivery
Wed 4/3 - Thu 5/3
Back
Continue
Summary
Your Bag Edit
bonprix High Waist Wide Leg Jeans £45.00
bonprix High Waist Wide Leg Jeans £45.00
Delivery £1.49
Grand Total £91.49
Your Details Edit
Miss Melissa Gabay
melgabay@hotmail.com
Billing Address
Prime Minister & 1st Lord Of SW1A 2AA
Contact 07740198778
Delivery
Delivery
2 items Standard delivery
Address Prime Minister & 1st Lord Of SW1A 2AA

- code coupon ✅



3. Fais une liste simple

Le but, c'est de **cartographier le parcours**.

1) choisir un article
2) choisir les options long regular ou short
3) choisir la taille
4) add to bag
5) sign up / sign in
6) payement

---

4. Ensuite seulement, inspecter les champs

Quand tu arrives sur un champ, tu fais clic droit → **Inspect** dans le navigateur.

1) page ou on va choisir un element:

The `ul#productListGrid` element is positioned within the following tree structure:

- **Parent:** Its parent is a `div` element with the selector `div#productscontent` .
- **Children:** It has 48 child `li` (list item) elements, all with the classes `listItem`, `pContainer`, and `productContainer`. These children are likely individual product listings within the grid.
- **Siblings:**
    - **Previous Sibling:** Its immediate previous sibling is a `div` element with the selector `div#leftnav` . This suggests a navigation or sidebar element preceding the product list.
    - **Next Sibling:** Its immediate next sibling is an element with the class `.clear`. This `.clear` element is typically used to clear floats, which is relevant given that `ul#productListGrid` itself is floated right.

In the context of its parent `div#productscontent`, `ul#productListGrid` is one of ten child element nodes, alongside other `div` and `.clear` elements. This arrangement indicates a complex layout where different sections of the page are managed within the `productscontent` div.

2) on clique sur un element structure

The `li.listItem.pContainer.productContainer` element is structured as follows:

- **Parent:** Its parent is the `ul#productListGrid` element , which is the main product listing grid.
- **Children:** It has two child element nodes:
  - A `meta` element. `meta` elements are typically found in the `<head>` of an HTML document to provide metadata about the page. Its presence as a child of an `li` element is unusual and might indicate that it's being used to store some product-specific data that isn't directly rendered on the page, or it could be a programmatic injection.
  - An `a` (anchor) element with the classes `img` and `listItemLink` . This element likely serves as a clickable link for the product, possibly containing an image or acting as a container for product image and title.
- **Siblings:** Its immediate next sibling is another `li.listItem.pContainer.productContainer` element . Since the parent `ul#productListGrid` has 48 such `li` children, it's clear this element is one of many identical product containers.

Regarding its uniqueness and its "brother" (sibling) elements:

The structural pattern of `li.listItem.pContainer.productContainer` having a `meta` child and an `a.img.listItemLink` child appears to be consistent across its siblings. Given that all 48 child elements of `ul#productListGrid` share the exact same selector (`li.listItem.pContainer.productContainer`), it is highly probable that they all have the same internal tree structure. This is a common pattern in web development for displaying lists of items where each item has a consistent layout and data structure.

The `li.listItem.pContainer.productContainer` element with `data-uniqueid="960856_16"` has the following tree structure:

- **Parent:** Its parent is `ul#productListGrid`.
- **Children:** It has two child element nodes:
  - A `META` element.
  - An `A` (anchor) element with the classes `img` and `listItemLink`.

Regarding its siblings: My investigation shows that the structure of this specific element is **consistent** with its siblings. All other `li.listItem.pContainer.productContainer` elements within the `ul#productListGrid` parent have the same number and type of child elements (a `META` element followed by an `A.img.listItemLink` element). This indicates a uniform structure for all product containers on the page.

3) on arrive sur la page de lelement choisi pour acheter

a) Select Option

The div.productOptionsContainer element has the following tree structure:

Parent: Its parent is a div element with the selector .productOptionParentContainer.extraOptionContainer.optionSG . This parent also contains an span.optionHeader and an span.extraOptionErrorMessage.optionErrorMessage as siblings to .productOptionsContainer.

Children: The .productOptionsContainer has three direct child span elements, each with the class boxOptionOuter:

span.boxOptionOuter (data-optionvalue= “Regular”)

span.boxOptionOuter (data-optionvalue= “Short”)

span.boxOptionOuter (data-optionvalue= “Long”)

Grandchildren: Each of these span.boxOptionOuter children in turn has one direct child:

Each span.boxOptionOuter contains a span element with the class productOptionItem. This suggests that productOptionItem is the actual selectable or displayed option within each boxOptionOuter container.

In summary, the tree structure is:

div.productOptionParentContainer.extraOptionContainer.optionSG (parent)

span.optionHeader (sibling)

div.productOptionsContainer (inspected element)

span.boxOptionOuter (child 1)

span.productOptionItem (grandchild 1.1)

span.boxOptionOuter (child 2)

span.productOptionItem (grandchild 2.1)

span.boxOptionOuter (child 3)

span.productOptionItem (grandchild 3.1)

span.extraOptionErrorMessage.optionErrorMessage (sibling)

This structure indicates a common pattern for displaying a list of options, where each option (productOptionItem) is wrapped within a container (boxOptionOuter), and all these option containers are grouped within productOptionsContainer.

b) select size

The element with the selector .productOptionParentContainer.option2Container.optionSG has the following tree structure:

Parent: Its parent is a div element with the class .productOptionSelections. This parent also contains other sibling elements, including several span.hidden elements (like .itemColorHeader, .itemColor2Header, .itemSizeHeader), a .option1Container.hidden, a .productOptionParentContainer.extraOptionContainer.optionSG, a .clear element, and a .quantityParentContainer.

Children: The .productOptionParentContainer.option2Container.optionSG element has three direct child elements:

A span element with the class optionHeader.

A div element with the class productOptionsContainer.

A div element with the classes option2ErrorMessage and optionErrorMessage.

Grandchildren:

The span.optionHeader child contains two span grandchildren:

A span with the class noneSelectedOptionHeader.

A span with the class selectedOptionHeaderValue.

The div.productOptionsContainer child contains multiple span grandchildren, each with the class boxOptionOuter. Based on the previous analysis, there are 10 such span.boxOptionOuter elements within this container, representing individual selectable options of the size of the clothe.

The div.option2ErrorMessage.optionErrorMessage child does not appear to have any grandchildren.

In summary, the detailed tree structure is:

div.productOptionSelections (grandparent)

.productOptionParentContainer.option2Container.optionSG (inspected element)

span.optionHeader (child 1)

span.noneSelectedOptionHeader (grandchild 1.1)

span.selectedOptionHeaderValue (grandchild 1.2)

div.productOptionsContainer (child 2)

span.boxOptionOuter (grandchild 2.1)

span.boxOptionOuter (grandchild 2.2)

... (and 8 more span.boxOptionOuter grandchildren)

div.option2ErrorMessage.optionErrorMessage (child 3)

(no grandchildren)

This structure is typical for a section that manages product options, displaying the current selection status in optionHeader, listing all available choices within productOptionsContainer, and providing space for error messages in option2ErrorMessage.

quand on a choisi size et option nouvelle div apparait:

The element with the selector .stockInfoContainer has the following tree structure:

Parent: Its parent is a div element with the classes .productInformationContainer and .productInnerContainer. This parent also contains several sibling elements, such as .productSummaryContainer, .productOptionSelectionsContainer, and .productAddToBagSavedItemsContainer, among others.

Children: The .stockInfoContainer element has only one direct child element:

A div element with the class .stockAndPrice.

Grandchildren: The div.stockAndPrice child element does not have any grandchildren based on the current information. It is likely that the stock information and price are directly within this .stockAndPrice div as text nodes or simple inline elements that were not identified as element children.

In summary, the detailed tree structure is:

- `div.productInformationContainer.productInnerContainer` (grandparent)
    - `.stockInfoContainer` (inspected element)
        - `div.stockAndPrice` (child 1)
            - (no grandchildren)

c) une fois quon a choisi on peut soit add au bag soit save pour plus tard:

The element with the selector .productAddToBagSavedItemsContainer has the following tree structure:

Parent: Its parent is a div element with the classes .productInformationContainer and .productInnerContainer. This parent element encapsulates various product-related information, including product summaries, option selections, stock information, and "add to bag" functionalities.

Children: The .productAddToBagSavedItemsContainer element has two direct child div elements:

A div element with the ID prodAddToBag.

A div element with the class savedItemsButtonContainer.

Grandchildren:

The div#prodAddToBag child contains one grandchild:

An a (anchor) element. This likely represents the "Add to Bag" button or link for the product.

The div.savedItemsButtonContainer child contains one grandchild:

An a (anchor) element with the class SavedItemsButton. This likely represents a "Save for Later" or "Add to Wishlist" button/link.

In summary, the detailed tree structure is:

div.productInformationContainer.productInnerContainer (grandparent)

.productAddToBagSavedItemsContainer (inspected element)

div#prodAddToBag (child 1)

a (grandchild 1.1)

div.savedItemsButtonContainer (child 2)

a.SavedItemsButton (grandchild 2.1)

This structure is typical for a section that provides actions related to purchasing or saving a product, separating the "add to bag" functionality from other saved item options.

4) quand on est sur la page du bag:
    a) sur la page du bag:

The element with the selector `.bagItemsContainer.flexiPromo` is a `div` element. Given its classes, it is very likely the main container within a shopping cart or bag page that holds the individual items the user has added to their cart. The `flexiPromo` class suggests it might interact with or display information related to flexible payment promotions, possibly adjusting its layout or content based on those promotions.

Here's a breakdown of its tree structure:

- **Parent:** Its immediate parent is the `form#bagForm` element. This indicates that the items listed within this container are part of a larger form submission process, likely for checkout.
- **Children:** The `.bagItemsContainer.flexiPromo` has six direct child nodes:
    - A `div` element with the class `.clear`. This is a common utility to handle floating elements within the container.
    - A `div` element with the class `.bagColumnHeadingsContainer`. This element likely holds the headings for the various columns displayed for each product in the cart (e.g., "Product," "Quantity," "Price").
    - An `input` element with the ID `Active_444015056`. This is likely a hidden input field or a checkbox/radio button associated with a specific product item. The ID suggests it might be a product identifier combined with a status (e.g., "Active").
    - A `div` element with the class `.bagItemRow`. This is a crucial element as it almost certainly represents a single product entry in the shopping bag.
    - Another `input` element with the ID `Active_444006956`. Similar to the previous input, this would be associated with another product item.
    - Another `div` element with the class `.bagItemRow`. This represents a second product entry in the shopping bag.
- From these children, it's evident that the cart currently contains at least two distinct items, each represented by an `input` field and a `.bagItemRow` div.
- **Grandchildren:** To fully describe the grandchildren, we need to look inside the `.bagColumnHeadingsContainer` and the `.bagItemRow` elements.Let's examine the common structure of `.bagItemRow` and `.bagColumnHeadingsContainer` for their children.**Structure of `.bagColumnHeadingsContainer` (Child 2):** This container likely has `span` or `div` elements as children, each acting as a heading for a column (e.g., "Item Details", "Qty", "Price").**Structure of `.bagItemRow` (Children 4 and 6):** Each `.bagItemRow` element is expected to contain the details for a single product. Its children (grandchildren of `.bagItemsContainer`) would typically include:
    - Elements for the product image (e.g., `img` tag or `div` with background image).
    - Elements for product name/description (e.g., `h3`, `p`, `a` tag).
    - Elements for quantity control (e.g., `input` type="number", `select`).
    - Elements for price (e.g., `span` displaying the price).
    - Elements for actions like "Remove" or "Edit" (e.g., `a` tags or `buttons`).
    - Potentially a `div` with class `.itemPriceContainer` or similar to group price-related information.

In summary, the `.bagItemsContainer.flexiPromo` acts as a structured list of product items in a shopping bag, including headings for organization and individual rows for each product, which themselves contain detailed information about the product. Its placement within `form#bagForm` signifies its role in the checkout process.

b) summary of the shopping bag's

The element with the selector `.bagSummaryContainer` is a `div` element. Based on its name and its position within `form#bagForm`, it serves as a container for displaying the summary of the shopping bag's contents and total costs, along with related actions like checkout and applying offer codes.

Here's a breakdown of its tree structure:

- **Parent:** Its immediate parent is the `form#bagForm` element. This signifies that the summary is an integral part of the overall shopping cart form.
- **Children:** The `.bagSummaryContainer` has ten direct child element nodes:
  - A `div` element with the class `.bagSummaryTitle`. This likely contains a heading (e.g., "Order Summary" or "Bag Total") for this section.
  - A `div` element with the class `.bagTotalContainer`. This is a crucial container for the financial breakdown of the order, such as subtotal, shipping, tax, and the grand total.
  - A `div` element with the class `.clear`. This is a common utility to ensure proper layout after floated elements.
  - A `div` element with the class `.bagCheckoutButtonContainer`. This container almost certainly holds the primary "Checkout" button or link.
  - A `div` element with the class `.clear`. Another layout utility.
  - A `div` element with the class `.cardsContainer`. This could be a section displaying accepted payment methods (e.g., credit card logos).
  - A `div` element with the class `.clear`. Another layout utility.
  - A `div` element with the ID `offerCodeAndCardsContainer`. This specific container suggests a section where users can input or manage offer codes, and potentially related to payment cards.
  - A `div` element with the class `.enteredOfferCodesParent`. This would display any offer codes that have been successfully applied to the order.
  - A `div` element with the class `.clear`. The final layout utility element in this list.
- **Grandchildren:** To understand the grandchildren, we need to infer the typical content of the children based on their names:
  - **`.bagSummaryTitle` (Child 1):** Would likely contain a heading element (e.g., `h2`, `h3`) with text like "Order Summary."
  - **`.bagTotalContainer` (Child 2):** This would contain multiple lines, each potentially a `div` or `span` pair, detailing specific costs. For example:
    - A `div` for "Subtotal," containing a `span` for the label and a `span` for the value.
    - Similar `div`s for "Shipping," "Tax," and the "Order Total."
  - **`.bagCheckoutButtonContainer` (Child 4):** Would typically contain a `button` or `a` (anchor) element that initiates the checkout process.
  - **`.cardsContainer` (Child 6):** Would likely contain `img` elements for payment card logos or `span` elements listing accepted card types.
  - **`div#offerCodeAndCardsContainer` (Child 8):** This is a key area. It might contain:
    - An `input` field for entering a discount code.
    - A `button` to apply the code.
    - Potentially additional instructions or links related to offer codes.
  - **`.enteredOfferCodesParent` (Child 9):** This would display `span` or `div` elements, each representing an applied offer code, possibly with an option to remove it.

In summary, the `.bagSummaryContainer` aggregates all the critical information and actions required at the final stage of shopping before checkout. It systematically presents the cost breakdown, calls to action, payment information, and promotional code management, all within a well-structured series of nested `div` elements.

c) bouton checkout pour payer

The element with the selector `.bagCheckoutButtonContainer` is a `div` element. Its name clearly indicates its purpose: to contain the button(s) or link(s) that initiate the checkout process.

Here's a breakdown of its tree structure:

- **Parent:** Its immediate parent is the `.bagSummaryContainer` element. This places it logically within the overall shopping bag summary section, where users review their order before proceeding. The `.bagSummaryContainer` is itself a child of `form#bagForm`.
- **Children:** The `.bagCheckoutButtonContainer` has only one direct child element:
    - An `input` element with the ID `proceedbutton2`. This is almost certainly the "Proceed to Checkout" button that the user will click to move forward with their purchase. The `input` tag implies it's a form submission button (e.g., `type="submit"`).
- **Grandchildren:** This `input#proceedbutton2` element does not have any children, and therefore, the `.bagCheckoutButtonContainer` element does not have any grandchildren. The button itself is the final interactive element in this branch of the DOM.

In summary, the tree structure is straightforward:

- `form#bagForm` (great-grandparent)
    - `.bagSummaryContainer` (grandparent)
        - `.bagCheckoutButtonContainer` (inspected element)
            - `input#proceedbutton2` (child)
                - (no grandchildren)

This element serves a critical function in the user journey, providing the explicit action to finalize the order and proceed to the next step of the checkout process.

5) page de connection login apres avoir clique sur acheter:
    a) Existing Customers:

The element with the selector `.loginSubContainer` is a `div` element, clearly designed to encapsulate the login form or related elements for user authentication.

Here's a breakdown of its tree structure:

- **Parent:** Its immediate parent is a `div` element with the class `.loginRegisterSubContainer`. This parent container suggests a section of the page that handles both login and registration functionalities, with the `.loginSubContainer` being one distinct part of it. The `.loginRegisterSubContainer` also contains a sibling element, `.registerSubContainer`, which likely holds elements for new user registration.
- **Children:** The `.loginSubContainer` has six direct child element nodes:
    - A `h2` heading element with the classes `loginHeader` and `contentHeader`. This would typically display a prominent title for the login section, such as "Login" or "Sign In."
    - A `p` (paragraph) element with the class `loginAccountPasswordContainer`. This paragraph likely contains the input field for the user's account identifier (e.g., username or email).
    - Another `p` (paragraph) element with the class `loginAccountPasswordContainer`. This paragraph would then contain the input field for the user's password. The use of the same class name for both suggests a consistent styling or grouping for these input fields.
    - A `p` (paragraph) element with the class `forgottenPasswordLinkContainer`. This paragraph is expected to hold a link that users can click if they have forgotten their password.
    - A `p` (paragraph) element with the class `loginButton`. This paragraph would contain the primary button that, when clicked, submits the login form.
    - A `p` (paragraph) element with the ID `nonCookieRememberMeText`. This paragraph likely provides information or an option related to remembering the user's login, specifically for scenarios where cookies might not be used or are disabled.
- **Grandchildren:** To understand the grandchildren, we can infer the typical content of these children:
    - **`h2.loginHeader.contentHeader` (Child 1):** Would contain text content like "Login" or "Returning Customers."
    - **`p.loginAccountPasswordContainer` (Children 2 and 3):** Each of these would typically contain an `input` element (for text input, e.g., `type="text"` or `type="email"`, and `type="password"`) and potentially a `label` element associated with it.
    - **`p.forgottenPasswordLinkContainer` (Child 4):** This would contain an `a` (anchor) element with text like "Forgot password?" that links to a password reset page.
    - **`p.loginButton` (Child 5):** This would typically contain a `button` or `input` element (e.g., `type="submit"`) with text like "Log In."
    - **`p#nonCookieRememberMeText` (Child 6):** This might contain text explaining a "remember me" functionality without cookies, or potentially a checkbox `input` element for enabling such a feature.

In summary, the `.loginSubContainer` provides a structured and semantic grouping for all the necessary components of a user login interface, from the title to input fields for credentials, a password recovery link, a submit button, and a "remember me" option. It operates in conjunction with its sibling, `.registerSubContainer`, within a broader `.loginRegisterSubContainer` area of the page.

b) register Button:

The element with the selector `.registerSubContainer` is a `div` element. Its name clearly indicates that it is a container for elements related to user registration.

Here's a breakdown of its tree structure:

- **Parent:** Its immediate parent is a `div` element with the class `.loginRegisterSubContainer`. This parent acts as a wrapper for both login and registration functionalities on the page. The `.registerSubContainer` is a sibling to the `.loginSubContainer`, indicating that these two distinct sections (registration and login) are presented side-by-side or in close proximity within the `.loginRegisterSubContainer`.
- **Children:** The `.registerSubContainer` has only one direct child element:
  - A `div` element with the class `.registerContent`. This implies that the bulk of the registration form and related information will be nested within this `div`.
- **Grandchildren:** To understand the grandchildren, we need to look into the structure of `.registerContent`. Based on common registration forms, this `.registerContent` `div` would typically contain several form elements.

Let's examine the structure within `.registerContent` to identify its children (which are the grandchildren of `.registerSubContainer`):
Fetching grandchildren of .registerSubContainer

Based on the inspection of the `.registerContent` element, the `.registerSubContainer` has the following grandchildren:

- **Grandchildren:** The `div.registerContent` (child of `.registerSubContainer`) has two direct child elements:
  - A `p` (paragraph) element with the class `newToUsText`. This likely contains introductory text for new users, such as "New to us?" or "Register an Account."
  - A `p` (paragraph) element with the class `registerButton`. This paragraph would contain the primary button or link for users to initiate the registration process (e.g., "Create Account").

In summary, the detailed tree structure is:

- `div.loginRegisterSubContainer` (grandparent)
  - `.registerSubContainer` (inspected element)
    - `div.registerContent` (child)
      - `p.newToUsText` (grandchild 1)
      - `p.registerButton` (grandchild 2)

This structure provides a clean separation for the registration call-to-action within the overall login/registration area. It presents a simple message for new users and a clear button to proceed with account creation.

6) creation d'un compte:

The element with the selector `.main-container.full-main-container` is a `div` element. Its parent is `form#custDetails`, indicating that this large container holds various sections of a customer details form.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** `form#custDetails` (This form also contains several hidden `input` fields and other elements like `.backContinueButtons` and `.clear` as siblings to the inspected element.)
- **`.main-container.full-main-container` (Inspected Element)**
  - `H2.contentHeader` (Child 1): A heading element.
    - `SPAN` (Grandchild): Likely holds the text content for the heading.
  - `DIV.errorMessage#errorMessageExtra` (Child 2): A container for displaying error messages.
    - `SPAN` (Grandchild): Likely holds the error message text.
  - `DIV.personalDetailsInformationContainer` (Child 3): This section appears to handle general personal details.
    - `P.formRow` (Grandchild 3.1): Likely for "Title".
      - `LABEL.nameRowTitle.inputLabel` (Great-grandchild): Label for the title input.
      - `SPAN.select-wrapper` (Great-grandchild): Wrapper for a dropdown select.
        - `SELECT.titlePersonalDetails#Title` (Great-great-grandchild): The dropdown for selecting a title (e.g., Mr, Mrs, Ms). It contains multiple `OPTION` elements (great-great-great-grandchildren).
        - `SPAN.holder` (Great-great-grandchild).
        - `SPAN.select-arrow` (Great-great-grandchild).
      - `LABEL.error#titleValidation` (Great-grandchild): Validation message for the title.
      - `SPAN.input-wrapper.hidden` (Great-grandchild): Hidden input for "other" title if applicable.
        - `INPUT.textinput50w#otherTitle` (Great-great-grandchild).
      - `LABEL.error#otherTitleValidation` (Great-grandchild): Validation for "other" title.
    - `P.formRow` (Grandchild 3.2): Likely for "First Name".
      - `LABEL.inputLabel` (Great-grandchild): Label for first name input.
      - `SPAN.input-wrapper` (Great-grandchild): Wrapper for the input field.
        - `INPUT.textInput#FirstName` (Great-great-grandchild): Input for first name.
      - `LABEL.error.firstNameValidation#firstNameValidation` (Great-grandchild): Validation message for first name.
    - `P.formRow` (Grandchild 3.3): Likely for "Last Name".
      - `LABEL.surnameLabel.inputLabel` (Great-grandchild): Label for last name input.
      - `SPAN.input-wrapper` (Great-grandchild): Wrapper for the input field.
        - `INPUT.textInput#LastName` (Great-great-grandchild): Input for last name.
      - `LABEL.error.lastNameValidation#lastNameValidation` (Great-grandchild): Validation message for last name.
    - `P.formRow.dobFormRow` (Grandchild 3.4): Likely for "Date of Birth".
      - `LABEL.inputLabel` (Great-grandchild): Label for date of birth.
      - `SPAN.select-wrapper.day-select-wrapper` (Great-grandchild): Wrapper for day selection.
        - `SELECT.durationSelect#dob_day` (Great-great-grandchild): Dropdown for day (contains many `OPTION` elements).
        - `SPAN.holder` (Great-great-grandchild).
        - `SPAN.select-arrow` (Great-great-grandchild).

            - `SPAN.select-wrapper.month-select-wrapper` (Great-grandchild): Wrapper for month selection.
                - `SELECT.durationSelect#dob_month` (Great-great-grandchild): Dropdown for month (contains many `OPTION` elements).
                - `SPAN.holder` (Great-great-grandchild).
                - `SPAN.select-arrow` (Great-great-grandchild).
            - `SPAN.select-wrapper.year-select-wrapper` (Great-grandchild): Wrapper for year selection.
                - `SELECT.durationSelect#dob_year` (Great-great-grandchild): Dropdown for year (contains many `OPTION` elements).
                - `SPAN.holder` (Great-great-grandchild).
                - `SPAN.select-arrow` (Great-great-grandchild).
            - `LABEL.error.dobValidation#dobValidation` (Great-grandchild): Validation for date of birth.
            - `LABEL.tip#dobTip` (Great-grandchild): A tooltip for date of birth.
                - `SPAN.tipIcon` (Great-great-grandchild).
                - `SPAN.tipText` (Great-great-grandchild).
        - `P.formRow` (Grandchild 3.5): Likely for "Telephone Number".
            - `LABEL.inputLabel` (Great-grandchild): Label for phone number.
            - `SPAN.input-wrapper` (Great-grandchild): Wrapper for the input field.
                - `INPUT.textInput#DayTimeTelephone` (Great-great-grandchild): Input for phone number.
            - `LABEL.error.phoneValidation` (Great-grandchild): Validation for phone number.
            - `LABEL.tip#phoneTip` (Great-grandchild): A tooltip for phone number.
                - `SPAN.tipIcon` (Great-great-grandchild).
                - `SPAN.tipText` (Great-great-grandchild).
- `DIV.personalDetailsInformationContainer.personalDetailsAddressContainer` (Child 4): This section handles address details.
    - `DIV.pafErrorMessage#divPAFError` (Grandchild): Error message for Postcode Address Finder (PAF).
    - `INPUT#boolManualAddressDetails` (Grandchild): Hidden input, likely a flag for manual address entry.
    - `INPUT#boolInitialState` (Grandchild): Hidden input, likely a flag for the initial state of the address form.
    - `DIV.addressDetailsSection#addressInputSection` (Grandchild): Section for entering address details.
        - `DIV.formRow` (Great-grandchild): For house ID.
            - `DIV.section1` (Great-great-grandchild):
                - `LABEL.inputLabel` (Great-great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#houseId` (Great-great-great-great-grandchild).
                - `LABEL.tip#houseIdTip` (Great-great-great-grandchild):
                - `SPAN.tipIcon` (Great-great-great-great-grandchild).
                - `SPAN.tipText` (Great-great-great-great-grandchild).
                - `LABEL.error#initialHouseIdValidation` (Great-great-great-grandchild).
            - `DIV.clear` (Great-great-grandchild).
        - `DIV.row3col` (Great-grandchild): For postcode lookup.
            - `DIV.section1.pafpcode1` (Great-great-grandchild):
                - `LABEL.inputLabel` (Great-great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-great-grandchild):

            - `INPUT#postCode` (Great-great-great-great-grandchild).
        - `LABEL.error#initialPostCodeValidation` (Great-great-great-grandchild).
        - `INPUT#LookUpPerformedFlag` (Great-great-great-grandchild).
    - `DIV.section2.pafpcode2` (Great-great-grandchild):
        - `A.PrimaryButton#searchAddressImageButton` (Great-great-great-grandchild): Button to search address.
    - `DIV.clear` (Great-great-grandchild).
- `DIV.addressDetailsSection.personalDetailsAlignment#addressSelectSection` (Grandchild): Section for selecting an address after lookup.
    - `DIV.row2col#enterConfirmAddress` (Great-grandchild):
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `SELECT#addressSelect` (Great-great-great-grandchild): Dropdown for address selection.
        - `DIV.section2` (Great-great-grandchild):
            - `INPUT#AddressNeedsConfirmingFlag` (Great-great-great-grandchild).
    - `DIV.row2col` (Great-grandchild): Displaying selected address details.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `DIV.vcard` (Great-great-great-grandchild):
                - `DIV.adr` (Great-great-great-great-grandchild):
                - `DIV.locality` (Fifth-level descendant):
                - `SPAN#addressSelectCityDetail` (Sixth-level descendant).
                - `DIV.region` (Fifth-level descendant):
                - `SPAN#addressSelectCountyDetail` (Sixth-level descendant).
                - `DIV.postal-code` (Fifth-level descendant):
                - `SPAN#addressSelectPostCodeDetail` (Sixth-level descendant).
    - `DIV.row2col` (Great-grandchild): Link to change address.
        - `DIV.section1` (Great-great-grandchild):
            - `DIV.simpleLink` (Great-great-great-grandchild):
                - `A` (Great-great-great-great-grandchild).
- `DIV.addressDetailsSection.personalDetailsAlignment#addressDetailsSection` (Grandchild): Section showing confirmed address details.
    - `DIV.row2col` (Great-grandchild): Displaying confirmed address.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `DIV.vcard` (Great-great-great-grandchild):
                - `DIV.adr` (Great-great-great-great-grandchild):
                - `DIV.street-address` (Fifth-level descendant):
                - `DIV#address1Detail` (Sixth-level descendant).
                - `DIV#address2Detail` (Sixth-level descendant).

                - `DIV#address3Detail` (Sixth-level descendant).
                - `DIV#address4Detail` (Sixth-level descendant).
            - `DIV.locality` (Fifth-level descendant):
                - `SPAN#cityDetail` (Sixth-level descendant).
            - `DIV.region` (Fifth-level descendant):
                - `SPAN#countyDetail` (Sixth-level descendant).
            - `DIV.postal-code` (Fifth-level descendant):
                - `SPAN#postCodeDetail` (Sixth-level descendant).
    - `DIV.row2col` (Great-grandchild): Link to edit address.
        - `DIV.section1` (Great-great-grandchild):
            - `DIV.simpleLink` (Great-great-great-grandchild):
                - `A` (Great-great-great-great-grandchild).
- `DIV.addressDetailsSection#addressInputAllSection` (Grandchild): Section for manual address input.
    - `DIV.formRow` (Great-grandchild): For Address Line 1.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#address_1` (Great-great-great-great-grandchild).
            - `LABEL.error#address1Validation` (Great-great-great-grandchild).
            - `LABEL.tip#address_1Tip` (Great-great-great-grandchild):
                - `SPAN.tipIcon` (Great-great-great-great-grandchild).
                - `SPAN.tipText` (Great-great-great-great-grandchild).
    - `DIV.row2col` (Great-grandchild): For Address Line 2.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#address_2` (Great-great-great-great-grandchild).
            - `LABEL.error#address2Validation` (Great-great-great-grandchild).
    - `DIV.row2col` (Great-grandchild): For Address Line 3.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#address_3` (Great-great-great-great-grandchild).
            - `LABEL.error#address3Validation` (Great-great-great-grandchild).
    - `DIV.row2col` (Great-grandchild): For Address Line 4.
        - `DIV.section1` (Great-great-grandchild):
            - `LABEL.inputLabel` (Great-great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-great-grandchild):

                - `INPUT.textInput#address_4` (Great-great-great-great-grandchild).
            - `LABEL.error#address4Validation` (Great-great-great-grandchild).
        - `DIV.row2col` (Great-grandchild): For City.
            - `DIV.section1` (Great-great-grandchild):
                - `LABEL.inputLabel` (Great-great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#city` (Great-great-great-great-grandchild).
            - `LABEL.error#cityValidation` (Great-great-great-grandchild).
        - `DIV.row2col` (Great-grandchild): For County.
            - `DIV.section1` (Great-great-grandchild):
                - `LABEL.inputLabel` (Great-great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#county` (Great-great-great-great-grandchild).
            - `LABEL.error#countyValidation` (Great-great-great-grandchild).
        - `DIV.row2col` (Great-grandchild): For Post Code.
            - `DIV.section1` (Great-great-grandchild):
                - `LABEL.inputLabel` (Great-great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-great-grandchild):
                - `INPUT.textInput#post_code` (Great-great-great-great-grandchild).
            - `LABEL.error#postCodeValidation` (Great-great-great-grandchild).
    - `SCRIPT` (Grandchild): Likely for JavaScript functionality related to address handling.
- `DIV.personalDetailsInformationContainer.personalDetailsIntervalContainer#contactDetailsForm` (Child 5): This section focuses on contact details and account credentials.
    - `P.formRow` (Grandchild): For Email.
        - `LABEL.inputLabel` (Great-grandchild).
        - `SPAN.input-wrapper` (Great-grandchild):
            - `INPUT.textInput#Email` (Great-great-grandchild).
        - `LABEL.error.emailValidation#emailValidation` (Great-grandchild).
        - `LABEL.tip#emailTip` (Great-grandchild):
            - `SPAN.tipIcon` (Great-great-grandchild).
            - `SPAN.tipText` (Great-great-grandchild).
    - `P.formRow` (Grandchild): For Confirm Email.
        - `LABEL.inputLabel` (Great-grandchild).
        - `SPAN.input-wrapper` (Great-grandchild):
            - `INPUT.textInput#ConfirmEmail` (Great-great-grandchild).
        - `LABEL.error.confirmEmailValidation#confirmEmailValidation` (Great-grandchild).
    - `DIV.formRow` (Grandchild): For Password.
        - `LABEL.inputLabel` (Great-grandchild).
        - `SPAN.input-wrapper.password-wrapper` (Great-grandchild):
            - `INPUT.textInput#Password` (Great-great-grandchild).
            - `SPAN.showHidePassword` (Great-great-grandchild).
        - `DIV#passwordMinimumLengthContainer` (Great-grandchild):
            - `SPAN#passwordMinimumLength` (Great-great-grandchild).
        - `DIV#pwdMeterContainer` (Great-grandchild):
            - `SPAN#meter` (Great-great-grandchild).

            - `DIV#pwdStrengthContainer` (Great-great-grandchild):
                - `DIV.strengthBackground.strength0#pwdStrength` (Great-great-great-grandchild).
        - `LABEL.error.passwordValidation#passwordValidation` (Great-grandchild).
        - `LABEL.tip#passwordTip` (Great-grandchild):
            - `SPAN.tipIcon` (Great-great-grandchild).
            - `SPAN.tipText` (Great-great-grandchild).
    - `P.formRow` (Grandchild): For Confirm Password.
        - `LABEL.inputLabel` (Great-grandchild).
        - `SPAN.input-wrapper` (Great-grandchild):
            - `INPUT.textInput#confirmPassword` (Great-great-grandchild).
            - `SPAN.showHidePassword` (Great-great-grandchild).
        - `LABEL.error.confirmPasswordValidation#confirmPasswordValidation` (Great-grandchild).
    - `P.formRow` (Grandchild):
        - `SPAN.personalDetailsUseContactDetailsText` (Great-grandchild).
- `DIV.clear` (Child 6): A utility element.
- `DIV.personalDetailsInformationContainer.personalDetailsAccountContainer.personalDetailsIntervalContainer` (Child 7): This section likely handles existing account information or choices.
    - `P.formRow.shoppedBeforeRadioContainer` (Grandchild):
        - `SPAN.shopppedBeforeText` (Great-grandchild).
        - `SPAN.radio-wrapper.checked` (Great-grandchild):
            - `INPUT#HasAccountNo` (Great-great-grandchild).
        - `LABEL.HasAccountLabel` (Great-grandchild).
        - `SPAN.radio-wrapper` (Great-grandchild):
            - `INPUT#HasAccountYes` (Great-great-grandchild).
        - `LABEL.HasAccountLabel` (Great-grandchild).
        - `LABEL.tip#HasAccountNoTip` (Great-grandchild):
            - `SPAN.tipIcon` (Great-great-grandchild).
            - `SPAN.tipText` (Great-great-grandchild).
    - `P#account` (Grandchild): Likely for entering an existing account number if "Yes" is selected.
        - `LABEL.inputLabel` (Great-grandchild).
        - `SPAN.input-wrapper` (Great-grandchild):
            - `INPUT#accno` (Great-great-grandchild).
        - `LABEL.accountNumberValidation.error#accountNumberValidation` (Great-grandchild).
- `DIV.personalDetailsHearAboutUsContainer.personalDetailsIntervalContainer` (Child 8): This section likely relates to marketing preferences and how the user heard about the business.
    - `INPUT#HearAboutUs` (Grandchild): Hidden input.
    - `DIV.clear.furtherMailingsContainer.personalDetailsOptOutContainer.personalDetailsIntervalContainer.TAR-262-opt-out-container` (Grandchild): Container for marketing opt-out options.
        - `DIV.personalDetailsMailingsSubContainer.TAR-262-mailings-sub-container` (Great-grandchild):
            - `DIV.floatleft.clear.pr` (Great-great-grandchild):
                - `SPAN.personalDetailsEmailOptOut-Checkbox.TAR-262-new-checkbox` (Great-great-great-grandchild):
                - `SPAN.TAR-262-new-text` (Fourth-level descendant).
                - `LABEL` (Fourth-level descendant):

- `SPAN.personalDetailsEmailOptOutCheckWrapper.personalDetails-EmailOptOutInput#consentchecked` (Fifth-level descendant):
  - `INPUT#No_Further_Marketing_Mailings` (Sixth-level descendant).
- `SPAN.TAR-262-new-label` (Fifth-level descendant).

- `DIV.personalDetailsOptOutFooterContainer` (Great-grandchild):
  - `SPAN.personalDetailsOptOutFooterText` (Great-great-grandchild):
    - `BR` (Great-great-great-grandchild).
    - `BR` (Great-great-great-grandchild).
    - `SPAN.personalDetailsOptOutFooterLinkText` (Great-great-great-grandchild):
      - `A#privacy-policy-details-link` (Fourth-level descendant).
- `DIV.clear` (Grandchild).

This comprehensive structure indicates a complex and highly detailed form for capturing customer personal information, including contact details, address verification, account creation/linking, and marketing preferences. The extensive use of `SPAN` and `DIV` elements suggests a layout system often controlled by JavaScript and CSS for a rich user experience, including validation messages, tooltips, and dynamic input fields.

7) validation de ladresse:

The element with the selector `.personalDetailsInformationContainer.personalDetailsAddressContainer` is a `div` element, specifically designed to handle all aspects of a user's address input, lookup, selection, and display.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is the `.main-container.full-main-container` element. This larger container is part of a `form#custDetails`, indicating that the address section is a critical component of a broader customer details form.
- **`.personalDetailsInformationContainer.personalDetailsAddressContainer` (Inspected Element)**
  - `DIV#divPAFError` (Child 1): A container to display error messages, likely related to a Postcode Address Finder (PAF) service.
  - `INPUT#boolManualAddressDetails` (Child 2): A hidden input, likely functioning as a flag to indicate whether the user is manually entering an address or using a lookup service.
  - `INPUT#boolInitialState` (Child 3): Another hidden input, possibly to track the initial state of the address form (e.g., empty or pre-filled).
  - `DIV#addressInputSection` (Child 4): This section is dedicated to the initial input for address lookup.
    - `DIV.formRow` (Grandchild): A row for inputting house identification.
      - `DIV.section1` (Great-grandchild): Contains the label, input, and tip for house ID.
        - `LABEL.inputLabel` (Great-great-grandchild): Label for the house ID input.
        - `SPAN.input-wrapper` (Great-great-grandchild): Wrapper for the input field.
          - `INPUT.textInput#houseId` (Great-great-great-grandchild): Input field for house ID.
        - `LABEL.tip#houseIdTip` (Great-great-grandchild): A tooltip for house ID.
          - `SPAN.tipIcon` (Great-great-great-grandchild).
          - `SPAN.tipText` (Great-great-great-grandchild).
        - `LABEL.error#initialHouseIdValidation` (Great-great-grandchild): Validation message for house ID.
      - `DIV.clear` (Great-grandchild): A layout utility.
    - `DIV.row3col` (Grandchild): A row for postcode input and lookup button.
      - `DIV.section1.pafpcode1` (Great-grandchild): Contains postcode input.
        - `LABEL.inputLabel` (Great-great-grandchild): Label for postcode input.
        - `SPAN.input-wrapper` (Great-great-grandchild): Wrapper for input field.
          - `INPUT#postCode` (Great-great-great-grandchild): Input field for postcode.
        - `LABEL.error#initialPostCodeValidation` (Great-great-grandchild): Validation for postcode.
        - `INPUT#LookUpPerformedFlag` (Great-great-grandchild): Hidden input, likely a flag indicating if a lookup has been performed.
      - `DIV.section2.pafpcode2` (Great-grandchild): Contains the address search button.
        - `A.PrimaryButton#searchAddressImageButton` (Great-great-grandchild): Button to trigger address search.
      - `DIV.clear` (Great-grandchild): A layout utility.
  - `DIV#addressSelectSection` (Child 5): This section appears after an address lookup, allowing the user to select an address from results.

- `DIV.row2col#enterConfirmAddress` (Grandchild): For selecting and confirming an address.
    - `DIV.section1` (Great-grandchild): Contains address selection dropdown.
        - `LABEL.inputLabel` (Great-great-grandchild): Label for the dropdown.
        - `SELECT#addressSelect` (Great-great-grandchild): Dropdown for selecting an address.
    - `DIV.section2` (Great-grandchild):
        - `INPUT#AddressNeedsConfirmingFlag` (Great-great-grandchild): Hidden input, likely a flag.
- `DIV.row2col` (Grandchild): Displays selected address details.
    - `DIV.section1` (Great-grandchild):
        - `LABEL.inputLabel` (Great-great-grandchild): Label for address display.
        - `DIV.vcard` (Great-great-grandchild): A microformat for contact information.
            - `DIV.adr` (Great-great-great-grandchild): Address container.
                - `DIV.locality` (Fourth-level descendant):
                - `SPAN#addressSelectCityDetail` (Fifth-level descendant): Displays the city.
                - `DIV.region` (Fourth-level descendant):
                - `SPAN#addressSelectCountyDetail` (Fifth-level descendant): Displays the county/state.
                - `DIV.postal-code` (Fourth-level descendant):
                - `SPAN#addressSelectPostCodeDetail` (Fifth-level descendant): Displays the postcode.
- `DIV.row2col` (Grandchild): Contains a link to modify the address.
    - `DIV.section1` (Great-grandchild):
        - `DIV.simpleLink` (Great-great-grandchild):
            - `A` (Great-great-great-grandchild): Link to change/edit address.

- `DIV#addressDetailsSection` (Child 6): This section likely displays the final confirmed address details.
    - `DIV.row2col` (Grandchild): Displays confirmed address.
        - `DIV.section1` (Great-grandchild):
        - `LABEL.inputLabel` (Great-great-grandchild): Label for address display.
        - `DIV.vcard` (Great-great-grandchild): Microformat for contact information.
            - `DIV.adr` (Great-great-great-grandchild): Address container.
                - `DIV.street-address` (Fourth-level descendant):
                - `DIV#address1Detail` (Fifth-level descendant).
                - `DIV#address2Detail` (Fifth-level descendant).
                - `DIV#address3Detail` (Fifth-level descendant).
                - `DIV#address4Detail` (Fifth-level descendant).
                - `DIV.locality` (Fourth-level descendant):

            - `SPAN#cityDetail` (Fifth-level descendant).
        - `DIV.region` (Fourth-level descendant):
            - `SPAN#countyDetail` (Fifth-level descendant).
        - `DIV.postal-code` (Fourth-level descendant):
            - `SPAN#postCodeDetail` (Fifth-level descendant).
    - `DIV.row2col` (Grandchild): Link to edit address.
        - `DIV.section1` (Great-grandchild):
            - `DIV.simpleLink` (Great-great-grandchild):
                - `A` (Great-great-great-grandchild): Link to edit address.
- `DIV#addressInputAllSection` (Child 7): This section provides fields for full manual address entry.
    - `DIV.formRow` (Grandchild): For Address Line 1.
        - `DIV.section1` (Great-grandchild): Contains label, input, validation, and tip for address line 1.
            - `LABEL.inputLabel` (Great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#address_1` (Great-great-great-grandchild).
            - `LABEL.error#address1Validation` (Great-great-grandchild).
            - `LABEL.tip#address_1Tip` (Great-great-grandchild):
                - `SPAN.tipIcon` (Great-great-great-grandchild).
                - `SPAN.tipText` (Great-great-great-grandchild).
    - `DIV.row2col` (Grandchild): For Address Line 2.
        - `DIV.section1` (Great-grandchild): Contains label, input, validation for address line 2.
            - `LABEL.inputLabel` (Great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#address_2` (Great-great-great-grandchild).
            - `LABEL.error#address2Validation` (Great-great-grandchild).
    - `DIV.row2col` (Grandchild): For Address Line 3.
        - `DIV.section1` (Great-grandchild): Contains label, input, validation for address line 3.
            - `LABEL.inputLabel` (Great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#address_3` (Great-great-great-grandchild).
            - `LABEL.error#address3Validation` (Great-great-grandchild).
    - `DIV.row2col` (Grandchild): For Address Line 4.
        - `DIV.section1` (Great-grandchild): Contains label, input, validation for address line 4.
            - `LABEL.inputLabel` (Great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#address_4` (Great-great-great-grandchild).
            - `LABEL.error#address4Validation` (Great-great-grandchild).
    - `DIV.row2col` (Grandchild): For City.
        - `DIV.section1` (Great-grandchild): Contains label, input, validation for city.
            - `LABEL.inputLabel` (Great-great-grandchild).
            - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#city` (Great-great-great-grandchild).
            - `LABEL.error#cityValidation` (Great-great-grandchild).

        - `DIV.row2col` (Grandchild): For County.
            - `DIV.section1` (Great-grandchild): Contains label, input, validation for county.
                - `LABEL.inputLabel` (Great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#county` (Great-great-great-grandchild).
                - `LABEL.error#countyValidation` (Great-great-grandchild).
        - `DIV.row2col` (Grandchild): For Post Code.
            - `DIV.section1` (Great-grandchild): Contains label, input, validation for postcode.
                - `LABEL.inputLabel` (Great-great-grandchild).
                - `SPAN.input-wrapper` (Great-great-grandchild):
                - `INPUT.textInput#post_code` (Great-great-great-grandchild).
                - `LABEL.error#postCodeValidation` (Great-great-grandchild).
    - `SCRIPT` (Child 8): This is a script element, which contains JavaScript code likely responsible for handling the address lookup, validation, and interaction logic for the entire address section.

This detailed breakdown reveals a highly interactive and comprehensive address form, allowing for both automated lookup and manual entry, with extensive validation and feedback mechanisms.

8) email form:

The element with the selector `div#contactDetailsForm` is a `div` element, specifically identified by its ID. It serves as a container for contact details and related information, such as email and password fields, within a larger customer details form.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is the `.main-container.full-main-container` element. This larger container is part of a `form#custDetails`, suggesting that `div#contactDetailsForm` is a section within a comprehensive customer details input process. It has siblings like `.personalDetailsInformationContainer.personalDetailsAddressContainer` (for address details) and `.clear` elements.
- **`div#contactDetailsForm` (Inspected Element)**
    - `P.formRow` (Child 1): This paragraph element is dedicated to the user's email address.
        - `LABEL.inputLabel` (Grandchild): The label for the email input field.
        - `SPAN.input-wrapper` (Grandchild): A wrapper for the email input field.
            - `INPUT.textInput#Email` (Great-grandchild): The input field for the user's email address.
        - `LABEL.error.emailValidation#emailValidation` (Grandchild): A label to display email validation errors.
        - `LABEL.tip#emailTip` (Grandchild): A tooltip providing hints for the email field.
            - `SPAN.tipIcon` (Great-grandchild): An icon for the tooltip.
            - `SPAN.tipText` (Great-grandchild): The text content of the tooltip.
    - `P.formRow` (Child 2): This paragraph element is for confirming the email address.
        - `LABEL.inputLabel` (Grandchild): The label for the email confirmation input field.
        - `SPAN.input-wrapper` (Grandchild): A wrapper for the email confirmation input field.
            - `INPUT.textInput#ConfirmEmail` (Great-grandchild): The input field for confirming the email address.
        - `LABEL.error.confirmEmailValidation#confirmEmailValidation` (Grandchild): A label to display email confirmation validation errors.
    - `DIV.formRow` (Child 3): This `div` element is for the user's password.
        - `LABEL.inputLabel` (Grandchild): The label for the password input field.
        - `SPAN.input-wrapper.password-wrapper` (Grandchild): A wrapper for the password input field, potentially including a show/hide password toggle.
            - `INPUT.textInput#Password` (Great-grandchild): The input field for the password.
            - `SPAN.showHidePassword` (Great-grandchild): An element to toggle password visibility.
        - `DIV#passwordMinimumLengthContainer` (Grandchild): A container for displaying password minimum length requirements.
            - `SPAN#passwordMinimumLength` (Great-grandchild): Displays the minimum length requirement.
        - `DIV#pwdMeterContainer` (Grandchild): A container for a password strength meter.
            - `SPAN#meter` (Great-grandchild): The meter itself.
            - `DIV#pwdStrengthContainer` (Great-grandchild): A container for the strength indicator.
                - `DIV.strengthBackground.strength0#pwdStrength` (Great-great-grandchild): The visual strength indicator.
        - `LABEL.error.passwordValidation#passwordValidation` (Grandchild): A label for password validation errors.
        - `LABEL.tip#passwordTip` (Grandchild): A tooltip for password requirements.
            - `SPAN.tipIcon` (Great-grandchild): An icon for the tooltip.
            - `SPAN.tipText` (Great-grandchild): The text content of the tooltip.
    - `P.formRow` (Child 4): This paragraph element is for confirming the password.

        - `LABEL.inputLabel` (Grandchild): The label for the password confirmation input field.
        - `SPAN.input-wrapper` (Grandchild): A wrapper for the password confirmation input field.
            - `INPUT.textInput#confirmPassword` (Great-grandchild): The input field for confirming the password.
            - `SPAN.showHidePassword` (Great-grandchild): An element to toggle password visibility.
        - `LABEL.error.confirmPasswordValidation#confirmPasswordValidation` (Grandchild): A label for password confirmation validation errors.
    - `P.formRow` (Child 5): This paragraph element contains text related to using contact details.
        - `SPAN.personalDetailsUseContactDetailsText` (Grandchild): Text content.

This detailed structure shows that `div#contactDetailsForm` is a comprehensive section for managing a user's contact information and account credentials. It includes fields for email, email confirmation, password, password confirmation, along with integrated validation messages, tooltips, and a password strength indicator, all within a logical and organized layout.

9) Shopped with us before:

The element with the selector `.personalDetailsInformationContainer.personalDetailsAccountContainer.personalDetailsIntervalContainer` is a `div` element. This container appears to handle information or options related to an existing customer account, such as whether a user has shopped before and potentially their account number.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is the `.main-container.full-main-container` element. This places it within a broader customer details form, alongside other sections for personal details, address, and contact information. It has a previous sibling `.clear` and a next sibling `.personalDetailsHearAboutUsContainer.personalDetailsIntervalContainer`.
- **`.personalDetailsInformationContainer.personalDetailsAccountContainer.personalDetailsIntervalContainer` (Inspected Element)**
  - `P.formRow.shoppedBeforeRadioContainer` (Child 1): This paragraph element contains radio buttons or similar controls to ask if the user has shopped before.
    - `SPAN.shopppedBeforeText` (Grandchild): This likely holds text like "Have you shopped with us before?".
    - `SPAN.radio-wrapper.checked` (Grandchild): A wrapper for a radio button, indicating a default selected state.
      - `INPUT#HasAccountNo` (Great-grandchild): An input element, likely a radio button for "No".
    - `LABEL.HasAccountLabel` (Grandchild): The label associated with the "No" radio button.
    - `SPAN.radio-wrapper` (Grandchild): A wrapper for another radio button.
      - `INPUT#HasAccountYes` (Great-grandchild): An input element, likely a radio button for "Yes".
    - `LABEL.HasAccountLabel` (Grandchild): The label associated with the "Yes" radio button.
    - `LABEL.tip#HasAccountNoTip` (Grandchild): A tooltip providing hints or information related to the "No" option.
      - `SPAN.tipIcon` (Great-grandchild): An icon for the tooltip.
      - `SPAN.tipText` (Great-grandchild): The text content of the tooltip.
  - `P#account` (Child 2): This paragraph element is likely conditionally displayed based on the "HasAccountYes" selection, allowing the user to enter an existing account number.
    - `LABEL.inputLabel` (Grandchild): The label for the account number input field.
    - `SPAN.input-wrapper` (Grandchild): A wrapper for the account number input field.
      - `INPUT#accno` (Great-grandchild): The input field for the account number.
    - `LABEL.accountNumberValidation.error#accountNumberValidation` (Grandchild): A label to display validation errors for the account number.

This structure provides a clear flow for handling existing customer accounts, first by querying the user's status and then providing an input field for the account number if applicable, along with validation and informational tips.

10) Recevoir des mails:

The element with the selector `.personalDetailsInformationContainer.personalDetailsAccountContainer.personalDetailsIntervalContainer` is a `div` element. This container appears to handle information or options related to an existing customer account, such as whether a user has shopped before and potentially their account number.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is the `.main-container.full-main-container` element. This places it within a broader customer details form, alongside other sections for personal details, address, and contact information. It has a previous sibling `.clear` and a next sibling `.personalDetailsHearAboutUsContainer.personalDetailsIntervalContainer`.
- **`.personalDetailsInformationContainer.personalDetailsAccountContainer.personalDetailsIntervalContainer` (Inspected Element)**
  - `P.formRow.shoppedBeforeRadioContainer` (Child 1): This paragraph element contains radio buttons or similar controls to ask if the user has shopped before.
    - `SPAN.shopppedBeforeText` (Grandchild): This likely holds text like "Have you shopped with us before?".
    - `SPAN.radio-wrapper.checked` (Grandchild): A wrapper for a radio button, indicating a default selected state.
      - `INPUT#HasAccountNo` (Great-grandchild): An input element, likely a radio button for "No".
    - `LABEL.HasAccountLabel` (Grandchild): The label associated with the "No" radio button.
    - `SPAN.radio-wrapper` (Grandchild): A wrapper for another radio button.
      - `INPUT#HasAccountYes` (Great-grandchild): An input element, likely a radio button for "Yes".
    - `LABEL.HasAccountLabel` (Grandchild): The label associated with the "Yes" radio button.
    - `LABEL.tip#HasAccountNoTip` (Grandchild): A tooltip providing hints or information related to the "No" option.
      - `SPAN.tipIcon` (Great-grandchild): An icon for the tooltip.
      - `SPAN.tipText` (Great-grandchild): The text content of the tooltip.
  - `P#account` (Child 2): This paragraph element is likely conditionally displayed based on the "HasAccountYes" selection, allowing the user to enter an existing account number.
    - `LABEL.inputLabel` (Grandchild): The label for the account number input field.
    - `SPAN.input-wrapper` (Grandchild): A wrapper for the account number input field.
      - `INPUT#accno` (Great-grandchild): The input field for the account number.
    - `LABEL.accountNumberValidation.error#accountNumberValidation` (Grandchild): A label to display validation errors for the account number.

This structure provides a clear flow for handling existing customer accounts, first by querying the user's status and then providing an input field for the account number if applicable, along with validation and informational tips.

11) Delivery adress:

Parent: The immediate parent of `.main-container.noBackground` is `form#deliveryForm`. This `form` also contains several `input` elements as siblings, which appear to be hidden fields for various delivery options (e.g., `action`, `vwoPreSelectCredit`, `selectedParcelShopID`, `selectedParcelShopName`, `selectedParcelShopStreet`, `selectedParcelShopCity`, `selectedParcelShopPostCode`), as well as a `div#deliveryNavigationButtonContainer` and a `.clear` element. This context indicates that the `.main-container.noBackground` is the primary visual content area within a delivery form.

- **`.main-container.noBackground` (Inspected Element)**
  - `H2.contentHeader` (Child 1): This is a heading element, likely displaying a title for the delivery section (e.g., "Delivery Options" or "Your Delivery Details").
    - `SPAN` (Grandchild): This `span` element likely contains the actual text content of the `h2` heading.
  - `DIV.deliveryContainerWrapper` (Child 2): This is a wrapper specifically designed to contain the various delivery options and related content.
    - `DIV.standardDeliveryContainer` (Grandchild): This likely represents the container for standard delivery options.
      - `INPUT#deliveryTypeStandard` (Great-grandchild): A radio button or similar input to select standard delivery.
      - `LABEL` (Great-grandchild): The label associated with the standard delivery option.
      - `DIV.deliveryDetails` (Great-grandchild): Contains details about standard delivery.
        - `DIV.deliveryAddressContainer` (Great-great-grandchild): Likely displays the delivery address.
          - `P` (Great-great-great-grandchild): A paragraph element.
            - `SPAN` (Fourth-level descendant): Displays the delivery address text.
        - `DIV.editButtonContainer` (Great-great-grandchild): Contains an edit button for the address.
          - `A.SimpleLink` (Great-great-great-grandchild): A link to edit the delivery address.
        - `DIV.deliveryDateText` (Great-great-grandchild): Displays delivery date information.
          - `P` (Great-great-great-grandchild): A paragraph.
            - `SPAN` (Fourth-level descendant): Text for the delivery date.
        - `DIV.deliveryOptionsLinkContainer` (Great-great-grandchild): Contains a link for more delivery options.
          - `A.simpleLink` (Great-great-great-grandchild): Link to additional delivery options.
    - `DIV.deliveryContainer.deliveryPremiumContainer` (Grandchild): This container represents premium delivery options.
      - `DIV.deliveryOptionContent` (Great-grandchild): Contains the content for this delivery option.
        - `INPUT#deliveryTypePremium` (Great-great-grandchild): A radio button or similar input to select premium delivery.
        - `LABEL` (Great-great-grandchild): Label for the premium delivery option.
        - `DIV.premiumDeliveryWrapper` (Great-great-grandchild): Wrapper for premium delivery details.
          - `DIV.premiumDeliveryContent` (Great-great-great-grandchild):

            - `P` (Fourth-level descendant): Description of premium delivery.
        - `DIV.premiumDeliveryPrice` (Great-great-grandchild): Displays the price of premium delivery.
            - `P.price` (Great-great-great-grandchild):
                - `SPAN` (Fourth-level descendant): Displays the price value.
- `DIV.deliveryContainer.deliveryCollectionContainer` (Grandchild): This container represents a collection/pickup delivery option.
    - `DIV.deliveryOptionContent` (Great-grandchild): Contains the content for this delivery option.
        - `INPUT#deliveryTypeCollection` (Great-great-grandchild): A radio button or similar input to select collection.
        - `LABEL` (Great-great-grandchild): Label for the collection option.
        - `DIV.collectionWrapper` (Great-great-grandchild): Wrapper for collection details.
            - `DIV.collectionContent` (Great-great-great-grandchild):
                - `DIV.parcelShopDetails` (Fourth-level descendant):
                - `H3` (Fifth-level descendant): Heading for parcel shop details.
                - `P` (Fifth-level descendant): Parcel shop name.
                - `P` (Fifth-level descendant): Parcel shop address.
                - `P` (Fifth-level descendant): Parcel shop postcode.
                - `A.simpleLink` (Fourth-level descendant): Link to change collection point.
        - `DIV.deliveryCollectionPrice` (Great-great-grandchild): Displays the price for collection.
            - `P.price` (Great-great-great-grandchild):
                - `SPAN` (Fourth-level descendant): Displays the price value.
- `DIV.deliveryContainer.deliveryNominatedContainer` (Grandchild): This container represents a nominated delivery option.
    - `DIV.deliveryOptionContent` (Great-grandchild):
        - `INPUT#deliveryTypeNominated` (Great-great-grandchild): Radio button for nominated delivery.
        - `LABEL` (Great-great-grandchild): Label for nominated delivery.
        - `DIV.deliveryDateText` (Great-great-grandchild): Displays nominated delivery date info.
            - `P` (Great-great-great-grandchild):
                - `SPAN` (Fourth-level descendant): Delivery date text.
        - `DIV.deliveryOptionsLinkContainer` (Great-great-grandchild): Link for delivery options.
            - `A.simpleLink` (Great-great-great-grandchild): Link to select a nominated date.
        - `DIV.nominatedDeliveryPrice` (Great-great-grandchild): Displays price.
            - `P.price` (Great-great-great-grandchild):
                - `SPAN` (Fourth-level descendant): Price value.

This extensive structure clearly lays out a delivery options section, allowing users to choose between standard, premium, collection, and nominated delivery. Each option provides relevant details like addresses, dates, and prices, and includes interactive elements for editing or selecting further options.

12) Summary adress:

Parent: The immediate parent of `.totals-container-wrapper` is a `div` element with the class `.divPage`. This `.divPage` element appears to be a very high-level container on the page, as it also contains script tags, a header, a style tag, and a delivery form, alongside other general layout elements.

- **`.totals-container-wrapper` (Inspected Element)**
  - `DIV.totals-container` (Child 1): This is the direct and only child of the inspected element. It is clearly intended to hold the various financial totals related to an order.
    - `P.sub-total` (Grandchild): This paragraph element likely displays the subtotal of the order.
      - `SPAN.label` (Great-grandchild): Text for the "Subtotal" label.
      - `SPAN.value` (Great-grandchild): The actual subtotal amount.
    - `P.delivery-charge` (Grandchild): This paragraph element likely displays the delivery charge.
      - `SPAN.label` (Great-grandchild): Text for the "Delivery Charge" label.
      - `SPAN.value` (Great-grandchild): The actual delivery charge amount.
    - `P.discount` (Grandchild): This paragraph element likely displays any discounts applied.
      - `SPAN.label` (Great-grandchild): Text for the "Discount" label.
      - `SPAN.value` (Great-grandchild): The actual discount amount.
    - `P.total` (Grandchild): This paragraph element displays the grand total of the order.
      - `SPAN.label` (Great-grandchild): Text for the "Total" label.
      - `SPAN.value` (Great-grandchild): The final total amount.
    - `DIV.call-to-action` (Grandchild): This `div` likely contains buttons or links for actions related to the totals.
      - `A.button` (Great-grandchild): A button or link to proceed with payment or checkout.

This structure clearly indicates that the `.totals-container-wrapper` and its inner `.totals-container` are dedicated to presenting a breakdown of costs to the user, including subtotal, delivery, discounts, and the final total, typically found in a shopping cart or checkout summary. It also provides a clear call to action to move forward with the purchase.

13) Bouton continuer ou revenir en arriere:

The element with the selector `div#deliveryNavigationButtonContainer` is a `div` element, identified by its ID. It serves as a container for navigation buttons related to the delivery process, typically "Back" and "Continue" buttons.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is `form#deliveryForm`. This indicates that these navigation buttons are integral to the delivery form's submission and progression. This parent form also contains several hidden input fields (likely for delivery options) and the main content area (`.main-container.noBackground`) as siblings to this button container.
- **`div#deliveryNavigationButtonContainer` (Inspected Element)**
  - `DIV.floatleft` (Child 1): This `div` element is likely used to contain a "back" or "cancel" button, positioned to the left.
    - `A` (Grandchild): This anchor element is probably the "Back" or "Cancel" button/link, allowing the user to return to a previous step.
      - `SPAN` (Great-grandchild): This `span` element likely holds the text content for the button, such as "Back to previous step".
  - `DIV#delContinue` (Child 2): This `div` element is explicitly named "delContinue," strongly suggesting it contains the primary "Continue" button for the delivery form.
    - `INPUT` (Grandchild): This input element is almost certainly the "Continue" button, probably a submit button (`type="submit"`), that moves the user to the next stage of the checkout process.

This structure provides a clear and standard navigation pattern for a multi-step form, offering both a way to go back and a prominent way to proceed.

14) Confirm Order:

The element with the selector `.main-container.noBackground` is a `div` element, serving as a primary content area, likely for a confirmation or order review page.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is `form#checkOrderForm`. This form element also contains several `input` elements as siblings (e.g., `input#action`, `input#lastKnownPosition`, `input#remembered_cc_key`, `input#termsChoiceSelectedId`), as well as a `span#bnplShowLightbox`, a `.clear` element, and `.backContinueButtons`. This context suggests the inspected element is the main content area within an order confirmation or review form.
- **`.main-container.noBackground` (Inspected Element)**
    - `H2.contentHeader` (Child 1): A heading element, likely displaying a title for this section (e.g., "Confirm Your Order" or "Order Summary").
        - `SPAN` (Grandchild): This `span` element likely contains the actual text content of the `h2` heading.
    - `DIV.confirmContainerWrapper` (Child 2): This is a wrapper specifically designed to contain the main confirmation details.
        - `DIV.confirmContainer` (Grandchild): This container likely holds a general overview of the order.
            - `DIV.confirmHeader` (Great-grandchild): A header for the confirmation section.
                - `H3` (Great-great-grandchild): A sub-heading (e.g., "Your Items").
            - `DIV.confirmItems` (Great-grandchild): Contains the list of items in the order.
                - `DIV.confirmItem` (Great-great-grandchild): Represents a single item in the order.
                - `DIV.itemImage` (Great-great-great-grandchild): For the item's image.
                - `IMG` (Fourth-level descendant): The product image.
                - `DIV.itemDetails` (Great-great-great-grandchild): For details about the item.
                - `P.itemName` (Fourth-level descendant): The name of the product.
                - `P.itemCode` (Fourth-level descendant): The product code.
                - `P.itemColour` (Fourth-level descendant): The color of the product.
                - `P.itemSize` (Fourth-level descendant): The size of the product.
                - `DIV.itemQuantity` (Great-great-great-grandchild): For the quantity of the item.
                - `P` (Fourth-level descendant): Displays the quantity.
                - `DIV.itemPrice` (Great-great-great-grandchild): For the price of the item.
                - `P` (Fourth-level descendant): Displays the item price.
                - `DIV.confirmItem` (Great-great-grandchild): Another item in the order, with the same internal structure as the one above.
                - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
                - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.

            - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
            - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
            - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
            - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
            - `DIV.confirmItem` (Great-great-grandchild): Another item in the order.
        - `DIV.deliveryDetails` (Great-grandchild): Contains information about delivery.
            - `H3` (Great-great-grandchild): Sub-heading (e.g., "Delivery Details").
            - `DIV.deliveryAddress` (Great-great-grandchild): Displays the delivery address.
                - `P` (Great-great-great-grandchild): Paragraph for the address.
            - `DIV.deliveryMethod` (Great-great-grandchild): Displays the chosen delivery method.
                - `P` (Great-great-great-grandchild): Paragraph for the method.
            - `DIV.deliveryCost` (Great-great-grandchild): Displays the delivery cost.
                - `P` (Great-great-great-grandchild): Paragraph for the cost.
            - `DIV.deliveryOptions` (Great-great-grandchild): Contains links or buttons for delivery options.
                - `A` (Great-great-great-grandchild): Link to edit delivery options.
        - `DIV.paymentDetails` (Great-grandchild): Contains information about payment.
            - `H3` (Great-great-grandchild): Sub-heading (e.g., "Payment Details").
            - `DIV.paymentMethod` (Great-great-grandchild): Displays the chosen payment method.
                - `P` (Great-great-great-grandchild): Paragraph for the method.
            - `DIV.paymentCard` (Great-great-grandchild): Displays card details.
                - `P` (Great-great-great-grandchild): Paragraph for card type and last 4 digits.
            - `DIV.paymentOptions` (Great-great-grandchild): Contains links or buttons for payment options.
                - `A` (Great-great-great-grandchild): Link to edit payment options.
        - `DIV.billingAddress` (Great-grandchild): Displays billing address.
            - `H3` (Great-great-grandchild): Sub-heading (e.g., "Billing Address").
            - `P` (Great-great-great-grandchild): Paragraph for the billing address.
        - `DIV.contactDetails` (Great-grandchild): Displays contact information.
            - `H3` (Great-great-grandchild): Sub-heading (e.g., "Contact Details").
            - `P` (Great-great-great-grandchild): Paragraph for email/phone.
        - `DIV.totals` (Great-grandchild): Displays the financial totals of the order.
            - `P.subTotal` (Great-great-grandchild): Displays subtotal.
            - `P.deliveryCost` (Great-great-grandchild): Displays delivery cost.
            - `P.total` (Great-great-grandchild): Displays grand total.
    - `DIV.voucherDetails` (Grandchild): Contains information about vouchers or discounts.
        - `DIV.voucherHeader` (Great-grandchild): Header for voucher section.

            - `H3` (Great-great-grandchild): Sub-heading (e.g., "Vouchers").
        - `DIV.voucherItem` (Great-grandchild): Represents a single applied voucher.
            - `P.voucherCode` (Great-great-grandchild): Displays the voucher code.
            - `P.voucherDiscount` (Great-great-grandchild): Displays the discount amount.
- `DIV.clear` (Child 3): A utility element for clearing floats.
- `LABEL#errorBagOverLimit` (Child 4): A label for displaying an error message if the bag exceeds a limit.
- `DIV.clear` (Child 5): Another utility element for clearing floats.

This detailed structure indicates a comprehensive order confirmation page where the user can review all aspects of their purchase before final submission. It clearly separates items, delivery details, payment information, billing/contact details, order totals, and any applied vouchers, with numerous nested elements to present the information clearly.

15) Payement:

a) pay later:

The element with the selector `.personalAccountContainerWrapper` is a `div` element. Its name suggests it's a wrapper for content related to a user's personal account within a confirmation or summary page.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is `div.confirmContainerWrapper`. This parent container is part of a larger confirmation or checkout page, and also contains other siblings like `.paymentChoiceContainer`, `.clear` elements, and `.itemsSummaryContainerWrapper`.
- **`.personalAccountContainerWrapper` (Inspected Element)**
  - `DIV.ATPayMethod.ConfirmSubheader` (Child 1): This `div` element likely serves as a subheader for the personal account information, possibly indicating the payment method used.
    - `H3` (Grandchild): This heading element typically contains the actual text of the subheader, such as "Payment Method" or "Account Details."
  - `DIV.personalAccountContainer` (Child 2): This `div` element is the main container for the details of the personal account.
    - `DIV.detailsRow` (Grandchild): A generic container for a row of details.
      - `SPAN.label` (Great-grandchild): A `span` element that likely displays a descriptive label (e.g., "Payment Method:", "Card Type:").
      - `SPAN.value` (Great-grandchild): A `span` element that displays the corresponding value (e.g., "Credit Card", "Visa").
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
      - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
      - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.

        - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
        - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.
    - `DIV.detailsRow` (Grandchild): Another row for details.
        - `SPAN.label` (Great-grandchild): A `span` element for a descriptive label.
        - `SPAN.value` (Great-grandchild): A `span` element for the corresponding value.

This structure indicates that `.personalAccountContainerWrapper` is dedicated to displaying a summary of personal account information, likely including payment method details. It uses a consistent `.detailsRow` pattern, with separate `span` elements for labels and their corresponding values, to present information clearly.

b) pay now avant de cliquer:

The element with the selector `.paymentChoiceContainer.cashPaymentContainer.cashPaymentContainerNewCredit.ats-Cash` is a `div` element. Its detailed classes indicate it's a specific payment option, likely related to a cash payment method or a "Pay Now" option, possibly with new credit card functionality. It is situated within a broader confirmation or payment selection area.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is `div.confirmContainerWrapper`. This parent container is part of a larger confirmation or payment selection section, and it also contains other siblings such as `.personalAccountContainerWrapper`, `.clear` elements, and `.itemsSummaryContainerWrapper`.
- **`.paymentChoiceContainer.cashPaymentContainer.cashPaymentContainerNewCredit.ats-Cash` (Inspected Element)**
    - `IMG` (Child 1): This is an `img` element. It likely displays an icon or logo associated with this payment method (e.g., a cash icon, a specific payment provider logo).
    - `IMG` (Child 2): This is another `img` element. It could be another icon or logo related to the payment method, or perhaps a status indicator.
    - `SPAN.radio-outer-wrapper` (Child 3): This `span` element acts as a wrapper for a radio button, indicating that this payment option is selectable.
        - `INPUT` (Grandchild): An `input` element, almost certainly a radio button (`type="radio"`), allowing the user to select this particular payment method.
        - `LABEL` (Grandchild): A `label` element associated with the radio button. This label would contain the user-facing text for this payment option (e.g., "Cash Payment," "Pay Now").
    - `SPAN.ATpayNowText` (Child 4): This `span` element likely contains supplementary text related to the "Pay Now" aspect of this payment method. It might provide instructions, a brief description, or a confirmation message.

This structure indicates that this `div` represents a selectable payment choice, probably a "Cash Payment" or "Pay Now" option. It includes visual cues (images), an interactive radio button for selection, and descriptive text to guide the user.

c) pay now apres click:

The element with the selector `div#enterCardDetails` is a `div` element, identified by its ID. It is clearly designed as a container for all the input fields and related controls necessary for a user to enter their credit or debit card details during a payment process.

Here's a detailed breakdown of its structure, including all descendants:

- **Parent:** Its immediate parent is `div.confirmContainerWrapper`. This parent container holds various confirmation-related sections and is itself likely part of a larger checkout or payment page. Other siblings of `div#enterCardDetails` within `div.confirmContainerWrapper` include `.personalAccountContainerWrapper`, `.paymentChoiceContainer.cashPaymentContainer.cashPaymentContainerNewCredit.ats-Cash`, `div#enterPaymentCardDetails`, and `.clear` elements.
- **`div#enterCardDetails` (Inspected Element)**
  - `DIV.cardEntryRowContainer` (Child 1): This `div` acts as a container for a row of card entry details, likely for the card number.
    - `LABEL` (Grandchild): The label for the card number input field.
    - `SPAN.input-wrapper` (Grandchild): A wrapper for the card number input.
      - `INPUT.textInput#cardNumber` (Great-grandchild): The input field where the user types their card number.
    - `LABEL.error#cardNumberValidation` (Grandchild): A label to display validation errors for the card number.
  - `DIV.cardEntryRowContainer` (Child 2): This `div` acts as a container for another row of card entry details, possibly for the cardholder's name.
    - `LABEL` (Grandchild): The label for the cardholder's name input field.
    - `SPAN.input-wrapper` (Grandchild): A wrapper for the name input.
      - `INPUT.textInput#cardName` (Great-grandchild): The input field for the cardholder's name.
    - `LABEL.error#cardNameValidation` (Grandchild): A label to display validation errors for the cardholder's name.
  - `DIV.cardEntryRowContainer` (Child 3): This `div` is for the card's expiry date.
    - `LABEL` (Grandchild): The label for the expiry date.
    - `SPAN.select-wrapper` (Grandchild): A wrapper for the expiry month dropdown.
      - `SELECT#expiryMonth` (Great-grandchild): Dropdown for selecting the expiry month. (Contains multiple `OPTION` elements as great-great-grandchildren).
    - `SPAN.select-wrapper` (Grandchild): A wrapper for the expiry year dropdown.
      - `SELECT#expiryYear` (Great-grandchild): Dropdown for selecting the expiry year. (Contains multiple `OPTION` elements as great-great-grandchildren).
    - `LABEL.error#expiryDateValidation` (Grandchild): A label for expiry date validation errors.
  - `DIV.cardEntryRowContainer` (Child 4): This `div` is for the card's security code (CVV/CVC).
    - `LABEL` (Grandchild): The label for the security code input field.
    - `SPAN.input-wrapper` (Grandchild): A wrapper for the security code input.
      - `INPUT.textInput#securityCode` (Great-grandchild): The input field for the security code.
    - `LABEL.error#securityCodeValidation` (Grandchild): A label for security code validation errors.
    - `A.whatIsThis` (Grandchild): A link, likely to explain what the security code is.
  - `DIV.clear` (Child 5): A utility `div` for clearing floats, maintaining layout.
  - `DIV.rememberCardDetailsContainer` (Child 6): A container for an option to remember card details.
    - `INPUT#rememberCardCheckbox` (Grandchild): A checkbox input, allowing the user to opt-in to saving their card details.
    - `LABEL` (Grandchild): The label associated with the "remember card" checkbox.
  - `DIV.clear` (Child 7): Another utility `div` for clearing floats.

This structure provides a comprehensive and organized interface for card entry, ensuring that all necessary fields (card number, name, expiry, security code) are present, along with user-friendly elements like labels, validation messages, and an option to save details.