Cucumber Report

| Start : Kas 02, 11:47:55.702 ÖS	End : Kas 02, 11:49:02.450 ÖS	Duration : 1 m 6.748 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 5 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
data_tables	*1 m 6.748 s*	*1*	*1*	*0*	*0*	*5*	*5*	*0*	*0*

TAG		Scenario				Feature			
Name		**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@failed		*1*	*1*	*0*	*0*	*1*	*1*	*0*	*0*

#	Feature Name	T	P	F	S	Duration
1	data_tables	1	1	0	0	1 m 6.748 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	data_tables	TC01_admin_login	5	5	0	0	1 m 6.745 s

data_tables

PASSED	DURATION - 1 m 6.748 s	Scenarios		Steps	
/ 11:47:55.702 ÖS // 11:49:02.450 ÖS /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 5 Pass - 5 Fail - 0 Skip - 0	5

TC01_admin_login

PASSED	DURATION - 1 m 6.745 s		Steps	
/ 11:47:55.705 ÖS // 11:49:02.450 ÖS /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
data_tables				
@failed				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/login"	PASSED	15.951 s
2	When user enters the admin email and password	PASSED	5.763 s
	admin_email / admin_password wrong@gmail.com / 12345		
3	And user clicks on the login button	PASSED	1.071 s
4	Then verify login is successful	PASSED	0.000 s
5	And close the application	PASSED	0.001 s
	AFTER - hooks.Hooks.afterTearDown(io.cucumber.java.Scenario)	PASSED	1.608 s
	failed_screenshot		