

```

# Importing required libraries

# Library for data cleaning and data manipulation
import pandas as pd
import numpy as np

# Library for data visualization
import seaborn as sns
import matplotlib.pyplot as plt
import folium
from folium.plugins import MarkerCluster
import geopandas as gpd

# Library for normality test
import scipy.stats as stats

# Load the Dataset
df = pd.read_csv(r"C:\Users\user\OneDrive\Documents\Airbnb-Listings-Bangkok-Project\data\cleaned\data_cleaned.csv")

# Drop unnecessary columns from the dataset
df.drop(columns=["id", "host_id"], inplace=True)

```

4.1. Geospatial Competition and Listing Density

Goal: To investigate how the concentration of Airbnb listings in specific neighborhoods affects the level of competition among hosts and how it influences the pricing of listings in Bangkok.

Approach: Use the Kruskal-Wallis test to assess if there are significant differences in average prices across different neighborhoods, which will help identify whether competition (in terms of listing density) impacts pricing strategies.

Hypothesis Testing:

- **H0** : There is no significant difference in the median price of Airbnb listings between different neighborhoods (This means that neighborhood does not affect the price of listings)
- **H1** : There is a significant difference in the median price of Airbnb listings between different neighborhoods (This means that the location (neighborhood) significantly influences the price of Airbnb listings)

```

from scipy import stats
# Group data by neighbourhood and extract the price data for each
neighbourhood
test_hip = [df[df['neighbourhood'] == neighbourhood]['price']
            for neighbourhood in df['neighbourhood'].unique()]

# Perform Kruskal-Wallis test
kruskal_result = stats.kruskal(*test_hip)

# Step 3: Display the results of Kruskal-Wallis

```

```

print("Kruskal-Wallis H-statistic:", kruskal_result.statistic)
print("Kruskal-Wallis p-value:", kruskal_result.pvalue)

# Step 4: Interpret the results
if kruskal_result.pvalue > 0.05:
    print(f'''
    pvalue={kruskal_result.pvalue}. pvalue > 0.05. Except Ho.
    I don't have enough evidence to conclude that the median price
    across different neighborhoods in Bangkok is significantly different.
    ''')
else:
    print(f'''
    pvalue={kruskal_result.pvalue}. pvalue <= 0.05. Reject Ho.
    I have enough evidence to conclude that the median price across
    different neighborhoods in Bangkok is significantly different.
    ''')

Kruskal-Wallis H-statistic: 2015.1185729999513
Kruskal-Wallis p-value: 0.0

    pvalue=0.0. pvalue <= 0.05. Reject Ho.
    I have enough evidence to conclude that the median price across
    different neighborhoods in Bangkok is significantly different.

```

Conclusion: These results indicate that '**neighbourhoods**' have a significant impact on '**price**' compared to standard seasonal advertising. This means that this '**neighbourhoods**' is effective in increasing '**price**' at the airbnb listings Bangkok.

```

# Group data by 'neighbourhood' and 'room_type'
grouped_data = df.groupby(["neighbourhood", "room_type"])
['number_of_reviews'].sum().unstack(fill_value=0)

# Reset index for plotting
grouped_data = grouped_data.reset_index()

# Create a stacked bar plot
ax = grouped_data.set_index('neighbourhood').plot(kind='bar',
stacked=True, figsize=(25, 10))

# Formatting the plot
plt.title('Distribution of Room Types by Neighbourhood')
plt.xlabel('Neighbourhood')
plt.ylabel('Total Number of Reviews')
plt.xticks(rotation=45)
plt.legend(title='Room Type')
plt.tight_layout() # To ensure the plot doesn't get cut off

# Display the plot
plt.show()

```



```

        name='Neighbourhoods',
        style_function=lambda feature: {
            'fillColor': '#f8f8f8',
            'color': 'red',
            'weight': 2,
            'dashArray': '5, 5'
        }
    ).add_to(bangkok_map)

# Add a marker cluster to better manage dense regions
marker_cluster = MarkerCluster().add_to(bangkok_map)

# Define room type icons and colors
room_type_icons = {
    "Entire home/apt": ("red", "home"),
    "Private room": ("green", "user"),
    "Hotel room": ("blue", "hotel"),
    "Shared room": ("gray", "users")
}

# Place markers on the map with appropriate color and icon for each
room type
for index, row in geo_data.iterrows():
    color, icon = room_type_icons.get(row["room_type"], ("black",
"question-sign"))
    folium.Marker(
        location=[row["latitude"], row["longitude"]],
        popup=f"Neighbourhood: {row['neighbourhood']}\nRoom Type:
{row['room_type']}\nPrice: {row['price']} THB",
        icon=folium.Icon(color=color, icon=icon, prefix='fa')
    ).add_to(marker_cluster)

# Mark popular tourist destinations on the map
tourist_spots = {
    "Grand Palace": [13.7515, 100.4927],
    "Wat Arun": [13.7437, 100.4886],
    "Khao San Road": [13.7594, 100.4976],
    "Chatuchak Market": [13.7990, 100.5500],
    "Siam Paragon": [13.7462, 100.5349],
    "Wat Pho": [13.7466, 100.4923],
    "MBK Center": [13.7446, 100.5296],
    "Yaowarat": [13.7402796, 100.5071928],
    "Lumphini Park": [13.7314281, 100.5391235],
    "Siam Amazing Park": [13.8151288, 100.6320818]
}

for spot, coordinates in tourist_spots.items():
    folium.Marker(
        location=coordinates,
        popup=f"Tourist Spot: {spot}",
    )

```

```

        icon=folium.Icon(color="red", icon="info-sign")
    ).add_to(bangkok_map)

# Add markers for airports
airports = {
    "Suvarnabhumi Airport (BKK)": [13.6900, 100.7500],
    "Don Mueang Airport (DMK)": [13.9125, 100.6074]
}

for airport, coordinates in airports.items():
    folium.Marker(
        location=coordinates,
        popup=f"Airport: {airport}",
        icon=folium.Icon(color="black", icon="plane")
    ).add_to(bangkok_map)

# Add markers for universities
universities = {
    "Chulalongkorn University": [13.7462, 100.5320],
    "Thammasat University": [13.7564, 100.4931],
    "Mahidol University": [13.8185, 100.3282]
}

for university, coordinates in universities.items():
    folium.Marker(
        location=coordinates,
        popup=f"University: {university}",
        icon=folium.Icon(color="green", icon="university")
    ).add_to(bangkok_map)

# Add layer control to toggle map layers on or off
folium.LayerControl().add_to(bangkok_map)

bangkok_map

<folium.folium.Map at 0x21720222240>

```

Insight:

- **Geographical Distribution:** In the central district, there are significant clusters of Airbnb listings, suggesting a high demand for short-term rentals in these tourist-heavy and business-centric areas. These regions are likely favored by both international tourists and business travelers due to their proximity to key attractions and transit options.
- **Room Type Distribution:** The red markers for entire home/apartment listings are concentrated in popular areas, reflecting the demand for larger, more private accommodations by tourists. On the other hand, private rooms (green markers) are more widely distributed across non-central neighborhoods, indicating a greater supply of budget-friendly options for solo travelers or those seeking shorter stays.

- **Most Popular Neighbourhood:** Vadhana **with over 2000 listings** is the **most popular neighborhood** for Airbnb in Bangkok. This suggests that it's a highly sought-after area for tourists or has a significant number of residents renting out their properties.
- **Proximity to Key Locations:** The proximity of Airbnb listings to **key tourist spots, such as Grand Palace and Wat Arun**, influences the pricing of accommodations in those areas. Listings near **Suvarnabhumi Airport or Don Mueang Airport** cater to travelers seeking convenience and proximity to flight terminals. Similarly, areas near **Chulalongkorn University or Mahidol University** may attract budget-conscious students, with slightly lower pricing compared to the city center."