# PRAMS Data Analysis

**(Asynchronous-Online)**

## PRAMS Data

### About PRAMS

PRAMS is the Pregnancy Risk Assessment Monitoring System (PRAMS). According to the CDC's website for About PRAMS:

> **What is PRAMS?**
>
> PRAMS is the Pregnancy Risk Assessment Monitoring System. It is a joint surveillance project between state, territorial, or local health departments and CDC's Division of Reproductive Health. PRAMS was developed in 1987 to reduce infant morbidity and mortality by influencing maternal behaviors before, during, and immediately after live birth.

> **What is the purpose of PRAMS?**
>
> The purpose of PRAMS is to find out why some infants are born healthy and others are not. The survey asks new mothers questions about their pregnancy and their new infant. The questions give us important information about the mother and the infant and help us learn more about the impacts of health and behaviors.

### Getting the PRAMS Data

- You can request the PRAMS Data from the CDC.
- Once granted access, follow the instructions from the CDC to download the data and sign the data sharing agreement.
- For the purposes of the TIDAL R training session, we will be working with PRAMS Phase 8 ARF (Automated Research File) dataset.

### PRAMS Documentation and Resources

- See the details on the PRAMS Questionnaires.
- Learn more about the PRAMS Data Methodology including details on how the samples are weighted.
- **Download and Read** this helpful paper on PRAMS design and methodology (Shulman, D'Angelo, Harrison, Smith, and Warner, 2018).
- There are also helpful tutorial videos on working with PRAMS data by ASSOCIATION OF STATE AND TERRITORIAL HEALTH OFFICIALS (ASTHO.org).

---

## 0. Prework - Before You Begin

### Install R Packages

Before you begin, please go ahead and install (or make sure these are already installed) on your computer for these following packages - these are all on CRAN, so you can install them using the RStudio Menu Tools/Install Packages interface:

- `haven`
- `dplyr`
- `survey`

```
library(haven)
library(dplyr)
library(survey)
```

### Create a NEW RStudio Project

**BEFORE** you being any new analysis project, it is **ALWAYS** a good idea to begin with the NEW RStudio project.

Go to the RStudio menu "File/New Project" and create your new project (ideally in a NEW directory, but it is also ok to use an exisiting directory/folder on your computer).

This new directory (or folder) will be where all of your files will "live" for your current analysis project.

See the step-by-step instructions for creating a new RStudio project in Module 1.3.2.

---

## 1. Get PRAMS Data and Select Subset for Analysis

### A. Read-in the PRAMS Phase 8 2016-2021 combined dataset

The PRAMS data provided by the CDC will be in SAS format (`*.sas7bdat`). We can read the native SAS file into R using the `haven` package and the `read_sas()` function.

> **Memory Warning**
>
> The size of the `phase8_arf_2016_2021.sas7bdat` dataset is a little over 1GB. So, make sure your computer has enough available memory to fully load this dataset. I will provide some more details below on how we can reduce the size of the dataset and improve the memory issues below.

You can check your available memory, by checking your "Global Environment" TAB (upper right window pane) click on the down arrow next to the icon with "XX MiB" just to the left of the little broom:




Click on the "Memory Usage Report" to see a detailed breakdown. This window will show:

- Memory used by R objects (in your "Global Environment")
- Memory used on your computer by your current R Session
- Memory currently in use for everything currently running on your computer (all apps running - active and in background) - you can compare this to your "task manager" memory viewer.

- Free System Memory - when this gets low the "XX MiB" graphic will change color from green - to yellow - to orange - to red. Once you get to red, your R session will most likely crash since there is not enough memory to perfom operations or run analyses.

This is a screen shot of my computer (yours will look different) BEFORE I load the PRAMS dataset.




Run the following R code to load the PRAMS Phase 8 dataset into your R Session and check the "Global Environment".

```
library(haven)
prams <-
  read_sas("phase8_arf_2016_2021.sas7bdat")
```

Here is my memory AFTER loading the PRAMS dataset into my "Global Environment".







### B. Save the data as a `*.RData` binary file for use in later analyses

One way to reduce the size of the PRAMS dataset is to save it as a native `*.RData` binary file format. So, let's save the PRAMS dataset in this format on your computer.

```
# save the whole dataset as *.RData format
save(prams,
     file = "prams.RData")
```

On my computer, here is a comparison of the size of these 2 files:

- `phase8_arf_2016_2021.sas7bdat` is 1,095,499,776 bytes (which is 1.02 GB)
- `prams.RData` is only 34,713,319 (which is only 0.0323 GB)

**This is a file size reduction of 96.83%!!**




Now that we've reduced the file size of the dataset on your computer's hard drive (or cloud storage), let's also clear up the "Global Environment" back in your current RStudio computing session.

### C. Clean up files to save memory

Now that we've saved the data, let's remove the PRAMS data object from the RStudio session.

- For now we can simply remove everything using the `rm(list=ls())`.
- However, if you have other objects you want to keep, you can specifically only remove the PRAMS dataset using `rm(prams)`.

```
# remove all objects from Global Environment
rm(list=ls())

# confirm Global Environment is empty
# list all objects
ls()
```

```
character(0)
```

```
# and free any currently unused memory
gc()
```

```
          used  (Mb) gc trigger   (Mb)  max used  (Mb)
Ncells 2118333 113.2    4161332  222.3   4161332 222.3
Vcells 3877599  29.6  153312187 1169.7 112137245 855.6
```

After we remove everything, let's look at the session memory again.




Now let's read the PRAMS data back in, but this time read in the `prams.RData` binary R data formatted file. We will use the built-in `load()` function.

```
# load back only the prams dataset
load(file = "prams.RData")
```

Let's check the R session memory again:




I know this didn't make a large difference for the R session available memory, but by doing this process:

1. The PRAMS dataset now takes up less memory on your computer's file storage, and
2. The `load()` function for the `prams.RData` file should run faster when beginning your R computing session instead of having to use the `haven` package to read in the SAS formatted file everytime.

As a quick comparison on my computer (Windows 11), the time to read in the SAS formatted file was about 14 sec:

```
> system.time(
+   prams <-
+     read_sas("phase8_arf_2016_2021.sas7bdat")
+ )
   user  system elapsed
  13.44    0.47   13.96
```

And the time to read in the `prams.RData` file was only about 1.5 sec.

```
> system.time(
+   load("prams.RData")
+ )
   user  system elapsed
   1.45    0.08    1.54
```

---

## 2. Getting started with PRAMS Data

### Breastfeeding summary - UNWEIGHTED data

Let's look at whether the mother ever breastfed her baby - this is variable `BF5EVER`, where 1 = "NO" and 2 = "YES".

PRAMS Phase 8 Codebook

```
# create a factor variable
# and add labels
prams$BF5EVER.f <- factor(
  prams$BF5EVER,
  levels = c(1, 2),
  labels = c("NO", "YES")
)
```

For the UNWEIGHTED data, let's get a simple table of breastfeeding by STATE (variable `STATE`) and YEAR (variable `NEST_YR`).

As we can see below, in 2017 for the state of GA, 919 women responded to this question:

- 919 women responded
  - 170 said NO
  - 749 said YES
- 36 were missing a response (indicated by `<NA>`)

```
prams %>%
  filter(NEST_YR == 2017) %>%
  with(., table(STATE, BF5EVER.f,
                useNA = "ifany"))
```

```
     BF5EVER.f
STATE   NO  YES <NA>
   AK   71  927   47
   AL  181  659   42
   CO   73 1037   18
   DE  126  728   37
   GA  170  749   36
   IA  136  867   30
   IL  140 1048   36
   KS   81  856   58
```

```
KY  139  536   27
LA  285  586   23
MA  115 1268   40
MD   97  928   35
ME   88  754   30
MI  290 1532   75
MO  166  908   37
MT   66  851   20
ND  102  472   17
NH   42  523   15
NJ  125 1102   31
NM  123 1038   19
NY  109  706   33
PA  164 1023   42
PR   81  928   23
RI  105  960   37
SD  150  946   35
UT   93 1305   49
VA   88  969   26
VT   54  780   14
WA   69 1138   31
WI  221 1051   74
WV  186  475   38
WY   49  438   16
YC   99 1125   69
```

This aligns with the CDC PRAMS Indicators Report for GA in 2020 - scroll to the bottom to see the RAW count of 919 women who responded to "Ever Breastfed" in GA in 2017.

### Breastfeeding summary - WEIGHTED data

In the CDC PRAMS Indicators Report for GA in 2020 the columns that have the 95% CI (confidence intervals) for the percentages are the population weighted percentage estimates for the Stats of GA during that year.

To get the estimated percentage of women in the stats of GA who had "ever breastfed" in 2017, we need to use the `survey` package and apply the proper sample weighting to get these estimates.

```
library(survey)

# Let's look at just GA to start with
# use dplyr to filter out just GA
```

```
prams_ga <- prams %>%
  filter(STATE == "GA")

# create the survey design file for GA
prams_ga.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams_ga)

# get a table of ever breastfed
# by YEAR
svyby(~BF5EVER.f, ~NEST_YR,
      design = prams_ga.svy,
      svytotal, na.rm=TRUE)
```

```
     NEST_YR BF5EVER.fNO BF5EVER.fYES se.BF5EVER.fNO se.BF5EVER.fYES
2017    2017    17639.96    101686.10       2045.415        2271.075
2018    2018    20187.62     98909.35       2151.496        2351.330
2019    2019    24099.04     95019.86       2273.415        2279.851
2020    2020    21827.55     94125.72       2209.745        2457.097
2021    2021    23724.68     93896.73       2266.811        2256.488
```

From this we can see that the population estimates for 2017 are:

- Breastfed ever = NO: 17639.96 +/- 2045.415
- Breastfed ever = YES: 101686.10 +/- 2271.075

This leads to a percentage of YES estimate of `101686.10 * 100 / (101686.10 + 17639.96)` = 85.2170096% which should match pretty closely to what is in the CDC PRAMS Indicators Report for GA in 2020.

We can also get the percentage of overall breastfeeding YES for the USA for the 40 "states" (technically 38 states, Puerto Rico, and New York City) that were included in the PRAMS dataset in 2020 (see the last column in the CDC report), using the following R code. *Note: 2 "states" did not have data in 2020: Connecticut and Florida.*

```
# get overall for 2020 - all states
# make survey design file
prams.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams)
```

```
svyby(~BF5EVER.f, ~NEST_YR,
      design = prams.svy,
      svytotal, na.rm=TRUE)
```

```
     NEST_YR BF5EVER.fNO BF5EVER.fYES se.BF5EVER.fNO se.BF5EVER.fYES
2016    2016    187666.4      1324171       4398.541        4798.836
2017    2017    208863.1      1497127       4762.339        5452.232
2018    2018    242991.5      1716913       5220.222        5979.598
2019    2019    236841.9      1680987       5404.761        6877.697
2020    2020    225560.3      1609464       4884.871        5540.240
2021    2021    212618.8      1521303       5196.234        6058.572
```

From this we can see that the population estimates for the "whole USA" for 2020 were:

- Breastfed ever = NO: 225560.3 +/- 4884.871
- Breastfed ever = YES: 1609464 +/- 5540.240

This leads to a percentage of YES estimate of `1609464 * 100 / (1609464 + 225560.3)` = 87.7080483% which is pretty close to what is in the CDC PRAMS Indicators Report for GA in 2020 - with some numerical precision variation due to software algorithms.

**Congratulations on getting started with the PRAMS Dataset**

## 3. Data Wrangling with PRAMS

Data wrangling with the PRAMS data isn't much different from the methods already covered in Module 1.3.2.

Examples will be posted here working with the PRAMS Dataset for recoding, creating or modifying variables.

```
# create a factor variable
# and add labels
prams$VITAMIN.f <- factor(
  prams$VITAMIN,
  levels = c(1, 2, 3, 4),
  labels = c("1 = DIDNT TAKE VITAMIN",
             "2 = 1-3 TIMES/WEEK",
             "3 = 4-6 TIMES/WEEK",
             "4 = EVERY DAY/WEEK")
)

# create variable for anyone who
```

```
# took vitamins 4+ times a week
prams$VITAMIN_4plus <-
  ifelse(prams$VITAMIN > 2, 1, 0)

# add labels, make a factor
prams$VITAMIN_4plus.f <- factor(
  prams$VITAMIN_4plus,
  levels = c(0, 1),
  labels = c("3x/week or less",
             "4x/week or more")
)

# get stats for 2020 for GA
prams %>%
  filter(NEST_YR == 2020) %>%
  filter(STATE == "GA") %>%
  with(., table(STATE, VITAMIN_4plus.f,
                useNA = "ifany"))
```

```
     VITAMIN_4plus.f
STATE 3x/week or less 4x/week or more <NA>
   GA             443              247    2
```

```
prams_ga <- prams %>%
  filter(STATE == "GA")

# create the survey design file for GA
prams_ga.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams_ga)

# get a table of vitamins 4+ times per week
# by YEAR
svyby(~VITAMIN_4plus.f, ~NEST_YR,
      design = prams_ga.svy,
      svytotal, na.rm=TRUE)
```

```
     NEST_YR VITAMIN_4plus.f3x/week or less VITAMIN_4plus.f4x/week or more
2017    2017                       86492.91                       37312.18
2018    2018                       76796.28                       43028.81
2019    2019                       74523.87                       46236.67
```

```
2020    2020                        75313.80                        42263.67
2021    2021                        69861.41                        48766.71
     se.VITAMIN_4plus.f3x/week or less se.VITAMIN_4plus.f4x/week or more
2017                          2715.819                          2653.349
2018                          2817.611                          2732.988
2019                          2786.899                          2666.692
2020                          2779.229                          2802.984
2021                          2824.624                          2693.566
```

The unweighted breakdown for GA in 2020

- NO Vitamins =< 3x/wk 443 64.2%
- YES Vitamins => 4x/wk 247 35.8%
- Total 690

Weighted Breakdown for GA in 2020

- NO Vitamins =< 3x/wk 75313.80 +/- 2779.229 (64.1%) []
- YES Vitamins => 4x/wk 42263.67 +/- 2802.984 (35.9%) [33.6%, 38.3%]
- Total 117,577.47

get proportions and ci's

```
prams_ga2000 <- prams %>%
  filter(STATE == "GA") %>%
  filter(NEST_YR == 2020)

# create the survey design file for GA
# for year 2020
prams_ga2000.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams_ga2000)

svytable(~VITAMIN_4plus,
         prams_ga2000.svy)
```

```
VITAMIN_4plus
       0        1
75313.80 42263.67
```

```
svyciprop(~VITAMIN_4plus,
          prams_ga2000.svy,
          na.rm = T)
```

```
                    2.5% 97.5%
VITAMIN_4plus 0.359 0.315 0.407
```

Compare the results below to the EXCEL spreadsheet Pregnancy Risk Assessment Monitoring System (PRAMS) MCH Indicators (standard version) - see 2020 for GA - 1st set of indicators for Vitamins taken 4x a week or more.

```
prams_ga2000 <- prams %>%
  filter(STATE == "GA") %>%
  filter(NEST_YR == 2020)

# create the survey design file for GA
# for year 2020
prams_ga2000.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams_ga2000)

# get a table of vitamins 4+ times per week
# by YEAR
svyby(~VITAMIN_4plus.f, ~NEST_YR,
      design = prams_ga2000.svy,
      svytotal, na.rm=TRUE)
```

```
     NEST_YR VITAMIN_4plus.f3x/week or less VITAMIN_4plus.f4x/week or more
2020    2020                        75313.8                        42263.67
     se.VITAMIN_4plus.f3x/week or less se.VITAMIN_4plus.f4x/week or more
2020                          2779.229                          2802.984
```

```
# add custom statistic forconfidence intervals
confidence_intervals <- function(data, variable, by, ...) {

  ## extract the confidence intervals and multiply to get percentages
  props <- svyciprop(as.formula(paste0( "~" , variable)),
              data, na.rm = TRUE)

  ## extract the confidence intervals
  as.numeric(confint(props) * 100) %>% ## make numeric and multiply for
   ↪  percentage
    round(., digits = 1) %>%           ## round to one digit
    c(.) %>%                           ## extract the numbers from matrix
    paste0(., collapse = "-")          ## combine to single character
}
```

| Characteristic | Weighted total (N) | Weighted Count[1] | 95%CI |
|---|---|---|---|
| VITAMIN_4plus | 117,577 | 42,264 (36%) | 31.5-40.7 |
| Unknown | | 363 | |

[1] n (%)

```
library(gtsummary)
tbl_svysummary(
  data = prams_ga2000.svy,
  include = c(VITAMIN_4plus),
  statistic = list(everything() ~ c("{n} ({p}%)"))
  ) %>%
  add_n() %>%
  add_stat(fns = everything() ~ confidence_intervals) %>%
  modify_header(
    list(
      n ~ "**Weighted total (N)**",
      stat_0 ~ "**Weighted Count**",
      add_stat_1 ~ "**95%CI**"
    ))
```

## 4. Visualizing PRAMS Data

Examples will be posted here for making graphs and figures with suggestions on handling very large datasets.

let's look at maternal age variable `MAT_AGE_PU`, see PRAMS Codebook.

Histogram of Maternal Age - Unweighted

```
hist(prams$MAT_AGE_PU)
```




Histogram of Maternal Age - Complex Survey Weighted

```
# use survey design data
# get histogram using svyhist() function
svyhist(formula = ~MAT_AGE_PU,
        design = prams.svy)
```




Maternal weight gain in lbs

```
# MOMLBS
hist(prams$MOMLBS)
```




```
summary(prams$MOMLBS)
```

```
   Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
   0.00   19.00   28.00   28.48   37.00   97.00    6275
```

```
svyhist(formula = ~MOMLBS,
        design = prams.svy)
```




scatterplot of weight gain by age

look at ga for 2020

```
library(ggplot2)
ggplot(prams_ga2000, aes(x=MAT_AGE_PU, y=MOMLBS)) +
  geom_point()
```




weighted plot - notice the varying sizes of the dots (bubbles)

```
svyplot(MOMLBS~MAT_AGE_PU,
        prams_ga2000.svy,
        style = "bubble")
```




another option - gray scale hex symbols - darker indicate higher counts, see `help(svyplot, package = "survey")`.

```
svyplot(MOMLBS~MAT_AGE_PU,
        prams_ga2000.svy,
        style = "grayhex")
```




## 5. Missing Data in PRAMS

Examples will be posted here for summarizing and visualizing missing data in PRAMS.

```
prams_ga2000 <- prams %>%
  filter(STATE == "GA") %>%
  filter(NEST_YR == 2020)

# amount of missing data for VITAMIN
```

```
# unweighted
 #   1    2    3    4 <NA>
 # 390   53   33  214    2
# 2/692 = 0.289%
table(prams_ga2000$VITAMIN, useNA = "ifany")
```

```
   1    2    3    4 <NA>
 390   53   33  214    2
```

```
# add missing indicator for VITAMIN
prams_ga2000$VITAMIN_na <-
  as.numeric(is.na(prams_ga2000$VITAMIN))
sum(prams_ga2000$VITAMIN_na)
```

```
[1] 2
```

```
# create the survey design file for GA
# for year 2020
prams_ga2000.svy <-
  svydesign(ids = ~0, strata = ~SUD_NEST,
            fpc = ~TOTCNT, weights = ~WTANAL,
            data = prams_ga2000)

tbl_svysummary(
  data = prams_ga2000.svy,
  include = c(VITAMIN_na),
  statistic = list(everything() ~ c("{n} ({p}%)"))
  ) %>%
  add_n() %>%
  add_stat(fns = everything() ~ confidence_intervals) %>%
  modify_header(
    list(
      n ~ "**Weighted total (N)**",
      stat_0 ~ "**Weighted Count**",
      add_stat_1 ~ "**95%CI**"
    ))
```

```
# weighted 0.3%, CI: 0.1 to 1.8%
```

| Characteristic | Weighted total (N) | Weighted Count[1] | 95%CI |
|---|---|---|---|
| VITAMIN_na | 117,940 | 363 (0.3%) | 0.1-1.8 |

[1]n (%)

## 6. PRAMS Statistical Tests and Models

Examples will be posted here for statistical tests and models (such as linear and logistic regression) for both the unweighted and weighted data approaches.

association of age and weight gain - linear regression

```
lm1 <- lm(MOMLBS ~ MAT_AGE_PU,
          data = prams_ga2000)
summary(lm1)
```

```
Call:
lm(formula = MOMLBS ~ MAT_AGE_PU, data = prams_ga2000)

Residuals:
    Min      1Q  Median      3Q     Max
-29.566  -8.733  -1.089   8.161  68.722

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) 26.23389    2.80325   9.358   <2e-16 ***
MAT_AGE_PU   0.07572    0.09545   0.793    0.428
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 15.18 on 686 degrees of freedom
  (4 observations deleted due to missingness)
Multiple R-squared:  0.0009166, Adjusted R-squared:  -0.0005398
F-statistic: 0.6294 on 1 and 686 DF,  p-value: 0.4279
```

weighted

```
summary(svyglm(MOMLBS ~ MAT_AGE_PU,
               design = prams_ga2000.svy))
```

```
Call:
svyglm(formula = MOMLBS ~ MAT_AGE_PU, design = prams_ga2000.svy)

Survey design:
svydesign(ids = ~0, strata = ~SUD_NEST, fpc = ~TOTCNT, weights = ~WTANAL,
    data = prams_ga2000)

Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 30.210104   3.935380   7.677 5.65e-14 ***
MAT_AGE_PU  -0.005842   0.135304  -0.043    0.966
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for gaussian family taken to be 231.9695)

Number of Fisher Scoring iterations: 2
```

contingency tables - vitamin use by breastfeeding

```
table(prams_ga2000$VITAMIN_4plus.f,
      prams_ga2000$BF5EVER.f,
      useNA = "ifany")
```

```
                   NO YES <NA>
  3x/week or less  95 337   11
  4x/week or more  18 225    4
  <NA>              1   1    0
```

```
library(gmodels)
CrossTable(x = prams_ga2000$VITAMIN_4plus.f,
           y = prams_ga2000$BF5EVER.f,
           expected = TRUE,
           prop.r = FALSE,
           prop.c = TRUE,
           prop.t = FALSE,
           prop.chisq = FALSE,
           chisq = TRUE,
           format = "SPSS")
```

```
   Cell Contents
|-------------------------|
|                   Count |
|         Expected Values |
|          Column Percent |
|-------------------------|

Total Observations in Table:  675

                             | prams_ga2000$BF5EVER.f
prams_ga2000$VITAMIN_4plus.f |       NO  |      YES  | Row Total |
-----------------------------|-----------|-----------|-----------|
             3x/week or less |       95  |      337  |      432  |
                             |   72.320  |  359.680  |           |
                             |   84.071% |   59.964% |           |
-----------------------------|-----------|-----------|-----------|
             4x/week or more |       18  |      225  |      243  |
                             |   40.680  |  202.320  |           |
                             |   15.929% |   40.036% |           |
-----------------------------|-----------|-----------|-----------|
                Column Total |      113  |      562  |      675  |
                             |   16.741% |   83.259% |           |
-----------------------------|-----------|-----------|-----------|


Statistics for All Table Factors


Pearson's Chi-squared test
------------------------------------------------------------
Chi^2 =  23.72972     d.f. =  1     p =  1.108573e-06

Pearson's Chi-squared test with Yates' continuity correction
------------------------------------------------------------
Chi^2 =  22.69497     d.f. =  1     p =  1.898642e-06


       Minimum expected frequency: 40.68
```

weighted

| Characteristic | OR[1] | 95% CI[1] | p-value |
|---|---|---|---|
| Maternal age grouped | 1.07 | 1.04, 1.11 | <0.001 |
| BF5EVER.f | | | |
| NO | — | — | |
| YES | 2.82 | 1.67, 4.99 | <0.001 |

[1]OR = Odds Ratio, CI = Confidence Interval

```
svytable(~VITAMIN_4plus.f + BF5EVER.f,
         prams_ga2000.svy)
```

```
                 BF5EVER.f
VITAMIN_4plus.f          NO       YES
  3x/week or less 18458.169 55008.856
  4x/week or more  3334.398 38789.322
```

```
svychisq(~VITAMIN_4plus.f + BF5EVER.f,
         prams_ga2000.svy,
         statistic = "Chisq")
```

```
    Pearson's X^2: Rao & Scott adjustment

data:  svychisq(~VITAMIN_4plus.f + BF5EVER.f, prams_ga2000.svy, statistic =
"Chisq")
X-squared = 31.025, df = 1, p-value = 1.222e-05
```

logistic regression

look at vitamin use by breastfeeding and maternal age

```
glm1 <-glm(VITAMIN_4plus ~ MAT_AGE_PU + BF5EVER.f,
           data = prams_ga2000,
           family = "binomial")
gtsummary::tbl_regression(glm1,
                          exponentiate = TRUE)
```

weighted

```
wtglm1 <- svyglm(VITAMIN_4plus ~ MAT_AGE_PU + BF5EVER.f,
                 design = prams_ga2000.svy,
                 family=quasibinomial())
summary(wtglm1)
```

```
Call:
svyglm(formula = VITAMIN_4plus ~ MAT_AGE_PU + BF5EVER.f, design =
prams_ga2000.svy,
    family = quasibinomial())

Survey design:
svydesign(ids = ~0, strata = ~SUD_NEST, fpc = ~TOTCNT, weights = ~WTANAL,
    data = prams_ga2000)

Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept)  -3.36672    0.60317  -5.582 3.46e-08 ***
MAT_AGE_PU    0.06250    0.01901   3.287 0.001064 **
BF5EVER.fYES  1.18775    0.33359   3.561 0.000396 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for quasibinomial family taken to be 1.006803)

Number of Fisher Scoring iterations: 4
```

```
exp(coef(wtglm1))
```

```
 (Intercept)   MAT_AGE_PU BF5EVER.fYES
   0.0345025    1.0644955    3.2797036
```

## 7. PRAMS Reproducible Research Report

A Rmarkdown analysis report will be provided here as a template to "kick start" your research with the PRAMS dataset.

1. Download this Rmarkdown template PRAMS Report.
2. Knit to HTML
3. Knit to DOC
4. Knit to PDF (if you've installed `tinytex` package)
5. Knit with Parameters - Change the year from 2020 to 2018 and re-knit the document

## References


Bates, Douglas, Martin Maechler, and Mikael Jagan. 2024. *Matrix: Sparse and Dense Matrix Classes and Methods*. https://Matrix.R-forge.R-project.org.

Boettiger, Carl. 2021. *Knitcitations: Citations for Knitr Markdown Files*. https://github.com/cboettig/knitcitations.

Lumley, Thomas. 2004. "Analysis of Complex Survey Samples." *Journal of Statistical Software* 9 (1): 1–19.

———. 2010. *Complex Surveys: A Guide to Analysis Using r: A Guide to Analysis Using r*. John Wiley; Sons.

Lumley, Thomas, Peter Gao, and Ben Schneider. 2024. *Survey: Analysis of Complex Survey Samples*. http://r-survey.r-forge.r-project.org/survey/.

R Core Team. 2025. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.

Shulman, Holly B., Denise V. D'Angelo, Leslie Harrison, Ruben A. Smith, and Lee Warner. 2018. "The Pregnancy Risk Assessment Monitoring System (PRAMS): Overview of Design and Methodology." *American Journal of Public Health* 108 (10): 1305–13. https://doi.org/10.2105/ajph.2018.304563.

Sjoberg, Daniel D., Joseph Larmarange, Michael Curry, Jessica Lavery, Karissa Whiting, and Emily C. Zabor. 2024. *Gtsummary: Presentation-Ready Data Summary and Analytic Result Tables*. https://github.com/ddsjoberg/gtsummary.

Sjoberg, Daniel D., Karissa Whiting, Michael Curry, Jessica A. Lavery, and Joseph Larmarange. 2021. "Reproducible Summary Tables with the Gtsummary Package." *The R Journal* 13: 570–80. https://doi.org/10.32614/RJ-2021-053.

Terry M. Therneau, and Patricia M. Grambsch. 2000. *Modeling Survival Data: Extending the Cox Model*. New York: Springer.

Therneau, Terry M. 2024. *Survival: Survival Analysis*. https://github.com/therneau/survival.

Warnes, Gregory R., Ben Bolker, Thomas Lumley, Randall C Johnson. Contributions from Randall C. Johnson are Copyright SAIC-Frederick, Inc. Funded by the Intramural Research Program, of the NIH, National Cancer Institute, and Center for Cancer Research under NCI Contract NO1-CO-12400. 2022. *Gmodels: Various r Programming Tools for Model Fitting*. https://doi.org/10.32614/CRAN.package.gmodels.

Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. https://ggplot2.tidyverse.org.

Wickham, Hadley, Winston Chang, Lionel Henry, Thomas Lin Pedersen, Kohske Takahashi, Claus Wilke, Kara Woo, Hiroaki Yutani, Dewey Dunnington, and Teun van den Brand. 2024. *Ggplot2: Create Elegant Data Visualisations Using the Grammar of Graphics*. https://ggplot2.tidyverse.org.

Wickham, Hadley, Romain François, Lionel Henry, Kirill Müller, and Davis Vaughan. 2023. *Dplyr: A Grammar of Data Manipulation*. https://dplyr.tidyverse.org.

Wickham, Hadley, Evan Miller, and Danny Smith. 2023. *Haven: Import and Export SPSS, Stata and SAS Files*. https://haven.tidyverse.org.

## Other Helpful Resources

**Other Helpful Resources**