Aims:

To perform an uninformed and an informed search for a given problem in a search space organized as a tree.

Task:

Specify, design and deploy an application in python that solves your assigned problem using the specified search methods. The applications should follow the following conditions:

1. It must have a nice architecture (for example the following UML diagram - you can add functions and classes as need it)




Figure 1: The UML diagram

- 2. the input data will be an integer
- 3. the user can choose in a text menu the method that will be used to solve the problem

Each problem must be solved with both two methods!!! AND NOT WITH OTHER ONES!!!

Points:

- 40 points / method.
- 20 points for the architecture and for the quality of your application.
- A minimum of 50 points must be obtained in order to validate your laboratory.

Time:

Deadline is at the beginning of the third lab.

General hints:

- Determine the search tree according to your problem! Will help you A LOT!
- Do not implement functions that you will NEVER use in your application!
- Do NOT solve the problem with other methods. You will not be granted points if you do this.

Problem:

Solve the following type of Latin Square (GREEDY, DFS)

Fill the square matrix A from $M_{(n,n)}$, $n \in \mathbb{N}^*$ with integers fulfilling the following constraints:

1.
$$a_{i,j} \in \{0,1\}$$

2.
$$\sum_{i=1}^{n} a_{i,j} = 1$$
, $\forall j \in \{1, 2, ..., n\}$

3.
$$\sum_{i=1}^{n} a_{i,j} = 1$$
, $\forall i \in \{1, 2, ..., n\}$

2.
$$\sum_{\substack{i=1\\n}} a_{i,j} = 1, \ \forall j \in \{1, 2, ..., n\}$$
3.
$$\sum_{j=1}^{n} a_{i,j} = 1, \ \forall i \in \{1, 2, ..., n\}$$
4.
$$\left\{ (a_{i_1j_1}, b_{i_2j_2}) | a_{i_1j_1} \in A, b_{i_2j_2} \in A, \left| i_1 - i_2 \right| - \left| j_1 - j_2 \right| = 0, a_{i_1j_1} = 1, b_{i_2j_2} = 1 \right\} = \emptyset$$

If for a n such a matrix does not exist, print a proper message.