

E-HAKBANG

Electronic — Hakbang sa Gobyerno
"Your step-by-step government journey, powered by AI."

Document Type	Product Requirements Document (PRD)
Product Name	E-Hakbang
Version	2.0 — Updated & Formalized
Status	● ACTIVE — For Team Development
Platform	Web Application (Mobile-First)
Event	eGov PH Hackathon 2025
Submitted To	DICT — Department of Information and Communications Technology
Last Updated	July 20, 2026



Purpose of This Document

This PRD defines the complete product requirements for E-Hakbang — a dynamic, AI-powered government journey planner for Filipino citizens. It serves as the authoritative reference for all design, development, and integration decisions made by the E-Hakbang team.

1. Executive Summary

E-Hakbang is a web-based, AI-powered government journey planner that guides Filipino citizens through the complete sequence of government actions required after a significant life event — such as getting married, losing a job, giving birth, retiring, becoming a PWD, or starting a business.

Unlike the existing eGov PH AI chatbot, which names agencies but provides no further assistance, E-Hakbang generates a fully ordered, personalized checklist of government steps — each with the reason for the step, the documents required, the step type (Record Update or Benefit Claim), and a direct link to the official eGov PH service page.

E-Hakbang is powered by the Anthropic Claude API with live web search enabled — meaning every journey is generated from current, live government website data rather than static training memory. This eliminates the hallucination and data staleness risks inherent in standard LLM deployments.



Core Value Proposition

"Filipinos do not search for what to do after a life change. E-Hakbang tells them — in the right order, with the right documents, linked to the right service, in plain Filipino or English."

2. Product Vision & Goals

2.1 Vision Statement

To become the single most trusted starting point for every Filipino navigating the government — the moment something changes in their life, E-Hakbang tells them exactly what to do next.

2.2 Product Goals

- Reduce the time a Filipino spends figuring out what government steps to take after a life event from days to under 5 minutes.
- Eliminate instances of Filipinos visiting the wrong agency or bringing the wrong documents by providing ordered, accurate step guidance.
- Surface government benefit claims (SSS, PhilHealth, DSWD, DOLE) that Filipinos are entitled to but do not know exist.
- Integrate meaningfully with the eGov PH ecosystem by using live service catalog links as the final authority on requirements and forms.
- Maintain zero personal data collection — the system must work without login, registration, or any identifying information.

2.3 Design Principles

Principle	Description
Zero friction	A user with no tech background must complete a journey with no external help.
Privacy first	No name, ID, contact, or personal data is ever collected or transmitted.
Live accuracy	All benefit and requirement data is sourced from live government websites at query time — never from a static database.
Honest AI	The system never presents benefit amounts or eligibility as guaranteed. Users are always directed to the official source for verification.

Principle	Description
Mobile first	The primary device for most Filipinos is a mobile phone. All UI decisions prioritize small screens.
Plain language	Every step is explained in plain Filipino or English. No government jargon without explanation.

3. Problem Statement

3.1 The Core Problem

When a Filipino citizen experiences a major life event, they face an immediate but invisible obligation: update their records and claim their benefits across multiple government agencies. This obligation is rarely communicated, never centralized, and widely misunderstood.

The consequences are real and costly:

- Citizens visit agencies in the wrong order — wasting hours in queue — because they do not know that one agency requires a document from another.
- Benefits worth thousands of pesos (SSS maternity, PhilHealth reimbursements, DOLE unemployment insurance) go unclaimed because citizens do not know they qualify.
- Government offices are overwhelmed with inquiry traffic from citizens who simply want to know "what do I need to bring?"
- Online information is fragmented, often from unofficial blogs, outdated by years, and written in technical language inaccessible to the average Filipino.

3.2 The Gap in the Existing eGov Solution

The eGov PH portal includes an AI chatbot. However, an audit of its responses reveals consistent critical gaps:

What the eGov Chatbot Does	What It Fails To Do
Names the agencies a citizen should visit	Provides no direct links to the actual service pages
Gives a general answer per life event	Does not specify the correct order of agency visits
Responds in natural language	Does not list the required documents per agency step
Available 24/7 on the portal	Provides no mechanism to track what has been completed
Handles common queries	Does not surface benefit claims the citizen may not know they qualify for

E-Hakbang is not a replacement for the eGov chatbot. It is a purpose-built extension that completes what the chatbot starts.

4. Target Users & Personas

4.1 Primary Users

E-Hakbang serves every Filipino who has experienced a life event that triggers government obligations or entitlements. Primary focus is given to non-tech-savvy users who are most disadvantaged by fragmented information.

Persona A — Maria, 27, Newly Married Office Worker

Attribute	Detail
Background	BPO employee, Quezon City, recently married in a civil ceremony

Attribute	Detail
Problem	Does not know she needs to update SSS, PhilHealth, Pag-IBIG, and BIR after marriage — or that her husband can now be her PhilHealth dependent for free
Behavior	Googles questions but gets conflicting blog answers. Afraid of going to the wrong office.
Goal	Know exactly what to do, in the right order, without taking multiple days off from work
Device	iPhone, mobile-first user

Persona B — Nena, 34, New Mother (Informal Worker)

Attribute	Detail
Background	Street vendor, Bulacan, just gave birth at a public hospital
Problem	Unaware she may be entitled to SSS maternity cash benefit and PhilHealth reimbursement. Does not know how to register her baby's birth with PSA.
Behavior	Asks neighbors or relatives — gets inconsistent answers. No time or budget for multiple office visits.
Goal	Claim every benefit she is entitled to without wasting days at offices that turn her away
Device	Android budget phone, prefers Filipino language

Persona C — Mang Ernesto, 62, Retiring Government Employee

Attribute	Detail
Background	Public school teacher, retiring after 35 years of service
Problem	Unsure of the difference between GSIS and SSS retirement claims. Does not know the correct sequence or what PhilHealth senior benefits he now qualifies for.
Behavior	Relies on colleagues and union members for advice. Not confident using smartphones but has a tablet.
Goal	A clear, simple list of exactly what to do and in what order — explained in plain language
Device	Tablet, prefers large text, Filipino/English mix

Persona D — Ate Cynthia, 45, Barangay Officer

Attribute	Detail
Background	Barangay kagawad, Leyte. Frequently assists constituents with government transactions.
Problem	Spends significant time answering the same questions from constituents about what documents are needed and which office to go to first.
Behavior	Uses Facebook and printed guides from LGU. Manually checks agency websites for updates.
Goal	A reliable tool she can use to instantly generate a checklist for any constituent's life situation
Device	Android mid-range phone, desktop access at barangay hall

5. User Stories

ID	As a...	I want to...	So that...	Priority
US-01	Citizen	Type or describe my life event in plain language	I can get a journey tailored to my exact situation without picking from a limited list	High
US-02	Citizen	Choose from predefined life event cards	I can start quickly even if I don't know how to describe my situation	High
US-03	Citizen	See a step-by-step ordered list of agencies and actions	I know exactly where to go first, second, and third without guessing	High
US-04	Citizen	Know why each step is required	I understand the reason and am motivated to complete it	High
US-05	Citizen	See the documents I need to bring for each step	I can prepare everything before going to the office	High
US-06	Citizen	Click directly to the official eGov service page per step	I am confident I am using the correct, current official source	High
US-07	Citizen	Know which steps are Record Updates and which are Benefit Claims	I understand whether I am fulfilling an obligation or claiming money I am owed	High
US-08	Citizen	Manually check off each step as I complete it	I can track my progress and know what is still pending	High
US-09	Citizen	See a progress bar showing overall journey completion	I have a visual sense of how far along I am	Medium
US-10	Citizen	Have my progress saved without creating an account	I can leave and return without losing my place	High
US-11	Citizen	Archive a completed journey with a completion date	I have a record of what I have done and when	Medium
US-12	Citizen	See a disclaimer that directs me to the official page for benefit amounts	I am not misled by potentially outdated AI-generated figures	High
US-13	Citizen	Read everything in Filipino or English	I can understand the content regardless of my language preference	Medium
US-14	Barangay Officer	Generate a journey for a constituent I am assisting	I can give them an accurate, complete checklist in under a minute	Medium
US-15	Citizen	Ask a follow-up question about any specific step	I get clarification without leaving the app or calling an agency	Medium

6. Functional Requirements

6.1 Life Event Input

FR-01	Dynamic Free-Text Life Event Input	High	v1.0
Description The system shall provide a prominent text input field where the user can describe their life event in their own words, in either Filipino or English. The input must accept any natural language description without format restrictions. As the user types, the system suggests matching predefined life event categories below the input field. Acceptance Criteria ✓ Text input field is visible and focused by default on page load. ✓ Input accepts Filipino, English, or Taglish without error. ✓ After minimum 3 characters, suggested life event categories appear as selectable chips below the input. ✓ User can submit by pressing Enter or clicking a "Generate My Journey" button. ✓ Input is transmitted to the Claude API as part of the journey generation prompt.			

FR-02	Predefined Life Event Cards	High	v1.0
Description Below the text input, the system shall display a set of predefined life event cards as visual shortcuts. These cards serve as starting points for users who cannot describe their situation or prefer a faster entry method. Selecting a card populates the text input and immediately triggers journey generation. Acceptance Criteria ✓ Minimum 8 predefined event cards are displayed: Got Married, Had a Baby, Lost a Job, Retired, Started a Business, Became a Senior Citizen, Became a PWD, Spouse or Family Member Died. ✓ Each card displays an emoji icon, a short label, and a Filipino subtitle. ✓ Tapping a card populates the text input field with the event description and triggers journey generation. ✓ Cards are displayed in a responsive grid: 3 columns on desktop, 2 columns on mobile. ✓ A "More events" expansion reveals additional less-common life events.			

6.2 Journey Generation

FR-03	AI Journey Generation via Claude API with Web Search	High	v1.0
Description Upon life event submission, the system shall call the Anthropic Claude API with the web search tool enabled. Claude must search live Philippine government websites to retrieve current requirements, steps, and benefit information before generating the journey. The system must not rely solely on Claude training memory for benefit-specific information. The response must be returned in structured JSON format. Acceptance Criteria ✓ Claude API is called with web_search tool enabled upon every journey generation request. ✓ The system prompt instructs Claude to search official .gov.ph websites before responding. ✓ Claude returns a valid JSON array of step objects (see Section 9.2 for schema). ✓ Journey is generated within 8 seconds under normal network conditions. ✓ If Claude API fails, the system displays a graceful error with a fallback message directing users to eGov PH. ✓ The system prompt explicitly prohibits Claude from stating specific peso amounts or exact eligibility thresholds without sourcing them from live search results.			

FR-04	Step Type Classification	High	v1.0
Description Each generated journey step must be classified into one of two types: Record Update (the citizen is fulfilling a legal obligation to update their information) or Benefit Claim (the citizen is entitled to claim money, services, or assistance). This classification must be visually distinct in the UI and included in the Claude API response schema. Acceptance Criteria ✓ Every step returned by Claude includes a "step_type" field: either "record_update" or "benefit_claim". ✓ Record Update steps display a document icon and a blue "Record Update" label. ✓ Benefit Claim steps display a currency icon and a green "Benefit Claim" label. ✓ The journey summary header shows a count of each type: e.g., "4 Record Updates • 2 Benefit Claims".			

6.3 Journey Display

FR-05	Step Card Display	High	v1.0
Description Each step in the generated journey must be displayed as a structured card containing all information a citizen needs to take action. Cards must be ordered by the sequence Claude determines is correct — reflecting real-world dependencies between agencies. Acceptance Criteria ✓ Each card displays: step number, agency name, step type badge, step title, reason (why this step is needed), documents required (as a list), estimated processing time, and a "Go to Official Service" button. ✓ The "Go to Official Service" button links to the eGov PH service catalog entry for that agency/transaction. ✓ Cards are displayed in a single scrollable vertical list. ✓ Completed steps display a green check overlay and reduced opacity to visually distinguish them from pending steps. ✓ Steps with Benefit Claim type include a disclaimer: "Check your exact eligibility and current benefit amount on the official page."			

6.4 Progress & Checklist

FR-06	Manual Step Completion Checklist	High	v1.0
Description Each step card must include a manual completion button that the user taps to mark that step as done. The system must not attempt to detect completion automatically, as agency systems are not integrated. After returning from an external eGov link, the system shall prompt the user whether they completed the action. Acceptance Criteria ✓ Each step card has a "Mark as Done" button, visible and accessible. ✓ Tapping "Mark as Done" requires a single confirmation: "Did you complete this step?" with "Yes" / "Not Yet" options. ✓ Upon confirmation, the step is marked complete: checkbox fills green, card is visually de-emphasized. ✓ Steps cannot be unchecked once confirmed (to prevent accidental resets). A separate "Undo last step" option is available. ✓ When the user returns from an external eGov PH link, a modal prompts: "Did you complete Step N at [Agency]?"			

FR-07	Progress Bar & Journey Summary	Medium	v1.0
Description The system shall display a persistent progress bar at the top of the journey view showing the overall completion status of the current journey. The bar must update in real time as steps are marked complete.			

Acceptance Criteria

- ✓ Progress bar displays as a horizontal fill bar with label: "X of Y steps completed".
- ✓ Progress bar is sticky at the top of the journey screen on mobile.
- ✓ Color transitions from blue (in progress) to green (fully complete).
- ✓ Completion percentage is shown numerically alongside the bar.

FR-08

Journey Persistence (localStorage)

High

v1.0

Description

All journey data and progress state must be saved to browser localStorage automatically and continuously. No user account or login is required. The journey must be fully restorable on return visits from the same device and browser.

Acceptance Criteria

- ✓ Journey data is written to localStorage after every step state change.
- ✓ On page load, the system checks localStorage for an active or archived journey.
- ✓ If an active journey exists, the system restores it and displays the current progress.
- ✓ localStorage keys follow the schema: ehakbang:journey:{timestamp} for journey data and ehakbang:progress:{timestamp} for step completion states.
- ✓ Data persists until the user manually clears it via the "Clear My Journeys" option in settings.

FR-09

Journey Archive

Medium

v1.0

Description

When all steps in a journey are marked complete, the system displays a Journey Complete screen and offers to archive the journey. Archived journeys are stored in localStorage and accessible from a "My Journeys" tab. Active journeys that have not been completed also appear here, allowing the user to resume them.

Acceptance Criteria

- ✓ Journey Complete screen displays: life event title, total steps completed, completion date.
- ✓ "Archive Journey" button moves the journey from active to archived state in localStorage.
- ✓ "My Journeys" tab shows all archived and active journeys with status, life event label, and date.
- ✓ Each journey in the list has a "View" button that opens a read-only summary of all steps.
- ✓ Active (incomplete) journeys show a "Continue" button that returns to the in-progress checklist.
- ✓ A "Start New Journey" button is always accessible from the My Journeys screen.

6.5 Supporting Features

FR-10

Disclaimer System for Benefit Claims

High

v1.0

Description

Every step classified as Benefit Claim must display a standardized disclaimer. The system must never present specific peso amounts, exact contribution thresholds, or definitive eligibility rules as guaranteed facts. All such specifics must be attributed to the official government source with a direct link.

Acceptance Criteria

- ✓ Benefit Claim cards display the disclaimer: "Benefit details and eligibility may change. Always verify current amounts and requirements on the official agency page before proceeding."
- ✓ The disclaimer is visually distinct (amber background, warning icon) but not obtrusive.
- ✓ The "Go to Official Service" button is prominently placed on all Benefit Claim cards.
- ✓ Claude system prompt explicitly instructs against stating specific amounts without live search confirmation.

FR-11	Language Toggle (Filipino / English)	Medium	v1.0
Description The system shall support a language toggle allowing the user to switch the UI and journey content between Filipino (Tagalog) and English. The toggle persists across sessions via localStorage. Acceptance Criteria ✓ Language toggle is accessible from the main header. ✓ Switching language re-renders all static UI text in the selected language. ✓ For dynamically generated journey content, the Claude prompt includes a language instruction: "Respond in [selected language]." ✓ Language preference is stored in localStorage and applied on return visits.			

FR-12	Step-Level AI Follow-Up Chat	Medium	v1.0
Description Each step card shall include an expandable "Ask a question about this step" section. When expanded, the user may type a follow-up question specific to that step. The question is sent to Claude with the step context included in the prompt. Acceptance Criteria ✓ An "Ask about this step" toggle is present on each step card, collapsed by default. ✓ Expanding it reveals a text input and send button. ✓ The Claude API call includes the step details as context and the user question as the prompt. ✓ Response is displayed inline beneath the input. ✓ Follow-up questions do not modify the main journey checklist.			

7. Non-Functional Requirements

ID	Category	Requirement	Target
NFR-01	Performance	Journey generation time (Claude API response rendered)	Under 8 seconds on 4G connection
NFR-02	Performance	Page initial load time	Under 3 seconds on 4G connection
NFR-03	Accessibility	Minimum font size for body text	16px / 20pt — legible for senior users
NFR-04	Accessibility	Touch target size for all interactive elements	Minimum 48x48px (WCAG AA)
NFR-05	Accessibility	Contrast ratio for all text	Minimum 4.5:1 (WCAG AA)
NFR-06	Reliability	Claude API failure handling	Graceful error message shown within 10s timeout
NFR-07	Reliability	localStorage failure handling	System remains functional; journey stored in memory for session
NFR-08	Privacy	Personal data collected	Zero — no name, ID, contact, or identifying information
NFR-09	Privacy	Data transmitted to Claude API	Life event description only — no user identity data
NFR-10	Privacy	Server-side data storage	None — all state is client-side (localStorage)
NFR-11	Compatibility	Mobile browser support	Chrome Android, Safari iOS — latest 2 major versions
NFR-12	Compatibility	Desktop browser support	Chrome, Firefox, Edge — latest 2 major versions
NFR-13	Scalability	Concurrent users (hackathon demo)	System stable with 50 concurrent users (Vercel free tier)
NFR-14	Usability	User success without instruction	A non-tech user must complete a full journey without external help
NFR-15	Legal	Philippine Data Privacy Act (R.A. 10173)	Full compliance — no personal data collected, no processing required

8. System Architecture

8.1 Architecture Overview

E-Hakbang follows a lightweight client-heavy architecture. There is no application backend or database. The system consists of a frontend web application that communicates directly with third-party APIs. All state is managed client-side.

Architecture Type
Serverless Frontend + API-Driven (No custom backend, no database, no server-side state)

8.2 Component Architecture

Component	Technology	Responsibility	Location
Frontend Application	React / Next.js	All UI rendering, user interaction, state management	Client browser
Life Event Input Module	React component	Text input, predefined cards, form submission	Client browser
Journey Display Module	React component	Render step cards, progress bar, checklist	Client browser
Archive Module	React component	My Journeys tab, completed journey view	Client browser
API Service Layer	JavaScript module	All Claude and eGov API calls, response parsing, error handling	Client browser
State Manager	React state + localStorage	Journey data, step completion states, language preference	Client browser
Claude AI Engine	Anthropic Claude API	Journey generation from life event input with live web search	Anthropic cloud
eGov Service Catalog	eGov PH API	Official government service links per agency and transaction	DICT cloud

8.3 Data Flow

1. User enters life event text or selects a predefined card on the E-Hakbang frontend.
2. Frontend constructs a structured Claude API request including: system prompt, life event input, web search tool configuration, and JSON output schema.
3. The Anthropic Claude API receives the request and activates the web search tool.
4. Claude searches live Philippine government websites (sss.gov.ph, philhealth.gov.ph, psa.gov.ph, etc.) for current requirements and benefit information.
5. Claude synthesizes search results and generates a structured JSON journey array ordered by the correct agency sequence.
6. The frontend parses the JSON response and renders each step as a structured card component.
7. For each step, the frontend calls the eGov PH Service Catalog API to retrieve the official transaction URL.
8. The user interacts with step cards, marks steps complete, and checks progress.
9. All interaction state is written to browser localStorage in real time.
10. Completed journeys are moved to archive state in localStorage and displayed in the My Journeys tab.

9. API Specifications

9.1 Anthropic Claude API

Parameter	Value
Endpoint	https://api.anthropic.com/v1/messages
Model	claude-sonnet-4-6
Max Tokens	2000
Tool	web_search_20250305 (type: web_search, name: web_search)
Authentication	x-api-key header — Anthropic API key (client-side, environment variable)

9.1.1 System Prompt

Claude System Prompt (exact)

You are an expert on Philippine government services and agencies. When given a life event, your task is to generate the complete, ordered list of government actions the person must take.

IMPORTANT RULES:

1. Always use your web_search tool to search official Philippine government websites (.gov.ph) before generating your response. Search for current requirements, steps, and benefit details.
2. Search specifically: sss.gov.ph, philhealth.gov.ph, psa.gov.ph, pagibig.gov.ph, bir.gov.ph, dswd.gov.ph, dole.gov.ph, gsis.gov.ph as relevant to the life event.
3. Never state specific peso benefit amounts or exact eligibility thresholds unless confirmed by live search results. If uncertain, use "Check the official page for current amounts."
4. Order steps correctly — some agencies require documents from a previous step.
5. Classify each step as either "record_update" or "benefit_claim".
6. Respond ONLY in valid JSON. No markdown, no preamble, no explanation outside the JSON.
7. Respond in [LANGUAGE: Filipino or English based on user preference].

9.1.2 Response JSON Schema

Expected Claude API Response Schema

```
{
  "life_event": "string — normalized life event label",
  "summary": "string — 1-2 sentence plain language summary of the journey",
  "total_steps": number,
  "record_updates": number,
  "benefit_claims": number,
  "steps": [
    {
      "step_number": number,
      "agency_name": "string",
      "agency_code": "string — e.g. SSS, PHILHEALTH, PSA",
      "step_title": "string — short action label",
      "step_type": "record_update" | "benefit_claim",
```

```

"reason": "string — plain language explanation of why this step is needed",
"documents_required": ["string", "string"],
"estimated_time": "string — e.g. 1-2 weeks processing",
"important_note": "string | null — warnings, deadlines, or conditions",
"egov_service_name": "string — name of the eGov PH service",
"egov_search_term": "string — term to look up in eGov catalog API"
}
]
}

```

9.2 eGov PH Service Catalog API

The eGov PH Service Catalog API provides official government service listings maintained by DICT. E-Hakbang uses this API to retrieve the verified official transaction URL for each step in the generated journey.

Parameter	Value
Purpose	Retrieve official eGov PH service URL for each agency step in the journey
Integration Point	Called after Claude generates the journey — once per step card requiring a service link
Input	Agency code or service search term from Claude JSON response field "egov_search_term"
Output	Official service page URL displayed as the "Go to Official Service" button target
Fallback	If API returns no result for a step, fallback to the agency's main .gov.ph homepage URL
Authentication	As provided by DICT at hackathon registration

9.3 API Error Handling

Error Scenario	System Response	User Message
Claude API timeout (>10s)	Display error state on journey panel	"We're having trouble generating your journey. Please try again."
Claude API rate limit	Retry once after 2s; if fails, show error	"Our AI is currently busy. Please wait a moment and try again."
Claude returns invalid JSON	Attempt JSON repair; if fails, show error	"We received an unexpected response. Please try again."
eGov API returns no result for step	Use agency homepage as fallback link	Button label changes to "Visit [Agency] Website"
eGov API unreachable	All steps show agency homepage fallback	No user-facing error — fallback is silent
localStorage write fails	Keep state in React memory for session	Soft warning: "Progress may not be saved on this device."

10. UI/UX Requirements

10.1 Design Principles

- Mobile-first: All layouts designed for 375px width minimum. Desktop is an enhancement, not the baseline.
- No jargon: Every label, button, and message must be understandable to a 60-year-old with no tech background.
- Visual hierarchy: Step numbers, agency names, and completion status must be immediately scannable.
- Color as meaning: Green = done, Blue = action needed, Amber = caution/disclaimer, Red = required/urgent.
- Emotional tone: Calm, helpful, and clear. Not clinical or bureaucratic.

10.2 Screen 1 — Landing & Life Event Input

- Full-screen landing with E-Hakbang logo, tagline, and the search input as the hero element.
- Search input is focused on load, with placeholder: "Ilarawan ang iyong sitwasyon... (e.g. Bagong kasal, Nawalan ng trabaho)"
- Predefined life event cards appear below the input in a 2-column mobile grid.
- Cards show: emoji, short label (Filipino), sub-label (English).
- "Generate My Journey" button is prominently placed below the input.
- A subtle footer note: "Walang personal na impormasyon ang kinokolekta. / No personal information is collected."

10.3 Screen 2 — Journey Steps

- Header: Life event label + summary sentence from Claude response.
- Sub-header: "X Record Updates • Y Benefit Claims" count badges.
- Sticky progress bar below header: "Step X of Y complete" with fill bar.
- Scrollable list of step cards in order.
- Each card: Step number circle (blue) | Agency name (bold) | Step type badge | Title | Reason | Document list | Time estimate | Important note (if any) | "Go to Official Service" button | "Mark as Done" button.
- Benefit Claim cards include amber disclaimer box below the document list.
- "Ask about this step" expandable at the bottom of each card.

10.4 Screen 3 — Journey Complete

- Full-screen celebration state: green check icon, "Journey Complete!" heading.
- Summary: Life event, total steps, completion date.
- "Archive This Journey" primary button.
- "Start a New Journey" secondary button.

10.5 Screen 4 — My Journeys Archive

- Accessible from a tab or nav icon on the main header.
- Lists all journeys: active (in progress) and archived (complete).

- Each row: Life event emoji + label | Status badge (In Progress / Complete) | Date | Action button (Continue / View).
- "Clear All Journeys" option accessible from a settings or overflow menu.

11. Data & Privacy

11.1 Data Collection Policy

Zero Personal Data Collected

E-Hakbang collects no personal information of any kind. No name, no ID number, no contact information, no location, and no biometric data is ever requested, collected, stored, or transmitted.

11.2 Data Transmitted to External APIs

Data Item	Transmitted To	Purpose	Contains PII?
Life event description (user input)	Anthropic Claude API	Journey generation	No — life event text only, no identity data
Follow-up question text (optional)	Anthropic Claude API	Step-level clarification	No — question text only
Agency search term	eGov PH Service Catalog API	Retrieve official service URL	No — agency name only

11.3 Client-Side Storage (localStorage)

Key	Content	PII?	Retention
ehakbang:journey: {ts}	Claude-generated journey JSON	No	Until user clears
ehakbang:progress: {ts}	Step completion boolean array	No	Until user clears
ehakbang:lang	Language preference (fil/en)	No	Until user clears
ehakbang:archive	Array of archived journey summaries	No	Until user clears

11.4 Philippine Data Privacy Act Compliance

E-Hakbang is designed from the ground up to be fully compliant with the Philippine Data Privacy Act of 2012 (R.A. 10173) and its Implementing Rules and Regulations. Because no personal information is collected at any point in the system, E-Hakbang does not function as a personal information controller under the law and therefore has no registration, consent, or processing obligations thereunder.

12. Out of Scope (v1.0)

The following features and capabilities are explicitly excluded from E-Hakbang v1.0. They are documented here to prevent scope creep and to serve as the backlog for future iterations.

Feature	Reason for Exclusion	Future Version?
Online form submission or filing	Requires agency API integration; E-Hakbang is a guide, not a transaction system	v2.0
User accounts and authentication	Contradicts privacy-first principle; localStorage sufficient for v1.0	v2.0 (optional)
Automatic step completion detection	Agency systems are not integrated and do not emit completion events	Not planned
Real-time appointment booking	Requires agency-specific calendar APIs not currently available publicly	v3.0
Integration with agency back-end databases (SSS, PhilHealth, BIR)	No public API access; requires formal government partnership	Post-hackathon
Mobile native application (iOS / Android)	Web-first approach sufficient; native adds build complexity without hackathon benefit	v2.0
Multi-user or shared journeys	Out of scope for single-citizen use case in v1.0	v2.0
Document upload or storage	Creates PII handling obligation; outside product scope	Not planned
Push notifications for step reminders	Requires device permission and notification infrastructure	v2.0

13. Risks & Mitigations

ID	Risk	Likelihood	Impact	Mitigation
R-01	Claude web search returns outdated or incorrect government information	Medium	High	All Benefit Claim steps display a mandatory disclaimer directing users to the official eGov page. Claude prompt explicitly prohibits stating unverified amounts.
R-02	eGov PH Service Catalog API unavailable or returns empty results	Medium	Medium	Fallback to agency homepage URL. Fallback is silent — no user-facing error for this scenario.
R-03	Claude API latency exceeds 8 seconds on hackathon day	Low	High	Loading state shown with progress indicator. 10-second hard timeout with retry once. Pre-generated demo journeys cached for presentation fallback.
R-04	localStorage unavailable (private browsing, iOS Safari restriction)	Low	Medium	In-memory state management as fallback. Soft warning shown to user. Journey still functional for session.
R-05	User inputs a life event Claude cannot process or understand	Low	Medium	Claude prompt includes handling instruction for ambiguous input: return a clarification request JSON

ID	Risk	Likelihood	Impact	Mitigation
				instead of a step array. Frontend prompts user to rephrase.
R-06	Claude generates steps not relevant to Philippine government context	Low	High	System prompt explicitly constrains Claude to Philippine government agencies and services. Response JSON schema enforces agency_code from a known list.
R-07	Anthropic API key exposed in client-side code	Medium	High	API key stored as environment variable. For production, proxy through a lightweight serverless function (Vercel API route) to prevent key exposure.

14. Success Metrics & KPIs

14.1 Hackathon Evaluation Metrics

Metric	Target	How Measured
Journey generation success rate	100% of 5 demo life events generate a complete journey	Manual QA run before presentation
Live eGov service links working	>=90% of generated step links open a valid eGov PH page	Manual link verification
Judge-facing demo time	Full demo completed within 5 minutes	Rehearsal run
Side-by-side comparison clarity	eGov chatbot gap vs E-Hakbang advantage visible in under 30 seconds	Observer feedback during rehearsal
Non-tech user completion	A team member with no tech background completes a full journey without help	Observed user test

14.2 Post-Hackathon Product Metrics (Future)

Metric	Definition	Target (90 days post-launch)
Journey Completion Rate	Percentage of started journeys with all steps marked done	>35%
Benefit Claim Discovery Rate	Journeys where at least 1 Benefit Claim step was surfaced and clicked	>60%
Return Session Rate	Users who return to the same journey from localStorage on a subsequent visit	>40%
Language Distribution	Percentage of sessions using Filipino vs English	Baseline measurement
Life Event Diversity	Percentage of sessions using free-text input vs predefined cards	Baseline measurement

15. Glossary

Term	Definition
Benefit Claim	A step in the E-Hakbang journey where the citizen is entitled to receive money, services, or assistance from a government agency (e.g., SSS maternity benefit, PhilHealth reimbursement).
Claude API	The Anthropic AI language model API used to generate government journeys. Accessed at https://api.anthropic.com/v1/messages .
eGov PH	The Philippine government's unified digital gateway managed by DICT, providing access to government services online at www.egov.ph .
Hallucination	When an AI language model generates plausible-sounding but factually incorrect information from its training memory rather than from verified sources.

Term	Definition
Journey	In E-Hakbang, a complete ordered sequence of government steps a citizen must take in response to a specific life event.
Life Event	A significant personal occurrence (marriage, childbirth, job loss, retirement, etc.) that triggers obligations or entitlements across multiple government agencies.
localStorage	A browser-native key-value store that persists data on the user's device without requiring a server or login.
Record Update	A step in the E-Hakbang journey where the citizen is legally required to update their personal information with a government agency (e.g., updating civil status at SSS after marriage).
Web Search Tool	A Claude API feature that allows Claude to search the live internet before generating a response, ensuring information is current rather than from training memory.
DICT	Department of Information and Communications Technology — the Philippine government agency responsible for ICT policy and the eGov PH platform.
PSA	Philippine Statistics Authority — the agency responsible for civil registration (birth, marriage, death certificates).
SSS	Social Security System — provides social insurance for private-sector employees and self-employed individuals.
GSIS	Government Service Insurance System — provides social insurance for government employees.
PhilHealth	Philippine Health Insurance Corporation — provides national health insurance.
Pag-IBIG	Home Development Mutual Fund — provides housing loans and provident savings for members.
DSWD	Department of Social Welfare and Development — administers social protection programs including 4Ps and AICS.
DOLE	Department of Labor and Employment — oversees labor policy and unemployment benefits.
BIR	Bureau of Internal Revenue — handles tax registration and obligations.