

Precy Wares Documentation & User Manual:

Tech Stack:

- Django (A Python Framework)
- Django REST framework
- HTML5
- CSS3
- JavaScript
- SQLite (light weight database)

Why use these Tech Stack:

The tech stack was use for various of reasons. I Meljohn Reyes would like to grab this opportunity to deep dive into web development with the framework that I am studying as of the moment. Moreover, this tech stack is appropriate for small to medium projects that I believe is suitable for the business needs. Lastly, integration of API is suitable in this environment especially with the Django framework.

Why PrecyWares:

I chose to create a website for this business because it is our family business, and I believe that modernizing it through an online platform will help expand its reach, improve customer engagement, and ultimately increase sales.

How to Access the PrecyWares Github Repository:

1. Clone the PrecyWares repository in terminal:

“git clone https://github.com/meljz/Precy_Plastic_Wares-.git”

2. Install in terminal (Python should be already installed on machine.):

“python -m venv venv”

“venv/Scripts/activate”

“pip install django”


“pip install django djangorestframework”

“python -m pip install Pillow”

3. After installing, run this command to run the project:


“python manage.py runserver”

Home Page – /



- Home Page serves as landing page for *PrecyWares*.
- Main menu in navbar to easily navigate pages across the website.
- You will also see “Show Now” button linked In Products Page.
- Created logo for the business is also present at top left side. Also, footer is also present.
- Static Image is present to showcase a snippet preview of what is the products of PrecyWares.


About Page – /about/



- About page presents the show owner – *Prescilla Reyes*. As well as the story of how PrecyWares started and what the business is all about.
- In bottom left, map is also embedded for ease of access when you want to know the location of the business.

Note: Use of Google Map API key is not implemented due to, Google Map API Key is requiring entering credit or debit card, so I just used an embedded Google Map instead (iframe).


Sign Up - /signup/



The screenshot displays a web application interface for 'Precy Plastic Wares'. At the top, a navigation bar includes links for Home, About, Featured, Products, Contact, Login, and Signup. The main content area features a central sign-up form with the following fields: First Name (Meljohn), Last Name (Reyes), Gender (Male selected, Female unselected), Address (Holy Angel University), Contact Number (09123456789), Email Address (admin@example.com), Date of Birth (24/11/2001), Username (AdminMeljohn), and Password (masked with dots). Below the form are 'Submit' and 'Reset' buttons. The footer contains the copyright notice: '© 2025 Precy Plastic Wares. All rights reserved.'


- Sign Up Form is also present, wherein it will ask users to input required information.
- Reset button is present if user decided to erase data typed.
- After submitting, user's data will be store in SQLite database, and will be use to in "Login Page".

Login Page - /login/




The screenshot shows the login page for 'Precy Plastic Wares'. The navigation bar includes links for Home, About, Featured, Products, Contact, Login, and Signup. The main content area features the site logo and a login form. The form has a red error message at the top: 'X Invalid credentials'. Below this, there are input fields for 'Username' (containing 'SampleError') and 'Password' (containing '*****'). A 'Login' button is positioned below the password field. At the bottom of the form, there is a link: 'Don't have an account? [Sign up here](#)'.

- After Signup, data is store and will be use as valid credential, if invalid error message is present.




The screenshot shows the welcome page for 'Precy Plastic Wares' after a successful login. The navigation bar now includes a user profile icon and the name 'Meljohn' next to the 'Logout' link. The main content area features a large 'Welcome!' message with a hand icon, followed by 'Hello, Meljohn!'. Below this, a box displays the user's profile information: 'Username: AdminMeljohn', 'Email: admin@example.com', 'Full Name: Meljohn Reyes', 'Gender: Male', 'Address: Holy Angel University', 'Contact Number: 09123456789', and 'Date of Birth: Nov 24, 2001'. At the bottom of the box, there are three buttons: 'Back to Home', 'Shop Products', and 'Logout'.

- If credential is correct, user will be redirected in welcome page – “welcome.html”.
- After login, 3 button is present, redirecting to respective pages.
- Also, you will see above that user Meljohn is successful.




- login preview on home page, you can see that we are still login in every page of the website.

Featured Page - /featured/



- In feature page, a vertical scroll is used. Total of 6 scroll in within the feature page (as seen with the images).
- In the last part, images and videos of the daily happening of the business are shown.

Products - /product/



- Here is the product page of the website wherein different product is listed via inputting of product in /admin (see figure1), then fetching of the data is use to store these products.
- Adding, modify, delete is also implemented, for the dynamics of the products to showcase fetch and GET method (see figure 2).
- Also, filters are also presented and working.

Figure1






Figure2




Contact Page - /contact/



The screenshot displays the 'Contact Us' page for Precy Plastic Wares. The page features a navigation bar with links to Home, About, Featured, Products, Contact, Login, and Signup. The main content area is titled 'Contact Us' and contains a form with the following fields: 'Your Name', 'Your Email', 'Your Contact Number', 'Your Location', and 'Your Message'. Below the form is a 'Choose Marketing Platform:' dropdown menu with a 'Select' option. There are three buttons: 'Send Message' (purple), 'View Customer List' (purple), and 'View Contact Messages' (purple). Below the form is a 'Visit Us' section featuring a Google Map of Angeles, Pampanga, with a marker for 'Pampang Public Market'. The map includes a search bar, a 'Directions' button, and a 'View larger map' link. The footer of the page states '© 2025 Precy Plastic Wares. All rights reserved.'


- In Contact Page, you can see a form where you can message to contact the websites owner.
- Google map is also visible beneath the form.
- Upon inputting information and message, options in a dropdown is to be selected for choosing email or social media. Then upon choosing you will be redirected into HTML of either email marketing mockup (see figure 3) or social media marketing mockup (see figure 4).
- After inputting information and your message (figure5), the website automatically stores your information, where you can access in "View Customer List" (figure6) or "View Contact Messages" (figure7).

Figure 3 (Email Marketing Mockup)



- In this Email Marketing Mockup, going back to contact is available (“go back”) or going back to product page (“Shop Now”)

Figure 4 (Social Media Marketing Mockup)



- In this Social Media Marketing Mockup, going back to contact is available (“Back to Contact”).

Figure 5

Contact Us

Choose Marketing Platform:

Email

Send Message

View Customer List

View Contact Messages

Figure 6




[Home](#) [About](#) [Featured](#) [Products](#) [Contact](#) [Meljohn](#) [Logout](#)

Customer List

Name	Email	Contact Number	Location
Sample2	Sample2@gmail.com	09987864561	Balibago
Sample1	Sample1@gmail.com	09123456779	Angeles
Meljohn Reyes	Admin@gmail.com	09397829871	Holy Angel University
Meljohn Reyes	Admin@gmail.com	09123456789	Holy Angel University
Meljohn Reyes	Admin@gmail.com	09123456789	Holy Angel University
Analuna	sample@gmail.com	09195301902	balibago
Meljohn Reyes	jay@gmail.com	09397829871	ac
luna	luna@gmail.com	09397829871	BALIBAGO
luna	luna@gmail.com	09397829871	BALIBAGO
luna	luna@gmail.com	09397829871	BALIBAGO
luna	luna@gmail.com	123123123	BALIBAGO
Meljohn Jay Reyes	asdas@gmail.com	09397829871	sta maria
Jay	jay@gmail.com	09195301902	BALIBAGO

Figure 7





The screenshot displays a web application interface for 'Precy Plastic Wares'. The top navigation bar includes links for Home, About, Featured, Products, Contact, a user profile icon labeled 'Meljohn', and a Logout button. The main content area is titled 'Contact Us Messages' and contains a table with the following data:

Name	Email	Message	Date Sent
Sample2	Sample2@gmail.com	Sample Message 2, will use IG	Oct 18, 2025 11:11
Sample1	Sample1@gmail.com	message trial 1	Oct 18, 2025 11:09
Meljohn Reyes	Admin@gmail.com	Hello sample message 3	Oct 18, 2025 10:57
Meljohn Reyes	Admin@gmail.com	Hello World, sample message 2	Oct 18, 2025 10:57
Meljohn Reyes	Admin@gmail.com	Hello world, sample message 1	Oct 18, 2025 10:55
Analuna	sample@gmail.com	hello po	Oct 18, 2025 10:21
Meljohn Reyes	jay@gmail.com	hello	Oct 17, 2025 17:13

- Information are stored and shown in both customer list and customer message.

Logout



- When a user click logout, the user will be logout successfully and be redirected into the landing page.
- Credentials can be used again in login anytime since data is stored.

EXTRAS:

RESTful APIs in Django Framework

Views.py

```
3         message=message
4     )
5
6     return JsonResponse({'message': 'Contact saved successfully'})
7
8 class ProductListView(generics.ListAPIView):
9     queryset = Product.objects.all()
10    serializer_class = ProductSerializer
11
12 class CustomerListView(generics.ListAPIView):
13    queryset = Customer.objects.all()
14    serializer_class = CustomerSerializer
15
16 class ContactMessageListView(generics.ListAPIView):
17    queryset = ContactMessage.objects.all()
18    serializer_class = ContactMessageSerializer
19
```

Serializers.py

```
basestructure.html M  script.js  serializers.py X
main > serializers.py > ...
1  from rest_framework import serializers
2  from .models import Product, Customer, ContactMessage
3
4  class ProductSerializer(serializers.ModelSerializer):
5      class Meta:
6          model = Product
7          fields = '__all__'
8
9  class CustomerSerializer(serializers.ModelSerializer):
10     class Meta:
11         model = Customer
12         fields = '__all__'
13
14     class ContactMessageSerializer(serializers.ModelSerializer):
15         class Meta:
16             model = ContactMessage
17             fields = '__all__'
18
```

Urls.py


```
path('contact/email_mockup/', views.email_mockup, name="email_mockup"),
path('contact/social_mockup/', views.social_mockup, name="social_mockup"),

path('api/products/', ProductListView.as_view(), name='product-list'),
path('api/customer/', CustomerListView.as_view(), name='customer-list'),
path('api/messages/', ContactMessageListView.as_view(), name='message-list'),
path('api/submit-contact/', views.submit_contact, name='submit-contact'),
```

fetching APIs

```
basestructure.html M script.js
main > static > js > script.js > ...
119 function handleRedirect(event) {
150   .catch(error => {
153   });
154 }
155
156
157 if (document.getElementById('customer-list')) {
158   fetch('/api/customer/')
159     .then(res => res.json())
160     .then(data => {
161       const container = document.getElementById('customer-list');
162       data.forEach(customer => {
163         container.innerHTML += `
164           <div>
165             <strong>${customer.name}</strong><br>
166             Email: ${customer.email}<br>
167             Contact: ${customer.contact_number}<br>
168             Location: ${customer.location}<br><br>
169           </div>
170         `;
171       });
172     })
173     .catch(error => console.error('Error fetching customers:', error));
174 }
175
176
177 if (document.getElementById('message-list')) {
178   fetch('/api/messages/')
179     .then(res => res.json())
180     .then(data => {
181       const container = document.getElementById('message-list');
182       data.forEach(msg => {
183         container.innerHTML += `
184           <div>
185             <strong>${msg.name}</strong> (${msg.email})<br>
186             Message: ${msg.message}<br>
187             Sent: ${new Date(msg.date_sent).toLocaleString()}<br><br>
188           </div>
189         `;
190       });
191     })
192     .catch(error => console.error('Error fetching messages:', error));
193 }
194
```

Whole Explorer



Sample HTMLs

```
basestructure.html M
main > templates > basestructure.html > html > body > header > nav

1  {% load static %}
2  <doctype html>
3  <html lang="en">
4  <head>
5    <meta charset="UTF-8" />
6    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
7    <title>{% block title %} {% endblock %}</title>
8    <link rel="stylesheet" href="{% static 'css/style.css' %}">
9    <link rel="stylesheet" href="{% static 'css/email mockup.css' %}">
10   <link rel="stylesheet" href="{% static 'css/social mockup.css' %}">
11   <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@500;700&family=Poppins:wght@400;500&display=swap" rel="stylesheet">
12   <link href="https://fonts.googleapis.com/css2?family=Montserrat:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">
13
14
15 </head>
16 <body>
17   <header>
18     <div class="logo">
19       
20     </div>
21
22     <nav>
23       <a href="{% url 'landing' %}">Home</a>
24       <a href="{% url 'about' %}">About</a>
25       <a href="{% url 'featured' %}">Featured</a>
26       <a href="{% url 'product' %}">Products</a>
27       <a href="{% url 'contact' %}">Contact</a>
28
29
30     {% if user.is_authenticated %}
31     <div class="user-logged-in">
32       <a href="{% url 'welcome' %}" style="color: #6a1b9a; font-weight: 600;">{{ user.first_name|default:user.username }}</a>
33       <a href="{% url 'logout' %}">Logout</a>
34     {% else %}
35     <div class="user-not-logged-in">
36       <a href="{% url 'login' %}">Login</a>
37       <a href="{% url 'signup' %}">Signup</a>
38     {% endif %}
39
40   </nav>
41 </header>
42
43   {% block content %} <!-- THIS IS WHERE THE CONTENTS OF EACH HTML'S EXTENDS TO -->
44 </body>
45 </html>
```

```
basestructure.html M landing.html X
main > templates > landing.html > section.hero > div.hero-text > br

1  {% extends 'basestructure.html' %}
2  {% load static %}
3
4  {% block title %} Homepage {% endblock %}
5
6  {% block content %}
7
8    <section class="hero">
9      
10     <div class="hero-text">
11       <h1>Quality Plastic Wares for Everyday Use</h1>
12       <p>Affordable. Durable. Reliable. Shop all your plastic storage and kitchen needs at Precy Plastic Wares.</p>
13       <br>
14       <br>
15       <a href="{% url 'product' %}" class="btn">Shop Now</a>
16     </div>
17   </section>
18
19 {% endblock %}
20
```

Pushed the project in Github Repository successfully

```
• (venv) PS C:\Users\Jay\Desktop\webpub_final\webpub_final> git add .
• (venv) PS C:\Users\Jay\Desktop\webpub_final\webpub_final> git commit -m "all finalized"
[master 5b586d5] all finalized
 12 files changed, 233 insertions(+), 61 deletions(-)
 create mode 100644 main/templates/welcome.html
• (venv) PS C:\Users\Jay\Desktop\webpub_final\webpub_final> git push
Enumerating objects: 35, done.
Counting objects: 100% (35/35), done.
Delta compression using up to 12 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (19/19), 9.48 KiB | 2.37 MiB/s, done.
Total 19 (delta 12), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (12/12), completed with 11 local objects.
To https://github.com/meljz/Precy_Plastic_Wares-.git
 77d63f2..5b586d5  master -> master
• (venv) PS C:\Users\Jay\Desktop\webpub_final\webpub_final> |
```

