

# Scan Rapport

## Algemene Informatie

**Klant:** wp-example

**Bedrijf:** console

**Email:** webapplicatietest@gmail.com

## Scan Informatie

**URL:** http://cms.local

**Server:** Apache

**Scan type:** Full Scan

**Start tijd:** 2017-09-30 00:26:36

**Eind tijd:** 2017-09-30 00:29:34

**Scan tijd:** 3 minuten

# Scan Resultaten

Dreigingsniveau (Kleur code)	Niveau	Omschrijving
	4	Er zijn één of meer zeer zorgwekkende kwetsbaarheden op de website gevonden. De kans op exploitatie door hackers is zeer hoog. Hackers kunnen toegang krijgen tot het backend systeem en daarop de databases muteren.

## Totale dreigementen gevonden

**Hoog:** 18

**gemiddeld:** 168

**Laag:** 168

Categorie dreigementen	Dreigingsniveau	Aantal	Omschrijving
XSS	hoog	18	Cross-site scripting is een type kwetsbaarheid dat vooral gevonden wordt in webapplicaties. XSS maakt het mogelijk voor hackers om client-side scripting talen te injecteren op webpagina's.
Security Headers Gemiddeld	gemiddeld	168	De http security headers van dit niveau voorzien een website met een extra laag van beveiliging om aanvallen af te weren en kwetsbaarheidlekken te dichten, kwetsbaarheden met betrekking tot XSS. Het missen van security headers maakt uw website kwetsbaar voor aanvallen.
Security Headers Laag	laag	168	De http security headers van dit niveau hebben vooral betrekking op misconfiguraties aan de server kant. Dit kan leiden tot het lekken van informatie.

## Advies: XSS

Cross-site scripting is een veel voorkomende client-side kwetsbaarheid waarbij de aanvaller client-site code injecteert op webpagina.  
Er zijn twee basis regels waar een website aan moet voldoen om dit probleem te voorkomen:

### Regels

- Voer nooit onvertrouwde data in, behalve op toegestane locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

## Advies: Security Headers

Security Headers zorgen voor een veilig verkeer tussen de server en de client.  
Wanneer hier niet gebruik van gemaakt wordt kan het zijn dat hackers het als een kans zien om uw website te exploiteren. Om dit te voorkomen kunt u gebruik maken van de volgende headers:

- X-Content-Type-Options
- X-Frame-Options
- X-XSS-Protection
- Content-Security-Policy
- Public-Key-Pins (SLL)
- HttpOnly

0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

Detials van gevonden kwetsbaarheden
ID: 18521
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>alert('q4i5z84i86')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02
ID: 18521
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>alert('q4i5z84i86')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02



<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>2ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>3ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>4ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>

<b>Error:</b> This webpage is vulnerable for Cross site scripting	
<b>WASC ID:</b> 8	
<b>Methode:</b> POST	
<b>Datum:</b> 2017-09-30 00:29:02	
5	<b>ID:</b> 18521
<b>Module:</b> xss	
<b>Risico:</b> high	
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php	
<b>Parameter:</b> form-params	
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>	
<b>Error:</b> This webpage is vulnerable for Cross site scripting	
<b>WASC ID:</b> 8	
<b>Methode:</b> POST	
<b>Datum:</b> 2017-09-30 00:29:02	
6	<b>ID:</b> 18521
<b>Module:</b> xss	
<b>Risico:</b> high	
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php	
<b>Parameter:</b> form-params	
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>	
<b>Error:</b> This webpage is vulnerable for Cross site scripting	
<b>WASC ID:</b> 8	
<b>Methode:</b> POST	
<b>Datum:</b> 2017-09-30 00:29:02	
7	<b>ID:</b> 18521
<b>Module:</b> xss	
<b>Risico:</b> high	
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php	
<b>Parameter:</b> form-params	
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>	
<b>Error:</b> This webpage is vulnerable for Cross site scripting	
<b>WASC ID:</b> 8	
<b>Methode:</b> POST	
<b>Datum:</b> 2017-09-30 00:29:02	
8	<b>ID:</b> 18521
<b>Module:</b> xss	



<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>9ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>10ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>11ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8

<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php

<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02



<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>

Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02
ID: 18521
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>alert('q4i5z84i86')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02
ID: 18521
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>alert('q4i5z84i86')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02
ID: 18521
Module: xss
Risico: high
Target URL: http://cms.local/wordpress/wp-login.php
Parameter: form-params
Aanval: <script>alert('q4i5z84i86')</script>
Error: This webpage is vulnerable for Cross site scripting
WASC ID: 8
Methode: POST
Datum: 2017-09-30 00:29:02
ID: 18521
Module: xss

<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8

<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php



<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02



<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>

<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss

<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8

	<b>Methode:</b> POST
	<b>Datum:</b> 2017-09-30 00:29:02
48	<b>ID:</b> 18521
	<b>Module:</b> xss
	<b>Risico:</b> high
	<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
	<b>Parameter:</b> form-params
	<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
	<b>Error:</b> This webpage is vulnerable for Cross site scripting
	<b>WASC ID:</b> 8
	<b>Methode:</b> POST
	<b>Datum:</b> 2017-09-30 00:29:02
49	<b>ID:</b> 18521
	<b>Module:</b> xss
	<b>Risico:</b> high
	<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
	<b>Parameter:</b> form-params
	<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
	<b>Error:</b> This webpage is vulnerable for Cross site scripting
	<b>WASC ID:</b> 8
	<b>Methode:</b> POST
	<b>Datum:</b> 2017-09-30 00:29:02
50	<b>ID:</b> 18521
	<b>Module:</b> xss
	<b>Risico:</b> high
	<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
	<b>Parameter:</b> form-params
	<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
	<b>Error:</b> This webpage is vulnerable for Cross site scripting
	<b>WASC ID:</b> 8
	<b>Methode:</b> POST
	<b>Datum:</b> 2017-09-30 00:29:02
51	<b>ID:</b> 18521
	<b>Module:</b> xss
	<b>Risico:</b> high
	<b>Target URL:</b> http://cms.local/wordpress/wp-login.php

<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02





<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>

Error: This webpage is vulnerable for Cross site scripting	
WASC ID: 8	
Methode: POST	
Datum: 2017-09-30 00:29:02	
5ID: 18521	
Module: xss	
Risico: high	
Target URL: http://cms.local/wordpress/wp-login.php	
Parameter: form-params	
Aanval: <script>alert('q4i5z84i86')</script>	
Error: This webpage is vulnerable for Cross site scripting	
WASC ID: 8	
Methode: POST	
Datum: 2017-09-30 00:29:02	
6ID: 18521	
Module: xss	
Risico: high	
Target URL: http://cms.local/wordpress/wp-login.php	
Parameter: form-params	
Aanval: <script>alert('q4i5z84i86')</script>	
Error: This webpage is vulnerable for Cross site scripting	
WASC ID: 8	
Methode: POST	
Datum: 2017-09-30 00:29:02	
6ID: 18521	
Module: xss	
Risico: high	
Target URL: http://cms.local/wordpress/wp-login.php	
Parameter: form-params	
Aanval: <script>alert('q4i5z84i86')</script>	
Error: This webpage is vulnerable for Cross site scripting	
WASC ID: 8	
Methode: POST	
Datum: 2017-09-30 00:29:02	
6ID: 18521	
Module: xss	

<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02

<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8

<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02
<b>ID:</b> 18521
<b>Module:</b> xss
<b>Risico:</b> high
<b>Target URL:</b> http://cms.local/wordpress/wp-login.php
<b>Parameter:</b> form-params
<b>Aanval:</b> <script>alert('q4i5z84i86')</script>
<b>Error:</b> This webpage is vulnerable for Cross site scripting
<b>WASC ID:</b> 8
<b>Methode:</b> POST
<b>Datum:</b> 2017-09-30 00:29:02