# **Scan Rapport**

Algemene Informatie

Klant: Gert

Bedrijf: Gert BV

Email: webapplicatietest@gmail.com

**Scan Informatie** 

URL: http://cms.local

Server: Apache

Scan type: Full Scan

**Start tijd:** 2017-10-29 11:48:59

**Eind tijd:** 2017-10-29 11:52:02

Scan tijd: 3 minuten

## Scan Resultaten

Dreigingsniveau (Kleur code)	Niveau	Omschrijving	
	4	Er zijn één of meer zeer zorgwekkende kwetsbaarheden op de website gevonden. De kans op exploitatie door hackers is zeer hoog. Hackers kunnen toegang krijgen tot het backend systeem en daarop de databases muteren.	

#### Totale dreigementen gevonden

**Hoog:** 18

gemiddeld: 168

Laag: 168

Categorie dreigementen	Dreigingsniveau	Aantal	Omschrijving
XSS	hoog	18	Cross-site scripting is een type kwetsbaarheid dat vooral gevonden wordt in webapplicaties. XSS maakt het mogelijk voor hackers om client-side scripting talen te injecteren op webpagina's.
Security Headers Gemiddeld	gemiddeld	168	De http security headers van dit niveau voorzien een website met een extra laag van beveiliging om aanvallen af te weren en kwetsbaarheidlekken te dichten, kwetsbaarheden met betrekking tot XSS. Het missen van security headers maakt uw website kwetsbaar voor aanvallen.
Security Headers Laag	laag	168	De http security headers van dit niveau hebben vooral betrekking op misconfiguraties aan de server kant. Dit kan leiden tot het lekken van informatie.

#### **Advies: XSS**

Cross-site scripting is een veel voorkomende client-side kwetsbaarheid waarbij de aanvaller client-site code injecteert op webpagina. Er zijn twee basis regels waar een website aan moet voldoen om dit probleem te verkomen:

#### Regels

- Voer nooit onvertrouwde data in, behalve op toegestaande locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

### **Advies: Security Headers**

Secuirty Headers zorgen voor een veilig verkeer tussen de server en de client. Wanneer hier niet gebruik van gemaakt wordt kan het zijn dat hackers het als een kans zien om uw website te exploiteren. Om dit te voorkomen kunt u gebruik maken van de volgende headers:

- X-Content-Type-Options
- X-Frame-Options
- X-XSS-Protection
- Content-Secuirty-Policy
- Public-Key-Pins (SLL)
- HttpOnly

Detials van gevonden kwetsbaarheden				
<b>ID</b> : 2407				
Module: xss				
Risico: high				
Target URL: http://cms.local/wordpress/wp-login.php				
Parameter: form-params				
Aanval: <script>alert('abnpraupfe')</script>				
Error: This webpage is vulnerable for Cross site scripting				
WASC ID: 8				
Methode: POST				
<b>Datum:</b> 2017-10-29 11:51:29				
<b>ID</b> : 2408				
Module: xss				
Risico: high				
Target URL: http://cms.local/wordpress/wp-login.php				
Parameter: form-params				
Aanval: <script>alert("abnpraupfe")</script>				
Error: This webpage is vulnerable for Cross site scripting				
WASC ID: 8				
Methode: POST				
<b>Datum:</b> 2017-10-29 11:51:29				

ID: 2409 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script>String.fromCharCode(0,abnpraupfe,1)</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:30 **ID**: 2410 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script src=http://abnpraupfe/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:30 **ID**: 2411 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script[TAB]src=http://abnpraupfe/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:31 **ID**: 2412 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params

Aanval: <scr<script>ipt>alert('abnpraupfe')</script>

Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:34 ID: 2413 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt>alert("abnpraupfe")</script> **Error:** This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:35 ID: 2414 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt>String.fromCharCode(0,abnpraupfe,1)</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:35 ID: 2415 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt src=http://abnpraupfe/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-10-29 11:51:36 ID: 2416 Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>alert('1fjao2xpmd')</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:45

**ID**: 2417

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>alert("1fjao2xpmd")</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:45

ID: 2418

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>String.fromCharCode(0,1fjao2xpmd,1)</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:45

ID: 2419

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script src=http://1fjao2xpmd/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:46

**ID**: 2420

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script[TAB]src=http://1fjao2xpmd/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:46

ID: 2421

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>alert('1fjao2xpmd')</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:50

ID: 2422

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>alert("1fjao2xpmd")</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:50

**ID**: 2423

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>String.fromCharCode(0,1fjao2xpmd,1)</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:51

ID: 2424

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt src=http://1fjao2xpmd/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-10-29 11:51:51

ID: 2425

Module: X-Content-Type-Options

Risico: average

Target URL: http://cms.local/?C=N;O=A

Parameter: n/a

Aanval: n/a

Error: Header missing

**WASC ID**: 15

Methode: GET

Datum: 2017-10-29 11:51:52

**ID**: 2426

Module: X-Frame-Options

Risico: average

Target URL: http://cms.local/?C=N;O=A

Parameter: n/a

Aanval: n/a

Error: Header not set

**WASC ID: 15** 

Methode: GET

Datum: 2017-10-29 11:51:52

**ID**: 2427 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2428 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2429 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID:** 2430 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-10-29 11:51:52 **ID:** 2431 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2432 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2433 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Not enabled WASC ID: 14 Methode: GET Datum: 2017-10-29 11:51:52 ID: 2434

Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2435 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2436 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2437 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a

WASC ID: 15

Methode: GET Datum: 2017-10-29 11:51:52 ID: 2438 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID:** 15 Methode: GET Datum: 2017-10-29 11:51:52 **ID:** 2439 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2440 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2441 Module: Public-Key-Pins

Target URL: http://cms.local/?C=S;O=A

Risico: low

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2442 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2443 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2444 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:52

**ID:** 2445 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2446 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 ID: 2447 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2448 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-10-29 11:51:52 **ID**: 2449 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2450 Module: X-Frame-Options Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2451 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2452 Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2453 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2454 Module: HttpOnly Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2455 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header missing

**WASC ID: 15** 

Methode: GET Datum: 2017-10-29 11:51:53 ID: 2456 Module: X-Frame-Options Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2457 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2458 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2459 Module: Public-Key-Pins Risico: low

Target URL: http://cms.local/icons/blank.gif

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2460 Module: HttpOnly Risico: low Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2461 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2462 Module: X-Frame-Options Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53

ID: 2463 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2464 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2465 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a **Error:** Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2466 Module: HttpOnly Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-10-29 11:51:53 ID: 2467 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID:** 2468 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2469 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Not enabled WASC ID: 14 Methode: GET Datum: 2017-10-29 11:51:53 ID: 2470

Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2471 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2472 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2473 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a

Error: Header missing
WASC ID: 15

Methode: GET Datum: 2017-10-29 11:51:53 ID: 2474 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID:** 15 Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2475 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2476 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2477 Module: Public-Key-Pins

Target URL: http://cms.local/?C=S;O=D

Risico: low

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2478 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2479 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2480 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53

ID: 2481 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2482 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2483 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2484 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=D;O=D Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-10-29 11:51:53 ID: 2485 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID:** 2486 Module: X-Frame-Options Risico: average Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2487 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: Not enabled WASC ID: 14 Methode: GET Datum: 2017-10-29 11:51:53 ID: 2488

Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2489 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2490 Module: HttpOnly Risico: low Target URL: http://cms.local/wordpress/?p=1 Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2491 Module: X-Content-Type-Options Risico: average Target URL: https://wordpress.org Parameter: n/a Aanval: n/a Error: Header missing

**WASC ID: 15** 

Methode: GET Datum: 2017-10-29 11:51:53 ID: 2492 Module: X-Frame-Options Risico: average Target URL: https://wordpress.org Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID:** 2493 Module: X-XSS-Protection Risico: average Target URL: https://wordpress.org Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2494 Module: Content-Secuirty-Policy Risico: low Target URL: https://wordpress.org Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2495 Module: Public-Key-Pins Risico: low

Target URL: https://wordpress.org

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2496 Module: HttpOnly Risico: low Target URL: https://wordpress.org Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2497 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2498 Module: X-Frame-Options Risico: average Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53

ID: 2499 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID:** 2500 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2501 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a **Error:** Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2502 Module: HttpOnly Risico: low Target URL: http://cms.local/wordpress/?m=201708 Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-10-29 11:51:53 ID: 2503 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/wordpress/?cat=1 Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 **ID**: 2504 Module: X-Frame-Options Risico: average Target URL: http://cms.local/wordpress/?cat=1 Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2505 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/wordpress/?cat=1 Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-10-29 11:51:53 ID: 2506 Module: Content-Secuirty-Policy

Risico: low

Target URL: http://cms.local/wordpress/?cat=1

Parameter: n/a

Aanval: n/a

Error: Header not set

WASC ID: 14

Methode: GET

**Datum:** 2017-10-29 11:51:53

**ID**: 2507

Module: Public-Key-Pins

Risico: low

Target URL: http://cms.local/wordpress/?cat=1

Parameter: n/a

Aanval: n/a

Error: Public Key is missing (Only for SLL)

WASC ID: 14

Methode: GET

Datum: 2017-10-29 11:51:53