# **Scan Rapport**

ΑI	gem	ene	Info	orma	atie

Klant: test

Bedrijf: test

Email: webapplicatietest@gmail.com

## **Scan Informatie**

URL: http://cms.local

Server: Apache

Scan type: Full Scan

**Start tijd:** 2017-09-30 12:24:18

Eind tijd: 2017-09-30 12:24:54

Scan tijd: 36 secondes

# Scan Resultaten

Dreigingsniveau (Kleur code)	Niveau	Omschrijving
	4	Er zijn één of meer zeer zorgwekkende kwetsbaarheden op de website gevonden. De kans op exploitatie door hackers is zeer hoog. Hackers kunnen toegang krijgen tot het backend systeem en daarop de databases muteren.

#### Totale dreigementen gevonden

**Hoog**: 18

Laag: 168

gemiddeld: 168

Categorie dreigementen Dreigingsniveau **Aantal Omschrijving** XSS hoog 18 Cross-site scripting is een type kwetsbaarheid dat vooral gevonden wordt in webapplicaties. XSS maakt het mogelijk voor hackers om client-side scripting talen te injecteren op webpagina's. 168 Security Headers Gemiddeld gemiddeld De http security headers van dit niveau voorzien een website met een extra laag van beveiliging om aanvallen af te weren en kwetsbaarheidlekken te dichten, kwetsbaarheden met betrekking tot XSS. Het missen van security headers maakt uw website kwetsbaar voor aanvallen. 168 Security Headers Laag De http security headers van dit niveau hebben vooral laag betrekking op misconfiguraties aan de server kant.

Dit kan leiden tot het lekken van informatie.

## **Advies: XSS**

Cross-site scripting is een veel voorkomende client-side kwetsbaarheid waarbij de aanvaller client-site code injecteert op webpagina. Er zijn twee basis regels waar een website aan moet voldoen om dit probleem te verkomen:

#### Regels

- Voer nooit onvertrouwde data in, behalve op toegestaande locaties
- Voordat de data wordt ingevoerd moet de HTML Escaped worden

# **Advies: Security Headers**

Secuirty Headers zorgen voor een veilig verkeer tussen de server en de client. Wanneer hier niet gebruik van gemaakt wordt kan het zijn dat hackers het als een kans zien om uw website te exploiteren. Om dit te voorkomen kunt u gebruik maken van de volgende headers:

- X-Content-Type-Options
- X-Frame-Options
- X-XSS-Protection
- Content-Secuirty-Policy
- Public-Key-Pins (SLL)
- HttpOnly

Detials van gevonden kwetsbaarheden  ID: 20645  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert('1f9e9xrayc')</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST					
Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert('1f9e9xrayc')</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Detials van gevonden kwetsbaarheden				
Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert('1f9e9xrayc')</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	ID: 20645				
Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Module: xss				
Parameter: form-params  Aanval: <script>alert('1f9e9xrayc')</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Risico: high				
Aanval: <script>alert('1f9e9xrayc')</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Target URL: http://cms.local/wordpress/wp-login.php				
Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Parameter: form-params				
WASC ID: 8  Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Aanval: <script>alert('1f9e9xrayc')</script>				
Methode: POST  Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Error: This webpage is vulnerable for Cross site scripting				
Datum: 2017-09-30 12:24:25  ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	WASC ID: 8				
ID: 20646  Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Methode: POST				
Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	<b>Datum:</b> 2017-09-30 12:24:25				
Module: xss  Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	ID. 00040				
Risico: high  Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	<b>ID:</b> 20040				
Target URL: http://cms.local/wordpress/wp-login.php  Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Module: xss				
Parameter: form-params  Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Risico: high				
Aanval: <script>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Target URL: http://cms.local/wordpress/wp-login.php				
Error: This webpage is vulnerable for Cross site scripting  WASC ID: 8	Parameter: form-params				
WASC ID: 8	Aanval: <script>alert("1f9e9xrayc")</script>				
	Error: This webpage is vulnerable for Cross site scripting				
Methode: POST	WASC ID: 8				
	Methode: POST				
<b>Datum:</b> 2017-09-30 12:24:25	<b>Datum:</b> 2017-09-30 12:24:25				

ID: 20647 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script>String.fromCharCode(0,1f9e9xrayc,1)</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:26 ID: 20648 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script src=http://1f9e9xrayc/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:26 ID: 20649 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <script[TAB]src=http://1f9e9xrayc/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:26 **ID**: 20650 Module: xss Risico: high

Target URL: http://cms.local/wordpress/wp-login.php

Parameter: form-params

Aanval: <scr<script>ipt>alert('1f9e9xrayc')</script>

Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:30 ID: 20651 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt>alert("1f9e9xrayc")</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:30 ID: 20652 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt>String.fromCharCode(0,1f9e9xrayc,1)</script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:30 ID: 20653 Module: xss Risico: high Target URL: http://cms.local/wordpress/wp-login.php Parameter: form-params Aanval: <scr<script>ipt src=http://1f9e9xrayc/x.js></script> Error: This webpage is vulnerable for Cross site scripting WASC ID: 8 Methode: POST Datum: 2017-09-30 12:24:31 ID: 20654 Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>alert('htwprofck4')</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:39

ID: 20655

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>alert("htwprofck4")</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:39

ID: 20656

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script>String.fromCharCode(0,htwprofck4,1)</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:40

**ID**: 20657

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script src=http://htwprofck4/x.js></script>

**Error:** This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

**Datum:** 2017-09-30 12:24:40

**ID**: 20658

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <script[TAB]src=http://htwprofck4/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:41

**ID:** 20659

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>alert('htwprofck4')</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:44

**ID:** 20660

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>alert("htwprofck4")</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:45

ID: 20661

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt>String.fromCharCode(0,htwprofck4,1)</script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

**Datum:** 2017-09-30 12:24:45

**ID:** 20662

Module: xss

Risico: high

Target URL: http://cms.local/wordpress/wp-login.php?action=lostpassword

Parameter: form-params

Aanval: <scr<script>ipt src=http://htwprofck4/x.js></script>

Error: This webpage is vulnerable for Cross site scripting

WASC ID: 8

Methode: POST

Datum: 2017-09-30 12:24:45

**ID**: 20663

Module: X-Content-Type-Options

Risico: average

Target URL: http://cms.local/?C=N;O=A

Parameter: n/a

Aanval: n/a

Error: Header missing

**WASC ID: 15** 

Methode: GET

Datum: 2017-09-30 12:24:46

**ID**: 20664

Module: X-Frame-Options

Risico: average

Target URL: http://cms.local/?C=N;O=A

Parameter: n/a

Aanval: n/a

Error: Header not set

**WASC ID: 15** 

Methode: GET

Datum: 2017-09-30 12:24:46

ID: 20665 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:46 **ID**: 20666 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:46 ID: 20667 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:46 **ID**: 20668 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=N;O=A Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-09-30 12:24:46 ID: 20669 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20670 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20671 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20672

Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20673 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20674 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=M;O=A Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20675 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a

Aanval: n/a
Error: Header missing
WASC ID: 15

Methode: GET Datum: 2017-09-30 12:24:47 ID: 20676 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID:** 15 Methode: GET Datum: 2017-09-30 12:24:47 ID: 20677 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20678 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20679

Module: Public-Key-Pins

Risico: low

Target URL: http://cms.local/?C=S;O=A

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20680 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=S;O=A Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20681 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20682 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET

Datum: 2017-09-30 12:24:47

ID: 20683 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20684 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20685 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20686 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=D;O=A Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-09-30 12:24:47 ID: 20687 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20688 Module: X-Frame-Options Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20689 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20690 Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20691 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20692 Module: HttpOnly Risico: low Target URL: http://cms.local/wordpress/ Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20693 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header missing

WASC ID: 15

Methode: GET Datum: 2017-09-30 12:24:47 ID: 20694 Module: X-Frame-Options Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20695 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20696 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20697 Module: Public-Key-Pins

Module: Public-Key-Pins

Risico: low

Target URL: http://cms.local/icons/blank.gif

Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20698 Module: HttpOnly Risico: low Target URL: http://cms.local/icons/blank.gif Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20699 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20700 Module: X-Frame-Options Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47

ID: 20701 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20702 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20703 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a **Error:** Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20704 Module: HttpOnly Risico: low Target URL: http://cms.local/icons/folder.gif Parameter: n/a Aanval: n/a

Error: No HttpOnly flag **WASC ID:** 13 Methode: GET Datum: 2017-09-30 12:24:47 ID: 20705 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header missing **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20706 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 15** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20707 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20708

Module: Content-Secuirty-Policy

Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20709 Module: Public-Key-Pins Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: Public Key is missing (Only for SLL) **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20710 Module: HttpOnly Risico: low Target URL: http://cms.local/?C=M;O=D Parameter: n/a Aanval: n/a Error: No HttpOnly flag **WASC ID: 13** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20711 Module: X-Content-Type-Options Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a

Error: Header missing
WASC ID: 15

Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20712 Module: X-Frame-Options Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID:** 15 Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20713 Module: X-XSS-Protection Risico: average Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Not enabled **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 **ID**: 20714 Module: Content-Secuirty-Policy Risico: low Target URL: http://cms.local/?C=S;O=D Parameter: n/a Aanval: n/a Error: Header not set **WASC ID: 14** Methode: GET Datum: 2017-09-30 12:24:47 ID: 20715 Module: Public-Key-Pins

Risico: low

Target URL: http://cms.local/?C=S;O=D

Parameter: n/a

Aanval: n/a

**Error:** Public Key is missing (Only for SLL)

WASC ID: 14

Methode: GET

**Datum:** 2017-09-30 12:24:47