

h1

h2

h3

h4

h5

h6

quelques mots ou *quelques mots*

plus important ou **également important**

très important ou ***tout aussi très important***

Mon texte `code` fin de mon texte

Ce texte apparaîtra dans un élément HTML blockquote.

Premier paragraphe

Deuxième paragraphe

```
Mon code PHP en couleurs
sur plusieurs lignes
```

```
Première ligne de code
Deuxième ligne
```

Premier paragraphe

Deuxième paragraphe


- Pommes
- Poires
 - Sous élément avec au moins quatre espaces devant.

1. mon premier
2. mon deuxième

- ☐ Case non cochée
- ☒ Case cochée

Titre 1	Titre 2	Titre 3
Colonne	Colonne	Colonne
Alignée à	Alignée au	Alignée à
Gauche	Centre	Droite

[texte du lien](#)

 Texte alternatif

Advertisement 😊

- [pica](#) - high quality and fast image resize in browser.
- [babelfish](#) - developer friendly i18n with plurals support and easy syntax.

You will like those projects!

h1 Heading 😎

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ???? „ -- ---

"Smartyants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Lists

Unordered

- Create a list by starting a line with **+**, **-**, or *****
- Sub-lists are made by indenting 2 spaces:
 - Marker character change forces new list start:
 - Ac tristique libero volutpat at
 - Facilisis in pretium nisl aliquet
 - Nulla volutpat aliquam velit
- Very easy!

Ordered

1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
3. Integer molestie lorem at massa
4. You can use sequential numbers...
5. ...or keep all the numbers as **1**.

Start numbering with offset:

57. foo
58. bar

Code

Inline **code**

Indented code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

Block code "fences"

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};

console.log(foo(5));
```

Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Links


[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

Images





Like links, Images also have a footnote style syntax



With a reference later in the document defining the URL location:

Plugins

The killer feature of `markdown-it` is very effective support of [syntax plugins](#).

Emojies

Classic markup: 😊 :crush: 😭 :tear: 😂 😄

Shortcuts (emoticons): 😊 😭 😎 😄

see [how to change output](#) with twemoji.

Subscript / Superscript

- 19th
- H~2~O

<ins>

++Inserted text++

<mark>

==Marked text==

Footnotes

Footnote 1 link[^first].

Footnote 2 link[^second].

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference[^second].

[^first]: Footnote **can have markup**

and multiple paragraphs.

[^second]: Footnote text.

Definition lists

Term 1

: Definition 1 with lazy continuation.

Term 2 with *inline markup*

: Definition 2

{ some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Term 1 ~ Definition 1

Term 2 ~ Definition 2a ~ Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

here be dragons