


```
pool_entry table;
                    poolTeamName: [QuadSquad]
                    poolTeamID:
                    GM: [GM Name]
                                            200*9
                    email:
                    hometown:
 entryRegister()
                    country:
                    pay Status: [NotPaid, PayPal, Cheque, Cash, Coupon]
                    pay Amount:
                    status: [Incomplete, complete]
                    entry_stats_blue table; entry_stats_green table
                    poolTeamID
                    poolTeamName
                    currentPoints
                    currentRank
  poolUpdate()
                    morningRank
                                              200*10
                    morningPoints
                    active
                    duds
                    rookie
                    prize
                   -entry_players table;
playerSelection()
                    25* playerID.
                                         25 * 2 (columns)
                    25* playerName
                    activePlayers table;
                    Player_id, player_name, team_id, team_name, player_type, goals, assists,
                    wins, shutouts, c_points, p_points (previous), status_id (0-5), selected,
```



JHP_Design.pptx - Design doc
jhp.py - Database modification functions
players-update.py - modifies playersDB (two tables: active_players, all_players - also gets data from teamsDB pool-entry.py - routines for Pool table registration and player selection teams-update.py - initiates teamsDB and teams table. Records which team is active, etc.

PoolDB

Pool has table Each poolEntry has a table.