The bidi *Package*

Source documentation for version 36.7

to my Master, ***Ferdowsi The Great***

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

`https://github.com/tex-persian/bidi/issues`

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

`https://github.com/tex-persian/bidi/discussions`

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2022 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Source documentation for version 36.7

Vafa Khalighi*
tex-persian@vafa.ac

February 18, 2022

Contents

1 File amsart-xetex-bidi.def 4
2 File adjmulticol-xetex-bidi.def 6
3 File algorithm2e-xetex-bidi.def 7
4 File amsbook-xetex-bidi.def 7
5 File amsmath-xetex-bidi.def 10
6 File amstext-xetex-bidi.def 10
7 File amsthm-xetex-bidi.def 10
8 File array-xetex-bidi.def 10
9 File article-xetex-bidi.def 12
10 File artikel1-xetex-bidi.def 15
11 File artikel2-xetex-bidi.def 20
12 File artikel3-xetex-bidi.def 25
13 File arydshln-xetex-bidi.def 29
14 File bidi.sty 32
15 File bidi.tex 38
16 File bidi2in1.sty 41
17 File bidicode.sty 42
18 File bidiftnxtra.sty 44
19 File bidimoderncv.cls 48
20 File bidi-perpage.sty 52
21 File biditools.sty 54
22 File bidituftefloat.sty 91
23 File bidituftesidenote.sty 101
24 File bidituftetoc.sty 111
25 File bidituftegeneralstructure.sty 114
26 File bidituftehyperref.sty 116
27 File bidituftetitle.sty 117
28 File biditufte-handout.cls 120
29 File biditufte-book.cls 120
30 File bidipoem.sty 121
31 File boek3-xetex-bidi.def 128
32 File boek-xetex-bidi.def 131

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the LATEX team to maintain the package in the period 2018–2020.

33 File bookest-xetex-bidi.def 135
34 File book-xetex-bidi.def 135
35 File breqn-xetex-bidi.def 139
36 File cals-xetex-bidi.def 140
37 File caption-xetex-bidi.def 141
38 File caption3-xetex-bidi.def 141
39 File colortbl-xetex-bidi.def 141
40 File color-xetex-bidi.def 142
41 File combine-xetex-bidi.def 143
42 File crop-xetex-bidi.def 143
43 File cutwin-xetex-bidi.def 145
44 File cuted-xetex-bidi.def 146
45 File cvthemebidicasual.sty 154
46 File cvthemebidiclassic.sty 156
47 File dblfnote-xetex-bidi.def 158
48 File diagbox-xetex-bidi.def 161
49 File draftwatermark-xetex-bidi.def 163
50 File eso-pic-xetex-bidi.def 163
51 File empheq-xetex-bidi.def 165
52 File extarticle-xetex-bidi.def 168
53 File extbook-xetex-bidi.def 171
54 File extletter-xetex-bidi.def 174
55 File extrafootnotefeatures-xetex-bidi.def 175
56 File extreport-xetex-bidi.def 207
57 File fancybox-xetex-bidi.def 210
58 File fancyhdr-xetex-bidi.def 211
59 File fix2col-xetex-bidi.def 211
60 File fleqn-xetex-bidi.def 213
61 File float-xetex-bidi.def 213
62 File floatrow-xetex-bidi.def 213
63 File flowfram-xetex-bidi.def 214
64 File footnote-xetex-bidi.def 216
65 File footnotebackref-xetex-bidi.def 223
66 File framed-xetex-bidi.def 224
67 File ftnright-xetex-bidi.def 227
68 File graphicx-xetex-bidi.def 232
69 File geometry-xetex-bidi.def 234
70 File hvfloat-xetex-bidi.def 235
71 File hyperref-xetex-bidi.def 241
72 File imsproc-xetex-bidi.def 253
73 File leqno-xetex-bidi.def 254
74 File letter-xetex-bidi.def 255
75 File lettrine-xetex-bidi.def 255
76 File lineno-xetex-bidi.def 258
77 File listings-xetex-bidi.def 258
78 File loadingorder-xetex-bidi.def 260
79 File longtable-xetex-bidi.def 266
80 File lscape-xetex-bidi.def 268
81 File mathtools-xetex-bidi.def 269
82 File mdframed-xetex-bidi.def 269
83 File bidi-media9.sty 271
84 File memoir-xetex-bidi.def 281
85 File midfloat-xetex-bidi.def 284
86 File minitoc-xetex-bidi.def 289
87 File multicol-xetex-bidi.def 290
88 File multienum-xetex-bidi.def 294
89 File natbib-xetex-bidi.def 295
90 File newfloat-xetex-bidi.def 296
91 File ntheorem-xetex-bidi.def 297
92 File ntheorem-hyper-xetex-bidi.def 297

93 File overpic-xetex-bidi.def 297
94 File pdfbase-xetex-bidi.def 298
95 File pdflscape-xetex-bidi.def 299
96 File pdfpages-xetex-bidi.def 299
97 File pgfcorescopes.code-xetex-bidi.def 307
98 File picinpar-xetex-bidi.def 301
99 File plain-xetex-bidi.def 303
100 File pstricks-xetex-bidi.def 305
101 File quotchap-xetex-bidi.def 306
102 File ragged2e-xetex-bidi.def 306
103 File rapport1-xetex-bidi.def 308
104 File rapport3-xetex-bidi.def 313
105 File refrep-xetex-bidi.def 318
106 File report-xetex-bidi.def 322
107 File rotating-xetex-bidi.def 326
108 File scrartcl-xetex-bidi.def 328
109 File scrbook-xetex-bidi.def 338
110 File scrlettr-xetex-bidi.def 349
111 File scrreprt-xetex-bidi.def 351
112 File sidecap-xetex-bidi.def 362
113 File soul-xetex-bidi.def 362
114 File stabular-xetex-bidi.def 363
115 File subfigure-xetex-bidi.def 364
116 File tabls-xetex-bidi.def 364
117 File tabularx-xetex-bidi.def 365
118 File tabulary-xetex-bidi.def 366
119 File tc-xetex-bidi.def 367
120 File tcolorbox-xetex-bidi.def 367
121 File titlesec-xetex-bidi.def 368
122 File titletoc-xetex-bidi.def 368
123 File tocbibind-xetex-bidi.def 369
124 File tocloft-xetex-bidi.def 371
125 File tocbasic-xetex-bidi.def 376
126 File tocstyle-xetex-bidi.def 389
127 File todonotes-xetex-bidi.def 393
128 File wrapfig-xetex-bidi.def 396
129 File xcolor-xetex-bidi.def 397
130 File latex-xetex-bidi.def 399
131 File xltxtra-xetex-bidi.def 417
132 Index 417

1 File amsart-xetex-bidi.def

```
\ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for X
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
```

```
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
```

```
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

2 File adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
```

```
    \fi
    \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
      \let\orig@RTLfootnotetext\@RTLfootnotetext
      \let\@RTLfootnotetext\mult@RTLfootnotetext
    \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

3 File algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e p
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                          else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi
\@ifpackageloaded{color}{}{%
  \bidi@patchcmd{\@algocf@start}{\bgroup}{%
    \bgroup
    \if@RTL
      \beginR
    \else
      \beginL
    \fi
  }{}{}
  \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
    \if@RTL
      \endR
    \else
      \endL
    \fi
    \egroup
    \end{lrbox}%
  }{}{}
  \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
    \if@RTL
      \hboxR
    \else
      \hboxL
    \fi
  }{}{}
}
```

4 File amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
```

```
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
   \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
```

```
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
   \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\@makechapterhead#1{\global\topskip 7.5pc\relax
  \begingroup
  \fontsize{\@xivpt}{18}\bfseries\centering
    \ifnum\c@secnumdepth>\m@ne
      \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
      \rlap{\vbox to\z@{\vss
          \centerline{\normalsize\mdseries
              \uppercase\@xp{\chaptername}\enspace\thechapter}
          \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
     #1\par \endgroup
  \skip@34\p@ \advance\skip@-\normalbaselineskip
  \vskip\skip@ }
\def\maketitle{\par
```

```
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \begingroup
  \@maketitle
  \endgroup
  \c@footnote\z@
  \def\do##1{\let##1\relax}%
  \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
  \do\author \do\@xauthor \do\address \do\@xaddress
  \do\email \do\@xemail \do\curraddr \do\@xcurraddr
  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
}
```

5 File amsmath-xetex-bidi.def

```
\ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@@italicco

\bidi@patchcmd\math@cr@@@align\place@tag{%
    \place@tag
  \else
    \place@tag
}{}{}

```

6 File amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
\def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for X
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
```

```
   \ifnum \@lastchclass=9 \thr@@
  \else \z@
  \ifnum \@lastchclass = 10 \else
  \edef\@nextchar{\expandafter\string\@nextchar}%
  \@chnum
  \if \@nextchar c\z@ \else
   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
    \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
  \z@ \@chclass
  \if\@nextchar |\@ne \else
   \if \@nextchar !6 \else
    \if \@nextchar @7 \else
     \if \@nextchar <8 \else
      \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
\def\@tabular{%
  \leavevmode
  \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                     \let\d@llarend\endgroup
  \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
  \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRo
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@prea
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

9 File article-xetex-bidi.def

```
\ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
```

```
462         \twocolumn[\@maketitle]%
463       \fi
464     \else
465       \newpage
466       \global\@topnum\z@   % Prevents figures from going at top of page.
467       \@maketitle
468     \fi
469     \thispagestyle{plain}\@thanks
470   \endgroup
471   \setcounter{footnote}{0}%
472   \global\let\thanks\relax
473   \global\let\LTRthanks\relax
474   \global\let\RTLthanks\relax
475   \global\let\maketitle\relax
476   \global\let\@maketitle\relax
477   \global\let\@thanks\@empty
478   \global\let\@author\@empty
479   \global\let\@date\@empty
480   \global\let\@title\@empty
481   \global\let\title\relax
482   \global\let\author\relax
483   \global\let\date\relax
484   \global\let\and\relax
485 }
486 \def\@maketitle{%
487   \newpage
488   \null
489   \vskip 2em%
490   \begin{center}%
491   \let \footnote \thanks
492   \let \LTRfootnote \LTRthanks
493   \let \RTLfootnote \RTLthanks
494     {\LARGE \@title \par}%
495     \vskip 1.5em%
496     {\large
497       \lineskip .5em%
498       \begin{tabular}[t]{c}%
499         \@author
500       \end{tabular}\par}%
501     \vskip 1em%
502     {\large \@date}%
503   \end{center}%
504   \par
505   \vskip 1.5em}
506 \fi
507 \renewcommand*\l@part[2]{%
508   \ifnum \c@tocdepth >-2\relax
509     \addpenalty\@secpenalty
510     \addvspace{2.25em \@plus\p@}%
511     \setlength\@tempdima{3em}%
512     \begingroup
513       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
514       \parfillskip -\@pnumwidth
515       {\leavevmode
```

```
      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
      \nobreak
      \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
```

```
    {\section*{\refname}%
     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
     \bidi@@thebibliography@font@hook%
     \list{\@biblabel{\@arabic\c@enumiv}}%
          {\settowidth\labelwidth{\@biblabel{#1}}%
           \leftmargin\labelwidth
           \advance\leftmargin\labelsep
           \@openbib@code
           \usecounter{enumiv}%
           \let\p@enumiv\@empty
           \renewcommand\theenumiv{\@arabic\c@enumiv}}%
     \sloppy
     \clubpenalty4000
     \@clubpenalty \clubpenalty
     \widowpenalty4000%
     \sfcode`\.\@m}
    {\def\@noitemerr
      {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\section*{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

10 File artikel1-xetex-bidi.def

```
\ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
```

```
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
```

```
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
```

```
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
```

```
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
```

```
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

11 File artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
```

```
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
```

```
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
```

```
996         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
997     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998     \if@compatibility\setcounter{page}{0}\fi
999     \null\vfil
1000    \vskip 60\p@
1001    \begin{center}%
1002      \TitleFont
1003      {\LARGE \def\\{\penalty -\@M}
1004        \if@allcaps
1005          \expandafter\uc@nothanks\@title\thanks\relax
1006        \else
1007          \@title
1008        \fi\par}%
1009      \vskip 3em%
1010      {\large
1011        \lineskip .75em \parindent\z@
1012        \begin{tabular}[t]{c}%
1013          \if@allcaps
1014            \expandafter\uc@authornothanks\@author\and\relax
1015          \else
1016            \@author
1017          \fi
1018        \end{tabular}\par}%
1019      \vskip 1.5em%
1020      {\large
1021        \if@allcaps
1022          \uppercase\expandafter{\@date}%
1023        \else
1024          \@date
1025        \fi\par}%
1026      \end{center}\par
1027    \@thanks
1028    \vfil\null
1029  \end{titlepage}%
1030  \setcounter{footnote}{0}%
1031  \global\let\thanks\relax
1032  \global\let\maketitle\relax
1033  \global\let\@thanks\@empty
1034  \global\let\@author\@empty
1035  \global\let\@title\@empty
1036  \global\let\@date\@empty
1037  \global\let\title\relax
1038  \global\let\author\relax
1039  \global\let\date\relax
1040  \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044     \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046   \ifx\@tempa\relax
1047   \else
1048     \\ \andname \\ \expandafter\uc@authornothanks
1049   \fi}
```

```
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
```

```
  \vskip 1.5em}
\fi
```

12 File artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
```

```
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
```

```
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
```

```
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
```

```
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabu
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
```

13 File arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egrou
```

```
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
        \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
        \ifadl@inactive \adl@inactivate \else \adl@activate \fi
        \let\adl@noalign\noalign
        \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}

\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
        \adl@endmbox\or
   \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
```

```
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                    \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                    \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}

\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
        \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
        \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
```

```
                \insert@column
                \d@llarend\hskip\stretch{.5}%
        \or \d@llarbegin \insert@column \d@llarend \hfill
        \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
        \or  $\vcenter
                \@startpbox{\@nextchar}\insert@column \@endpbox $%
        \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
        \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
        \fi
        \if@RTL\endR\fi\egroup\egroup
        \begingroup
                \CT@setup
                \CT@column@color
                \CT@row@color
                \CT@cell@color
                \CT@do@color
        \endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTL\endL\fi}%
    \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

14 File bidi.sty

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2022/02/18}
\def\bidi@version{36.7}
\ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2007--2022 Vafa Khalighi^^J%
* Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/tex-persian/bidi/issues^^J%
```

```
* ^^J%
* Discussions: https://github.com/tex-persian/bidi/discussions^^J%
* ^^J%
* Support Email: tex-persian@vafa.ac^^J%
* ^^J%
* Primary author of bidi package: Vafa Khalighi.^^J%
* ^^J%
**************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\newcommand*{\bidiversion}{\ensuremath\bidi@version}
\newcommand*{\IfbidiPackageVersionLater}[1]{%
  \ifdim\bidi@version pt > #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersionBefore}[1]{%
  \ifdim\bidi@version pt < #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersion}[1]{%
  \ifdim\bidi@version pt = #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\newif\if@bidi@perpage@footnote
\newcommand*{\setlatin}{\@nonlatinfalse}
\newcommand*{\setnonlatin}{\@nonlatintrue}
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@hboxRconstruct
\newif\if@bidi@pdfencrypt
\newcommand*{\setRTLtable}{\@RTLtabtrue}
\newcommand*{\setLTRtable}{\@RTLtabfalse}
\newif\if@bidi@pdfm@mark
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
```

```
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\newcommand*{\@bidi@pdfcreator}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfproducer}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfcustomproperties}{%
  This is the bidi package, Version \bidi@version,
  Released February 18, 2022.
}
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
\newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
  \if@RTLmain
    \if@twocolumn
      \hboxR to \columnwidth
    \else
      \hboxR to \textwidth
    \fi
  \else
    \if@twocolumn
      \hboxL to \columnwidth
    \else
      \hboxL to \textwidth
    \fi
  \fi
}
\newcommand*{\@bidi@logo}[1]{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
```

```
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\newcommand*{\@bidi@logo@}{%
  \@bidi@logo@hb@xt@columnwidth
    {\hss\LRE{\bfseries Typeset by the \textsf{bidi}
    package\quad\@bidi@logo{bidi-logo.pdf}}}}
\define@key{bidi@pdfencrypt}{userpassword}[]{%
  \def\bidi@pdfencrypt@userpassword{#1}%
}
\define@key{bidi@pdfencrypt}{ownerpassword}[]{%
  \def\bidi@pdfencrypt@ownerpassword{#1}%
}
\define@key{bidi@pdfencrypt}{keylength}[128]{%
  \def\bidi@pdfencrypt@keylength{#1}%
}
\define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
  \def\bidi@pdfencrypt@permissionflags{#1}%
}
\newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
\@onlypreamble\pdfencryptsetup
\input{latex-xetex-bidi.def}
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorig
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
  \ifcase\bidi@tempb\relax
    \@RTLtabtrue
  \or
    \@RTLtabfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
    \@nonlatintrue
```

```
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorig
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
  \def\bidi@firstcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status
              {1}}}%
  \def\bidi@lastcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status{2}}}%
  \or
    \let\bidi@firstcolumn@status@write\relax
    \let\bidi@lastcolumn@status@write\relax
  \fi}

\define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
```

```
    \AtBeginDocument{\@bidi@inslogo@}%
  \or
    \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
  \fi}

\define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@pdfm@marktrue
  \or
    \@bidi@pdfm@markfalse
  \fi}

% The `perpagefootnote' option is documented in UK TeX FAQ at
%  <https://texfaq.org/FAQ-footnpp> (see last paragraph)

\define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@perpage@footnotetrue
  \or
    \@bidi@perpage@footnotefalse
  \fi}

\ExecuteOptionsX{%
    DetectColumn=off%
}

\ProcessOptionsX

\pdfencryptsetup{%
  userpassword,%
  ownerpassword,%
  keylength,%
  permissionflags%
}

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@sepmark@charclass
\XeTeXcharclass `\. \bidi@sepmark@charclass
\XeTeXcharclass `\- \bidi@sepmark@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits
\XeTeXinterchartoks \bidi@sepmark@charclass  \bidi@digits@charclass = {\DigitsDotDashInterCh
\newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
\bidi@AtEndPreamble{%
  \if@bidi@perpage@footnote
    \RequirePackage{bidi-perpage}%
    \ResetCounterPerPage{footnote}%
  \fi
```

```
\ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
  \ifx\bidi@pdfencrypt@userpassword\bidi@empty
    \@bidi@pdfencryptfalse
  \else
    \@bidi@pdfencrypttrue
  \fi
\else
  \@bidi@pdfencrypttrue
\fi
\if@bidi@pdfencrypt
  \special{pdf:encrypt
    userpw (\bidi@pdfencrypt@userpassword)
    ownerpw (\bidi@pdfencrypt@ownerpassword)
    length \bidi@pdfencrypt@keylength
    perm \bidi@pdfencrypt@permissionflags
  }%
\fi
}
\AtEndDocument{%
  \special{pdf:%
    docinfo<<%
    \if@bidi@pdfm@mark
      /Creator(\@bidi@pdfcreator)%
      /Producer(\@bidi@pdfproducer)%
    \fi
    /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
    \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
      /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
    }{}%
     >>%
  }%
}
```

15 File bidi.tex

```
\def\bididate{2022/02/18}
\catcode`@=11
\def\bidi@version{36.7}
\let \protect \relax
\newlinechar`\^^J
\edef\@bidi@info{*****************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2007--2022 Vafa Khalighi^^J%
* Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
```

```
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/tex-persian/bidi/issues^^J%
* ^^J%
* Discussions: https://github.com/tex-persian/bidi/discussions^^J%
* ^^J%
* Support Email: tex-persian@vafa.ac^^J%
* ^^J%
* Primary author of bidi package: Vafa Khalighi.^^J%
* ^^J%
************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
\def\bidiversion{%
  \relax
  \ifmmode
    \bidi@version
  \else
    $\bidi@version$
  \fi
}
\input iftex.sty
\RequireXeTeX
\newif\if@bidi@pdfm@mark
\newif\if@RTLmain
\newif\if@RTL
\newif\if@hboxRconstruct
\newif\if@sentdir
\newif\if@RTL@footnote
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
```

```
\def\@bidi@logo@hb@xt@{%
  \if@RTLmain
    \hboxR to
  \else
    \hboxL to
  \fi
}
\def\@bidi@logo#1{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bid
\def\nobidilogo{\let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty}
\def\@bidi@pdfcreator{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfproducer{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfcustomproperties{%
  This is the bidi package, Version \bidi@version,
  Released February 18, 2022.
}
\def\bidi@pdfm@mark{%
  \special{pdf:%
    docinfo<<%
    \if@bidi@pdfm@mark
      /Creator(\@bidi@pdfcreator)%
      /Producer(\@bidi@pdfproducer)%
    \fi
    /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
      >>%
    }%
}
\def\bidipdfinfoon{\@bidi@pdfm@marktrue}
\def\bidipdfinfooff{\@bidi@pdfm@markfalse}
\input plain-xetex-bidi.def
\@bidi@inslogo@
\outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
\catcode`@=12
\bidipdfinfoon
```

16 File bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
```

```
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

17 File bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    backgroundcolor=\color{hellgelb},
    columns=flexible,
    tabsize=4,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
    morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
```

```
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
       \def\arraystretch{1.0}
       \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
       \def\arraystretch{1.0}
       \begin{tabular}{@{}l@{}l@{}l@{}}
  }
```

```
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

18 File bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
```

```
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{%
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
   \let\@RTLfootnotetext\bidi@p@RTLftntext
   \let\@xfootnotenext\bidi@p@xftntext
   \let\@xfootnote\bidi@p@xfootnote
   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
   \let\@xLTRfootnote\bidi@p@xLTRfootnote
    \let\@xRTLfootnotenext\bidi@p@xRTLftntext
   \let\@xRTLfootnote\bidi@p@xRTLfootnote
   \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup $\if@RTLtab\endR\fi\egroup
                   \ifx\@captype\@undefined
                    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
\long\def\bidi@p@ftntext#1{%
  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
```

```
  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidi@p@xLTRftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidi@p@xRTLftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}


\def\bidi@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xftntext[#1]}


\def\bidi@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xLTRftntext[#1]}


\def\bidi@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xRTLftntext[#1]}

\def\@xfloat #1[#2]{%
  \@nodocument
  \def \@captype {#1}%
   \def \@fps {#2}%
   \@onelevel@sanitize \@fps
   \def \reserved@b {!}%
   \ifx \reserved@b \@fps
     \@fpsadddefault
   \else
     \ifx \@fps \@empty
       \@fpsadddefault
     \fi
   \fi
   \ifhmode
     \@bsphack
     \@floatpenalty -\@Mii
   \else
```

```
    \@floatpenalty-\@Miii
  \fi
\ifinner
    \@parmoderr\@floatpenalty\z@
\else
  \@next\@currbox\@freelist
    {%
     \@tempcnta \sixt@@n
     \expandafter \@tfor \expandafter \reserved@a
       \expandafter :\expandafter =\@fps
       \do
        {%
         \if \reserved@a h%
           \ifodd \@tempcnta
           \else
             \advance \@tempcnta \@ne
           \fi
         \fi
         \if \reserved@a t%
           \@setfpsbit \tw@
         \fi
         \if \reserved@a b%
           \@setfpsbit 4%
         \fi
         \if \reserved@a p%
           \@setfpsbit 8%
         \fi
         \if \reserved@a !%
           \ifnum \@tempcnta>15
             \advance\@tempcnta -\sixt@@n\relax
           \fi
         \fi
         }%
     \@tempcntb \csname ftype@\@captype \endcsname
     \multiply \@tempcntb \@xxxii
     \advance \@tempcnta \@tempcntb
     \global \count\@currbox \@tempcnta
     }%
  \@fltovf
\fi
\global \setbox\@currbox
  \color@vbox
    \normalcolor
    \vbox \bgroup
     \let\@footnotetext\bidi@p@ftntext
     \let\@LTRfootnotetext\bidi@p@LTRftntext
     \let\@RTLfootnotetext\bidi@p@RTLftntext
     \let\@xfootnotenext\bidi@p@xftntext
      \let\@xfootnote\bidi@p@xfootnote
      \let\@xLTRfootnotenext\bidi@p@xLTRftntext
      \let\@xLTRfootnote\bidi@p@xLTRfootnote
      \let\@xRTLfootnotenext\bidi@p@xRTLftntext
      \let\@xRTLfootnote\bidi@p@xRTLfootnote
      \hsize\columnwidth
```

```
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
}
```

19 File bidimoderncv.cls

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
```

```
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
```

```
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
\providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
```

```
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
  \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
  \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
    {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
    \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
\newcommand*{\cvlanguage}[3]{%
  \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
```

```
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}}
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
        \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pag
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
    \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
    \end{list}%
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

20 File bidi-perpage.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
\newcount\bidi@page@count
\bidi@page@count\@ne
```

```
\newcommand*{\ResetCounterPerPage}[2][\z@]{%
  \if@bidi@csundef{bidi@stepcounterhook@@#2}{%
    \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
  }{}%
  \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
    \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
  }{}%
  \if@bidi@csundef{bidi@#2@count}{%
    \expandafter\newcount\csname bidi@#2@count\endcsname
  }{}%
  \csname bidi@#2@count\endcsname\z@
  \if@bidi@csundef{bidi@previous@page@@#2@count}{%
    \expandafter\newcount\csname
    bidi@previous@page@@#2@count\endcsname
  }{}%
  \csname bidi@previous@page@@#2@count\endcsname\z@
  \if@bidi@csundef{bidi@reset@#2@perpage}{%
    \bidi@AfterEndDocumentCheckLabelsRerun{%
      \csname if@bidi@reset@#2@rerun\endcsname
        \PackageWarningNoLine{bidi-perpage}{%
          Counter `#2' may not have been reset per page.
          Rerun to reset counter `#2' per page%
        }%
      \fi
    }%
  }{}%
  \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
    \global\advance\csname bidi@#2@count\endcsname\@ne
    \if@filesw
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@counter@page{#2}%
          {\number\csname bidi@#2@count\endcsname}%
          {\noexpand\number\noexpand\bidi@page@count}%
        }%
      }%
      \@tempa
    \fi
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname bidi@#2@@\number\csname
  bidi@#2@count\endcsname\endcsname\relax
    \global\csname @bidi@reset@#2@reruntrue\endcsname
  \else
    \global\csname @bidi@reset@#2@rerunfalse\endcsname
    \expandafter\@tempcnta\csname bidi@#2@@\number
    \csname bidi@#2@count\endcsname\endcsname\relax
    \ifnum\@tempcnta=\csname
    bidi@previous@page@@#2@count\endcsname
    \else
      \global\csname
      bidi@previous@page@@#2@count\endcsname\@tempcnta
      \global\csname c@#2\endcsname#1\relax
    \fi
  \fi
```

```
  }%
  \expandafter\bidi@gappto\csname
  bidi@stepcounterhook@@#2\endcsname{%
    \csname bidi@reset@#2@perpage\endcsname
  }%
}
\def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
\bidi@AtEndOutputPage{%
  \global\advance\bidi@page@count\@ne
}
```

21 File biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2022/02/01 v2.1 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
```

```
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
\def\eqnewif#1#2{%
  \count@\escapechar \escapechar\m@ne
```

```
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\newcommand*{\SetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\csname#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}}}
\newcommand*{\SetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\csname @#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\global\csname @#1\@tempa\endcsname}}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
```

```
2802     \csname cl@#2\endcsname}}}
2803 \newcommand*{\ifRtoL}{%
2804   \if@RTL
2805     \expandafter\@firstoftwo
2806   \else
2807     \expandafter\@secondoftwo
2808   \fi}
2809 \newcommand*{\ifLtoR}{%
2810   \if@RTL
2811     \expandafter\@secondoftwo
2812   \else
2813     \expandafter\@firstoftwo
2814   \fi}
2815 \newcommand*{\ifRtoLtable}{%
2816   \if@RTLtab
2817     \expandafter\@firstoftwo
2818   \else
2819     \expandafter\@secondoftwo
2820   \fi}
2821 \newcommand*{\ifLtoRtable}{%
2822   \if@RTLtab
2823     \expandafter\@secondoftwo
2824   \else
2825     \expandafter\@firstoftwo
2826   \fi}
2827 \newcommand*{\ifRtoLhboxconstruct}{%
2828   \if@hboxRconstruct
2829     \expandafter\@firstoftwo
2830   \else
2831     \expandafter\@secondoftwo
2832   \fi}
2833 \newcommand*{\ifLtoRhboxconstruct}{%
2834   \if@hboxRconstruct
2835     \expandafter\@secondoftwo
2836   \else
2837     \expandafter\@firstoftwo
2838   \fi}
2839 \newcommand*{\iflatin}{%
2840   \if@nonlatin
2841     \expandafter\@secondoftwo
2842   \else
2843     \expandafter\@firstoftwo
2844   \fi}
2845 \newcommand*{\ifnonlatin}{%
2846   \if@nonlatin
2847     \expandafter\@firstoftwo
2848   \else
2849     \expandafter\@secondoftwo
2850   \fi}
2851
2852 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
2853     \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
2854
2855 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
```

```
    \dimexpr #1*65536/\dimexpr 1pt\relax}

\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
  \ifdefined#1%
    \ifx#1\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
```

```
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}

\def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@@#2@#3}{#4}}

\newcount\bidi@poscount

\newcommand*{\WriteStartXPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
  \if@RTL
       \if@filesw
    \@tempa
```

```
  \fi
  \pdfsavepos
    \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
}

\newcommand*{\WriteEndXPostoaux}{%
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
      }%
    }%
  \if@RTL
    \if@filesw
    \@tempa
  \fi
  \pdfsavepos
  \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
}

\newcommand*{\WriteStartYPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
  \if@RTL
      \if@filesw
    \@tempa
```

```
  \fi
  \pdfsavepos
    \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\WriteEndYPostoaux}{%
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
      }%
    }%
  \if@RTL
    \if@filesw
    \@tempa
  \fi
  \pdfsavepos
  \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\WriteStartXYPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
      }%
      \write\@auxout{%
        \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
```

```
\if@RTL
      \if@filesw
  \@tempa
\fi
\pdfsavepos
  \else
\pdfsavepos
\if@filesw
  \@tempa
\fi
\fi
\if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
      \PackageWarningNoLine{biditools}{%
        The start x position `\number\bidi@poscount' is not known yet.
        Rerun to get this x position%
        }%
}{}%
\if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
      \PackageWarningNoLine{biditools}{%
        The start y position `\number\bidi@poscount' is not known yet.
        Rerun to get this y position%
        }%
}{}%
}

\newcommand*{\WriteEndXYPostoaux}{%
     \edef\@tempa{%
       \write\@auxout{%
         \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
     }%
       \write\@auxout{%
         \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
     }%
   }%
\if@RTL
  \if@filesw
  \@tempa
\fi
\pdfsavepos
\else
\pdfsavepos
\if@filesw
  \@tempa
\fi
\fi
\if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
        The end x position `\number\bidi@poscount' is not known yet.
        Rerun to get this x position%
        }%
}{}%
\if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
        The end y position `\number\bidi@poscount' is not known yet.
```

```
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\currentposxwidth}{%
  \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{\z@}
  {%
    \ifnum\csname bidi@xpos@@start@\number\bidi@poscount
    \endcsname < \csname   bidi@xpos@@end@\number\bidi@poscount
    \endcsname
    \dimexpr \csname bidi@xpos@@end@\number\bidi@poscount
    \endcsname sp - \csname   bidi@xpos@@start@\number\bidi@poscount
    \endcsname sp\relax
  \else
    \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
    \endcsname sp - \csname   bidi@xpos@@end@\number\bidi@poscount
    \endcsname sp\relax
  \fi
  }%
}

\newcommand*{\currentposyheight}{%
  \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
  {%
    \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
    \endcsname sp - \csname   bidi@ypos@@end@\number\bidi@poscount
    \endcsname sp\relax
  }%
}



\newcommand*{\setbaselineskip}[1]{%
    \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\
    \selectfont
}


\newcommand*{\bidi@newrobustcmd}{}
\protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}

\def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}

\def\bidi@newcommand#1[#2]{%
  \@ifnextchar[%]
    {\bidi@xargdef#1[#2]}
    {\ifx\l@ngrel@x\relax
       \let\l@ngrel@x\protected
     \else
       \protected\def\l@ngrel@x{\protected\long}%
     \fi
     \@argdef#1[#2]}}

```

```
\long\def\bidi@xargdef#1[#2][#3]#4{%
  \@ifdefinable#1{%
    \expandafter\protected
    \expandafter\def
    \expandafter#1%
    \expandafter{%
      \expandafter\@testopt
      \csname\string#1\endcsname{#3}}%
    \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}

\bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}

\def\bidi@renew@command#1{%
  \if@bidi@undef{#1}
     {\bidi@error{\string#1 undefined}\@ehc}
     {}%
  \let\@ifdefinable\@rc@ifdefinable
  \bidi@new@command#1}



\bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}

\def\bidi@provide@command#1{%
  \if@bidi@undef{#1}
    {\def\reserved@a{\bidi@new@command#1}}
    {\def\reserved@a{\bidi@renew@command\reserved@a}}%
  \reserved@a}

\newcommand*{\bidi@csuse}[1]{%
  \ifcsname#1\endcsname
    \csname#1\expandafter\endcsname
  \fi}

\newcommand{\bidi@expandonce}[1]{%
  \unexpanded\expandafter{#1}}

\def\bidi@protected{%
  \let\@@protect\protect
  \let\protect\@unexpandable@protect
  \afterassignment\restore@protect}

\bidi@newrobustcmd{\bidi@appto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@eappto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{\bidi@expandonce#1#2}}}
\bidi@newrobustcmd{\bidi@gappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
```

```
\bidi@newrobustcmd{\bidi@xappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{\bidi@expandonce#1#2}}}

\bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
\bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}



\bidi@newrobustcmd{\bidi@preto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@epreto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{#2\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@gpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@xpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}



\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}



\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
```

```
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \bidi@ifscanable{#1}
          {\bidi@ifhashcheck{#2}
             {\bidi@dbg@info{tok}%
              \bidi@ifpattern#1{#2}
                 {\bidi@dbg@info{pat}%
                  \bidi@dbg@info{pos}\@firstoftwo}
                 {\bidi@dbg@fail{pat}\@secondoftwo}}
             {\bidi@dbg@fail{hsh}\@secondoftwo}}
          {\bidi@dbg@fail{tok}\@secondoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#1}
             {\bidi@dbg@info{tok}%
              \bidi@dbg@info{pos}\@firstoftwo}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#1}
             {\bidi@dbg@info{pro}}
             {}%
           \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
```

```
3342          #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
3343        \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
3344          ####1\detokenize{#4}####2}%
3345        \edef\noexpand\bidi@resrvda{%
3346          \noexpand\bidi@resrvda\meaning#2&}}%
3347      \bidi@resrvda
3348      \bidi@patchcmd@scantoks\bidi@resrvda
3349      \let#2\bidi@resrvda
3350      \bidi@undef\bidi@resrvda
3351      \@firstoftwo}
3352     {\@secondoftwo}}
3353
3354 \def\bidi@patchcmd@scantoks#1{%
3355   \edef\bidi@resrvda{\endgroup
3356     \unexpanded{\makeatletter\scantokens}{#1}%
3357     \catcode\number`\@=\the\catcode`\@\relax}%
3358   \bidi@resrvda}
3359
3360 \newcommand\bidi@isloaded[2][]{
3361   \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
3362     \expandafter\newif\csname if@bidi@#2loaded@\endcsname
3363   \fi
3364   \@ifpackageloaded{#2}
3365     {\csname @bidi@#2loaded@true\endcsname #1}
3366     {\csname @bidi@#2loaded@false\endcsname}}
3367
3368 \protected\def\bidi@ifscanable#1{%
3369   \begingroup
3370   \edef\bidi@resrvda{%
3371     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3372       ####1\def\string\bidi@resrvda####2{####3}}%
3373     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
3374   \bidi@resrvda
3375   \makeatletter
3376   \scantokens\expandafter{\bidi@resrvda}%
3377   \expandafter\endgroup\ifx#1\bidi@resrvda
3378     \expandafter\@firstoftwo
3379   \else
3380     \expandafter\@secondoftwo
3381   \fi}
3382
3383
3384 \protected\long\def\bidi@ifhashcheck#1{%
3385   \begingroup
3386   \edef\bidi@resrvda{\detokenize{#1}}%
3387   \expandafter\endgroup
3388   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
3389
3390 \edef\bidi@ifhashcheck@i#1&{%
3391   \noexpand\expandafter
3392   \noexpand\bidi@ifhashcheck@ii
3393   \noexpand\strip@prefix#1\string#\string#&}
3394
3395 \edef\bidi@ifhashcheck@ii{%
```

```
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}


\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble


\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}


\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
```

```
  \@makeother\#%
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#2}
             {\bidi@dbg@info{pro}%
              \bidi@dbg@succ{red}%
              \protected}
             {\bidi@dbg@succ{red}}%
           \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
           \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}

%\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
%\newcommand*{\bidi@endpreamblehook}{}

\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%

\bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout
\newcommand*{\bidi@beforeoutputpageshipouthook}{}

```

```
\bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
\newcommand*{\bidi@beforeheaderhook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutput
\newcommand*{\bidi@beforeoutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpa
\newcommand*{\bidi@afteroutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
\newcommand*{\bidi@beforefooterhook}{}

\bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
\newcommand*{\bidi@afterfooterhook}{}


\bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipoutho
\newcommand*{\bidi@afteroutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
\newcommand*{\bidi@atendoutputpagehook}{}

%\bidi@preto\document{%
%  \endgroup
%  \let\bidi@AtEndPreamble\@firstofone
%  \bidi@endpreamblehook
%  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
%  \bidi@undef\bidi@endpreamblehook
%  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

%\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
%\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%

%\bidi@appto\document{%
%  \let\bidi@AfterEndPreamble\@firstofone
%  \bidi@afterendpreamblehook
%  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
%  \bidi@undef\bidi@afterendpreamblehook
%  \ignorespaces}

\bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocume
\newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}

\bidi@patchcmd\enddocument
  {\fi}
  {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
   \bidi@afterenddocumentchecklabelsrerunhook
   \fi}
   {}
```

```
    {\PackageWarning{biditools}{Patching `\string\enddocument' failed}}

\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

\bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
\newcommand*{\bidi@afterlastshipouthook}{}

\bidi@patchcmd\enddocument
  {\clearpage}
  {\clearpage
   \let\bidi@AfterLastShipout\@firstofone
   \bidi@afterlastshipouthook}
  {}
  {\let\bidi@clearpage\clearpage
   \def\clearpage{%
     \bidi@clearpage
     \let\bidi@AfterLastShipout\@firstofone
     \bidi@afterlastshipouthook}}

%\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
%\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\AddToHook{enddocument/end}}%

%\bidi@patchcmd\enddocument
%  {\deadcycles}
%  {\let\bidi@AfterEndDocument\@firstofone
%   \bidi@afterenddocumenthook
%   \deadcycles}
%  {}
%  {\let\bidi@@end\@@end
%   \def\@@end{%
%     \let\bidi@AfterEndDocument\@firstofone
%     \bidi@afterenddocumenthook
%     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

% Patch \begin<space> and \end<space> in newer LaTeX releases
% \begin and \end in older ones.
\expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}
```

```
3612
3613 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
3614   {\csname end#1\endcsname}
3615   {\bidi@csuse{@bidi@end@#1@hook}%
3616    \csname end#1\endcsname}
3617   {}
3618   {\bidi@warning{%
3619      Patching '\string\end' failed!\MessageBreak
3620      '\string\bidi@AtEndEnvironment' will not work\@gobble}}
3621
3622
3623
3624 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3625   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
3626
3627 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
3628   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
3629   {}
3630   {\bidi@warning{%
3631      Patching '\string\begin' failed!\MessageBreak
3632      '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
3633
3634 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3635   \bidi@csgappto{@bidi@afterend@#1@hook}}
3636
3637 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
3638   {\if@ignore}
3639   {\bidi@csuse{@bidi@afterend@#1@hook}%
3640    \if@ignore}
3641   {}
3642   {\bidi@warning{%
3643      Patching '\string\end' failed!\MessageBreak
3644      '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
3645
3646 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
3647 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
3648 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
3649 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
3650
3651 % From David Carlisle:
3652 % The \@stpelt redefinition below belongs to Heiko Oberdiek
3653 % See also https://github.com/ho-tex/oberdiek/issues/26
3654
3655 \let\@bidi@stepcounter\stepcounter
3656 \let\@bidi@@stpelt\@stpelt
3657
3658 \def\@stpelt#1{%
3659   \ifcsname bidi@reset@#1@perpage\endcsname
3660     \begingroup
3661       \let\stepcounter\@bidi@stepcounter
3662       \@bidi@@stpelt{#1}%
3663     \endgroup
3664     \expandafter\@gobbletwo
3665   \fi
```

```
  \@bidi@@stpelt{#1}%
}

\bidi@pretocmd\stepcounter
  {%
    \if@bidi@csundef{bidi@stepcounterhook@@#1}{}{%
      \csname bidi@stepcounterhook@@#1\endcsname
    }%
  }{}%
  {\PackageWarning{biditools}{Patching `\string\stepcounter' failed}}

\chardef\bidi@backslash`\\
\def\bidics#1{\texttt{\char\bidi@backslash#1}}

% anonymous control sequences
\newcount\bidi@tempcountb
\newtoks\bidi@temptoksa
\newtoks\bidi@temptoksb

% Catcode (re)storing
%
\def\bidi@storecatcode#1%
   {\escapechar\m@ne
    \bidi@csarg\edef{bidi@restorecatcode\string#1}%
          {\catcode`\string#1=
                \the\catcode\expandafter`\string#1}%
    \catcode\expandafter`\string#1=12\relax
    \escapechar`\\\relax}
\def\bidi@restorecatcode#1%
   {\escapechar\m@ne
    \csname bidi@restorecatcode\string#1\endcsname
    \escapechar`\\\relax}

% Construct a control sequence inside \edef
%
\def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}

% Construct a control sequence out of #2, and give it to #1
%
\def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}

% Pick an escapecharacter
% this presumes that its argument is a character.
%
\def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}

% Equality of strings.
% the fast approach: does not work in expansion-only environment.
%
\def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
    \ifx\bidi@eqs@a\bidi@eqs@b}

% Test by expansion only
%
```

```
\def\bidi@EqualStringX#1#2{00\fi
    \csname if\@bidi@EqualStringX#1&$#2&$\endcsname}
\def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
        \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
    \else false\fi}
\def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}

% Lexicographic ordering
% note the use of \def
% also note the characters 0,127,255 that are used,
% these are not supposed to appear in the strings
%
{\catcode0=12 \catcode255=12 \catcode127=12
\gdef\bidi@StringBeforeNC#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
  \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
  \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
       \else\ifnum\lccode`#1<\lccode`#3
              \def\bidi@next{\csname iftrue\endcsname}%
            \else\ifnum\lccode`#1>\lccode`#3
                   \def\bidi@next{\csname iffalse\endcsname}%
                 \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
  \fi  \fi  \fi  \fi
  \bidi@next}
\gdef\bidi@StringBefore#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
  \ifnum`#1<`#3
       \def\bidi@next{\csname iftrue\endcsname}%
  \else\ifnum`#1>`#3
       \def\bidi@next{\csname iffalse\endcsname}%
       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
  \fi\fi
  \bidi@next}
}

% Null argument test
%
\def\bidi@empty{}
\def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
\def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
%\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
\def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}

% Next character test
%
\def\bidi@NextChar#1#2#3{00\fi
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\bidi@ifNextChar#1#2#3{%
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
```

```
    \else \expandafter\bidi@nxt@b \fi}

% Test for defined-ness of string as control sequence.
% works inside \edef
%
\def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}

% Define uniquely defined dummy macros,
% usually to serve as bumper blocks at the end of a list
%
\newcount\bidi@dummies
\def\DefNewDummy#1{
    \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
        \advance\bidi@dummies\@ne
    \else
        \bidi@error{Attempt at second definition of `#1'}
    \fi}

% string case statement
% use: \bidi@switch \iftest{...} in:
%      item1 action1
%      ...
%      itemn actionn
%      default defaultaction [optional]
%      \endbidi@switch
% inspired by Jonathan Fine: Some Basic Control Macros
% Tugboat 12 #4
%
\let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
\def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch {#1}
}
% this version puts the test object in {}
\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch #1 in:
}
% this version assumes that the test object is just one character
\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
  #1#2\bidi@switch@exit #3 \@bidi@fi
  \bidi@cswitch #1 in:
}
% this version assumes that the test object can have an optional space
\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@bswitch #1 in:
}
% this version can cope with significant spaces at the start of #3;
% #2 is macro argument
\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@mswitch #1 in:
```

```
}
% idem; #2 does not have to be enclosed in braces
\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@fswitch #1 in:
}

% Routines for taking the value of a string:
% if the string is defined as control sequence
% take the value of that, otherwise take the string itself

% String or value of control sequence
%
\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}

% String or control sequence
%
\def\@bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}

% String or \noexpand-ed control sequence;
% for use in \edef
%
\newif\ifbidi@in@label
\def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
            \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
\newtoks\bidi@are@these@correct
\def\bidi@t@w@w#1{%
    \if\bidi@undefinedcs{#1}#1%
        \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
    \else
        \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}

% List Manipulation ..............
% this assumes that #1 is a list of tokens, #2 is the name of a list
%
% Names of lists (and of items to pop into) are given as strings;
% not as control sequences.
%
\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
% basic append/prepend macro
\long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@tok
\long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
\def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
\def\@bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
% variations:
\long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
\long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{}{#2}}
\def\bidi@append@list@to@list#1#2{%
  \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\
\def\bidi@prepend@list@to@list#1#2{%
  \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2
\def\bidi@append@cslist@to@cslist#1#2{%
```

```
  \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@prepend@cslist@to@cslist#1#2{%
  \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
\def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}

\let\bidi@willbeunhskip\unhskip

% A few list macros for the user
\def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
\def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
\long\def\AppendToTokenList:#1=#2 {\@bidi@append@to@list{#1}{}{#2}}
\long\def\PrependToTokenList:#1=#2 {\@bidi@prepend@to@list{#1}{}{#2}}
\def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\@empty
    \if\bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
    \else\bidi@csarg\the{#1}\fi
    \let\bidi@willbeunhskip\bidi@oldwbuskip}

\def\bidi@del@tok@from@list#1#2{\begingroup
    \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
       {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
        \edef\bidi@cs@listb{\global\bidi@csname{#1}=
                {\the\bidi@toks@lista\the\bidi@toks@listb}}%
        \bidi@cs@listb}%
    \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}\expandafter\the\csname#1\endcsname\noexpan
    \bidi@cs@lista \endgroup}
\def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@in@front@of@cslist\bidi@cs@lista}
\long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
  \endgroup}
\long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
    \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandaf
                {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafte
                 \expandafter\the\csname#1\endcsname}%
    }
\def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@set@cslist\bidi@cs@lista}
\long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}

%%%%%%%%%%%%%%% Stack macros
%
% push in terms of prepending of lists
\def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\\expandaf
\def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
\def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{}{\\{#2}}}
\def\bidi@local@push@onto#1#2{\let\\=\relax
    \bidi@local@in@front@of@list{#1}{\\{#2}}}
% pop via auxiliary macro: #1 is result, #2 is stack
% two cs arguments
\def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
% two string arguments
```

```
\def\bidi@pop@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@b
\long\def\@@bidi@popinto#1#2\\#3#4\@@bidi@pop{#1{#3}#2{#4}}
\def\bidi@copy@stacktop#1#2{%
    \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
                    {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
    \bidi@cs@e}
\def\@bidi@copy@stacktop#1\\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
\newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\\{}}
\def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
\def\bidi@length@of@csstack#1{\def\\##1{\advance\bidi@stack@length\@ne}%
  \bidi@stack@length\m@ne \the#1}
% turn a stack upside down
\def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
    \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
%    \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
%    \bidi@temptoksa\bidi@temptoksb
    \repeat% copy b to a
  #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
% invert a stack into a list
\def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
    \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
  \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}


% General loop macro:
% \looprepeat
%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<en
%               \untilcondition{<cond>} \whilecondition{<cond>}
%   \doloopbody { <loop body> }
% where all control sequences in between \looprepeat and \doloopbody are optional.
%
% var: characters to form a control sequence;
%    after \forvariable{index} you can access the loop counter as \index.
%    This is a count register; to print it use \number\index.
% start,step,end: integers with obvious relations to the loop counter;
%    start and step have a default value of 1
% cond: (sequence of commands ending in) any TeX \if... test.
%
% Count down instead of up with \downtovalue; the increment given in \bystep
% is always positive, and is added or subtracted accordingly.
%
% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
% at the beginning of the loop body.
%
% Exit from middle of loop: \breaklooprepeat
% use this at any place in the loop; in case of a conditional use
%   \ifsomething ... \expandafter \breaklooprepeat \fi
```

```
%
% Note that the line ends do not cause spaces in the output.
%
% Technical details:
% The loop body is not executed in a group: the braces are those
% of a token list.
% The `forvariable' variable is \let to a \count register.



% Auxiliary stuff
\def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
\def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsnam
\def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprep

\newcount\bidi@looprepeat@depth
\let\endlooprepeat\relax \def\bidi@csprotect{}
% Trace switches may later be defined by PAC_utils
\let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

% Main repeatloop macro
% - go to next level and allocate unique counter/toks if this is the
%   first time we visit this level
% - setup: gather bounds and termination conditions
% - scoop up body in token list; after the assignment define and
%   execute body
\def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
  \advance\bidi@looprepeat@depth\@ne\relax
  \bidi@looprepeat@csargromannumeral\ifx{bidi@looprepeat@count}\relax
    \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{bidi@looprepe
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepea
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepea
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepea
  \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@loo
  \edef\bidi@looprepeat@tmp
     {\def\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}{\bidi@loop
  \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{bidi@looprepeat@tok

% Define and execute loop body
% This is done with an \edef to construct the actual sequence
\def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{bidi@looprepeat@body}{%
    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
      \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@toks}%
        \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@utest}%
    \global\bidi@looprepeat@csargromannumeral\advance{bidi@looprepeat@count} by \bidi@loopre
    \noexpand\endlooprepeat
    \bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}}%
  \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}\ignorespaces}

% Stop test
%% In order to stop, issue a
% \breaklooprepeat which scoops up the rest of the body and exits
\def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral
  \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
```

```
  }


% Setup
% gather bounds and termination conditions
\def\bidi@looprepeat@setup#1{%
  \begingroup
    \def\forvariable##1{%
      \edef\bidi@looprepeat@tmp{%
        \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@
      \bidi@looprepeat@tmp}%
    \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\ig
    \def\tovalue##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
       {\bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
        \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bi
          \noexpand\expandafter \noexpand\breaklooprepeat
        \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\downtovalue##1{%
      \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
    \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}
                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
                \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignoresp
    \def\untilcondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
         {\noexpand##1\relax
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
      \bidi@looprepeat@tmp}%
    \def\whilecondition##1{%
      \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loop
         {\noexpand##1\relax \noexpand\else
          \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
    \bidi@looprepeat@tmp}%
    \fromvalue{\@ne}\bystep{\@ne}#1%
  \endgroup}
\def\bidi@looprepeat@zero
   {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{b
    \bidi@looprepeat@csargromannumeral\def{bidi@looprepeat@body}{}}

%\tracingmacros2
%\newcount\tmpcount % used in some examples below

%\looprepeat \forvariable{i}
%        \bystep{2}
%  \doloopbody {%
%     \ifnum\i=13 \expandafter\breaklooprepeat \fi
%     \number\i{} %
%}%

%\looprepeat \forvariable{iii}
%        \tovalue{8}
%   \doloopbody {}
%After loop: \number\iii%
```

```
%\looprepeat \forvariable{i}
%        \fromvalue{10}
%        \bystep{2}
%        \downtovalue{0}
%   \doloopbody {\number\i{} }

%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
%   \doloopbody {\number\x{} }

%\looprepeat \tovalue{3} \doloopbody {Hello world! }

%\looprepeat \forvariable{j}
%        \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
%  \doloopbody {\number\j{} }

%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
%  \doloopbody {(\number\i.\number\j) }
% }

% infinite loop
%\looprepeat \doloopbody {}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
    \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
```

```
    \def\bidi@@loadwithoptions{%
      \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
    \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
      \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
```

```
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}
```

```
4260
4261
4262 \newcommand*{\bidi@BeforePackage}[1]{%
4263   \bidi@set@load@hook{before}{#1.\@pkgextension}}
4264 \newcommand*{\bidi@AfterPackage}{%
4265   \@ifstar {\@s@bidi@AfterPackage}{%
4266     \@ifnextchar +\@@bidi@AfterPackage{%
4267       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
4268     }%
4269   }%
4270 }
4271 \newcommand*{\@@@bidi@AfterPackage}[2]{%
4272   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
4273     \aftergroup\@s@bidi@AfterPackage
4274   \else
4275     \aftergroup\bidi@AfterAtEndOfPackage
4276   \fi
4277   \endgroup{#2}%
4278 }
4279 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
4280   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
4281 \newcommand*{\@@bidi@AfterPackage}[2]{%
4282   \begingroup
4283     \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
4284       \aftergroup\@s@bidi@AfterPackage
4285     \else
4286       \aftergroup\@bidi@AfterPackage
4287     \fi
4288   \endgroup{#2}%
4289 }
4290 \newcommand*{\@bidi@AfterPackage}[1]{%
4291   \bidi@set@load@hook{after}{#1.\@pkgextension}}
4292 \newcommand*{\@s@bidi@AfterPackage}[1]{%
4293   \begingroup
4294     \@ifpackageloaded{#1}{%
4295       \aftergroup\@secondoftwo
4296     }{%
4297       \aftergroup\@bidi@AfterPackage
4298     }%
4299   \endgroup
4300   {#1}%
4301 }
4302
4303 \newcommand*{\bidi@excludedpackages}{}
4304 \let\bidi@excludedpackages\@empty
4305 \newcommand*{\bidi@saved@RequirePackage}{}
4306 \newcommand*{\bidi@PreventPackageFromLoading}{%
4307   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
4308           {\@bidi@PreventPackageFromLoading\PackageWarning}%
4309 }
4310 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
4311   \@ifnextchar [%]
4312     {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
4313 }
```

```
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
      \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
        {\noexpand \usepackage may only appear in the document
          preamble, i.e.,\MessageBreak
          between \noexpand\documentclass and
          \string\begin{document}.}%
        \@gobble}%
      \ifx\reserved@a\usepackage\else
        \ifx\usepackage\bidi@saved@RequirePackage\else
          \PackageWarning{biditools}{%
            Maybe serious problem: unexpected definition of\MessageBreak
            \string\usepackage
          }%
        \fi
        \let\usepackage\RequirePackage
      \fi
    \fi
    \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
    \reserved@b\do {%
      \ifx\reserved@a\@empty
        #1{biditools}{%
          empty package argument for
          \string\bidi@PreventPackageFromLoading\MessageBreak
          ignored%
        }%
      \else
        \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
          #1{biditools}{%
            package `\reserved@a' already loaded.\MessageBreak
            Cannot prevent it from beeing loaded%
          }%
        }{%
          \edef\bidi@excludedpackages{\bidi@excludedpackages,%
            \reserved@a}%
          \if\relax\detokenize{#2}\relax\else
            \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
              \@namedef{bidi@exclude@package@\reserved@a @do}{}%
            }{}%
            \expandafter\def
            \csname bidi@exclude@package@\reserved@a
```

```
                    @do\expandafter\expandafter\expandafter\endcsname
            \expandafter\expandafter\expandafter{%
              \csname bidi@exclude@package@\reserved@a @do\endcsname
              #2%
            }%
          \fi
        }%
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty
      \bidi@ResetPreventPackageFromLoading
    \fi
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
```

```
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
  \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
        \ifx\reserved@b\@empty\else
          \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
```

```
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}


\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
        Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
      \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
```

```
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
```

```
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \@bidi@patch@AfterPackage{#1}%
  }%
}
\def\@bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
  \expandafter\bidi@patch@@AfterPackage
  \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
```

```
}%
```

22 File bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bid
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@reversegeometry}
\setboolean{@bidituftefloat@reversegeometry}{false}
\DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodete
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}

%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
```

```
    \abovedisplayshortskip \z@ \@plus\p@
    \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
    \def\@listi{\leftmargin\leftmargini
                \topsep 3\p@ \@plus\p@ \@minus\p@
                \parsep 2\p@ \@plus\p@ \@minus\p@
                \itemsep \parsep}%
    \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpa
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpa
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
```

```
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running hea
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}%  provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
  {\FloatBarrier% process all floats before this point so the figure/table numbers stay in o
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
```

```
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debu
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituft
\newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituf
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to l
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
    % Check page side (recto/verso) and store detected value -- can be overriden in environm
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Dete
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Det
    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
    \renewcommand{\@bidituftefloat@fps}{#1}%
    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
      {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bot
      {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top
    % Capture the contents of the \caption and \label commands to use later
```

```
    \global\let\@bidituftefloat@orig@caption\caption%
    \global\let\@bidituftefloat@orig@label\label%
    \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][Opt]}}%
    \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
    % Handle subfigure package compatibility
    \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
      \bidi@patchcmd{\subfigure}{%
      \let\subfig@oldlabel=\label
      }{%
      \let\subfig@oldlabel=\@bidituftefloat@orig@label
      }
      {}
      {}
      \let\subtable=\subfigure
    }{}% subfigure package is not loaded
    \@bidituftefloat@orig@float{#2}[#1]%
    \ifthenelse{\boolean{@bidituftefloat@float@star}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
    \begin{lrbox}{\@bidituftefloat@figure@box}%
      \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
  }{% end @bidituftefloat@float
      \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% a
      \end{minipage}%
    \end{lrbox}%
    % build the caption box
    \begin{lrbox}{\@bidituftefloat@caption@box}%
      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@cap
        \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label
        \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
      \end{minipage}%
    \end{lrbox}%
    % now typeset the stored boxes
    \begin{fullwidth}%
      \begin{minipage}[\floatalignment]{\linewidth}%
        \ifthenelse{\boolean{@bidituftefloat@float@star}}%
          {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidi
          {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidi
      \end{minipage}%
    \end{fullwidth}%
    \@bidituftefloat@orig@endfloat% end original LaTeX float environment
    % output debug info
    \ifthenelse{\boolean{@bidituftefloat@debug}}{%
      \typeout{^^J^^J---------- bidituftefloat package float information ----------}%
      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
      \typeout{Page number: [\thepage]}%
      \def\MessageBreak{^^J}%
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
```

```
      \typeout{--------------------------------------------------^^J^^J}%
    }{}%
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
    \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
  \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@r
        {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug
        {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug
    }{% place caption below figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@r
        {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug
        {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
```

```
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftef
     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
    \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftefheading@newlinetospace}{%
  \@ifstar{\@bidituftefheading@newlinetospace@i}{\@bidituftefheading@newlinetospace@i}%
}
\def\@bidituftefheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftefheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftefheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
  #1%
  \let\\\@bidituftefheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
\AtBeginDocument{%
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
```

```
    {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
    \newinsert\bx@j
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
```

```
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
  }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
    \ifthenelse{\isundefined{\bx@AA}}{%
      \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
      \newinsert\bx@AA
      \newinsert\bx@BB
      \newinsert\bx@CC
      \newinsert\bx@DD
      \newinsert\bx@EE
      \newinsert\bx@FF
      \newinsert\bx@GG
      \newinsert\bx@HH
      \newinsert\bx@II
      \newinsert\bx@JJ
      \newinsert\bx@KK
      \newinsert\bx@LL
      \newinsert\bx@MM
      \newinsert\bx@NN
      \newinsert\bx@OO
      \newinsert\bx@PP
      \newinsert\bx@QQ
      \newinsert\bx@RR
      \newinsert\bx@SS
      \newinsert\bx@TT
      \newinsert\bx@UU
      \newinsert\bx@VV
      \newinsert\bx@WW
      \newinsert\bx@XX
      \newinsert\bx@YY
      \newinsert\bx@ZZ
      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                      \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                      \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                      \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                      \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                      \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
                      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
```

```
                        \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                        \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
                        \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                        \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                        \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
      \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message
        {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
    % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float

    % Define Tuftian float styles (with the caption in the margin)
    \newcommand{\floatc@bidituftefloatplain}[2]{%
      \begin{lrbox}{\@bidituftefloat@caption@box}%
        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
          \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
        \end{minipage}%
      \end{lrbox}%
      \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
    }
    \newcommand{\fs@bidituftefloatplain}{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{}%
      \def\@fs@post{}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
    \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
    \newcommand\floatc@bidituftefloatruled[2]{%
      {\@fs@cfont #1} #2\par%
    }
    \newcommand\fs@bidituftefloatruled{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
      \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
```

```
    \newcommand\fs@bidituftefloatboxed{%
      \def\@fs@cfont{}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{%
        \setbox\@currbox\vbox{\hbadness10000
        \moveleft3.4pt\vbox{\advance\hsize by6.8pt
          \hrule \hbox to\hsize{\vrule\kern3pt
            \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
      }%
      \def\@fs@mid{\kern2pt}%
      \def\@fs@post{}%
      \let\@fs@iftopcapt\iftrue%
    }
  }{%
    % Nothing to do
  }
}
\AtBeginDocument{%
  \@ifpackageloaded{algorithm}{%
    % Set the float style to the Tuftian version
    \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\AL
      \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBrea
      \floatstyle{bidituftefloat\ALG@floatstyle}%
      \restylefloat{algorithm}%
    }{}%
  }{%
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

23 File bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
```

```
5226          \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
5227    \fi
5228    \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
5229 \long\def\@bidituftesidenotexmpar[#1]#2{%
5230    \@bidituftesidenotesavemarbox\@marbox{#1}%
5231    \@bidituftesidenotesavemarbox\@currbox{#2}%
5232    \@xympar}
5233 \long\def\@bidituftesidenoteympar#1{%
5234    \@bidituftesidenotesavemarbox\@marbox{#1}%
5235    \global\setbox\@currbox\copy\@marbox
5236    \@xympar}
5237 \long\def \@bidituftesidenotesavemarbox #1#2{%
5238    \global\setbox #1%
5239      \color@vbox
5240        \vtop{%
5241          \hsize\marginparwidth
5242          \@parboxrestore
5243          \@bidituftesidenotemarginparreset
5244          #2%
5245          \@minipagefalse
5246          \outer@nobreak
5247          }%
5248      \color@endbox
5249 }
5250 \def \@bidituftesidenotemarginparreset {%
5251          \reset@font
5252          \normalsize
5253          \@minipagetrue
5254          \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
5255 }
5256 \def\LTRbidituftesidenotemarginpar{%
5257    \ifhmode
5258      \@bsphack
5259      \@floatpenalty -\@Mii
5260    \else
5261      \@floatpenalty-\@Miii
5262    \fi
5263    \ifinner
5264      \@parmoderr
5265      \@floatpenalty\z@
5266    \else
5267      \@next\@currbox\@freelist{}{}%
5268      \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
5269         {\@floatpenalty\z@
5270          \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
5271    \fi
5272    \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
5273 \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
5274    \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
5275    \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
5276    \@xympar}
5277 \long\def\@LTRbidituftesidenoteympar#1{%
5278    \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
5279    \global\setbox\@currbox\copy\@marbox
```

```
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
```

```
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1
\newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font
\newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1
\newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@a
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@a
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
}{}

%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
```

```
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
  % later.
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}        % allows bibitems to be typeset outside thebibliography env
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}                % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][Opt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
```

```
5442          \bibentry{\@temp@bibkeyx};\ }%
5443        \stepcounter{@bidituftesidenote@num@bibkeys}%
5444      }%
5445    }%
5446 }
5447 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][Opt]{%
5448    % Snag the last bibentry in the list for later comparison
5449    \let\@temp@last@bibkey\@empty%
5450    \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5451    \LTRsidenote[][#1]{%
5452      % Loop through all the bibentries, separating them with semicolons and spaces
5453      \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
5454      \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5455      \@for\@temp@bibkeyx:=#2\do{%
5456        \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5457          {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5458           \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5459           \bibentry{\@temp@bibkeyx}}%
5460          {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5461           \bibentry{\@temp@bibkeyx};\ }%
5462        \stepcounter{@bidituftesidenote@num@bibkeys}%
5463      }%
5464    }%
5465 }
5466 \newcommand{\@biditufteRTLsidenote@normal@cite}[2][Opt]{%
5467    % Snag the last bibentry in the list for later comparison
5468    \let\@temp@last@bibkey\@empty%
5469    \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5470    \RTLsidenote[][#1]{%
5471      % Loop through all the bibentries, separating them with semicolons and spaces
5472      \normalsize\normalfont\@bidituftesidenote@citation@font%
5473      \setcounter{@bidituftesidenote@num@bibkeys}{0}%
5474      \@for\@temp@bibkeyx:=#2\do{%
5475        \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5476          {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
5477           \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5478           \bibentry{\@temp@bibkeyx}}%
5479          {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5480           \bibentry{\@temp@bibkeyx};\ }%
5481        \stepcounter{@bidituftesidenote@num@bibkeys}%
5482      }%
5483    }%
5484 }
5485 %%
5486 % Macros for holding the list of cite keys until after the \sidenote
5487 \gdef\@bidituftesidenote@citations{}% list of cite keys
5488 \newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
5489    \ifx\@bidituftesidenote@citations\@empty\else
5490      \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
5491    \fi
5492    \g@addto@macro\@bidituftesidenote@citations{#1}
5493 }
5494 \newcommand{\@bidituftesidenote@print@citations}[1][Opt]{% puts the citations in a margin no
5495    % Snag the last bibentry in the list for later comparison
```

```
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@biditufteLTRsidenote@normal@cite
\let\RTLcite\@biditufteRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argu
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sideno
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnote
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
    \nobreak%
  \fi%
  \@makefnmark%
```

```
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][0pt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][0pt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@RTLfootnotetext[2][0pt]{%
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
```

```
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTL
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
```

```
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@bidituftеLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@bidituftеRTLsidenote@normal@cite%       go back to using normal in-text \RTL
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@bidituftеLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@bidituftеRTLsidenote@normal@cite%       go back to using normal in-text \RTL
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
```

```
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][Opt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][Opt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][Opt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][Opt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][Opt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@biditu
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTL
}
\newcommand\LTRmarginnote[2][Opt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTL
}
\newcommand\RTLmarginnote[2][Opt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTR
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTL
}
```

24 File bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
```

```
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
  {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
\renewcommand\subsubsection{%
  \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the m
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
  \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the m
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
```

```
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
 \titlecontents{part}% FIXME
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{chapter}%
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{section}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
    {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
    {\hspace*{4em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
    {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
    {\chapter*{\listtablename}}%
```

```
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

25 File bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
bidi implementation of tufte general structure]
\renewcommand\small{%
   \@setfontsize\small\@ixpt{12}%
   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus2\p@
   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 4\p@ \@plus2\p@ \@minus2\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmarginiii {1pc}
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
```

```
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                \small%
                \item\relax\noindent\ignorespaces}
               {\endlist}
\renewenvironment{quote}
               {\list{}{\rightmargin\leftmargin}%
                \small%
```

```
                 \item\relax}
                {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
  \parskip0pt%
  \parindent0pt%
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

26 File bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
```

```
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

27 File bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
%%
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
```

```
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
    {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
    {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
  \bfseries%
  \begin{fullwidth}%
```

```
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
  \clearpage%
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
  \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

28 File biditufte-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{biditufteгeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{biditufteтitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{biditufte-handout.cfg}
  {\input{biditufte-handout.cfg}
   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
  {}%
}
```

29 File biditufte-book.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditufteтitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{biditufteгeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{biditufteтitle}
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
```

```
  \pagenumbering{arabic}%
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
      {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{bidituftе-book.cfg}
  {\input{bidituftе-book.cfg}
   \ClassInfo{bidituftе-book}{Loading bidituftе-book configuration file \@gobble}}
  {}%
}
```

30 File bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidipoem}%
[2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
% #1 = length of both half-verses
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
```

```
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3


\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoe

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }

\newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
\ifdim 0pt > \bidipoem@hvind %
\bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
\else
\noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
\bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
\bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
\par }

% macro for two half verses
\newcommand*{\traditionalhalfverses}[2]{% optional parameter?
\ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[}%
\else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
\bidipoem@half@verses@next}

\def \bidipoem@half@verses #1[#2]#3{% first[mid]second
```

```
\traditionalconnverses {#1}{#2}{#3}}


{\catcode`\^^M=\active % these lines must end with %
  \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
  \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
{\catcode`\^^M=\active % these lines must end with %
  \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
  \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
\def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
\def\poemmarginskip{1em plus 1fil minus 1em}
\def\poemextrabaselineskip{0\baselineskip}
\def\poemskip{\medskip}
\newcommand{\bidipoem@openbox}{\leavevmode
  \hbox to.77778em{%
  \hfil\vrule
  \vbox to.675em{\hrule width.6em\vfil\hrule}%
  \vrule\hfil}}
\def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
\newdimen\versewidth
\newtoks\bidipoem@p@ftn
\def\poem@verse#1{%
\ifdim\wd#1>\new@poem@width
\xdef\new@poem@width{\the\wd#1}%
\ifdim\new@poem@width>\poem@width
\xdef\poem@width{\new@poem@width}%
\global\let\poem@needrun\relax
\fi
\fi
\hbox to\poem@width{\unhbox#1}%
\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
}
\def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
\def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
\def\poem@lineversesep{%
\nobreak
\hskip\z@ plus 1filll%
\penalty600%
\hskip\poemcolsepskip
\hskip\z@ plus -2filll%
\vadjust{}%
\nobreak
\hskip\z@ plus 1filll%
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
```

```
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
  \ifdim\wd\verse@ii>\z@
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
```

```
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
\par
\vskip\baselineskip
\poemskip
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
        \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
\@endparenv
}


\long\def\bidipoem@p@ftntext#1{%
  \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
  \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]
  \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
  \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname
  \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
```

```
6501
6502 \long\def\bidipoem@p@xftntext[#1]#2{%
6503   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
6504
6505 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
6506   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
6507
6508 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
6509   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
6510
6511 \def\bidipoem@p@xfootnote[#1]{%
6512     \begingroup
6513       \csname c@\@mpfn\endcsname #1\relax
6514       \unrestored@protected@xdef\@thefnmark{\thempfn}%
6515     \endgroup
6516     \@footnotemark\bidipoem@p@xftntext[#1]}
6517
6518 \def\bidipoem@p@xLTRfootnote[#1]{%
6519     \begingroup
6520       \csname c@\@mpfn\endcsname #1\relax
6521       \unrestored@protected@xdef\@thefnmark{\thempfn}%
6522     \endgroup
6523     \@footnotemark\bidipoem@p@xLTRftntext[#1]}
6524
6525 \def\bidipoem@p@xRTLfootnote[#1]{%
6526     \begingroup
6527       \csname c@\@mpfn\endcsname #1\relax
6528       \unrestored@protected@xdef\@thefnmark{\thempfn}%
6529     \endgroup
6530     \@footnotemark\bidipoem@p@xRTLftntext[#1]}
6531
6532
6533
6534 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
6535 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
6536 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
6537 \def\poem@finish{%
6538 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
6539 \ifx\poem@needrun\relax
6540 \PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
6541 \global\let\poem@needrun\undefined
6542 \fi
6543 }
6544 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
6545 \newcounter{poem@no}\setcounter{poem@no}{\z@}
6546 \ifx\max@poem@no\undefined
6547         \def\max@poem@no{0}%
6548 \fi
6549 \newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
6550 \newcommand{\poem@write@aux}[2]{%
6551         \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
6552         \@x
6553 }
6554 \def\@modernpoem{%
```

```
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
```

```
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
  \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

31 File boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
```

```
      }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
```

```
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
```

```
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

32 File boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
```

```
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
```

```
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
```

```
\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \long\def\@makefntext##1{\parindent\z@
       \def\labelitemi{\textendash}\@revlabeltrue
       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
  \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
  \if@compatibility\setcounter{page}{0}\fi
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    \TitleFont
    {\LARGE \def\\{\penalty -\@M}
      \if@allcaps
        \expandafter\uc@nothanks\@title\thanks\relax
      \else
        \@title
      \fi\par}%
    \vskip 3em%
    {\large
      \lineskip .75em \parindent\z@
      \begin{tabular}[t]{c}%
        \if@allcaps
          \expandafter\uc@authornothanks\@author\and\relax
        \else
          \@author
        \fi
      \end{tabular}\par}%
    \vskip 1.5em%
    {\large
      \if@allcaps
        \uppercase\expandafter{\@date}%
      \else
        \@date
      \fi\par}%
    \end{center}\par
  \@thanks
  \vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@title\@empty
\global\let\@date\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

33 File bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

34 File book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

```
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
```

```
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
```

```
7138          \global\@nobreaktrue
7139          \everypar{\global\@nobreakfalse\everypar{}}%
7140      \endgroup
7141    \fi}
7142 \renewcommand*\l@chapter[2]{%
7143    \ifnum \c@tocdepth >\m@ne
7144      \addpenalty{-\@highpenalty}%
7145      \vskip 1.0em \@plus\p@
7146      \setlength\@tempdima{1.5em}%
7147      \begingroup
7148        \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7149        \parfillskip -\@pnumwidth
7150        \leavevmode \bfseries
7151        \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
7152        \hskip -\if@RTL\rightskip\else\leftskip\fi
7153        #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
7154        \penalty\@highpenalty
7155      \endgroup
7156    \fi}
7157 \renewcommand\left@footnoterule{%
7158    \kern-3\p@
7159    \hrule\@width.4\columnwidth
7160    \kern2.6\p@}
7161 \renewcommand\right@footnoterule{%
7162    \kern-3\p@
7163    \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
7164    \kern2.6\p@}
7165 \renewcommand\theequation
7166    {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
7167 \renewcommand \thefigure
7168       {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
7169 \renewcommand \thetable
7170       {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
7171 \renewcommand \thechapter {\@arabic\c@chapter}
7172 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
7173 \renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
7174 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
7175 \renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7176 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
7177 \def\@makechapterhead#1{%
7178    \vspace*{50\p@}%
7179    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
7180      \ifnum \c@secnumdepth >\m@ne
7181        \if@mainmatter
7182          \huge\bfseries \@chapapp\space \thechapter
7183          \par\nobreak
7184          \vskip 20\p@
7185        \fi
7186      \fi
7187      \interlinepenalty\@M
7188      \Huge \bfseries #1\par\nobreak
7189      \vskip 40\p@
7190    }}
7191 \def\@makeschapterhead#1{%
```

```
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

35 File breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for X
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
```

```
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
  \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
  \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

36 File cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
\renewcommand\cals@setup@alignment[1]{%
\if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
\if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
\if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
}
\renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
\renewenvironment{calstable}[1][\cals@table@alignment]{%
\if@RTLtab\cals@activate@rtl\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
```

```
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
\parindent=0pt \relax%
\cals@setup@alignment{#1}%
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
\setbox\cals@backup@row=\box\voidb@x\relax
\cals@AtBeginTable
}{% End of the table
\cals@tfoot@tokens\lastrule\cals@AtEndTable}
\renewcommand\alignL{%
\if@RTLtab
  \cals@vfillAdd\cals@paddingL
\else
  \cals@vfillDrop\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
\renewcommand\alignR{%
\if@RTLtab
  \cals@vfillDrop\cals@paddingL
\else
  \cals@vfillAdd\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
```

37 File caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
\let\@makecaption\caption@makecaption
```

38 File caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
\renewcommand*\caption@@par{%
  \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

39 File colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
\def\CT@setup{%
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
```

```
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
   \@addtopreamble{\if@RTLtab\beginL\fi%
    \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
      \ifcase \@chnum
      \hskip\stretch{.5}\kern\z@
      \d@llarbegin
      \insert@column
      \d@llarend\hskip\stretch{.5}\or
      \d@llarbegin \insert@column \d@llarend \hfill \or
      \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
   $\vcenter
   \@startpbox{\@nextchar}\insert@column \@endpbox $\or
   \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

40 File color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for X
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
      \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\f
\DeclareRobustCommand\color{%
  \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
```

```
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod
```

41 File combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
\renewcommand{\c@ll@chapsecii}[2]{%
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
  #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

42 File crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeT
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
```

```
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
```

```
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@lrc{%
    \if@RTLmain%
        \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

43 File cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\b
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
  \@for\c@twlspec:=\c@twb\do{%
    \ifnum\c@twrounds=1
```

```
      \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
      \c@twprune{\c@twslicea}{\c@twlspec}%
      \def\c@twrounds{2}
    \else
      \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
      \c@twprune{\c@twsliceb}{\c@twlspec}%
      \ifnum\c@twfirst=1
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\
        \def\c@twfirst{2}
      \else
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\el
      \fi
      \def\c@twrounds{1}
    \fi}}
```

44 File cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for X

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
```

```
7594        \box\@outputbox \hss}%
7595        \hskip \columnsep
7596      \hskip \columnwidth }}%
7597    \ifvoid\hold@viper
7598    \else
7599      \setbox\@outputbox \vbox to\textheight{%
7600                              \box\hold@viper
7601                              \box\@outputbox
7602                              \vss
7603                              }%
7604    \fi
7605  \@combinedblfloats
7606    \@setmarks
7607    \@outputpage
7608    \begingroup
7609      \@dblfloatplacement
7610      \@startdblcolumn
7611      \@whilesw\if@fcolmade \fi{\@outputpage
7612       \@startdblcolumn}%
7613      \ifvoid\@viper
7614      \else
7615        \global\setbox\@viper\vbox{%
7616                    \vskip-\stripsep
7617                    \unvbox\@viper
7618                    }%
7619        \@viperoutput
7620      \fi
7621    \endgroup
7622  \fi}%
7623
7624\def\LTR@outputdblcol{%
7625  \if@firstcolumn
7626    \global\@firstcolumnfalse
7627    \global\setbox\@leftcolumn\copy\@outputbox
7628    \splitmaxdepth\maxdimen
7629    \vbadness\maxdimen
7630     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7631     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7632    \toks@\expandafter{\topmark}%
7633    \xdef\@firstcoltopmark{\the\toks@}%
7634    \toks@\expandafter{\splitfirstmark}%
7635    \xdef\@firstcolfirstmark{\the\toks@}%
7636    \ifx\@firstcolfirstmark\@empty
7637      \global\let\@setmarks\relax
7638    \else
7639      \gdef\@setmarks{%
7640        \let\firstmark\@firstcolfirstmark
7641        \let\topmark\@firstcoltopmark}%
7642    \fi
7643  \else
7644    \global\@firstcolumntrue
7645    \setbox\@outputbox\vbox{%
7646     \hb@xt@\textwidth{%
7647        \hb@xt@\columnwidth{%
```

```
7648        \bidi@firstcolumn@status@write%
7649        \box\@leftcolumn \hss}%
7650        \hfil
7651        {\normalcolor\vrule \@width\columnseprule}%
7652        \hfil
7653       \hb@xt@\columnwidth{%
7654       \bidi@lastcolumn@status@write%
7655       \box\@outputbox \hss}}}%
7656    \ifvoid\hold@viper
7657    \else
7658      \setbox\@outputbox \vbox to\textheight{%
7659                              \box\hold@viper
7660                              \box\@outputbox
7661                              \vss
7662                              }%
7663    \fi
7664  \@combinedblfloats
7665    \@setmarks
7666    \@outputpage
7667    \begingroup
7668      \@dblfloatplacement
7669      \@startdblcolumn
7670      \@whilesw\if@fcolmade \fi{\@outputpage
7671       \@startdblcolumn}%
7672      \ifvoid\@viper
7673      \else
7674        \global\setbox\@viper\vbox{%
7675                    \vskip-\stripsep
7676                    \unvbox\@viper
7677                    }%
7678        \@viperoutput
7679      \fi
7680    \endgroup
7681  \fi}%
7682
7683 \def\@addviper{%
7684    \@insertfalse
7685    \def\var@@thecol@num{2}%
7686    \if@firstcolumn
7687        \def\var@@thecol@num{1}%
7688        \@reqcolroom=.5\@pageht
7689        \ht@viper=\@reqcolroom
7690        \advance\@reqcolroom by\ht\@viper
7691        \advance\@reqcolroom by\stripsep
7692    \else
7693        \@reqcolroom=\@colht
7694        \advance\@reqcolroom by\@pageht
7695        \ht@viper.5\@reqcolroom
7696        \@reqcolroom=\ht@viper
7697        \advance\@reqcolroom by\ht\@viper
7698        \advance\@reqcolroom by\stripsep
7699        \global\setbox\@holdpg\vbox{%
7700            \setbox\cuted@@tempbox@a\vbox{%
7701                \aftergroup\unvbox
```

```
            \unvcopy\@leftcolumn
            \unskip\unkern\unpenalty
            \setbox\@tempboxa\lastbox
            \ifdim\dimexpr\ht\@tempboxa+\wd\@tempboxa+\dp\@tempboxa>\z@
                %% keeps lastbox
                \aftergroup\@leftcolumn
            \else
                %% removes lastbox
                \aftergroup\cuted@@tempbox@a
            \fi
            }%
        \unskip\unkern\unpenalty
        \on@stripcols@break
        \the\At@ViperColsBreak
        \unvbox\@holdpg
        }%
    \global\At@ViperColsBreak{}%
    \ht@viper=.5\ht\@holdpg
    \ifdim\ht@viper>\@colht
        \ht@viper=\@colht
    \fi
\fi
%%
%% calculations for breaking
%%
\ifvoid\hold@viper
    \ht@hold@viper=\z@
\else
    \ht@hold@viper=\ht\hold@viper
\fi
\cuted@@tempdim@b\ht@viper
\set@split@topskip@to\topskip
\loop
    \xdef\saved@tempdimb{\the\cuted@@tempdim@b}%
    \setbox\cuted@@varbox@a\copy\@holdpg
    \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
    %% set leftcolumn boxes
    \setbox\cuted@@tempbox@c\vbox{\unvbox\cuted@@tempbox@a}%
    \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
    \xdef\var@@leftcolumn@badness{\the\badness}%
    %% set rightcolumn boxes
    \setbox\cuted@@varbox@c\vbox{\unvbox\cuted@@varbox@a}%
    \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
    \xdef\var@@rightcolumn@badness{\the\badness}%
    %% analyzing split goodness
    \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
    \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
    \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
    \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
    \cuted@@wlog@debug{CUTED [-----]%
          ^^JLeft: \the\ht\cuted@@tempbox@c
          +\the\dp\cuted@@tempbox@c\space/\var@@leftcolumn@badness
          ^^JRight: \the\ht\cuted@@varbox@c
          +\the\dp\cuted@@varbox@c\space/\var@@rightcolumn@badness
```

```
7756              ^^JSplit: \the\cuted@@tempdim@b
7757              ^^JExtra height: \the\cuted@@tempdim@spread
7758             }%
7759        \ifnum\var@@leftcolumn@badness<\cuted@@column@badness
7760            \ifnum\var@@rightcolumn@badness<\cuted@@column@badness
7761                \cuted@@tempdim@spread=\z@
7762            \fi
7763        \fi
7764        \ifdim\cuted@@tempdim@spread<\z@
7765            \if@left@column@spread
7766                \if@right@column@shrink
7767                    \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
7768                        \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@sp
7769                    \else
7770                        \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\rela
7771                    \fi
7772                    \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox
7773                    \ifnum\badness<\cuted@@column@badness
7774                        \cuted@@tempdim@b=\cuted@@tempdim@a
7775                        \cuted@@tempdim@spread=\z@
7776                    \fi
7777                    \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
7778                    \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@
7779                    \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
7780                \else
7781                    \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
7782                        \unvcopy\cuted@@tempbox@c
7783                        }%
7784                    \ifnum\badness<\cuted@@column@badness
7785                        \@tempdimb=\ht\cuted@@varbox@c
7786                        \cuted@@tempdim@spread=\z@
7787                    \fi
7788                    \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\h
7789                    \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
7790                        \unvcopy\cuted@@varbox@c
7791                        }%
7792                    \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\
7793                \fi
7794            \else
7795                \if@right@column@shrink
7796                    \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
7797                    \else
7798                        \cuted@@tempdim@b=\ht\cuted@@tempbox@c
7799                        \cuted@@tempdim@spread=\z@
7800                    \fi
7801                \fi
7802            \fi
7803        \else
7804            \ifdim\cuted@@tempdim@spread>\z@
7805                \ifdim\dimexpr\@tempdimb+\p@\relax>\@colht
7806                    \cuted@@tempdim@b=\@colht
7807                    \cuted@@tempdim@spread=\z@
7808                \fi
7809            \fi
```

```
7810        \fi
7811    \ifdim\cuted@@tempdim@spread<\z@
7812        \advance\cuted@@tempdim@b 1\p@
7813    \repeat
7814    \wlog{CUTED [- LAST -]%
7815          ^^JExtra skip:\the\cuted@@tempdim@spread
7816          ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
7817          ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
7818          ^^JSplit: \saved@tempdimb
7819          ^^JOutput:\the\cuted@@tempdim@b
7820          ^^JPageshrink: \the\pageshrink
7821          ^^JPagestretch: \the\pagestretch
7822          ^^J@colht:\the\@colht
7823          }%
7824    %%
7825    %% final construction of the cuted page above strip
7826    %%
7827    \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
7828    \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
7829        \cuted@@tempdim@a=\dimexpr
7830            \cuted@@tempdim@b-\ht\cuted@@tempbox@c
7831            \relax
7832        \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
7833        \unvbox\cuted@@tempbox@c
7834        \ifdim\cuted@@tempdim@spread>\dp\strutbox
7835        \else
7836            \vskip-\cuted@@tempdim@spread
7837        \fi
7838        \prevdepth\z@
7839        \hrule\@height\cuted@@page@rule width\textwidth
7840        \vskip-\cuted@@page@rule
7841        \ifdim\cuted@@tempdim@a>\z@
7842            \if@left@column@spread
7843            \else
7844                \vss
7845            \fi
7846        \else
7847            \ifdim\cuted@@tempdim@a<\z@
7848                \if@left@column@shrink
7849                \else
7850                    \vss
7851                \fi
7852            \fi
7853        \fi
7854        }%
7855    \wlog{CUTED [output]: \the\cuted@@tempdim@b
7856          ^^JCUTED [leftcolumn badness]: \number\badness
7857         }%
7858    \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
7859        \cuted@@tempdim@a=\dimexpr
7860            \cuted@@tempdim@b-\ht\@holdpg
7861            \relax
7862        \unvbox\@holdpg
7863        \ifdim\cuted@@tempdim@a>\z@
```

```
7864            \if@right@column@spread
7865            \else
7866                \vss
7867            \fi
7868        \else
7869            \ifdim\cuted@@tempdim@a<\z@
7870                \if@right@column@shrink
7871                \else
7872                    \vss
7873                \fi
7874            \fi
7875        \fi
7876        }%
7877    \wlog{CUTED [rightcolumn badness]: \number\badness}%
7878    \setbox\cuted@@tempbox@var\vbox{%
7879        \hb@xt@\textwidth{%
7880           \if@RTLmain
7881              \hskip \columnwidth
7882              \hfil
7883              {\normalcolor\vrule \@width\columnseprule}%
7884              \hfil
7885              \hb@xt@\columnwidth{%
7886                 \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
7887                 \hss
7888              }%
7889              \hskip -\textwidth
7890              \hb@xt@\columnwidth{%
7891                 \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
7892                 \hss
7893              }%
7894              \hskip \columnsep
7895              \hskip \columnwidth
7896           \else
7897              \hb@xt@\columnwidth{%
7898                 \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
7899                 \hss
7900              }%
7901              \hfil
7902              {\normalcolor\vrule \@width\columnseprule}%
7903              \hfil
7904              \hb@xt@\columnwidth{%
7905                 \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
7906                 \hss
7907              }%
7908           \fi
7909            }%
7910        }%
7911    %%
7912    %% finalize cuted page
7913    %%
7914    \ifvoid\hold@viper
7915        \global\setbox\hold@viper\vbox{%
7916            \unvbox\cuted@@tempbox@var
7917            \penalty\interlinepenalty
```

```
            \vskip\stripsep
            \the\preCutedStrip
            \ifnum\outputpenalty<-\@Mii
                \vskip -\parskip
            \fi
            \outputpenalty\z@
            }%
    \else
        \global\setbox\hold@viper\vbox{%
             \unvbox\hold@viper
             \cuted@@tempbox@var
             \penalty\interlinepenalty
             \vskip\stripsep
             \the\preCutedStrip
             \ifnum\outputpenalty<-\@Mii
                 \vskip -\parskip
             \fi
             \outputpenalty\z@
             }%
    \fi
    \ifdim\@colht>\@reqcolroom
        \global\setbox\hold@viper\vbox{%
             \unvbox\hold@viper
             \box\@viper
             \penalty\interlinepenalty
             \the\postCutedStrip
             \vskip\stripsep
             \ifnum\outputpenalty<-\@Mii
                 \vskip -\parskip
             \fi
             \outputpenalty\z@
             }%
        \@inserttrue
        \global\@firstcolumntrue
        \advance\ht@hold@viper by-\ht\hold@viper
        \global\advance\@colht by\ht@hold@viper
        \ifdim\@colht<2.5\baselineskip
            \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                     too tall on page \thepage (\var@@thecol@num column)}%
            \@emptycol
            \if@firstcolumn
            \else
                \@emptycol
            \fi
            \global\@lastvipertrue
        \else
            \global\vsize\@colht
            \global\@colroom\@colht
            \check@floats\cuted@@tempdim@a
            \ifdim\cuted@@tempdim@a>\z@
                \global\advance\@colroom by-\cuted@@tempdim@a
            \fi
            \ifdim\@colroom<\z@
                \global\@colroom1\p@
```

```
                \ifdim\cuted@@tempdim@a>\@colht
                    \@latex@warning@no@line{TOP and/or BOT FLOAT's
                        to large on \thepage (\var@@thecol@num column)}%
                \fi
                \@emptycol
                \if@firstcolumn
                \else
                    \@emptycol
                \fi
                \global\@lastvipertrue
            \fi
        \fi
    \fi
    \if@insert
    \else
        \advance\ht@hold@viper by-\ht\hold@viper
        \global\advance\@colht by\ht@hold@viper
        \global\setbox\hold@viper\vbox{%
            \unvbox\hold@viper
            \set@split@topskip@to{\z@ plus2\p@}%
            \vsplit\@viper to\@colht
            \vss
            }%
        \vbox{}%
        \global\@firstcolumnfalse
        \newpage
    \fi
    }
```

45 File cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
```

```
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
```

```
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}
      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterele
      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfa
      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@fi
      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementf
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

46 File cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
```

```
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyn
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketit
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
```

```
% optional data
\begin{minipage}[b]{\maketitledetailswidth}%
  \bidi@raggedleft\addressfont\@addresscolour%
 \ifthenelse{\isundefined{\@address}}{}{%
    \maketitledetailsnewline%
    \addresssymbol~\\\@address}%
  \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
  \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
  \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
  \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@e
  \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
\end{minipage}%
% optional photo
\ifthenelse{\isundefined{\@photo}}%
  {}%
  {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\
% optional quote
\ifthenelse{\isundefined{\@quote}}%
  {}%
  {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\
}
```

47 File dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
```

```
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                \hskip -\textwidth
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
```

```
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
                                 \hskip \DFNcolumnsep
                                 \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
```

```
                                        \prevdepth\dp\@tempboxa \fi
                                    \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                    \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

48 File diagbox-xetex-bidi.def

```
\ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@double@ii}{}{}
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@double@iii}{}{}
\newcommand*{\bidi@@diagbox@double@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@double@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
```

```
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi}
\let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
  \if@RTL
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
  \else
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
\bidi@patchcmd{\diagbox@double@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
}{}{}
\let\diagbox@double@pict@NW\diagbox@double@pict@SE
\bidi@patchcmd{\diagbox@double@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
```

```
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
}{}{}
\let\diagbox@double@pict@SW\diagbox@double@pict@NE
\bidi@patchcmd{\diagbox@triple@pict@NW}{%
  \diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SW}{%
  \diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)}%
}{}{}
```

49 File draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

50 File eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}}

```

```
\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \if@RTLmain
          \ESO@tempdima=\paperwidth
          \advance\ESO@tempdima-\textwidth
          \advance\ESO@tempdima-\spinemargin
        \else
          \ESO@tempdima=\spinemargin
        \fi
      \else
        \if@RTLmain
          \ESO@tempdima=\spinemargin
        \else
          \ESO@tempdima=\paperwidth
          \advance\ESO@tempdima-\textwidth
          \advance\ESO@tempdima-\spinemargin
        \fi
      \fi
      \ESO@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ESO@tempdima=1in\relax
      \if@twoside
        \ifodd\c@page
          \if@RTLmain
            \advance\ESO@tempdima\evensidemargin
          \else
            \advance\ESO@tempdima\oddsidemargin
          \fi
        \else
          \if@RTLmain
            \advance\ESO@tempdima\oddsidemargin
          \else
            \advance\ESO@tempdima\evensidemargin
          \fi
        \fi
      \else
        \advance\ESO@tempdima\oddsidemargin
      \fi
      \ESO@tempdimb=-1in\relax
      \advance\ESO@tempdimb-\topmargin
      \advance\ESO@tempdimb-\headheight
      \advance\ESO@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
      }%
```

```
    \endgroup
  }
}
```

51 File empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \MH_else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
        \MH_if_dim:w \@tempdima>\@tempdimb
          \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
            -\@tempdima+\g_EQ_bottomrow_depth_dim}
          \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
          \def\EQ_next:{\raisebox{\@tempdima}}%
        \MH_else:
          \def\EQ_next:{
            \raisebox{-\dp\EQ_mathdisplay_box
                      -\depthof{\EQ_outerbox:{}}}}%
        \MH_fi:\EQ_next:}}}%
  \MH_fi:}
\def\EQ_post_process:{%
  \EQ_initialize:
  \EQ_begin_equation:
  \MH_if_boolean:nT {outer_mult}{
    \setkeys{\MT_options_name:}{
      firstline-afterskip=0pt,
      lastline-preskip=0pt,
      multlined-width=0pt,
    }
    \ifodd \l_EQ_alignmentmode_int
      \setkeys{\MT_options_name:}{multlined-pos=b}
    \MH_else:
```

```
      \setkeys{\MT_options_name:}{multlined-pos=t}
    \MH_fi:
      \g@addto@macro\EQ_complete_mathdisplay:{
        \begin{MTmultlined}\relax}
}
\g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
\MH_if_boolean:nT {outer_mult}{
  \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
}
\EQ_end_equation:
\edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
\savecounters@
\EQ_typeset_tags:
\edef\l_EQ_equation_fint{\number\c@equation}
\restorecounters@
\Hy@linkcounter=\EQ_hyperref_link_fint
\settowidth\l_EQ_totalwidth_dim{%
  $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
\MH_if_boolean:nTF {outer_mult}
  { \def\EQ_next:{_mult} }
  { \def\EQ_next:{} }
\@nameuse{EQ_modify_linewidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
\EQ_typeset_display:
\@nameuse{EQ_find_displaywidth_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\MH_addtolength:dn
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
        \MH_fi:
        \usebox{\EQ_mathdisplay_box}}%
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
        \MH_fi:
        \usebox{\EQ_mathdisplay_box}}\fi%
    \MH_or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
```

```
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_fi:}%
    \EQ_right_side:$}%
  \begin{AmSequation*}
  \@nameuse{EQ_place_display_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}
  \MH_if_dim:w \g_EQ_widesttag_dim>\z@
  \MH_set_boolean_T:n {show_manual_tags}
    \MH_if_case:w \l_EQ_alignmentmode_int
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \MH_fi:
  \MH_fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
```

```
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

52 File extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle cla
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
    \endgroup
  \fi}
  \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
```

```
    \vskip 3ex
    \@afterheading}
\def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \bidi@@thebibliography@font@hook%
         \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
```

```
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
```

```
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

53 File extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
```

```
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
```

```
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}

\def\@makeschapterhead#1{%
```

```
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

54 File extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignore
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
```

```
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
       \ifx\@empty\fromsig
           \fromname
       \else \fromsig \fi\strut}%
   \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

55 File extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2018/10/11 v1.7 bidi extra footnote feat
\newif\if@bidi@void@footins
\newif\if@bidi@void@@mpfootins
\newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\@@H@@footnotetext\@footnotetext
  \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@@H@@mpfootnotetext\@mpfootnotetext
  \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
\fi
}%
}%
}
\newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\H@@footnotetext\@footnotetext
  \let\@footnotetext\@@H@@footnotetext
  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\@mpfootnotetext\@@H@@mpfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
\fi
```

```
}%
}%
}
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\newcommand{\@preamnormalfmt}{%
  \parindent 1em%
  \noindent
}
\newcommand{\@normalfootfmt}[1]{%
  \@preamnormalfmt
  \footfootmark
  \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
  \@finalstrut\strutbox
}
\newcommand{\@normalRTLfootfmt}[1]{%
  \@preamnormalfmt
  \RTLfootfootmark
  \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
  \@finalstrut\strutbox
}
\newcommand{\@normalLTRfootfmt}[1]{%
  \@preamnormalfmt
  \LTRfootfootmark
  \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
  \@finalstrut\strutbox
}
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
```

```
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalRTLfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@LTRfootnotetext}[1]{%
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalLTRfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalfootfmt{#1}%
  \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalLTRfootfmt{#1}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalRTLfootfmt{#1}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
```

```
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
\let\m@mold@mpfootnotetext\@mpfootnotetext
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\@thefnmark}}%
    \else
```

```
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\newcommand*{\bidi@normal@footmarkwidth}{%
  \setlength{\footmarkwidth}{1em plus.4em minus.4em}%
}
\newcommand*{\bidi@star@footmarkwidth}{%
  \setlength{\footmarkwidth}{0em plus.4em minus.4em}%
}
\bidi@normal@footmarkwidth
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r
      \ifvoid\footinsv@l
      \else
        \@footstartv@l
        \@LTRfootgroupv@l
      \fi
    \else
      \@footstartv@r
      \@footgroupv@r
      \ifvoid\footinsv@l
      \else
        \@@footstart@@v@l
        \@LTRfootgroupv@l
      \fi
    \fi
    \ifvoid\@bidi@copyins@
    \else
      \vskip \skip\@bidi@copyins@
      \color@begingroup
        \normalcolor
        \unvbox \@bidi@copyins@
      \color@endgroup
    \fi
    \extrafeetinshook}}
```

```
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r
    \ifvoid\@mpfootinsv@l
    \else
      \vskip\skip\@mpfootins
      \normalcolor
      \if@bidi@void@@mpfootins
        \footnoterule
      \fi
      \mp@LTRfootgroupv@l
    \fi
  \else
    \vskip\skip\@mpfootins
    \normalcolor
    \if@bidi@void@@mpfootins
      \footnoterule
    \fi
    \mp@footgroupv@r
    \ifvoid\@mpfootinsv@l
    \else
      \vskip\skip\@mpfootins
      \normalcolor\mp@LTRfootgroupv@l
    \fi
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
\def\endminipage{%
  \par
  \unskip
  \ifvoid\@mpfootins
    \global\@bidi@void@@mpfootinstrue
  \else
    \global\@bidi@void@@mpfootinsfalse
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
  \m@mdoextrafeetendmini
```

```
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \leftskip=\z@
    \rightskip=\z@
    \parindent=\z@
    \vskip\skip\footins
    \footnoterule}}
\newinsert\footinsv@r
\skip\footinsv@r\bigskipamount
\count\footinsv@r=1000 % no magnifcation
\dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\newinsert\footinsv@l
\skip\footinsv@l\bigskipamount
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\newinsert\@mpfootinsv@l
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptwocol@footgroup{v@r}%
```

```
  \let\mp@footgroupv@r\@mptwocol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtwofmt}{%
  \hsize .45\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
  \@preamtwofmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
  \@preamtwofmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
  \@preamtwofmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@threecolfootnotetext
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
```

```
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLt
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
  \let\@footgroupv@r\@fourcol@footgroupv@r
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
```

```
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
```

```
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
  \let\@footgroupv@r\@fivecol@footgroupv@r
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
```

```
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
```

```
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
```

```
}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
```

```
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLt
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfals
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpeightcol@footgroup{v@r}%
```

```
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLt
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
```

```
  \m@make@mpninecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@tencolfootnotetext
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
```

```
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
```

```
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
```

```
  \box0
  \penalty0}
\newskip\m@mipn@skip
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \hsize\textwidth%
 \setbox0=\hbox{}%
 \loop
   \unpenalty
   \setbox2=\lastbox
 \ifhbox2
   \setbox0=\hbox{\box2\unhbox0}
 \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \setbox0=\hbox{}%
 \loop
   \unpenalty
   \setbox2=\lastbox
 \ifhbox2
   \setbox0=\hbox{\box2\unhbox0}
 \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\newcommand*\AddExtraParaSkip[1]{%
 \if@bidi@csdef{footfudgefactor}{%
   \PackageError{bidi}{%
     The control sequence `\string\AddExtraParaSkip`
     must be used before the control sequence
     `\string\paragraphfootnotes'  in the preamble%
   }\@ehc
 }{%
   \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
 }%
}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
 \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
 \@bidi@before@Hy@hyperfootnotes
 \let\@footnotetext\@parafootnotetext
 \let\@LTRfootnotetext\@paraLTRfootnotetext
 \let\@RTLfootnotetext\@paraRTLfootnotetext
 \dimen\footinsv@r=\footinsdim
 \count\footinsv@r=1000\relax
 \m@make@para@footgroup{v@r}%
 \m@make@para@footstart{v@r}%
 \let\@footgroupv@r\@para@footgroupv@r
 \let\@footstartv@r\@para@footstartv@r
 \dimen\footinsv@l=\footinsdim
 \count\footinsv@l=1000\relax
 \bidi@make@para@LTRfootgroup{v@l}%
 \m@make@para@footstart{v@l}%
```

```
  \bidi@make@para@footstart@@{v@l}%
  \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
  \let\@footstartv@l\@para@footstartv@l
  \let\@@footstart@@v@l\@@para@footstart@@v@l
  \let\@mpfootnotetext\@mpparafootnotetext
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \bidi@make@mppara@LTRfootgroup{v@l}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\footnotesep
   \advance\@tempdima -\ht\strutbox
   \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
   \advance\@tempdima.5\normalbaselineskip
   \bidi@xparaskip
   \xdef\bidi@paraskip{\the\@tempdima\relax}%
   \ifdim\skip\footinsv@r>\bigskipamount
   \else
     \global\advance\skip\footinsv@r\bidi@paraskip
   \fi
   \ifdim\skip\footinsv@l>\bigskipamount
   \else
     \global\advance\skip\footinsv@l\bidi@paraskip
   \fi
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\newcommand{\normalRTLparaLTRfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%
  \@bidi@before@Hy@hyperfootnotes
  \if@RTL@footnote
    \let\@footnotetext\m@mold@footnotetext
  \else
    \let\@footnotetext\@parafootnotetext
  \fi
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \m@make@para@footstart{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@footstartv@r\@para@footstartv@r
```

```
  \dimen\footinsv@l=\footinsdim
  \count\footinsv@l=1000\relax
  \bidi@make@para@LTRfootgroup{v@l}%
  \m@make@para@footstart{v@l}%
  \bidi@make@para@footstart@@{v@l}%
  \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
  \let\@footstartv@l\@para@footstartv@l
  \let\@@footstart@@v@l\@@para@footstart@@v@l
  \if@RTL@footnote
    \let\@mpfootnotetext\m@mold@mpfootnotetext
  \else
    \let\@mpfootnotetext\@mpparafootnotetext
  \fi
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \bidi@make@mppara@LTRfootgroup{v@l}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\footnotesep
   \advance\@tempdima -\ht\strutbox
   \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
   \advance\@tempdima.5\normalbaselineskip
   \bidi@xparaskip
   \xdef\bidi@paraskip{\the\@tempdima\relax}%
   \ifdim\skip\footinsv@r>\bigskipamount
   \else
     \global\advance\skip\footinsv@r\bidi@paraskip
   \fi
   \ifdim\skip\footinsv@l>\bigskipamount
   \else
     \global\advance\skip\footinsv@l\bidi@paraskip
   \fi
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\let\bidi@xparaskip\relax
\@onlypreamble\AddExtraParaSkip
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
  \if@RTL@footnote
    \footinsv@r
  \else
    \footinsv@l
  \fi
```

```
  {%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@parafootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
 \let\bidi@RTL@everypar\@empty%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraRTLfootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox
  \if@RTL@footnote
    \@mpfootinsv@r
  \else
    \@mpfootinsv@l
```

```
  \fi
  \vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox
    \if@RTL@footnote
      \@mpfootinsv@r
    \else
      \@mpfootinsv@l
    \fi
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@parafootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@l\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@l
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \@RTLtrue
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
```

```
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
\@namedef{@para@LTRfootgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \@RTLfalse
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \@RTLtrue
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
\@namedef{@mppara@LTRfootgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \@RTLfalse
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \if@bidi@void@footins
    \bidi@mopfn@bottom
  \fi
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\footins
  \if@bidi@void@footins
    \footnoterule
  \fi}}
\bidi@ensure@newcommand{\bidi@make@para@footstart@@}[1]{%
\@namedef{@@para@footstart@@#1}{%
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\footins}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
```

```
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup
  }%
}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup
  }%
}
\gdef\mem@makecol{%
  \m@m@makecolintro
  \ifvoid\footins
    \global\@bidi@void@footinstrue
    \setbox\@outputbox \box\@cclv
  \else
    \global\@bidi@void@footinsfalse
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
```

```
  \m@m@makecolfloats
  \ifvoid\footins
    \global\@bidi@void@footinstrue
  \else
    \global\@bidi@void@footinsfalse
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

56 File extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
```

```
10852         \huge\bfseries \@chapapp\space \thechapter
10853         \par\nobreak
10854         \vskip 20\p@
10855     \fi
10856     \interlinepenalty\@M
10857     \Huge \bfseries #1\par\nobreak
10858     \vskip 40\p@
10859   }}
10860 \def\@makeschapterhead#1{%
10861   \vspace*{50\p@}%
10862   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10863     \normalfont
10864     \interlinepenalty\@M
10865     \Huge \bfseries  #1\par\nobreak
10866     \vskip 40\p@
10867   }}
10868 \renewcommand\left@footnoterule{%
10869   \kern-3\p@
10870   \hrule\@width.4\columnwidth
10871   \kern2.6\p@}
10872 \renewcommand\right@footnoterule{%
10873   \kern-3\p@
10874   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10875   \kern2.6\p@}
10876 \renewenvironment{thebibliography}[1]
10877      {\chapter*{\bibname
10878         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10879       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10880       \bidi@@thebibliography@font@hook%
10881       \list{\@biblabel{\@arabic\c@enumiv}}%
10882            {\settowidth\labelwidth{\@biblabel{#1}}%
10883             \leftmargin\labelwidth
10884             \advance\leftmargin\labelsep
10885             \@openbib@code
10886             \usecounter{enumiv}%
10887             \let\p@enumiv\@empty
10888             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
10889       \sloppy\clubpenalty4000\widowpenalty4000%
10890       \sfcode`\.\@m}
10891      {\def\@noitemerr
10892        {\@latex@warning{Empty `thebibliography' environment}}%
10893       \endlist}
10894   \if@titlepage
10895   \renewcommand\maketitle{\begin{titlepage}%
10896   \let\footnotesize\small
10897   \let\right@footnoterule\relax
10898   \let\left@footnoterule\relax
10899   \let\textwidth@footnoterule\relax
10900   \let \footnote \thanks
10901   \null\vfil
10902   \vskip 60\p@
10903   \begin{center}%
10904     {\LARGE \@title \par}%
10905     \vskip 3em%
```

```
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
```

```
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

57 File fancybox-xetex-bidi.def

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
```

```
  \@circlefnt
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

58 File fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package

\let\f@nch@everypar\everypar

\def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\headheight{\hbox
      {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[b]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

59 File fix2col-xetex-bidi.def

```
\ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package f
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
```

```
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {%
\bidi@firstcolumn@status@write%
\box\@leftcolumn \hss}%
\hskip -\textwidth
\hbox to\columnwidth{%
\bidi@lastcolumn@status@write%
\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
```

```
    \endgroup
  \fi}
```

60 File fleqn-xetex-bidi.def

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX
\renewcommand\[{\relax
                \ifmmode\@badmath
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
                    \item[]\leavevmode
                    \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                      \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
     \endtrivlist}
```

61 File float-xetex-bidi.def

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for X
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
    \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

62 File floatrow-xetex-bidi.def

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
  \expandafter\edef\csname the\FB@captype\endcsname{%
      \expandafter\noexpand\csname
```

```
11158         the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

63 File flowfram-xetex-bidi.def

```
11159 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package
11160 \def\@outputdblcol{%
11161 \@nxtcol=\c@thisframe
11162 \c@curpg=\c@page
11163 \@g@tnextcol{\@nxtcol}%
11164 \if@ff@nwpg % next flow frame starts on new page
11165   \global\@firstcolumntrue
11166   \@setcolbox\c@thisframe
11167   \if@specialpage
11168     \global\@specialpagefalse
11169     \@nameuse{ps@\@specialstyle}\relax
11170   \fi
11171   \if@twoside
11172     \ifodd\count\z@
11173       \let\@thehead\@oddhead
11174       \let\@thefoot\@oddfoot
11175     \else
11176       \let\@thehead\@evenhead
11177       \let\@thefoot\@evenfoot
11178     \fi
11179   \else
11180     \let\@thehead\@oddhead
11181     \let\@thefoot\@oddfoot
11182   \fi
11183   \@begindvi
11184   \@dodynamicthehead\@dodynamicthefoot
11185   \vbadness=\@M
11186   \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
11187   \@combinedblfloats
11188   \@outputpage
11189 \advance\c@curpg by -\c@page\relax
11190   \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
11191   \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
11192 \@outputpage}
11193   \begingroup
11194     \@dblfloatplacement
11195     \@startdblcolumn
11196     \@whilesw \if@fcolmade \fi
11197       {\@outputpage \@startdblcolumn }\endgroup
11198   \@resetst@tics
11199   \@resetdyn@mics
11200 \else % still on same page, save contents of box255
11201   \global\@firstcolumnfalse
11202   \@setcolbox\c@thisframe
11203 \fi
11204 \global\c@thisframe=\@nxtcol
11205 \@setcol{\c@thisframe}\relax
11206 \global\@colht\vsize
11207 }
11208 \def\@outputpage{%
```

```
\begingroup
  \let\protect\noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse\@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize
    \bidi@font@@outputpage
    \normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \global\let\bidi@BeforeHeader\@firstofone
      \bidi@beforeheaderhook
      \vskip\headheight
      \vskip\headsep
      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
      \bidi@beforeoutputboxoutputpagehook
      \box\@outputbox
      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
      \bidi@afteroutputboxoutputpagehook
    }}%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
  }


\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
```

```
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

64 File `footnote-xetex-bidi.def`

```
\ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
```

```
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
%        \expandafter\ltx@secondofthree
%      \fi
%    }%
%  }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
    }%
  }%
%}
```

```
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}

\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}


\def\auto@footnoterule{%
\footdir@LeftRightElse%
```

```
\left@footnoterule%
\right@footnoterule%
\left@footnoterule%
}


\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}

\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}


\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\@RTLfootnotetext}
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\@LTRfootnotetext}


```

```
\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}

\newcommand*{\bidi@@footnotetext@font}{\footnotesize}
\newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
\newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
```

```
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@foot
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnote
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
```

```
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
  \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\
  \setlength\@tempdima{#4}%
  \def\@mpargs{{#1}{#2}[#3]{#4}}%
  \setbox\@tempboxa\vbox\bgroup
    \color@begingroup
      \hsize\@tempdima
      \textwidth\hsize \columnwidth\hsize
      \@parboxrestore
      \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
      \let\@footnotetext\@mpfootnotetext
      \let\@LTRfootnotetext\@mpLTRfootnotetext
      \let\@RTLfootnotetext\@mpRTLfootnotetext
      \let\@listdepth\@mplistdepth \@mplistdepth\z@
      \@minipagerestore
      \@setminipage}
\def\endminipage{%
    \par
    \unskip
    \ifvoid\@mpfootins\else
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
```

```
\def\RTLfootnotetext{%
    \@ifnextchar [\@xRTLfootnotenext
      {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

65 File footnotebackref-xetex-bidi.def

```
\ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnoteb
\LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
\LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}

\renewcommand*\LTRfootnote{%
    \refstepcounter{BackrefHyperFootnoteCounter}%
    \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
    \label{\BackrefFootnoteTag}%
    \@ifnextchar[\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote}

\renewcommand*\RTLfootnote{%
    \refstepcounter{BackrefHyperFootnoteCounter}%
    \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
    \label{\BackrefFootnoteTag}%
    \@ifnextchar[\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}
\newcommand\Backref@HyperLTRFootnote[1]{%
    \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}

\newcommand\Backref@HyperRTLFootnote[1]{%
    \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}

\newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
    \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}

\newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
    \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}

\bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
\ifFootnoteBackref@numberlinked
\renewcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thef
    \fi
```

```
  \fi}
\renewcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@t
    \fi
  \fi}
\renewcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@t
    \fi
  \fi}
\fi
}
```

66 File framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
```

```
11740      \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (con
11741   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
11742      \TitleBarFrame{\textbf{#1\ (cont)}}}%
11743   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
11744 %  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
11745 %  could interfere with the width measurement.
11746  {\endMakeFramed}
11747 \chardef\FrameRestore=\catcode`\| % for debug
11748 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
11749 \def\fb@put@frame#1#2{\relax
11750  \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
11751 |    \message{=============== Entering putframe ====================^^J
11752 |      \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
11753  \ifinner
11754    \fb@putboxa#1%
11755    \fb@afterframe
11756  \else
11757   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11758   \ifdim\dimen@<2\baselineskip % Too little room on page
11759 |    \message{Page has only \the\dimen@\space room left; eject. }%
11760     \eject \fb@adjheight \fb@put@frame#1#2%
11761   \else % there's appreciable room left on the page
11762      \fb@sizeofframe#1%
11763 |    \message{\string\pagetotal=\the\pagetotal,
11764 |        \string\pagegoal=\the\pagegoal,
11765 |        \string\pagestretch=\the\pagestretch,
11766 |        \string\pageshrink=\the\pageshrink,
11767 |        \string\fb@frh=\the\fb@frh. \space}
11768 |    \message{^^JBox of size \the\ht\@tempboxa\space}%
11769      \begingroup % temporarily set \dimen@ to be...
11770      \advance\dimen@.8\pageshrink  % maximum space available on page
11771      \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11772 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11773      \expandafter\endgroup
11774      % expand \ifdim, then restore \dimen@ to real room left on page
11775      \ifdim\dimen@>\ht\@tempboxa % whole box does fit
11776 |       \message{fits in \the\dimen@. }%
11777         % ToDo: Change this to use vsplit anyway to capture the marks
11778         % MERGE THIS WITH THE else CLAUSE!!!
11779         \fb@putboxa#1%
11780         \fb@afterframe
11781      \else % box must be split
11782 |       \message{must be split to fit in \the\dimen@. }%
11783         % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11784         \fb@sizeofframe#2%
11785         \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
11786            \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
11787            \kern137sp\kern-137sp\penalty-30
11788            \unvbox\@tempboxa}%
11789         \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11790                            \splittopskip\the\splittopskip}%
11791         \boxmaxdepth\z@ \splittopskip\z@
11792 |       \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
11793         % Split box here
```

```
11794         \setbox\tw@\vsplit\@tempboxa to\dimen@
11795 |       \toks99\expandafter{\splitfirstmark}%
11796 |       \toks98\expandafter{\splitbotmark}%
11797 |       \message{Marks are: \the\toks99, \the\toks98. }%
11798         \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11799 |       \message{Natural height of split box is \the\ht\tw@, leaving
11800 |          \the\ht\@tempboxa\space remainder. }%
11801         % If the split-to size > (\vsize-\topskip), then set box to full size.
11802         \begingroup
11803         \advance\dimen@\topskip
11804         \expandafter\endgroup
11805         \ifdim\dimen@>\pagegoal
11806 |         \message{Frame is big -- Use up the full column. }%
11807           \dimen@ii\pagegoal
11808           \advance\dimen@ii -\topskip
11809           \advance\dimen@ii \FrameHeightAdjust\relax
11810         \else  % suspect this is implemented incorrectly:
11811           % If the split-to size > feasible room_on_page, rebox it smaller.
11812           \advance\dimen@.8\pageshrink
11813           \ifdim\ht\tw@>\dimen@
11814 |           \message{Box too tall; rebox it to \the\dimen@. }%
11815             \dimen@ii\dimen@
11816           \else % use natural size
11817             \dimen@ii\ht\tw@
11818           \fi
11819         \fi
11820         % Re-box contents to desired size \dimen@ii
11821         \advance\dimen@ii -\fb@frh
11822         \setbox\tw@\vbox to\dimen@ii \bgroup
11823         % remove simulated frame and page flexibility:
11824         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11825         \unvbox\tw@ \unpenalty\unpenalty
11826         \ifdim\lastkern=-137sp % whole box went to next page
11827 |          \message{box split at beginning! }%
11828            % need work here???
11829            \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11830            \fb@adjheight
11831            \fb@put@frame#1#2% INSERTED ???
11832         \else % Got material split off at the head
11833            \egroup \fb@resto@set
11834            \ifvoid\@tempboxa % it all fit after all
11835 |             \message{box split at end! }%
11836               \setbox\@tempboxa\box\tw@
11837               \fb@putboxa#1%
11838               \fb@afterframe
11839            \else % it really did split
11840 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11841               \ifdim\wd\tw@>\z@
11842                 \wd\tw@\wd\@tempboxa
11843                 \centerline{#2{\hboxL{\box\tw@}}}%  ??? \centerline bad idea
11844               \else
11845 |               \message{Zero width means likely blank. Don't frame it (guess)}%
11846                 \box\tw@
11847               \fi
```

```
              \hrule \@height\z@ \@width\hsize
              \eject
              \fb@adjheight
              \fb@put@frame\LastFrameCommand\MidFrameCommand
  \fi\fi\fi\fi\fi
}
\def\fb@putboxa#1{%
  \ifvoid\@tempboxa
    \PackageWarning{framed}{Boxa is void -- discard it. }%
  \else
|   \message{Frame and place boxa. }%
|   %{\showoutput\showbox\@tempboxa}%
    \centerline{#1{\hboxL{\box\@tempboxa}}}%
  \fi
}
\catcode`\|=\FrameRestore
\def\FrameRestore{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   %  \message{FrameRestore:
   %    \@totalleftmargin=\the \@totalleftmargin,
   %    \rightmargin=\the\rightmargin,
   %    \@listdepth=\the\@listdepth.  }%
   % Test if we are in a list (or list-like paragraph)
   \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
          \ifdim\rightmargin>\z@ 1\fi
          \ifnum\@listdepth>\z@ 1\fi 0>\z@
     %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftm
     %       \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
     %       \labelwidth=\the\labelwidth. }%
     \@setminipage % snug fit around the item
     % Now try to propageate changes of width from \hsize to list parameters.
     % This is deficient, but a more advanced way to indicate modification to text
     % dimensions is not (yet) provided; in particular, no separate left/right
     % adjustment.
     \advance\linewidth-\columnwidth \advance\linewidth\hsize
     \parshape\@ne \@totalleftmargin \linewidth
   \else % Not in list
     \linewidth=\hsize
     %\message{No list, set \string\linewidth=\the\hsize. }%
   \fi
   \sloppy
}
```

67 File ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package
\def\prepare@bidi@copyins{%
  \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
  \global\skip\@bidi@copyins@\z@
  \global\count\@bidi@copyins@\z@
```

```
  \global\dimen\@bidi@copyins@\textheight}

\newskip\bidi@rcol@copyinsskip

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \global\count\@bidi@copyins@\@m
    \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
   \prepare@bidi@copyins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\RTL@outputdblcol{%
```

```
\if@firstcolumn
  \global\@firstcolumnfalse
  \global\setbox\@leftcolumn\copy\@outputbox
  \global\count\footins\@m
  \global\skip\footins\rcol@footinsskip
  \global\count\@bidi@copyins@\@m
  \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
  \splitmaxdepth\maxdimen
  \vbadness\maxdimen
   \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
  \toks@\expandafter{\topmark}%
  \xdef\@firstcoltopmark{\the\toks@}%
  \toks@\expandafter{\splitfirstmark}%
  \xdef\@firstcolfirstmark{\the\toks@}%
  \ifx\@firstcolfirstmark\@empty
    \global\let\@setmarks\relax
  \else
    \gdef\@setmarks{%
      \let\firstmark\@firstcolfirstmark
      \let\topmark\@firstcoltopmark}%
  \fi
\else
 \preparefootins
 \prepare@bidi@copyins
  \global\@firstcolumntrue
  \setbox\@outputbox\vbox{%
   \hb@xt@\textwidth{%
     \hskip \columnwidth
     \hfil
     {\normalcolor\vrule \@width\columnseprule}%
     \hfil
      \hb@xt@\columnwidth{%
      \bidi@firstcolumn@status@write%
      \box\@leftcolumn \hss}%
      \hskip -\textwidth
     \hb@xt@\columnwidth{%
     \bidi@lastcolumn@status@write%
     \box\@outputbox \hss}%
     \hskip \columnsep
    \hskip \columnwidth }}%
\@combinedblfloats
  \@setmarks
  \@outputpage
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw\if@fcolmade \fi{\@outputpage
   \@startdblcolumn}%
  \endgroup
\fi}%

\def\@startcolumn{%
\ifx\@deferlist\@empty
```

```
12007   \global\@fcolmadefalse
12008   \global\@colroom\@colht
12009 \else
12010   \ifvoid\footins\else
12011     \ftn@amount\ht\footins
12012     \advance\ftn@amount\dp\footins
12013     \advance\ftn@amount\skip\footins
12014   \fi
12015   \ifvoid\@bidi@copyins@\else
12016     \bidi@copyins@amount\ht\@bidi@copyins@
12017     \advance\bidi@copyins@amount\dp\@bidi@copyins@
12018     \advance\bidi@copyins@amount\skip\@bidi@copyins@
12019   \fi
12020   \global\advance\@colht-\ftn@amount
12021   \global\advance\@colht-\bidi@copyins@amount
12022   \global\@colroom\@colht
12023   \@xstartcol
12024   \global\advance\@colht\ftn@amount
12025   \global\advance\@colroom\ftn@amount
12026   \global\advance\@colht\bidi@copyins@amount
12027   \global\advance\@colroom\bidi@copyins@amount
12028 \fi
12029 \if@fcolmade
12030  \setbox\@cclv\box\@outputbox
12031  \@makecol
12032 \else
12033   \ifvoid\footins\else
12034     \insert\footins{\unvbox\footins}\fi
12035   \ifvoid\@bidi@copyins@\else
12036     \insert\@bidi@copyins@{\unvbox\@bidi@copyins@}\fi
12037 \fi}
12038
12039 \newdimen\bidi@copyins@amount
12040
12041 \def\@makecol{\if@firstcolumn
12042   \setbox\@outputbox\box\@cclv
12043   \if@twocolumn \else
12044     \ifvoid\footins \else
12045       \@latexerr{ftnright package
12046                  used in one-column mode}%
12047   {The ftnright package was designed to
12048    work with LaTeX's standard^^Jtwocolumn
12049    option. It does *not* work with the
12050    multicol package.^^JSo please specify
12051    `twocolumn' in the
12052    \noexpand\documentclass command.}%
12053       \shipout\box\footins \fi
12054     \ifvoid\@bidi@copyins@ \else
12055       \@latexerr{ftnright package
12056                  used in one-column mode}%
12057   {The ftnright package was designed to
12058    work with LaTeX's standard^^Jtwocolumn
12059    option. It does *not* work with the
12060    multicol package.^^JSo please specify
```

```
    `twocolumn' in the
    \noexpand\documentclass command.}%
      \shipout\box\@bidi@copyins@ \fi\fi
  \ifnum\insertpenalties>\z@
      \@latexerr{ftnright package
                  scrambled footnotes}%
    {There is too much footnote material in
     the first column  and ftnright^^Jis
     unable to cope with this.^^JYou need
     to reduce the amount to get a properly
     formatted page.}%
  \fi
 \else
  \ifvoid\footins
    \ifvoid\@bidi@copyins@
      \setbox\@outputbox\box\@cclv
    \else
      \setbox\@outputbox\vbox
        {\ifvoid\@cclv \else
           \unvbox\@cclv
           \vskip \skip\@bidi@copyins@
         \fi
           \color@begingroup
           \normalcolor
           \unvbox \@bidi@copyins@
           \color@endgroup}%
    \fi
  \else
    \setbox\@outputbox\vbox
      {\ifvoid\@cclv \else
        \unvbox\@cclv
        \vskip\skip\footins\fi
        \color@begingroup
        \normalcolor
        \footnoterule\unvbox\footins
        \color@endgroup
        \ifvoid\@bidi@copyins@
        \else
          \vskip \skip\@bidi@copyins@
          \color@begingroup
          \normalcolor
          \unvbox \@bidi@copyins@
          \color@endgroup
        \fi
      }%
  \fi
 \fi
 \xdef\@freelist{\@freelist\@midlist}%
 \global \let \@midlist \@empty
 \@combinefloats
 \ifvbox\@kludgeins
   \@makespecialcolbox
 \else
  \setbox\@outputbox\vbox to\@colht
```

```
    {\boxmaxdepth\maxdepth
     \@texttop
     \@tempdima\dp\@outputbox
     \unvbox\@outputbox
     \vskip-\@tempdima
     \@textbottom}%
  \fi
  \global\maxdepth\@maxdepth}

\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
   \noindent\hbox to 2em{}%
   \llap{\@thefnmark\hbox{.}\,\,}#1}

\setlength{\skip\@bidi@copyins@}
          {10pt plus 5pt minus 3pt}
\AtBeginDocument{\prepare@bidi@copyins}
```

68 File graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\i
    \Grot@x\width \divide\Grot@x\tw@
    \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
    \setkeys{Grot}{#1}%
    \setbox\z@\box\@tempboxa
    \Grot@setangle{#2}%
    \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
  \@end@tempboxa}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
```

```
12166   \else
12167     \wd\tw@#1\wd\z@
12168     \box\tw@
12169   \fi\ifmmode\else\if@RTL\endL\fi\fi}
12170 \def\Gin@iii[#1,#2][#3,#4]#5{%
12171   \begingroup
12172   \ifmmode\else\if@RTL\beginL\fi\fi
12173   \Gin@bboxtrue
12174   \Gin@defaultbp\Gin@llx{#1}%
12175   \Gin@defaultbp\Gin@lly{#2}%
12176   \Gin@defaultbp\Gin@urx{#3}%
12177   \Gin@defaultbp\Gin@ury{#4}%
12178   \Ginclude@graphics{#5}%
12179   \ifmmode\else\if@RTL\endL\fi\fi
12180   \endgroup}
12181 \def\Gin@ii[#1]#2{%
12182     \def\@tempa{[}\def\@tempb{#2}%
12183     \ifx\@tempa\@tempb
12184       \def\@tempa{\Gin@iii[#1][}%
12185       \expandafter\@tempa
12186     \else
12187      \begingroup
12188        \ifmmode\else\if@RTL\beginL\fi\fi
12189        \@tempswafalse
12190        \toks@{\Ginclude@graphics{#2}}%
12191        \setkeys{Gin}{#1}%
12192        \Gin@esetsize
12193        \the\toks@
12194        \ifmmode\else\if@RTL\endL\fi\fi
12195      \endgroup
12196      \fi}
12197 \def\reflectbox{\bidiGscale@box-1[1]}
12198 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
12199   \leavevmode
12200   \def\Gscale@x{#1}\def\Gscale@y{#2}%
12201   \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL
12202   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
12203   \ifdim#2\p@<\z@
12204     \ht\tw@-#2\dp\z@
12205     \dp\tw@-#2\ht\z@
12206   \else
12207     \ht\tw@#2\ht\z@
12208     \dp\tw@#2\dp\z@
12209   \fi
12210   \ifdim#1\p@<\z@
12211     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
12212   \else
12213     \wd\tw@#1\wd\z@
12214     \box\tw@
12215   \fi\ifmmode\else\if@RTL\endL\fi\fi}
12216 \def\scalebox#1{%
12217   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
12218 \def\resizebox{%
12219   \leavevmode
```

```
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\i
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\i
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \setlength\@tempdima{#3}%
    \setlength\@tempdimb{#4}%
    \Gscale@div\@tempb\@tempdima\@tempdimb
    \ifGin@iso
      \ifdim\@tempa\p@>\@tempb\p@
        \let\@tempa\@tempb
      \else
        \let\@tempb\@tempa
      \fi
    \fi
    \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

69 File geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
\renewcommand*{\Gm@vrules@mpi}{%
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
```

```
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
\bidi@patchcmd{\Gm@pageframes}{%
     \ifodd\count\z@
       \let\@themargin\oddsidemargin
     \else
       \let\@themargin\evensidemargin
     \fi
}{%
     \ifodd\count\z@
       \if@RTLmain
         \let\@themargin\evensidemargin
       \else
         \let\@themargin\oddsidemargin
       \fi
     \else
       \if@RTLmain
         \let\@themargin\oddsidemargin
       \else
         \let\@themargin\evensidemargin
       \fi
     \fi
}{}{}
```

70 File hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package f
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
```

```
  \else                       \setlength{\hvMaxCapWidth}{\linewidth}
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
    \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
    \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
      \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
```

```
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
\ifhv@nonFloat%
     \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
```

```
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
```

```
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
```

```
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
  \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
```

```
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

71 File hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
  \fi
}
\ifHy@hyperfootnotes
   \let\H@@footnotetext\@footnotetext
   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
    \def\@xfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@footnotetext\@mpfootnotetext
      \expandafter\H@@mpfootnotetext
    \else
```

```
      \expandafter\H@@footnotetext
    \fi
  }%
    \def\@xRTLfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@RTLfootnotetext\@mpRTLfootnotetext
      \expandafter\HRTL@@mpRTLfootnotetext
    \else
      \expandafter\HRTL@@RTLfootnotetext
    \fi
  }%
    \def\@xLTRfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@LTRfootnotetext\@mpLTRfootnotetext
      \expandafter\HLTR@@mpLTRfootnotetext
    \else
      \expandafter\HLTR@@LTRfootnotetext
    \fi
  }%
    \def\@xfootnotemark[#1]{%
    \begingroup
      \c@footnote #1\relax
      \unrestored@protected@xdef\@thefnmark{\thefootnote}%
    \endgroup
    \H@@footnotemark
  }%
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
    \long\def\@mpfootnotetext#1{%
    \H@@mpfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
  \long\def\@mpRTLfootnotetext#1{%
    \HRTL@@mpRTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
```

```
12697       \fi
12698     }%
12699   }%
12700     \long\def\@mpLTRfootnotetext#1{%
12701     \HLTR@@mpLTRfootnotetext{%
12702       \ifHy@nesting
12703         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12704       \else
12705         \Hy@raisedlink{%
12706           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12707         }#1%
12708       \fi
12709     }%
12710   }%
12711     \long\def\@footnotetext#1{%
12712     \H@@footnotetext{%
12713       \ifHy@nesting
12714         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12715       \else
12716         \Hy@raisedlink{%
12717           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12718         }%
12719         \let\@currentHlabel\Hy@footnote@currentHlabel
12720         \let\@currentHref\Hy@footnote@currentHref
12721         \let\@currentlabelname\@empty
12722         #1%
12723       \fi
12724     }%
12725   }%
12726     \long\def\@RTLfootnotetext#1{%
12727     \HRTL@@RTLfootnotetext{%
12728       \ifHy@nesting
12729         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12730       \else
12731         \Hy@raisedlink{%
12732           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12733         }%
12734         \let\@currentHlabel\Hy@footnote@currentHlabel
12735         \let\@currentHref\Hy@footnote@currentHref
12736         \let\@currentlabelname\@empty
12737         #1%
12738       \fi
12739     }%
12740   }%
12741     \long\def\@LTRfootnotetext#1{%
12742     \HLTR@@LTRfootnotetext{%
12743       \ifHy@nesting
12744         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12745       \else
12746         \Hy@raisedlink{%
12747           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12748         }%
12749         \let\@currentHlabel\Hy@footnote@currentHlabel
12750         \let\@currentHref\Hy@footnote@currentHref
```

```
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \@ifpackageloaded{tabularx}{%
  \let\HyOrg@TX@endtabularx\TX@endtabularx
  \def\Hy@tabularx@hook{%
    \let\@footnotetext\H@@footnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@mpfootnotetext\H@@mpfootnotetext
    \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
    \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
  }%
  \begingroup
    \toks@\expandafter{\TX@endtabularx}%
    \xdef\Hy@gtemp{%
      \noexpand\Hy@tabularx@hook
      \the\toks@
    }%
  \endgroup
  \let\TX@endtabularx\Hy@gtemp
}{}%
  \@ifpackageloaded{longtable}{%
  \CheckCommand*{\LT@p@LTRftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
```

```
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@RTLftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@RTLfootnotetext#1#2{%
   \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
}{}%
  \@ifpackageloaded{bidipoem}{%
  \long\def\bidipoem@p@ftntext#1{%
    \edef\@tempx{%
      \the\bidipoem@p@ftn
      \begingroup
```

```
12859         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12860         \noexpand\protected@xdef\noexpand\@thefnmark{%
12861           \noexpand\thempfn
12862         }%
12863         \noexpand\Hy@bidipoem@footnotetext{%
12864           \Hy@footnote@currentHref
12865         }%
12866     }%
12867     \global\bidipoem@p@ftn\expandafter{%
12868         \@tempx{#1}%
12869       \endgroup
12870     }%
12871   }%
12872   \long\def\Hy@bidipoem@footnotetext#1#2{%
12873     \H@@footnotetext{%
12874       \ifHy@nesting
12875         \hyper@@anchor{#1}{#2}%
12876       \else
12877         \Hy@raisedlink{%
12878           \hyper@@anchor{#1}{\relax}%
12879         }%
12880         \def\@currentHref{#1}%
12881         \let\@currentlabelname\@empty
12882         #2%
12883       \fi
12884     }%
12885   }%
12886       \long\def\bidipoem@p@LTRftntext#1{%
12887     \edef\@tempxi{%
12888       \the\bidipoem@p@ftn
12889       \begingroup
12890         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12891         \noexpand\protected@xdef\noexpand\@thefnmark{%
12892           \noexpand\thempfn
12893         }%
12894         \noexpand\Hy@bidipoem@LTRfootnotetext{%
12895           \Hy@footnote@currentHref
12896         }%
12897     }%
12898     \global\bidipoem@p@ftn\expandafter{%
12899         \@tempxi{#1}%
12900       \endgroup
12901     }%
12902   }%
12903   \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12904     \HLTR@@LTRfootnotetext{%
12905       \ifHy@nesting
12906         \hyper@@anchor{#1}{#2}%
12907       \else
12908         \Hy@raisedlink{%
12909           \hyper@@anchor{#1}{\relax}%
12910         }%
12911         \def\@currentHref{#1}%
12912         \let\@currentlabelname\@empty
```

```
12913           #2%
12914         \fi
12915       }%
12916     }%
12917         \long\def\bidipoem@p@RTLftntext#1{%
12918       \edef\@tempxii{%
12919         \the\bidipoem@p@ftn
12920         \begingroup
12921           \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12922           \noexpand\protected@xdef\noexpand\@thefnmark{%
12923             \noexpand\thempfn
12924           }%
12925           \noexpand\Hy@bidipoem@RTLfootnotetext{%
12926             \Hy@footnote@currentHref
12927           }%
12928       }%
12929       \global\bidipoem@p@ftn\expandafter{%
12930           \@tempxii{#1}%
12931         \endgroup
12932       }%
12933     }%
12934     \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12935       \HRTL@@RTLfootnotetext{%
12936         \ifHy@nesting
12937           \hyper@@anchor{#1}{#2}%
12938         \else
12939           \Hy@raisedlink{%
12940             \hyper@@anchor{#1}{\relax}%
12941           }%
12942           \def\@currentHref{#1}%
12943           \let\@currentlabelname\@empty
12944           #2%
12945         \fi
12946       }%
12947     }%
12948   }{}%
12949   \let\HyOrg@maketitle\maketitle
12950   \def\maketitle{%
12951     \let\Hy@saved@footnotemark\@footnotemark
12952     \let\Hy@saved@footnotetext\@footnotetext
12953     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12954     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12955     \let\@footnotemark\H@@footnotemark
12956     \let\@footnotetext\H@@footnotetext
12957     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12958     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
12959     \@ifnextchar[\Hy@maketitle@optarg{% ]
12960       \HyOrg@maketitle
12961       \Hy@maketitle@end
12962     }%
12963   }%
12964   \def\Hy@maketitle@optarg[#1]{%
12965     \HyOrg@maketitle[{#1}]%
12966     \Hy@maketitle@end
```

```
  }%
  \def\Hy@maketitle@end{%
    \ifx\@footnotemark\H@@footnotemark
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \global\advance\c@Hy@AnnotLevel\@ne
  \ifnum\c@Hy@AnnotLevel=\@ne
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\c@Hy@AnnotLevel=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \global\advance\c@Hy@AnnotLevel\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
  \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi
}
\def\hyper@linkfile#1#2#3{%
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
```

```
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
        \fi
        /A<<%
          /F(\Hy@pstringF)%
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
```

```
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
```

```
    \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}%
\def\XeLaTeX{Xe\LaTeX}%
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
```

```
}{}
\bidi@patchcmd\@TextField{%
  \@pdfm@mark
}{%
  \if@RTL
    \hskip\Fld@width
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@TextField{%
  \unhbox
}{%
  \if@RTL
    \hskip-\Fld@width
  \fi
  \unhbox
}{}{}
\bidi@patchcmd\@@Radio{%
  \@pdfm@mark
}{%
  \if@RTL
    \hskip\Fld@width
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@@Radio{%
  \unhcopy
}{%
  \if@RTL
    \hskip-\Fld@width
  \fi
  \unhcopy
}{}{}
\bidi@patchcmd\@Submit{%
  \@pdfm@mark
}{%
  \if@RTL
    \null
    \hskip\wd\pdfm@box
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@Submit{%
  \unhbox
}{%
  \if@RTL
    \hskip-\wd\pdfm@box
  \fi
  \unhbox
}{}{}
\bidi@patchcmd\@Reset{%
  \@pdfm@mark
}{%
  \if@RTL
```

```
    \null
    \hskip\wd\pdfm@box
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@Reset{%
  \unhbox
}{%
  \if@RTL
    \hskip-\wd\pdfm@box
  \fi
  \unhbox
}{}{}
```

72 File imsproc-xetex-bidi.def

```
\ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
\newenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}

\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}

\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
\def\@makefnmark{%
  \leavevmode
```

```
  \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
}

\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

73 File leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{\hskip -\displaywidth
```

```
{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\
```

74 File letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter cl
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

75 File lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2019/05/01 v0.7 bidi adaptations for lettrine package
\def\@lettrine[#1]#2#3{%
  \def\l@initial{#2}\let\l@refstring\l@initial
  \setcounter{L@lines}{\value{DefaultLines}}%
  \setcounter{L@depth}{\value{DefaultDepth}}%
  \renewcommand*{\L@hang}{\DefaultLhang}%
  \renewcommand*{\L@oversize}{\DefaultLoversize}%
  \renewcommand*{\L@raise}{\DefaultLraise}%
  \renewcommand*{\L@ante}{}%
  \setlength{\L@Findent}{\DefaultFindent}%
  \setlength{\L@Nindent}{\DefaultNindent}%
  \setlength{\L@slope}{\DefaultSlope}%
  \setlength{\L@novskip}{\DiscardVskip}%
  \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
  \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
  \ifLettrineRealHeight\L@realhtrue\else\L@realhfalse\fi
  \ifLettrineSelfRef\L@selfreftrue\else\L@selfreffalse\fi
  \setkeys{L}{#1}%
  \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
  \ifL@realh
    \def\@tempa{#3}%
    \ifx\@tempa\@empty
      \PackageWarning{lettrine.sty}%
        {Empty second argument,\MessageBreak
         ignoring option `realheight';}%
```

```
13387     \else
13388       \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13389     \fi
13390   \fi
13391   \if\DefaultOptionsFile\relax
13392   \else
13393     \begingroup
13394     \InputIfFileExists{\DefaultOptionsFile}%
13395       {}%
13396       {\PackageWarning{lettrine.sty}%
13397          {File \DefaultOptionsFile\space not found}%
13398       }%
13399     \def\color##1##{\l@color{##1}}%
13400     \let\l@color\@gobbletwo
13401     \def\textcolor##1##{\l@textcolor{##1}}%
13402     \def\l@textcolor##1##2##3{##3}%
13403     \expandafter\ifx\csname l@#2-keys\endcsname\relax
13404                   \gdef\l@LOKeys{}%
13405                 \else
13406                   \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
13407                 \fi
13408     \endgroup
13409     \def\KV@prefix{KV@L@}%
13410     \let\@tempc\relax
13411     \expandafter\KV@do\l@LOKeys,\relax,
13412     \setupL@lbox
13413     \setlength{\LettrineWidth}{\wd\L@lbox}%
13414     \def\KV@prefix{KV@L@}%
13415     \let\@tempc\relax
13416     \expandafter\KV@do\l@LOKeys,\relax,
13417     \setkeys{L}{#1}%
13418   \fi
13419   \setupL@lbox
13420   \setlength{\LettrineWidth}{\wd\L@lbox}%
13421   \setlength{\LettrineHeight}{\ht\L@lbox}%
13422   \setlength{\LettrineDepth}{\dp\L@lbox}%
13423   \begingroup
13424   \def\IeC##1{##1}%
13425   \@tempdima=\L@oversize pt\relax
13426   \PackageInfo{lettrine.sty}%
13427     {Targeted height = \the\L@target@tht\MessageBreak
13428      (no accent, loversize=0),\MessageBreak
13429      Lettrine height = \the\LettrineHeight\space (#2)%
13430      \ifdim\@tempdima=\z@\else\space loversize=\L@oversize\fi;%
13431      \MessageBreak reported}%
13432   \endgroup
13433   \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13434   \setlength{\L@first}{\LettrineHeight}%
13435   \setlength{\L@lraise}{\L@raise\L@target@tht}%
13436   \addtolength{\L@first}{\L@lraise}%
13437   \ifnum\value{L@lines}=1
13438     \addtolength{\L@first}{-\ht\L@tbox}%
13439   \else
13440     \addtolength{\L@first}{-\L@target@tht}%
```

```
    \addtolength{\L@lraise}{-\L@target@dp}%
  \fi
  \par
  \ifdim\L@first>\L@novskip
    \ifL@grid
      \@tempdima=\baselineskip
      \@tempdimb=\@tempdima
      \advance\@tempdimb by \L@novskip
      \@tempcnta=1
      \loop\ifdim\L@first>\@tempdimb
         \advance\@tempcnta by 1
         \advance\L@first by -\@tempdima
      \repeat
      \L@first=\@tempcnta\baselineskip
    \fi
    \vskip\L@first
  \fi
  \setlength{\L@Pindent}{\wd\L@lbox}%
  \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
  \settowidth{\L@first}{\L@ante}%
  \addtolength{\L@Pindent}{\L@first}%
  \addtolength{\L@Pindent}{\L@Findent}%
  \setlength{\L@first}{\linewidth}%
  \addtolength{\L@first}{-\L@Pindent}%
  \addtolength{\L@Nindent}{\L@Pindent}%
  \setlength{\L@next}{\linewidth}%
  \addtolength{\L@next}{-\L@Nindent}%
  \addtolength{\L@Pindent}{\@totalleftmargin}%
  \addtolength{\L@Nindent}{\@totalleftmargin}%
  \addtocounter{L@lines}{1}%
  \addtocounter{L@lines}{\value{L@depth}}%
  \if@RTL
    \def\L@parshape{\c@L@lines \z@ \the\L@first}%
  \else
    \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
  \fi
  \@tempcnta=\tw@
  \@whilenum \@tempcnta<\c@L@lines\do{%
     \if@RTL
       \edef\L@parshape{\L@parshape \z@ \the\L@next}%
     \else
       \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
     \fi
     \addtolength{\L@Nindent}{\L@slope}%
     \addtolength{\L@next}{-\L@slope}%
     \advance\@tempcnta\@ne}%
  \if@RTL
    \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
  \else
    \edef\L@parshape{\L@parshape \@totalleftmargin \the\linewidth}%
  \fi
  \noindent
  \parshape=\L@parshape\relax
  \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
```

```
13495         \hskip \the\L@Findent}}%
13496   \usebox{\L@tbox}%
13497   \ifnum\@listdepth>0 \Lreset@listparshape \fi
13498 }
```

76 File lineno-xetex-bidi.def

```
13499 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for
13500 \bidi@patchcmd{\MakeLineNo}{%
13501   \hb@xt@\z@{\makeLineNumber}%
13502 }{%
13503   \hboxL to \z@{\makeLineNumber}%
13504 }{}{}
13505
13506 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
13507   \if@RTL
13508     \hb@xt@\linenumberwidth{\LineNumber\hss}%
13509   \else
13510     \LineNumber
13511   \fi
13512 }{}{}
13513
13514 \bidi@patchcmd{\makeLineNumberRight}{%
13515   \hb@xt@\linenumberwidth{\hss\LineNumber}%
13516 }{%
13517   \if@RTL
13518     \LineNumber
13519   \else
13520     \hb@xt@\linenumberwidth{\hss\LineNumber}%
13521   \fi
13522 }{}{}
13523
13524 \bidi@AfterPreamble{%
13525   \if@RTLmain
13526     \rightlinenumbers*
13527   \else
13528     \leftlinenumbers*
13529   \fi
13530   \@ifpackagewith{lineno}{left}{%
13531     \leftlinenumbers*
13532   }{}
13533   \@ifpackagewith{lineno}{right}{%
13534     \rightlinenumbers*
13535   }{}
13536 }
13537
```

77 File listings-xetex-bidi.def

```
13538 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package
13539 \lst@Key{captiondirection}{textdirection}{%
13540     \lstKV@SwitchCases{#1}%
13541     {textdirection:\\%
13542      RTL:\chardef\bidi@lst@caption@direction\@ne\\%
```

```
13543      LTR:\chardef\bidi@lst@caption@direction\z@%
13544     }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
13545
13546 \lst@Key{captionscript}{textscript}{%
13547     \lstKV@SwitchCases{#1}%
13548     {textscript:\\%
13549      latin:\chardef\bidi@lst@caption@script\@ne\\%
13550      nonlatin:\chardef\bidi@lst@caption@script\z@%
13551     }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
13552
13553 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
13554    \@ifundefined{bidi@lst@caption@direction}{}{%
13555     \ifnum\bidi@lst@caption@direction=\z@%
13556         #1%
13557     \else%
13558          \ifnum\bidi@lst@caption@direction=\@ne%
13559              #2%
13560          \fi%
13561      \fi%
13562 }}
13563
13564 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
13565    \@ifundefined{bidi@lst@caption@script}{}{%
13566     \ifnum\bidi@lst@caption@script=\z@%
13567         #1%
13568     \else%
13569          \ifnum\bidi@lst@caption@script=\@ne%
13570              #2%
13571          \fi%
13572      \fi%
13573 }}
13574
13575 \long\def\@bidi@lst@makecaption#1#2{%
13576    \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13577    \vskip\abovecaptionskip
13578    \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13579    \sbox\@tempboxa{%
13580    \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
13581    #1: #2%
13582    \bidi@lst@ensure@caption@direction{\endL}{\endR}%
13583    }%
13584    \ifdim \wd\@tempboxa >\hsize
13585      #1: #2\par
13586    \else
13587      \global \@minipagefalse
13588      \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13589    \fi
13590    \vskip\belowcaptionskip}%
13591 \def\lst@makecaption{\@bidi@lst@makecaption}
13592 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
13593 \bidi@AtEndPreamble{%
13594 \bidi@patchcmd{\lst@MakeCaption}{%
13595     \ifx #1t%
13596         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
```

```
                                    \expandafter\refstepcounter
        \fi {lstlisting}%
}{%
    \ifx #1t%
       \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                    \expandafter\refstepcounter
        \fi {lstlisting}%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}%
\bidi@patchcmd{\lst@MakeCaption}{%
                 \addcontentsline{lol}{lstlisting}%
                     {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
                \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                 \addcontentsline{lol}{lstlisting}%
                     {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}%
}
\@ifpackageloaded{caption}{%
  \AtBeginCaption{%
  \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
  \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
}
  \let\@bidi@lst@makecaption\caption@makecaption%
  \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
}{%
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
  \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}%
}
\AtBeginDocument{
  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
  \lst@ifnumberbychapter
      \gdef\thelstlisting%
           {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
  \else
      \gdef\thelstlisting{\@arabic\c@lstlisting}
  \fi}
```

78 File loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the las
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
```

```
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{diagbox}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
\bidi@isloaded{lineno}
\bidi@isloaded{media9}
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
```

```
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi pack
  \fi%
    \if@bidi@amstextloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi pack
  \fi%
  \if@bidi@amsthmloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
  \fi%
  \if@bidi@animateloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi pack
  \fi%
  \if@bidi@breqnloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi packag
  \fi%
    \if@bidi@calsloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package
  \fi%
  \if@bidi@captionloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi pack
  \fi%
  \if@bidi@croploaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package
  \fi%
  \if@bidi@colorloaded@\else
  \@ifpackageloaded{hyperref}{}{%
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi packag
  \fi%
  \if@bidi@cutwinloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi packa
  \fi%
    \if@bidi@cutedloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi packag
  \fi%
  \if@bidi@dblfnoteloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi pac
  \fi%
  \if@bidi@diagboxloaded@\else
```

```
13756   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi pack
13757 \fi%
13758 \if@bidi@xcolorloaded@\else
13759   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi packa
13760 \fi%
13761 \if@bidi@colortblloaded@\else
13762   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi pac
13763 \fi%
13764 \if@bidi@floatloaded@\else
13765   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi packag
13766 \fi%
13767   \if@bidi@floatrowloaded@\else
13768   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi pac
13769 \fi%
13770 \if@bidi@flowframloaded@\else
13771   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi pac
13772 \fi%
13773 \if@bidi@framedloaded@\else
13774   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi packa
13775 \fi%
13776   \if@bidi@ftnrightloaded@\else
13777   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi pac
13778 \fi%
13779 \if@bidi@xltxtraloaded@\else
13780   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi pack
13781 \fi%
13782 \if@bidi@xunicodeloaded@\else
13783   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi pac
13784 \fi%
13785 \if@bidi@wrapfigloaded@\else
13786   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi pack
13787 \fi%
13788 \if@bidi@graphicxloaded@\else
13789   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi pac
13790 \fi%
13791   \if@bidi@geometryloaded@\else
13792   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pac
13793 \fi%
13794 \if@bidi@hvfloatloaded@\else
13795   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi pack
13796 \fi%
13797     \if@bidi@mdframedloaded@\else
13798   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pac
13799 \fi%
13800       \if@bidi@midfloatloaded@\else
13801   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pac
13802 \fi%
13803   \if@bidi@ntheoremloaded@\else
13804   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pac
13805 \fi%
13806 \if@bidi@hyperrefloaded@\else
13807   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pac
13808 \fi%
13809   \if@bidi@fancyboxloaded@\else
```

```
13810   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pac
13811 \fi%
13812 \if@bidi@fancyhdrloaded@\else
13813   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pac
13814 \fi%
13815 \if@bidi@draftwatermarkloaded@\else
13816   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bi
13817 \fi%
13818 \if@bidi@empheqloaded@\else
13819   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packa
13820 \fi%
13821   \if@bidi@overpicloaded@\else
13822   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi pack
13823 \fi%
13824 \if@bidi@pdfpagesloaded@\else
13825   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pac
13826 \fi%
13827 \if@bidi@lettrineloaded@\else
13828   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pac
13829 \fi%
13830 \if@bidi@linenoloaded@\else
13831   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi packa
13832 \fi%
13833 \if@bidi@listingsloaded@\else
13834   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pac
13835 \fi%
13836 \csname if@bidi@media9loaded@\endcsname\else
13837   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packa
13838 \fi%
13839 \if@bidi@pstricksloaded@\else
13840   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pac
13841 \fi%
13842 \if@bidi@pgfloaded@\else
13843   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
13844 \fi%
13845 \if@bidi@picinparloaded@\else
13846   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pac
13847 \fi%
13848 \if@bidi@quotchaploaded@\else
13849   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pac
13850 \fi%
13851 \if@bidi@tikzloaded@\else
13852   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package
13853 \fi%
13854 \if@bidi@titlesecloaded@\else
13855   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pac
13856 \fi%
13857 \if@bidi@titletocloaded@\else
13858   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pac
13859 \fi%
13860 \if@bidi@arrayloaded@\else
13861   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi packag
13862 \fi%
13863 \if@bidi@stabularloaded@\else
```

```
13864   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pac
13865 \fi%
13866 \if@bidi@soulloaded@\else
13867   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package
13868 \fi%
13869 \if@bidi@subfigloaded@\else
13870   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packa
13871 \fi%
13872 \if@bidi@subfigureloaded@\else
13873   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pa
13874 \fi%
13875 \if@bidi@supertabularloaded@\else
13876   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
13877 \fi%
13878 \if@bidi@xtabloaded@\else
13879   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package
13880 \fi%
13881 \if@bidi@longtableloaded@\else
13882   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pa
13883 \fi%
13884 \if@bidi@arydshlnloaded@\else
13885   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pac
13886 \fi%
13887 \if@bidi@multicolloaded@\else
13888   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pac
13889 \fi%
13890 \if@bidi@multienumloaded@\else
13891   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pa
13892 \fi%
13893 \if@bidi@minitocloaded@\else
13894   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi pack
13895 \fi%
13896 \if@bidi@natbibloaded@\else
13897   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packa
13898 \fi%
13899   \if@bidi@newfloatloaded@\else
13900   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pac
13901 \fi%
13902 \csname if@bidi@ragged2eloaded@\endcsname\else
13903   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pac
13904 \fi%
13905   \if@bidi@rotatingloaded@\else
13906   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pac
13907 \fi%
13908 \if@bidi@tablsloaded@\else
13909   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi packag
13910 \fi%
13911 \if@bidi@tabularyloaded@\else
13912   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pac
13913 \fi%
13914 \if@bidi@tocbasicloaded@\else
13915   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pac
13916 \fi%
13917 \if@bidi@tocstyleloaded@\else
```

```
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pac
  \fi%
  \if@bidi@tocbibindloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pa
  \fi%
  \if@bidi@fontspecloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pac
  \fi%
  \if@bidi@arabxetexloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pa
  \fi%
  \if@bidi@polyglossialoaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi
  \fi%
  \if@bidi@fancyvrbloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pac
  \fi%
}
```

79 File longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2019/01/19 v0.5 bidi adaptations for longtable packa
\def\LT@array[#1]#2{%
  \refstepcounter{table}\stepcounter{LT@tables}%
  \if l#1%
    \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
  \else\if r#1%
    \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
  \else\if c#1%
    \LTleft\fill \LTright\fill
  \fi\fi\fi
  \let\LT@mcol\multicolumn
  \let\LT@@tabarray\@tabarray
  \let\LT@@hl\hline
  \def\@tabarray{%
    \let\hline\LT@@hl
    \LT@@tabarray}%
  \let\\\LT@tabularcr\let\tabularnewline\\%
  \def\newpage{\noalign{\break}}%
  \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
  \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
  \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
  \@tempdima\ht\strutbox
  \let\@endpbox\LT@endpbox
  \ifx\extrarowheight\@undefined
    \let\@acol\@tabacol
    \let\@classz\@tabclassz \let\@classiv\@tabclassiv
    \def\@startpbox{\vtop\LT@startpbox}%
    \let\@@startpbox\@startpbox
    \let\@@endpbox\@endpbox
    \let\LT@LL@FM@cr\@tabularcr
  \else
    \advance\@tempdima\extrarowheight
    \col@sep\tabcolsep
```

```
    \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
  \fi
  \setbox\@arstrutbox\hbox{\vrule
    \@height \arraystretch \@tempdima
    \@depth \arraystretch \dp \strutbox
    \@width \z@}%
  \let\@sharp##\let\protect\relax
   \begingroup
    \@mkpream{#2}%
    \xdef\LT@bchunk{%
       \global\advance\c@LT@chunks\@ne
       \global\LT@rows\z@\setbox\z@\vbox\bgroup
       \LT@setprevdepth
       \tabskip\LTleft \noexpand\halign to\hsize\bgroup
      \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
  \endgroup
  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
  \LT@make@row
  \m@th\let\par\@empty
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
        \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
        \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
}{}
\def\LT@startpbox#1{%
  \bgroup\color@begingroup
```

```
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%


\def\LT@output{%
  \ifnum\outputpenalty <-\@Mi
    \ifnum\outputpenalty > -\LT@end@pen
      \LT@err{floats and marginpars not allowed in a longtable}\@ehc
    \else
      \setbox\z@\vbox{\unvbox\@cclv}%
      \ifdim \ht\LT@lastfoot>\ht\LT@foot
        \dimen@\pagegoal
        \advance\dimen@-\ht\LT@lastfoot
        \ifdim\dimen@<\ht\z@
          \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
          \@makecol
          \@outputpage
          \setbox\z@\vbox{\box\LT@head}%
        \fi
      \fi
      \global\@colroom\@colht
      \global\vsize\@colht
      \vbox
        {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@fo
    \fi
  \else
    \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foo
    \@makecol
    \@outputpage
      \global\vsize\@colroom
    \copy\LT@head\nobreak
  \fi}
```

80 File `lscape-xetex-bidi.def`

```
\ProvidesFile{lscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for lscape package for
\bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
  \if@RTL
    \rotatebox[origin=br]{-90}{\box\@outputbox}%
  \else
    \rotatebox{90}{\box\@outputbox}%
  \fi
}{}{}
\g@addto@macro{\landscape}{%
```

```
  \let\bidi@left@footnoterule\left@footnoterule
  \let\bidi@right@footnoterule\right@footnoterule
  \def\left@footnoterule{%
    \if@RTL
      \bidi@right@footnoterule
    \else
      \bidi@left@footnoterule
    \fi
  }%
  \def\right@footnoterule{%
    \if@RTL
      \bidi@left@footnoterule
    \else
      \bidi@right@footnoterule
    \fi
  }%
}
```

81 File mathtools-xetex-bidi.def

```
\ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools packa
\MHInternalSyntaxOn
\def\MT_define_tagform:nwnn #1[#2]#3#4{
  \@namedef{MT_tagform_#1:n}##1
    {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@@italiccorr#4\
}
\renewtagform{default}{(}{)}
\MHInternalSyntaxOff
```

82 File mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
   \@RTLfalse%
 \setbox#1\vbox\bgroup%
   \color@begingroup%
    \if@bidi@mdf@RTL\@RTLtrue\fi%
     \mdf@horizontalmargin@equation%
     \columnwidth=\hsize%
     \textwidth=\hsize%
     \let\if@nobreak\iffalse%
     \let\if@noskipsec\iffalse%
     \let\par\@@par%
     \let\-\@dischyph%
     \let\'\@acci\let\`\@accii\let\=\@acciii%
     \parindent\z@ \parskip\z@skip%
     \linewidth\hsize%
     \@totalleftmargin\z@%
     \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
     \parfillskip\@flushglue \lineskip\normallineskip%
     \baselineskip\normalbaselineskip%
```

```
%%  \sloppy%
     \let\\\@normalcr%
     \mdf@par@local%New feature to restore parskip/parindent local in save box
     \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
     \@afterindentfalse%
    %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
    \mdf@lrbox{\mdf@frametitlebox}%
     \mdf@frametitlealignment%
       \leavevmode{\color{\mdf@frametitlefontcolor}%
           \normalfont\mdf@frametitlefont{#1}
       \ifbool{mdf@ignorelastdescenders}%
         {%
          \par\strut\par
          \unskip\unskip\setbox0=\lastbox
          \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
         }{}}%
    \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
    \endmdf@lrbox\relax%
   \mdf@ignorevbadness%
   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
   \mdfframetitleboxtotalheight=\dimexpr
                                  \ht\mdf@frametitlebox
                                  +\dp\mdf@frametitlebox%
                                  +\mdf@frametitleaboveskip@length
                                  +\mdf@frametitlebelowskip@length
                                \relax%
}

\renewrobustcmd*\mdf@footnoteoutput{%
     \ifvoid\@mpfootins\else%
          \nobreak%
          \vskip\mdf@footenotedistance@length%
          \normalcolor%
          \bidi@mpfootnoterule%
          \unvbox\@mpfootins%
     \fi%
}


\renewrobustcmd*\mdf@footnoteinput{%
   \def\@mpfn{mpfootnote}%
   \def\thempfn{\thempfootnote}%
   \c@mpfootnote\z@%
   \let\@footnotetext\@mpfootnotetext%
    \let\@LTRfootnotetext\@mpLTRfootnotetext%
    \let\@RTLfootnotetext\@mpRTLfootnotetext%
}
```

83 File bidi-media9.sty

```
\ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
{bidi fixes for media9 package for the XeTeX engine}

\keys_define:nn{media9/mbtn}{
  draft .code:n = {},
  final .code:n = {},

  tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
  tooltip .value_required:n = {true},

  overface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
  },
  overface .value_required:n = {true},

  downface .code:n = {
    \sbox\l_mix_poster_box{
      \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
  },
  downface .value_required:n = {true},

  3Dgotoview .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
    \tl_trim_spaces:N\l_tmpa_tl
    \tl_if_exist:cTF{ann@\l_tmpa_tl}{
      \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
        \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
        \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
        \tl_trim_spaces:N\l_tmpb_tl
        \tl_if_blank:VF\l_tmpb_tl{
          \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
          }{
            \regex_match:nVTF{^\d+$}\l_tmpb_tl{
              \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
            }{
              \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
              \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
              \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
            }
          }
        }
        \mix_pdfobj:nnn{}{dict}{
          /S/JavaScript/JS~(
            if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
            if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
```

```
              annotRM['\l_tmpa_tl']=
                this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
            }
            annotRM['\l_tmpa_tl'].activated=true;
          )
          \tl_if_blank:VF\l_tmpb_tl{
            /Next~<<
              /S/GoTo3DView
              /TA~\tl_use:c{ann@\l_tmpa_tl}
              /V\l_mix_vidx_tl
            >>
          }
        }
        \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
      }
    }{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
  },
  3Dgotoview .value_required:n = {true},

  mediacommand .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
    \tl_trim_spaces:N\l_tmpa_tl
    \tl_if_exist:cTF{ann@\l_tmpa_tl}{
      \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
        \tl_set:Nx\l_tmpb_tl{#1}
        \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
        \tl_trim_spaces:N\l_tmpb_tl
        \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
        \tl_set:Nx\l_mix_cmd_tl{
          \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
        \tl_trim_spaces:N\l_mix_cmd_tl
        \tl_set:Nx\l_mix_arg_tl{
          \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
        \tl_trim_spaces:N\l_mix_arg_tl
        \mix_pdfobj:nnn{}{dict}{
          /S/JavaScript/JS~(
            if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
            if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
              annotRM['\l_tmpa_tl']=
                this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
            }
            annotRM['\l_tmpa_tl'].activated=true;
          )
          \tl_if_blank:VF\l_mix_cmd_tl{
            /Next~<<
              /S/RichMediaExecute
              /TA~\tl_use:c{ann@\l_tmpa_tl}
```

```
              /TI~\tl_use:c{main@\l_tmpa_tl}
              /CMD~<<
                /C~(\l_mix_cmd_tl)
                \tl_if_blank:VF\l_mix_arg_tl{
                  /A~[\l_mix_arg_tl]
                }
              >>
            >>
          }
        }
        \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
      }
    }{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
  },
  mediacommand .value_required:n = {true},

  jsaction .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}
    \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
      \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
      \tl_trim_spaces:N\l_tmpa_tl
    }{\tl_clear:N\l_tmpa_tl}
    \tl_set:Nx\l_tmpb_tl{#1}
    \tl_if_blank:VF\l_tmpa_tl{
      \tl_if_exist:cF{ann@\l_tmpa_tl}{
        \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
        \cs_if_exist:NF\g_mix_refundefwarned_tl{
          \tl_new:N\g_mix_refundefwarned_tl
          \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
        }
      }
      \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
    }
    \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
    \tl_trim_spaces:N\l_tmpb_tl
    \tl_if_blank:VF\l_tmpb_tl{
    \mix_pdfobj:nnn{}{dict}{
      /S/JavaScript/JS~(
        try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
    \bool_lazy_and:nnT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}
    }{
      !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
    }{
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
```

```
            annotRM['\l_tmpa_tl']=
              this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
      }
    }
    \bool_if:nT{
      \bool_lazy_and_p:nn{
        \tl_if_exist_p:c{ann@\l_tmpa_tl}
      }{
        !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
      }
      || !\tl_if_blank_p:V\l_tmpb_tl
    }{
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  },
  jsaction .value_required:n = {true},

  unknown .code:n = {
    \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
  }
}

\RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \mode_leave_vertical:
  %empty stream as appearance dummy
  \cs_if_exist:NF\g_mix_appearance_tl{
    \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
  }
  \mix_reset:
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/user}{#1}
  \mix_uriend:
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
  \tl_gtrim_spaces:N\g_mix_flashvars_tl

  \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}

  %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \mix_scale:n{\l_mix_poster_box}
  \bool_if:nT{
```

```
    \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
    \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
  }{
    \tl_gset:Nn\g_mix_usrpbtn_tl{none}
  }
  \bool_if:NTF\g_mix_usrdraft_bool{
    \tl_if_empty:NF\g_mix_usrlabel_tl{
      \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
    }
    \tl_if_blank:oTF{#2}{
      \mix_uribegin: %treat URI characters correctly
      \mix_draftbox:n{\tl_to_str:n{#3}}
      \mix_uriend:
    }{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
        \box_use:N\l_mix_poster_box\hss
      }
    }
  }{
    \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
      %attach script that switches off play button overlay upon activation
      \mix_pdfobj:nnn{}{stream}{
        {}{
          var~ocgs=host.getOCGs(host.pageNum);
          for(var~i=0;i<ocgs.length;i++){
            if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
              ocgs[i].state=false;
            }
          }
        }
      }
      \mix_pdfobj:nnn{}{dict}{
        /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
      }
      \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
      \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
      %enforce plain playbutton overlay for XeTeX
      \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
    }
    %embed main asset
    \mix_uribegin:
    \mix_embedasset:n{#3}
    \bool_if:nTF{
      \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
    }{
      \bool_gset_true:N\g_mix_iiid_bool
      \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
    }{
      \str_case_e:nnF{\l_mix_base_tl}{
        {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
        {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
        {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
        {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
```

```
      {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
    }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
  }
  \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
  \mix_uriend:
  %secondary assets (added by addresource)
  \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
  \seq_map_inline:Nn\g_mix_script_seq{
    \mix_embedasset:n{##1}
    \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
  }
  %attach 3D calculation script
  \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
    \mix_embedasset:n{3Dmenu.js}
    \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
  }
  %create 3D views from file (option 3Dviews)
  \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
    \tl_set:Nn\l_mix_level_tl{-1}
    \int_zero:N\l_mix_viewcnt_int
    \int_zero:N\l_mix_lineno_int

    \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
    \ior_map_inline:Nn\l_mix_vfile_stream{
      \int_incr:N\l_mix_lineno_int
      \keys_set:nn{media9/views}{##1} %process input line
    }
    \ior_close:N\l_mix_vfile_stream
  }
  \bool_if:nT{ %create default 3D view if required
    \g_mix_iiid_bool &&
    (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
  }{
    \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
    \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
    \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
    \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
    \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
    \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
    \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

    \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
    \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
    \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
    \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

    \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
    \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
    \tl_clear:N\l_mix_naarray_tl

    \bool_if:NF\l_mix_ciiw_bool{
      \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
      \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
    }
```

```
    \tl_clear:N\l_mix_naarray_tl
    \tl_clear:N\l_mix_saarray_tl
    \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl

    \mix_view:n{Default}
    \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}

  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaInstance
    /Subtype/\g_mix_mainassetsub_tl
    /Asset~\g_mix_mainasset_tl
    \bool_if:NF\g_mix_iiid_bool{
      /Params~<<
        /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
          /Foreground
        }{
          /Background
        }
        \tl_if_blank:VF\g_mix_flashvars_tl{
          /FlashVars~(\g_mix_flashvars_tl)
        }
      >>
    }
  }
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaConfiguration
    /Subtype/\g_mix_mainassetsub_tl
    /Instances~[\mix_pdflastobj:]
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaContent
    /Assets~<</Names~[\g_mix_assets_tl]>>
    /Configurations~[\mix_pdflastobj:]
    \bool_if:nT{
      \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
    }{
      /Views~[\l_mix_iiidviewarray_tl]
    }
  }
  \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
  \bool_if:nT{
    \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
  }{
    \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
  }
  %determine floating window size
  \bool_if:NT\g_mix_opt_windowed_bool{
    \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
  }
```

```
\mix_pdfobj:nnn{}{dict}{
  /Activation~<<
    /Condition\g_mix_act_tl
    \bool_if:nT{
      \g_mix_iiid_bool &&
      !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
    }{%seems to work only with 3D content
      /Animation~<<
        /Subtype/\g_mix_playtpe_tl
        /PlayCount~\g_mix_playcnt_tl
        /Speed~\g_mix_playspd_tl
      >>
    }
    \bool_if:nT{
      \g_mix_iiid_bool && (
        \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
      )
    }{/View~\l_mix_dfltview_tl}
    /Presentation~<<
      /Transparent~\g_mix_transp_tl
      \bool_if:NTF\g_mix_opt_windowed_bool{
        /Style/Windowed
        /Window~<<
          /Width~<</Default~\tl_mix_fltwd>>
          /Height~<</Default~\tl_mix_fltht>>
          /Position~<<
            /HOffset~0/VOffset~0
            \str_case_e:nnF{\g_mix_winpos_tl}{
              {tl}{/VAlign/Near/HAlign/Near}
              {cl}{/VAlign/Center/HAlign/Near}
              {bl}{/VAlign/Far/HAlign/Near}
              {bc}{/VAlign/Far/HAlign/Center}
              {br}{/VAlign/Far/HAlign/Far}
              {cr}{/VAlign/Center/HAlign/Far}
              {tr}{/VAlign/Near/HAlign/Far}
              {tc}{/VAlign/Near/HAlign/Center}
            }{/HAlign/Center/VAlign/Center}
          >>
        >>
      }{
        /Style/Embedded
      }
      \bool_if:NTF\g_mix_iiid_bool{
        /Toolbar~\g_mix_tools_tl
        /NavigationPane~\g_mix_nav_tl
      }{
        /PassContextClick~\g_mix_contextclick_tl
      }
    >>
    \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
  >>
  /Deactivation~<</Condition\g_mix_deact_tl>>
}
\tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
```

```
\tl_if_empty:NF\g_mix_usrlabel_tl{
  \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
}
% #1:width, #2:height, #3:depth, #4:content (key-value)
\mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
  /Subtype/RichMedia
  /F~4
  /BS~<</W~0/S/S>>
  /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
  /NM~(\g_mix_label_tl)
  /AP~<</N~\g_mix_appearance_tl>>
  /RichMediaSettings~\l_mix_settings_tl
  /RichMediaContent~\l_mix_content_tl
}
\tl_if_empty:NF\g_mix_usrlabel_tl{
  \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
  \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
    \noexpand\the\g@mix@page@int}
}
\mix_pdfobj:nnn{}{dict}{
  /S/JavaScript/JS~(
    try{
      if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
      if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
        annotRM['\g_mix_label_tl']=
          this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
      }
      \str_if_eq:eeF{\g_mix_usrpbtn_tl}{none}{
        if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
          var~ocgs=this.getOCGs(this.pageNum);
          for(var~i=0;i<ocgs.length;i++){
            if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
               var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
            }
          }
        }
        if(
          !annotRM['\g_mix_label_tl'].activated&&(
            app.viewerType=='Reader'||
            app.viewerType=='Exchange'||
            app.viewerType=='Exchange-Pro'
          )&&app.viewerVersion>=9
        ){
          ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
        }
      }
    }catch(e){}
    this.dirty=false;
  )
}
\mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
  /Subtype/Widget
  /FT/Btn/Ff~65537/F~2
  /BS~<</W~0>>
```

```
      /T~(fd@\g_mix_label_tl)
      /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
    \str_if_eq:eeTF{\g_mix_usrpbtn_tl}{none}{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
      }
    }{%insert play button overlay
      \mix_insert_btnocg: %create OCG
      \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
      \group_begin:
      \cs_if_exist:NT\textdir{\textdir TLT}
        \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
        \box_move_down:nn{\g_mix_dp_tl}{
          \hbox_to_wd:nn{\g_mix_wd_tl}{
            \vbox_to_ht:nn{\g_mix_tt_tl}{
              \vss
              \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
              \box_use:N\l_mix_pbtn_box
              \ocgbase_oc_emc:
            }
          }
        }
      \group_end:
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \mix_endLTR:
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}

\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \mode_leave_vertical:
  %reset various variables
  \tl_gclear:N\g_mix_overbtn_tl
  \tl_gclear:N\g_mix_downbtn_tl
  \tl_gclear:N\g_mix_btnactions_tl
  \tl_gclear:N\g_mix_tooltip_tl
  %process options
  \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
  \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
  \mix_uriend:
  %normal button appearance
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
```

```
  \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
  \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
  \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
  \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
    \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
      \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
    %insert widget annotation
    \mix_pdfannot:nnnn{\width}{\height}{\depth}{
      /Subtype/Widget
      /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
      \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
      /FT/Btn/Ff~65536
      \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
      /AP~<<
        /N~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
      >>
      /MK~<<
        /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
        /I~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
      >>
      /A~<<
        /S/JavaScript/JS~(app.focusRect=false;)
        %sequence of actions to perform
        \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
      >>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_to_wd:nn{\width}{
      \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
    }
    \int_gincr:N\g_mix_mbtncnt_int
  }
  \mix_endLTR:
  \group_end:
}
\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}

```

84 File memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for X
\renewcommand{\keepthetitle}{%
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
```

```
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
               \thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
               \thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*{\theparagraph}{%
               \thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
               \theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
\renewcommand{\theequation}{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
\renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
\ifartopt
  \chapterstyle{article}
  \counterwithout{figure}{chapter}
  \counterwithout{table}{chapter}
  \counterwithout{footnote}{chapter}
  \counterwithout{equation}{chapter}
```

```
  \renewcommand{\chaptername}{}
  \renewcommand{\maketitlehookb}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
  \renewcommand{\maketitlehookc}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
\fi
\long\def\@makecaption#1#2{\let\@memtempa\relax
  \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
  \else \def\@memtempa{\vbox to\topskip{}}\fi
  \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
  \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
  \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
  \let\footnote\@contfnote
  \let\footnotemark\@contfmark
  \ifdim\wd\@tempboxa<\linewidth \centering \fi
  \if@contcw
    \centering
    \parbox{\@contcwidth}{%
    \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
  \fi
  \ifdim\wd\@tempboxa<\linewidth
    \@contpre
    {\@contnfont #1\@contdelim}\@memtempa
    {\@contcshortstyle \@conttfont #2\@contfinal\par}
  \else
    \if@conthang
      \sbox\@tempboxa{\@contnfont #1\@contdelim}
      \@contpre%
      {\@contcstyle\hangindent=\wd\@tempboxa
       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
    \else
      \if@contindent
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                     \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
  class. This may cause unexpected or inconsistent \MessageBreak
```

```
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
\renewenvironment{thebibliography}[1]{%
  \bibsection
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

85 File midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
```

```
14922    \toks@\expandafter{\topmark}%
14923    \xdef\@firstcoltopmark{\the\toks@}%
14924    \toks@\expandafter{\splitfirstmark}%
14925    \xdef\@firstcolfirstmark{\the\toks@}%
14926    \ifx\@firstcolfirstmark\@empty
14927      \global\let\@setmarks\relax
14928    \else
14929      \gdef\@setmarks{%
14930        \let\firstmark\@firstcolfirstmark
14931        \let\topmark\@firstcoltopmark}%
14932    \fi
14933    \global\c@colht\@colht\global\c@addvipersep\z@
14934    \ifnum\juo@sk>0
14935        \remove@strip\juo@sar
14936        \global\@colht\the\juo@pr
14937        \ifdim\right@cor>\z@
14938                \global\advance\@colht by\right@cor
14939        \fi
14940        \global\advance\@colht by\cor@height
14941        \global\cor@height=0pt
14942    \fi
14943    \global \setbox\@rightcolumn \vbox{}%
14944  \else
14945    \ifdim\c@colht>\@colht
14946            \@tempdima\@colht
14947            \ifdim\@colht>\z@
14948            \global\setbox\@rightcolumn \vbox{%
14949                        \unvbox\@rightcolumn
14950                        \vbox to\@tempdima{%
14951                                \vskip\c@addvipersep\unvbox\@outputbox}%
14952                        \vskip\stripsep
14953                        \vrule height\the\juo@ht width 0pt depth 0pt
14954                        \vskip\stripsep
14955                        }%
14956            \global\c@addvipersep\m@addvipersep
14957            \else
14958            \global\setbox\@rightcolumn \vbox{%
14959                        \unvbox\@rightcolumn
14960                        \vrule height\the\juo@ht width 0pt depth 0pt
14961                        \vskip\stripsep
14962                        }%
14963            \fi
14964            \ifnum\juo@sk>0
14965                \remove@strip\juo@sar
14966                \global\@colht\the\juo@pr
14967                \global\advance\@colht by -\ht\@rightcolumn
14968                \global\advance\@colht by\cor@height
14969                \global\cor@height=0pt
14970            \else
14971                \global\advance\c@colht by-\ht\@rightcolumn
14972                \global\@colht\c@colht
14973            \fi
14974    \else
14975    \global\@firstcolumntrue
```

```
    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                          \unvbox\@rightcolumn
                          \vskip\c@addvipersep
                          \unvbox\@outputbox
                          }%
    \setbox\@outputbox \vbox {%
                           \hb@xt@\textwidth {%
                            \hskip \columnwidth
                            \hfil
                             \vrule \@width\columnseprule
                             \hfil
                             \hb@xt@\columnwidth {%
                               \bidi@firstcolumn@status@write%
                               \box\@leftcolumn \hss}%
                             \hskip-\textwidth
                             \hb@xt@\columnwidth {%
                               \bidi@lastcolumn@status@write%
                               \box\@outputbox \hss}%
                             \hskip\columnwidth
                             \hskip\columnsep}%
                                }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
```

```
15030         \let\firstmark\@firstcolfirstmark
15031         \let\topmark\@firstcoltopmark}%
15032     \fi
15033     \global\c@colht\@colht\global\c@addvipersep\z@
15034     \ifnum\juo@sk>0
15035         \remove@strip\juo@sar
15036         \global\@colht\the\juo@pr
15037         \ifdim\right@cor>\z@
15038                 \global\advance\@colht by\right@cor
15039         \fi
15040         \global\advance\@colht by\cor@height
15041         \global\cor@height=0pt
15042     \fi
15043     \global \setbox\@rightcolumn \vbox{}%
15044   \else
15045     \ifdim\c@colht>\@colht
15046             \@tempdima\@colht
15047             \ifdim\@colht>\z@
15048             \global\setbox\@rightcolumn \vbox{%
15049                         \unvbox\@rightcolumn
15050                         \vbox to\@tempdima{%
15051                                 \vskip\c@addvipersep\unvbox\@outputbox}%
15052                         \vskip\stripsep
15053                         \vrule height\the\juo@ht width 0pt depth 0pt
15054                         \vskip\stripsep
15055                         }%
15056             \global\c@addvipersep\m@addvipersep
15057             \else
15058             \global\setbox\@rightcolumn \vbox{%
15059                         \unvbox\@rightcolumn
15060                         \vrule height\the\juo@ht width 0pt depth 0pt
15061                         \vskip\stripsep
15062                         }%
15063             \fi
15064             \ifnum\juo@sk>0
15065                 \remove@strip\juo@sar
15066                 \global\@colht\the\juo@pr
15067                 \global\advance\@colht by -\ht\@rightcolumn
15068                 \global\advance\@colht by\cor@height
15069                 \global\cor@height=0pt
15070             \else
15071                 \global\advance\c@colht by-\ht\@rightcolumn
15072                 \global\@colht\c@colht
15073             \fi
15074   \else
15075    \global\@firstcolumntrue
15076     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
15077                         \unvbox\@rightcolumn
15078                         \vskip\c@addvipersep
15079                         \unvbox\@outputbox
15080                         }%
15081     \setbox\@outputbox \vbox {%
15082                          \hb@xt@\textwidth {%
15083                            \hb@xt@\columnwidth {%
```

```
                              \bidi@firstcolumn@status@write%
                              \box\@leftcolumn \hss}%
                            \hfil
                            \vrule \@width\columnseprule
                            \hfil
                            \hb@xt@\columnwidth {%
                              \bidi@lastcolumn@status@write%
                              \box\@outputbox \hss}%
                                          }%
                             }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
  \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
                  \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
```

```
                \else
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

86 File minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
   \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
   \hskip -\if@RTL\rightskip\else\leftskip\fi
    #4\nobreak\hfill \nobreak
           \null\par}%
  \fi}
\def\@Undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\coffeefont #4}\nobreak \nobreak\null
    \par}%
  \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {#4}\nobreak \hfill \nobreak\null
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
    \par}%
  \fi}
```

87 File multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2022/02/01 v1.3 bidi adaptations for multicol package
\def\page@sofar{%
   \process@cols\mult@rightbox
       {\ifvoid\count@
          \setbox\count@\hbox to\hsize{}%
        \else
          \wd\count@\hsize
        \fi}%
   \count@\col@number \advance\count@\m@ne
   \mult@info\z@
    {Column spec: \the\full@width\space = indent
                  + columns + sep =\MessageBreak
       \the\multicol@leftmargin\space
       + \the\col@number\space
       x \the\hsize\space
       + \the\count@\space
       x \the\columnsep
     }%
\ifvmode\else\errmessage{Multicol Error}\fi
   \nointerlineskip
   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
   \moveright\multicol@leftmargin
    \hbox to\full@width{%
       \bidi@multicol@align@columns
       \rlap{\phantom p}%
    }%
 \prevdepth\z@
 \kern-\dimen\tw@
 \ifdim\dimen\tw@ > \mc@gridwarn
   \PackageWarning{multicol}%
     {Very deep columns!\MessageBreak
      Grid alignment might be broken}%
 \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@firstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \mc@col@status@write
       \box\count@
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss}%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \mc@lastcol@status@write
     \box\mult@rightbox
}

\def\RTL@column@boxes{%
     \process@cols\mult@firstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
```

```
              \@width\columnseprule}\hss
    }%
    \hskip\hsize
    \process@cols\mult@firstbox{%
      \ifdim\dp\count@>\dimen\tw@
        \global\dimen\tw@\dp\count@ \fi
      \hskip-\hsize
      \mc@col@status@write
      \box\count@
      \hskip-\hsize
      \hskip-\columnsep
    }%
    \ifdim\dp\mult@rightbox>\dimen\tw@
      \global\dimen\tw@\dp\mult@rightbox \fi
    \hskip-\hsize
    \mc@lastcol@status@write
    \box\mult@rightbox
    \hskip-\hsize
    \hskip\full@width
}

\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
         \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\bidi@AtEndPreamble{%
  \if@bidi@csdef{footinsv@l}{%
    \def\footnoterule{\kern-3\p@
      \hrule \@width \textwidth \kern 2.6\p@}%
  }{}%
}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
     \PackageWarning{multicol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use two columns instead}%
     \col@number\tw@ \fi
  \ifnum\col@number>20
     \PackageError{multicol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 20 columns.%
       \MessageBreak
       I therefore use 20 columns instead}%
     \col@number20 \fi
     \ifx\@footnotetext\mult@footnotetext
     \else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
```

```
15295      \fi
15296      \ifx\@LTRfootnotetext\mult@LTRfootnotetext
15297      \else
15298        \let\orig@LTRfootnotetext\@LTRfootnotetext
15299        \let\@LTRfootnotetext\mult@LTRfootnotetext
15300      \fi
15301      \ifx\@RTLfootnotetext\mult@RTLfootnotetext
15302      \else
15303        \let\orig@RTLfootnotetext\@RTLfootnotetext
15304        \let\@RTLfootnotetext\mult@RTLfootnotetext
15305      \fi
15306    \@ifnextchar[\mult@cols{\mult@cols[]}}
15307 \long\def\mult@footnotetext#1{\begingroup
15308           \hsize\textwidth
15309           \columnwidth\textwidth
15310           \orig@footnotetext{#1}\endgroup}
15311 \long\def\mult@LTRfootnotetext#1{\begingroup
15312           \hsize\textwidth
15313           \columnwidth\textwidth
15314           \orig@LTRfootnotetext{#1}\endgroup}
15315 \long\def\mult@RTLfootnotetext#1{\begingroup
15316           \hsize\textwidth
15317           \columnwidth\textwidth
15318           \orig@RTLfootnotetext{#1}\endgroup}
15319 \def\right@footnoterule{%
15320   \kern-3\p@
15321   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
15322   \kern2.6\p@}
15323 \def\textwidth@footnoterule{\kern-3\p@
15324   \hrule \@width \textwidth \kern 2.6\p@}
15325 \def\bidi@leave@mult@copyins{%
15326    \advance\dimen@-\skip\@bidi@copyins@
15327    \advance\dimen@-\ht\@bidi@copyins@
15328 }
15329 \bidi@AtEndPreamble{%
15330   \if@bidi@csdef{footinsv@l}{%
15331     \def\bidi@leave@mult@footins@vr{%
15332        \advance\dimen@-\skip\footinsv@r
15333        \advance\dimen@-\ht\footinsv@r
15334      }%
15335     \def\bidi@leave@mult@footins@vl{%
15336        \advance\dimen@-\skip\footinsv@l
15337        \advance\dimen@-\ht\footinsv@l
15338      }%
15339     \def\bidi@init@mult@footinsv@r{%
15340       \multiply\count\footinsv@r\col@number
15341       \multiply\skip \footinsv@r\col@number
15342     }%
15343     \def\bidi@init@mult@footinsv@l{%
15344       \multiply\count\footinsv@l\col@number
15345       \multiply\skip \footinsv@l\col@number
15346     }%
15347     \def\bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else
15348              \insert\footinsv@r{}\fi}%
```

```
    \def\bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else
             \insert\footinsv@l{}\fi}%
    \bidi@patchcmd{\prepare@multicols}{%
      \reinsert@footnotes
    }{%
      \reinsert@footnotes
      \bidi@init@mult@footinsv@r
      \bidi@reinsert@footnotesv@r
      \bidi@init@mult@footinsv@l
      \bidi@reinsert@footnotesv@l
    }{}{}%
    \bidi@patchcmd{\multi@column@out}{%
      \ifnum \c@tracingmulticols>\thr@@
    }{%
       \ifvoid\footinsv@r
         \ifvoid\footinsv@l
         \else
           \PackageWarning{multicol}%
            {I moved some lines to
             the next page.\MessageBreak
             Footnotes on page
             \thepage\space might be wrong}%
         \fi
       \else
         \PackageWarning{multicol}%
          {I moved some lines to
           the next page.\MessageBreak
           Footnotes on page
           \thepage\space might be wrong}%
       \fi
  \ifnum \c@tracingmulticols>\thr@@
}{}{}%
\bidi@patchcmd{\endmulticols}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
}{}{}%
\bidi@patchcmd{\speci@ls}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
}{}{}%
\bidi@patchcmd{\speci@ls}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
}{}{}%
  }{}%
```

```
  \bidi@patchcmd{\multi@column@out}{%
     \ifvbox \@kludgeins
  }{%
    \if@bidi@csdef{footinsv@l}{%
      \divide\skip\footinsv@r\col@number
       \ifvoid\footinsv@r \else
          \bidi@leave@mult@footins@vr
       \fi
      \divide\skip\footinsv@l\col@number
       \ifvoid\footinsv@l \else
          \bidi@leave@mult@footins@vl
       \fi
     }{}%
     \ifvoid\@bidi@copyins@ \else
        \bidi@leave@mult@copyins
     \fi
     \ifvbox \@kludgeins
  }{}{}%
}
```

88 File multienum-xetex-bidi.def

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
```

```
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

89 File natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \bidi@@thebibliography@font@hook%
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
 \fi
 \sloppy\clubpenalty4000\widowpenalty4000
 \sfcode`\.\@m
```

```
\let\NAT@bibitem@first@sw\@firstoftwo
   \let\citeN\cite \let\shortcite\cite
   \let\citeasnoun\cite
}{%
 \bibitem@fin
 \bibpostamble
 \def\@noitemerr{%
  \PackageWarning{natbib}{Empty `thebibliography' environment}%
 }%
 \endlist
 \bibcleanup
}%
```

90 File newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
  \def\@tempb{none}%
  \ifx\@tempa\@tempb
    \ifcsname c@chapter\endcsname
      \@chapterlistsgap@off{#1}%
    \fi
    \newfloat@@setwithin{#1}{}{}%
  \else
    \def\@tempb{chapter}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{chapter}%
      \@chapterlistsgap@on{#1}%
      \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@S
    \else
      \def\@tempb{section}%
      \ifx\@tempa\@tempb
        \@addtoreset{#1}{section}%
        \ifcsname c@chapter\endcsname
          \@addtoreset{#1}{chapter}%
          \@chapterlistsgap@on{#1}%
          \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
        \else
          \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsectio
        \fi
      \else
        \newfloat@Error{Invalid value `#2' for option `within'}%
      \fi
    \fi
  \fi}
```

91 File ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
    \setcounter{end#1ctr}{0}%
  \fi
  \refstepcounter{#2}%
  \theorem@prework
  \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
  \ifvmode \advance\thm@topsepadd\partopsep\fi
  \trivlist
  \@topsep \theorempreskipamount
  \@topsepadd \thm@topsepadd        % used by \@endparenv
  \advance\linewidth -\theorem@indent
  \advance\@totalleftmargin \theorem@indent
 \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
  \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

92 File ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
    \setcounter{end#1ctr}{0}%
  \fi
  \refstepcounter{#2}%
  \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
  \ifvmode \advance\thm@topsepadd\partopsep\fi
  \trivlist
  \@topsep \theorempreskipamount
  \@topsepadd \thm@topsepadd        % used by \@endparenv
  \advance\linewidth -\theorem@indent
  \advance\@totalleftmargin \theorem@indent
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
  \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

93 File overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
```

```
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
    \let\Gin@ewidth\Gin@exclamation
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

94 File pdfbase-xetex-bidi.def

```
\ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
\ExplSyntaxOn
\cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
\cs_set_nopar:Npn\@outputpage{
  \int_gincr:N\g_pbs_page_int
  \box_if_vertical:cTF{@outputbox}{
    \bool_set_true:N\l_pbs_is_vertical_bool
  }{
    \bool_set_false:N\l_pbs_is_vertical_bool
  }
  \hbox_set:Nn\@outputbox{
    %begin of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
    \box_use_drop:N\@outputbox
    %end of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
  }
  \bool_if:NT\l_pbs_is_vertical_bool{
    \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
  }
  \pbs_outputpage_orig:
}
```

```
\ExplSyntaxOff
```

95 File pdflscape-xetex-bidi.def

```
\ProvidesFile{pdflscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdflscape packa
\bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
  \if@RTL
    \PLS@Rotate{-90}%
  \else
    \PLS@Rotate{90}%
  \fi
}{}{}
```

96 File pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
             \edef\AM@pagestemp{%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \else
            \edef\AM@pagestemp{\AM@pagestemp,%
               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \fi
          \advance\@tempcnta 1\relax
         }%
      \foo
    }%
    \foo
    \expandafter\ifx\expandafter\\\AM@pagestemp\\
      \def\AM@pagestemp{1}%
    \fi
```

```
  \fi
  \ifAM@output
    \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
    \AM@output{#1}%
  \fi
  \AM@CheckAtEnd
  \endgroup
  \AM@ClearShipoutPicture
}
```

97 File pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
```

```
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
    \pgfsys@endpicture%
    \endgroup%
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

98 File picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
      \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
```

```
\fi
%
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
```

```
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% only text on the right side
%
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

99 File plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
```

```
  \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
  \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
  \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
```

```
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\f
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
  \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
  \ifvoid\footins\else % footnote info is present
    \vskip\skip\footins
    \footnoterule
    \unvbox\footins\fi
  \ifr@ggedbottom \kern-\dimen@ \vfil \fi
  \ifvoid\@bidi@copyins@
  \else
    \vskip\skip\@bidi@copyins@
    \unvbox\@bidi@copyins@
  \fi
}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

100 File pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
    \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
```

```
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
    \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%     shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

101 File quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
      {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi1
    \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

102 File ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package
\renewcommand{\Centering}{%
```

```
16060    \ifx\\\@raggedtwoe@savedcr
16061       \let\\\@centercr
16062    \fi
16063    \let\@gnewline\@raggedtwoe@gnewline
16064    \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
16065    \@rightskip\CenteringRightskip
16066    \if@RTL\leftskip\else\rightskip\fi\@rightskip
16067    \parfillskip\CenteringParfillskip
16068    \parindent\CenteringParindent
16069    \@raggedtwoe@spaceskiptrue
16070    \@raggedtwoe@everyselectfont
16071    }
16072 \renewcommand{\RaggedLeft}{%
16073    \ifx\\\@raggedtwoe@savedcr
16074       \let\\\@centercr
16075    \fi
16076    \let\@gnewline\@raggedtwoe@gnewline
16077    \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
16078    \@rightskip\RaggedLeftRightskip
16079    \if@RTL\leftskip\else\rightskip\fi\@rightskip
16080    \parfillskip\RaggedLeftParfillskip
16081    \parindent\RaggedLeftParindent
16082    \@raggedtwoe@spaceskiptrue
16083    \@raggedtwoe@everyselectfont
16084    }
16085 \renewcommand{\RaggedRight}{%
16086    \ifx\\\@raggedtwoe@savedcr
16087       \let\\\@centercr
16088    \fi
16089    \let\@gnewline\@raggedtwoe@gnewline
16090    \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
16091    \@rightskip\RaggedRightRightskip
16092    \if@RTL\leftskip\else\rightskip\fi\@rightskip
16093    \parfillskip\RaggedRightParfillskip
16094    \parindent\RaggedRightParindent
16095    \@raggedtwoe@spaceskiptrue
16096    \@raggedtwoe@everyselectfont
16097    }
16098 \renewcommand{\justifying}{%
16099    \let\\\@raggedtwoe@savedcr
16100    \let\@gnewline\@raggedtwoe@saved@gnewline
16101    \if@RTL\rightskip\else\leftskip\fi\z@
16102    \@rightskip\z@
16103    \if@RTL\leftskip\else\rightskip\fi\@rightskip
16104    \parfillskip\JustifyingParfillskip
16105    \parindent\JustifyingParindent
16106    \@raggedtwoe@spaceskipfalse
16107    \@raggedtwoe@everyselectfont
16108    }
16109 \def\@raggedtwoe@raggedrightboxes@opt{%
16110   \renewcommand{\@arrayparboxrestore}{%
16111     \let\if@nobreak\iffalse
16112     \let\if@noskipsec\iffalse
16113     \let\par\@@par
```

```
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \if@RTL
      \RaggedLeft
    \else
      \RaggedRight
    \fi
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\def\@raggedtwoe@document@opt{%
  \AtBeginDocument{\@raggedtwoe@abdhook}%
  \@raggedtwoe@raggedrightboxes@opt
  \@raggedtwoe@footmisctrue
  \let\@raggedtwoe@document@opt\relax
  }
\def\@raggedtwoe@abdhook{%
  \PackageInfo{ragged2e}{ABD: executing `\string\RaggedLeft' for
    right to left documents and `\string\RaggedRight' for left
    to right documents}%
  \if@RTL
    \RaggedLeft
  \else
    \RaggedRight
  \fi
  \@ifundefined{@tocrmarg}{}{\edef\@tocrmarg{\@tocrmarg plus 2em}}%
  \let\@raggedtwoe@abdhook\relax
  }
\@ifpackagewith{ragged2e}{raggedrightboxes}{%
  \@raggedtwoe@raggedrightboxes@opt
}{}
\@ifpackagewith{ragged2e}{document}{%
  \@raggedtwoe@document@opt
}{}
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

103 File rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
```

```
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
```

```
16219       \parfillskip -\@pnumwidth
16220       {\leavevmode
16221         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
16222         \nobreak
16223         \global\@nobreaktrue
16224         \everypar{\global\@nobreakfalse\everypar{}}%
16225     \endgroup
16226   \fi}
16227 \else
16228    \renewcommand*\l@part{%
16229      \ifnum \c@tocdepth >-2\relax
16230      \addpenalty{-\@highpenalty}%
16231      \addvspace{2.25em \@plus \p@}%
16232      \@regtocline{0}%
16233    \fi}
16234 \fi
16235 \if@oldtoc
16236 \renewcommand*\l@chapter[2]{%
16237     \addpenalty{-\@highpenalty}%
16238     \vskip 1.0em \@plus\p@
16239     \setlength\@tempdima{1.5em}%
16240     \begingroup
16241     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16242     \parfillskip -\@pnumwidth
16243     \leavevmode \bfseries
16244     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16245     \hskip -\if@RTL\rightskip\else\leftskip\fi
16246     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16247     \penalty\@highpenalty
16248    \endgroup}
16249 \else
16250   \renewcommand*\l@chapter{\@regtocline{0}}
16251 \fi
16252 \renewcommand*\left@footnoterule{%
16253   \kern-3\p@
16254   \kern.5\baselineskip
16255   \hrule\@width\unitindent
16256   \kern.4\baselineskip
16257 }
16258 \renewcommand*\right@footnoterule{%
16259   \kern-3\p@
16260   \kern.5\baselineskip
16261   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
16262   \kern.4\baselineskip}
16263 \renewenvironment{thebibliography}[1]
16264      {\chapter*{\bibname}%
16265        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16266       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16267       \bidi@@thebibliography@font@hook%
16268       \list{\@biblabel{\@arabic\c@enumiv}}%
16269            {\settowidth\labelwidth{\@biblabel{#1}}%
16270             \leftmargin\labelwidth
16271             \advance\leftmargin\labelsep
16272             \@openbib@code
```

```
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
```

```
16327       {\large
16328         \if@allcaps
16329           \uppercase\expandafter{\@date}%
16330         \else
16331           \@date
16332         \fi\par}%
16333       \end{center}\par
16334     \@thanks
16335     \vfil\null
16336   \end{titlepage}%
16337   \setcounter{footnote}{0}%
16338   \global\let\thanks\relax
16339   \global\let\maketitle\relax
16340   \global\let\@thanks\@empty
16341   \global\let\@author\@empty
16342   \global\let\@title\@empty
16343   \global\let\@date\@empty
16344   \global\let\title\relax
16345   \global\let\author\relax
16346   \global\let\date\relax
16347   \global\let\and\relax
16348 }
16349 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
16350 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
16351     \futurelet\@tempa\uc@ax}
16352 \def\uc@ax{%
16353   \ifx\@tempa\relax
16354   \else
16355     \\ \andname \\ \expandafter\uc@authornothanks
16356   \fi}
16357 \def\uc@tx{\ifx\@tempa\relax
16358     \else \expandafter\uc@ty \fi}
16359 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
16360 \else
16361 \renewcommand*\maketitle{\par
16362   \begingroup
16363     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16364     \def\@makefnmark{\rlap{%
16365       \@textsuperscript{\normalfont\@thefnmark}}}%
16366     \long\def\@makefntext{\@xmakefntext{%
16367       \@textsuperscript{\normalfont\@thefnmark}}}%
16368     \if@twocolumn
16369       \ifnum \col@number=\@ne
16370         \@maketitle
16371       \else
16372         \twocolumn[\@maketitle]%
16373       \fi
16374     \else
16375       \newpage
16376       \global\@topnum\z@
16377       \@maketitle
16378     \fi
16379     \thispagestyle{plain}\@thanks
16380   \endgroup
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

104 File rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
```

```
\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \long\def\@makefntext##1{\parindent\z@
       \def\labelitemi{\textendash}\@revlabeltrue
       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
  \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
  \if@compatibility\setcounter{page}{0}\fi
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    \TitleFont
    {\LARGE \def\\{\penalty -\@M}
      \if@allcaps
        \expandafter\uc@nothanks\@title\thanks\relax
      \else
        \@title
      \fi\par}%
    \vskip 3em%
    {\large
      \lineskip .75em \parindent\z@
      \begin{tabular}[t]{c}%
        \if@allcaps
          \expandafter\uc@authornothanks\@author\and\relax
        \else
          \@author
        \fi
      \end{tabular}\par}%
    \vskip 1.5em%
    {\large
      \if@allcaps
        \uppercase\expandafter{\@date}%
      \else
        \@date
      \fi\par}%
    \end{center}\par
  \@thanks
  \vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@title\@empty
\global\let\@date\@empty
\global\let\title\relax
```

```
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
```

```
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabu
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
```

```
16594         \nobreak
16595         \global\@nobreaktrue
16596         \everypar{\global\@nobreakfalse\everypar{}}%
16597     \endgroup
16598   \fi}
16599 \else
16600    \renewcommand*\l@part{%
16601      \ifnum \c@tocdepth >-2\relax
16602      \addpenalty{-\@highpenalty}%
16603      \addvspace{2.25em \@plus \p@}%
16604      \@regtocline{0}%
16605    \fi}
16606 \fi
16607 \if@oldtoc
16608 \renewcommand*\l@chapter[2]{%
16609     \addpenalty{-\@highpenalty}%
16610     \vskip 1.0em \@plus\p@
16611     \setlength\@tempdima{1.5em}%
16612     \begingroup
16613     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16614     \parfillskip -\@pnumwidth
16615     \leavevmode \bfseries
16616     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16617     \hskip -\if@RTL\rightskip\else\leftskip\fi
16618     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16619     \penalty\@highpenalty
16620    \endgroup}
16621 \else
16622   \renewcommand*\l@chapter{\@regtocline{0}}
16623 \fi
16624 \renewcommand*\head@style{%
16625     \interlinepenalty \@M
16626     \hyphenpenalty=\@M \exhyphenpenalty=\@M
16627     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
16628 \if@titlepage
16629   \renewenvironment{abstract}{%
16630       \titlepage
16631       \null\vfil
16632       \section*{\SectFont\abstractname}%
16633       \noindent\ignorespaces}
16634      {\par\vfil\null\endtitlepage}
16635 \else
16636   \renewenvironment{abstract}{%
16637       \if@twocolumn
16638         \section*{\abstractname}%
16639       \else
16640         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
16641         \section*{\small\SectFont\abstractname}%
16642         \noindent\ignorespaces
16643       \fi}
16644       {\if@twocolumn\else\par\egroup\fi}
16645 \fi
16646 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
16647 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
```

```
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

105 File refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for X
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
```

```
\let\RTLfootnote\RTLthanks
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark%
    {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{%
     \@setpar{\@@par
        \@tempdima = \hsize
        \advance\@tempdima -1em
        \parshape \@ne 1em \@tempdima}%
     \par\parindent 1em \noindent
     \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
\vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark%
        {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
```

```
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@   % Prevents figures from going at top of page.
        \@maketitle
      \fi
      \thispagestyle{empty}\@thanks
    \endgroup
    \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
  \def\@maketitle{%
    \newpage
    \null
    \longthickrule\vskip1.5em%
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\secshape \parskip\z@ \parindent\z@
    \Large\bfseries \@title \par}%
    \vskip1.5em\longthickrule\vskip1.5em%
    {\normalsize
      \lineskip .5em%
      \begin{flushright}%
        {\slshape\@author\par}
        \vskip 1em%
        {\@date}%
      \end{flushright}\par}%
    \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
```

```
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection    {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
```

```
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

106 File report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\let \LTRfootnote \LTRthanks
\let \RTLfootnote \RTLthanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
\vfil\null
```

```
16912   \end{titlepage}%
16913   \setcounter{footnote}{0}%
16914   \global\let\thanks\relax
16915   \global\let\LTRthanks\relax
16916   \global\let\RTLthanks\relax
16917   \global\let\maketitle\relax
16918   \global\let\@thanks\@empty
16919   \global\let\@author\@empty
16920   \global\let\@date\@empty
16921   \global\let\@title\@empty
16922   \global\let\title\relax
16923   \global\let\author\relax
16924   \global\let\date\relax
16925   \global\let\and\relax
16926 }
16927 \else
16928 \renewcommand\maketitle{\par
16929   \begingroup
16930     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16931     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16932     \long\def\@makefntext##1{\parindent 1em\noindent
16933             \hb@xt@1.8em{%
16934                 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
16935     \if@twocolumn
16936       \ifnum \col@number=\@ne
16937         \@maketitle
16938       \else
16939         \twocolumn[\@maketitle]%
16940       \fi
16941     \else
16942       \newpage
16943       \global\@topnum\z@   % Prevents figures from going at top of page.
16944       \@maketitle
16945     \fi
16946     \thispagestyle{plain}\@thanks
16947   \endgroup
16948   \setcounter{footnote}{0}%
16949   \global\let\thanks\relax
16950   \global\let\LTRthanks\relax
16951   \global\let\RTLthanks\relax
16952   \global\let\maketitle\relax
16953   \global\let\@maketitle\relax
16954   \global\let\@thanks\@empty
16955   \global\let\@author\@empty
16956   \global\let\@date\@empty
16957   \global\let\@title\@empty
16958   \global\let\title\relax
16959   \global\let\author\relax
16960   \global\let\date\relax
16961   \global\let\and\relax
16962 }
16963 \def\@maketitle{%
16964   \newpage
16965   \null
```

```
16966   \vskip 2em%
16967   \begin{center}%
16968   \let \footnote \thanks
16969   \let \LTRfootnote \LTRthanks
16970   \let \RTLfootnote \RTLthanks
16971     {\LARGE \@title \par}%
16972     \vskip 1.5em%
16973     {\large
16974       \lineskip .5em%
16975       \begin{tabular}[t]{c}%
16976         \@author
16977       \end{tabular}\par}%
16978     \vskip 1em%
16979     {\large \@date}%
16980   \end{center}%
16981   \par
16982   \vskip 1.5em}
16983 \fi
16984 \renewcommand*\l@part[2]{%
16985   \ifnum \c@tocdepth >-2\relax
16986     \addpenalty{-\@highpenalty}%
16987     \addvspace{2.25em \@plus\p@}%
16988     \setlength\@tempdima{3em}%
16989     \begingroup
16990       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16991       \parfillskip -\@pnumwidth
16992       {\leavevmode
16993        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
16994        \nobreak
16995          \global\@nobreaktrue
16996          \everypar{\global\@nobreakfalse\everypar{}}%
16997     \endgroup
16998   \fi}
16999 \renewcommand*\l@chapter[2]{%
17000   \ifnum \c@tocdepth >\m@ne
17001     \addpenalty{-\@highpenalty}%
17002     \vskip 1.0em \@plus\p@
17003     \setlength\@tempdima{1.5em}%
17004     \begingroup
17005       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
17006       \parfillskip -\@pnumwidth
17007       \leavevmode \bfseries
17008       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
17009       \hskip -\if@RTL\rightskip\else\leftskip\fi
17010       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
17011       \penalty\@highpenalty
17012     \endgroup
17013   \fi}
17014 \renewcommand\left@footnoterule{%
17015   \kern-3\p@
17016   \hrule\@width.4\columnwidth
17017   \kern2.6\p@}
17018 \renewcommand\right@footnoterule{%
17019   \kern-3\p@
```

```
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
```

```
      \endlist}
```

107 File rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
   \dp\rot@float@box\z@
   \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \if@rot@twoside
        \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
      \fi
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}
  }%
  \end@float
}
\let\endsidewaysfigure\end@rotfloat
\let\endsidewaystable\end@rotfloat
\def\end@rotdblfloat{%
  \end{minipage}\end{lrbox}%
  \stepcounter{r@tfl@t}%
  \rot@label{RF\ther@tfl@t}%
  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
  \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
```

```
  \rot@mess@toks\expandafter{\@tempa}
  \@tempdima\ht\rot@float@box
  \advance\@tempdima by \dp\rot@float@box
  \wd\rot@float@box\z@
  \ht\rot@float@box\z@
  \dp\rot@float@box\z@
  \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
\fi
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
\fi
      \fi%
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}%
  }%
  \end@dblfloat
}
\def\turn#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endturn{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\rotate#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
```

```
\def\endrotate{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\turnbox#1#2{%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\
  \Grot@x\z@\Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\sideways{%
  \Grot@setangle{90}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endsideways{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

108 File scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class f
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
```

```
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\l
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
```

```
17284       \begin{minipage}[t]{\textwidth}%
17285       \@titlehead
17286       \end{minipage}\par
17287     \fi
17288     \null\vfill
17289     \begin{center}
17290       \ifx\@subject\@empty \else
17291         {\subject@font \@subject \par}%
17292         \vskip 3em
17293       \fi
17294       {\titlefont\huge \@title\par}%
17295       \vskip 1em
17296       {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17297       \vskip 2em
17298       {\Large \lineskip 0.75em
17299         \begin{tabular}[t]{c}
17300           \@author
17301         \end{tabular}\par
17302       }%
17303       \vskip 1.5em
17304       {\Large \@date \par}%
17305       \vskip \z@ \@plus3fill
17306       {\Large \@publishers \par}%
17307       \vskip 3em
17308     \end{center}\par
17309     \@thanks
17310     \vfill\null
17311     \if@twoside\next@tpage
17312       \begin{minipage}[t]{\textwidth}
17313         \@uppertitleback
17314       \end{minipage}\par
17315       \vfill
17316       \begin{minipage}[b]{\textwidth}
17317         \@lowertitleback
17318       \end{minipage}
17319     \fi
17320     \ifx\@dedication\@empty \else
17321       \next@tpage\null\vfill
17322       {\centering \Large \@dedication \par}%
17323       \vskip \z@ \@plus3fill
17324       \if@twoside \next@tpage\cleardoubleemptypage \fi
17325     \fi
17326   \end{titlepage}
17327 \else
17328   \par
17329   \@tempcnta=%
17330   #1%
17331   \relax\ifnum\@tempcnta=1\else
17332     \ClassWarning{\KOMAClassName}{%
17333       Optional argument of \string\maketitle\space ignored
17334       at\MessageBreak
17335       notitlepage-mode%
17336     }%
17337   \fi
```

```
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
```

```
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
```

```
      \noindent\bibpreamble\par\nobreak
    \fi\fi
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
```

```
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
```

```
                #1{{\caplabelfont{#2\captionformat}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
```

```
\@ifpackageloaded{caption2}{\@komalongtablefalse
  \scr@caption@before@longtable@warning{caption2}%
}{}%
\if@komalongtable
  \renewcommand{\LT@makecaption}[3]{%
    \noalign{%
      \if@captionabove
        \vskip\belowcaptionskip
      \else
        \vskip\abovecaptionskip
      \fi
    }%
    \LT@mcol\LT@cols c{%
      \hbox to\z@{\hss\parbox[t]\linewidth{%
          \@@makecaption{#1}{#2}{#3}%
          \endgraf
          \if@captionabove
            \vskip\abovecaptionskip
          \else
            \vskip\belowcaptionskip
          \fi
        }%
        \hss
      }%
    }%
  }%
  \renewcommand*{\scr@LT@array}{}%
  \let\scr@LT@array=\LT@array
  \renewcommand*{\LT@array}{%
    \let\scr@caption=\LT@caption
    \def\captionabove{\noalign{\global\@captionabovetrue}%
      \scr@caption}%
    \def\captionbelow{\noalign{\global\@captionabovefalse}%
      \scr@caption}%
    \if@tablecaptionabove
      \let\LT@caption=\captionabove
    \else
      \let\LT@caption=\captionbelow
    \fi
    \scr@LT@array
  }%
  \ClassInfo{\KOMAClassName}{%
    longtable captions redefined%
  }%
\fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
```

```
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@sectionentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{s
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{subsection}
\TOCEntryStyleStartInitCode{subsection}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{subsection}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\z@,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=0pt,%
  tocnumwidth=1.5em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
```

```
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

109 File scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
```

```
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\l
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
```

```
    \let\footnote\thanks
    \let\LTRfootnote\LTRthanks
    \let\RTLfootnote\RTLthanks
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \let\@oldmakefnmark\@makefnmark
    \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
    \ifx\@extratitle\@empty \else
      \noindent\@extratitle\next@tpage\cleardoubleemptypage
      \thispagestyle{empty}%
    \fi
    \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
    \fi
```

```
    \end{titlepage}
  \else
    \par
    \@tempcnta=%
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
```

```
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
```

```
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
```

```
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
```

```
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
```

```
                \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
```

```
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
```

```
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
```

```
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

110 File scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class f
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
```

```
18358         \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
18359     \fi
18360     \par
18361     \parindent #3\noindent
18362     \hbox to \z@{\hss\@@makefnmark}##1}
18363   \def\@@makefnmark{\hbox{#4}}
18364 }
18365 \deffootnote[1em]{1.5em}{1em}
18366   {\textsuperscript{\thefootnotemark}}
18367 \def\left@footnoterule{\kern-1\p@
18368  \hrule width 0.4\columnwidth
18369  \kern .6\p@}
18370 \def\right@footnoterule{%
18371   \kern-1\p@
18372   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18373   \kern .6\p@}
18374 \def\@datefield{\@reffalse
18375  \ifx\varyourref\@empty \else \@reftrue \fi
18376  \ifx\varyourmail\@empty \else \@reftrue \fi
18377  \ifx\varmyref\@empty \else \@reftrue \fi
18378  \ifx\varcustomer\@empty \else \@reftrue \fi
18379  \ifx\varinvoice\@empty \else \@reftrue \fi
18380  \ifx\varrefitemi\@empty \else \@reftrue \fi
18381  \ifx\varrefitemii\@empty \else \@reftrue \fi
18382  \ifx\varrefitemiii\@empty \else \@reftrue \fi
18383  \vskip -\parskip
18384  \vskip \refvskip
18385  \if@ref
18386   \ifx\varyourref\@empty \else
18387    \settowidth{\sc@temp}{\varyourref}
18388    \setbox0\hbox{\scriptsize \sf \yourrefname}
18389    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18390    \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
18391   \fi
18392   \ifx\varyourmail\@empty \else
18393    \settowidth{\sc@temp}{\varyourmail}
18394    \setbox0\hbox{\scriptsize \sf \yourmailname}
18395    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18396    \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
18397   \fi
18398   \ifx\varmyref\@empty \else
18399    \settowidth{\sc@temp}{\varmyref}
18400    \setbox0\hbox{\scriptsize \sf \myrefname}
18401    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18402    \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
18403   \fi
18404   \ifx\varcustomer\@empty \else
18405    \settowidth{\sc@temp}{\varcustomer}
18406    \setbox0\hbox{\scriptsize \sf \customername}
18407    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18408    \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
18409   \fi
18410   \ifx\varinvoice\@empty \else
18411    \settowidth{\sc@temp}{\varinvoice}
```

```
  \setbox0\hbox{\scriptsize \sf \invoicename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
 \fi
 \ifx\varrefitemi\@empty \else
  \settowidth{\sc@temp}{\varrefitemi}
  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
 \fi
 \ifx\varrefitemii\@empty \else
  \settowidth{\sc@temp}{\varrefitemii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
 \fi
 \ifx\varrefitemiii\@empty \else
  \settowidth{\sc@temp}{\varrefitemiii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
 \fi
 \ifx\@date\@empty \else
  \settowidth{\sc@temp}{\@date}
  \setbox0\hbox{\scriptsize \sf \datename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
 \fi
 \par
 \vspace{2.5\baselineskip}
\else
 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
 \vspace{1.5\baselineskip}
\fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@s
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

111 File scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class f
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
```

```
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\l
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
```

```
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let\footnote\thanks
\let\LTRfootnote\LTRthanks
\let\RTLfootnote\RTLthanks
\renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
\let\@oldmakefnmark\@makefnmark
\renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
\ifx\@extratitle\@empty \else
  \noindent\@extratitle\next@tpage\cleardoubleemptypage
  \thispagestyle{empty}%
\fi
\setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
\ifx\@titlehead\@empty \else
  \begin{minipage}[t]{\textwidth}%
  \@titlehead
  \end{minipage}\par
\fi
\null\vfill
\begin{center}
  \ifx\@subject\@empty \else
    {\subject@font \@subject \par}%
    \vskip 3em
  \fi
  {\titlefont\huge \@title\par}%
  \vskip 1em
  {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
  \vskip 2em
  {\Large \lineskip 0.75em
    \begin{tabular}[t]{c}
      \@author
    \end{tabular}\par
  }%
  \vskip 1.5em
  {\Large \@date \par}%
  \vskip \z@ \@plus3fill
  {\Large \@publishers \par}%
  \vskip 3em
\end{center}\par
\@thanks
\vfill\null
\if@twoside\next@tpage
  \begin{minipage}[t]{\textwidth}
    \@uppertitleback
  \end{minipage}\par
  \vfill
  \begin{minipage}[b]{\textwidth}
    \@lowertitleback
  \end{minipage}
\fi
\ifx\@dedication\@empty \else
  \next@tpage\null\vfill
  {\centering \Large \@dedication \par}%
```

```
18571         \vskip \z@ \@plus3fill
18572         \if@twoside \next@tpage\cleardoubleemptypage \fi
18573       \fi
18574     \end{titlepage}
18575   \else
18576     \par
18577     \@tempcnta=%
18578     #1%
18579     \relax\ifnum\@tempcnta=1\else
18580       \ClassWarning{\KOMAClassName}{%
18581         Optional argument of \string\maketitle\space ignored
18582         at\MessageBreak
18583         notitlepage-mode%
18584       }%
18585     \fi
18586     \begingroup
18587       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18588       \let\@oldmakefnmark\@makefnmark
18589       \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
18590       \if@twocolumn
18591         \ifnum \col@number=\@ne
18592           \@maketitle
18593         \else
18594           \twocolumn[\@maketitle]%
18595         \fi
18596       \else
18597         \newpage
18598         \global\@topnum\z@
18599         \@maketitle
18600       \fi
18601       \thispagestyle{\titlepagestyle}\@thanks
18602     \endgroup
18603   \fi
18604   \setcounter{footnote}{0}%
18605   \let\thanks\relax
18606   \let\LTRthanks\relax
18607   \let\RTLthanks\relax
18608   \let\maketitle\relax
18609   \let\@maketitle\relax
18610   \global\let\@thanks\@empty
18611   \global\let\@author\@empty
18612   \global\let\@date\@empty
18613   \global\let\@title\@empty
18614   \global\let\@subtitle\@empty
18615   \global\let\@extratitle\@empty
18616   \global\let\@titlehead\@empty
18617   \global\let\@subject\@empty
18618   \global\let\@publishers\@empty
18619   \global\let\@uppertitleback\@empty
18620   \global\let\@lowertitleback\@empty
18621   \global\let\@dedication\@empty
18622   \global\let\author\relax
18623   \global\let\title\relax
18624   \global\let\extratitle\relax
```

```
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
```

```
\renewcommand*\thesection{%
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
```

```
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
```

```
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
```

```
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
```

```
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}
```

```
18949
18950 \CloneTOCEntryStyle{tocline}{section}
18951 \TOCEntryStyleStartInitCode{section}{%
18952   \expandafter\renewcommand%
18953   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18954 }
18955
18956 \CloneTOCEntryStyle{section}{default}
18957
18958 \DeclareSectionCommand[%
18959   style=part,%
18960   level=\m@ne,%
18961   pagestyle=plain,%
18962   tocstyle=part,%
18963   toclevel=\m@ne,%
18964   tocindent=\z@,%
18965   tocnumwidth=2em%
18966 ]{part}
18967 \DeclareSectionCommand[%
18968   style=chapter,%
18969   level=\z@,%
18970   pagestyle=plain,%
18971   tocstyle=chapter,%
18972   tocindent=\z@,%
18973   tocnumwidth=1.5em%
18974 ]{chapter}
18975 \DeclareSectionCommand[%
18976   style=section,%
18977   level=1,%
18978   indent=\z@,%
18979   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
18980   afterskip=2.3ex \@plus.2ex,%
18981   tocstyle=section,%
18982   tocindent=1.5em,%
18983   tocnumwidth=2.3em%
18984 ]{section}
18985 \DeclareSectionCommand[%
18986   style=section,%
18987   level=2,%
18988   indent=\z@,%
18989   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
18990   afterskip=1.5ex \@plus .2ex,%
18991   tocstyle=section,%
18992   tocindent=3.8em,%
18993   tocnumwidth=3.2em%
18994 ]{subsection}
18995 \DeclareSectionCommand[%
18996   style=section,%
18997   level=3,%
18998   indent=\z@,%
18999   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
19000   afterskip=1.5ex \@plus .2ex,%
19001   tocstyle=section,%
19002   tocindent=7.0em,%
```

```
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

112 File sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package f
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

113 File soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
\long\def\SOUL@start#1{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
```

```
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\r
}
\def\SOUL@uleveryspace#1{%
       \if@RTL
       #1%
       \bidi@SOUL@ulleaders
       \hskip\spaceskip
       \else
    \SOUL@ulcolor{%
        #1%
        \SOUL@ulleaders
        \hskip\spaceskip
    }%
    \fi
    \null
}
```

114 File stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package
\def\@stabular{%
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup \if@RTLtab\endR\fi\egroup}
```

```
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
```

115 File subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure packa
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

116 File tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for X
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
    \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
 \let\protect\noexpand
 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
```

```
\unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
\let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
\if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
\bgroup \let\par\@empty
\global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
\advance\extrarulesep.5\arrayrulewidth
\let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
\if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
\@preamble}
```

117 File tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package
\def\TX@endtabularx{%
   \expandafter\expandafter\expandafter
     \TX@find@endtabularxa\csname end\TX@\endcsname
     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
  \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
  \let\verb\TX@verb
  \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
  \edef\TX@ckpt{\cl@@ckpt}%
  \let\@elt\relax
  \TX@old@table\maxdimen
  \TX@col@width\TX@target
  \global\TX@cols\@ne
  \TX@typeout@
    {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
  \TX@trial{\def\NC@rewrite@X{%
          \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
  \loop
    \TX@arith
    \ifTX@
    \TX@trial{}%
  \repeat
  {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
   \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
   \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
    \csname tabular*\expandafter\endcsname\expandafter\TX@target
      \the\toks@
    \csname endtabular*\endcsname}%
  \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
  \ifnum0=`{\fi}%
   \expandafter\expandafter\expandafter
   \TX@find@endtabularxbb
    \expandafter\end\expandafter{\TX@}%
    \endtabularx\TX@\endtabularx\TX@find@endtabularxb
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
```

```
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
    \let\hfuzz\@tempdima
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}

\long\def\TX@LTRftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xLTRftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\TX@RTLftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xRTLftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

118 File tabulary-xetex-bidi.def

```
\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
  \else \z@
  \ifnum \@lastchclass = 10 \else
  \edef\@nextchar{\expandafter\string\@nextchar}%
  \@chnum
  \if \@nextchar c\z@ \else
   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
    \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
  \if \@nextchar C7 \else
   \if \@nextchar L8 \else
    \if \@nextchar R9 \else
    \if \@nextchar J10 \else
  \z@ \@chclass
```

```
  \if\@nextchar |\@ne \else
   \if \@nextchar !6 \else
    \if \@nextchar @7 \else
     \if \@nextchar <8 \else
      \if \@nextchar >9 \else
 10
 \@chnum
 \if \@nextchar m\thr@@\else
  \if \@nextchar p4 \else
   \if \@nextchar b5 \else
  \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
    \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

119 File tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
\def\@cliptoboxdim#1{%
    \setbox#1=\hbox{%
        \Gin@defaultbp\WIDTH{\wd#1}%
        \Gin@defaultbp\DEPTH{\dp#1}%
        \@tempdima\ht#1%
        \advance\@tempdima\dp#1%
        \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
        \beginL\special{pdf:bcontent }%
        \special{%
            pdf:literal direct
                0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
        }%
        \special{pdf:literal direct W }%
        \special{pdf:literal direct n }%
            \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
        \special{pdf:econtent }\endL%
    }%
}
```

120 File tcolorbox-xetex-bidi.def

```
\ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
\let\endtcb@lrbox=\endminipage
\let\endtcb@savebox=\endtcb@lrbox

\bidi@patchcmd{\tcb@vbox}{%
  \let\@footnotetext\@mpfootnotetext%
}{%
  \let\@footnotetext\@mpfootnotetext%
  \let\@LTRfootnotetext\@mpLTRfootnotetext%
  \let\@RTLfootnotetext\@mpRTLfootnotetext%
}{}{}

\bidi@patchcmd{\endtcb@vbox}{%
    \footnoterule%
}{%
    \bidi@mpfootnoterule%
}{}{}
```

```
\bidi@apptocmd\tcb@@icolorbox{%
  \@bidi@list@minipage@parboxfalse
}{}{}
```

121 File titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
          \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
       \fi
       #4{#8}%
       \kern\z@\strut\@@par
     \endgroup
     \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

122 File titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
```

```
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
  \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
  #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
  \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

123 File tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind packa
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
```

```
    \sloppy
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}

 \@ifpackagewith{chapterbib}{sectionbib}%
   {\renewcommand{\sectionbib}[2]{}}%
   {}

\fi
\if@inltxdoc\else
 \renewenvironment{theindex}%
   {\if@twocolumn
      \@restonecolfalse
    \else
      \@restonecoltrue
    \fi
    \if@bibchapter
       \if@donumindex
         \refstepcounter{chapter}
         \twocolumn[\vspace*{2\topskip}%
                    \@makechapterhead{\indexname}]%
         \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
         \chaptermark{\indexname}
       \else
         \if@dotocind
           \twocolumn[\vspace*{2\topskip}%
                      \@makeschapterhead{\indexname}]%
           \prw@mkboth{\indexname}
           \addcontentsline{toc}{chapter}{\indexname}
         \else
           \twocolumn[\vspace*{2\topskip}%
                      \@makeschapterhead{\indexname}]%
           \prw@mkboth{\indexname}
         \fi
       \fi
    \else
       \if@donumindex
         \twocolumn[\vspace*{-1.5\topskip}%
                    \@nameuse{\@tocextra}{\indexname}]%
         \csname \@tocextra mark\endcsname{\indexname}
       \else
         \if@dotocind
           \twocolumn[\vspace*{-1.5\topskip}%
                      \toc@headstar{\@tocextra}{\indexname}]%
           \prw@mkboth{\indexname}
           \addcontentsline{toc}{\@tocextra}{\indexname}
         \else
           \twocolumn[\vspace*{-1.5\topskip}%
                      \toc@headstar{\@tocextra}{\indexname}]%
```

```
            \prw@mkboth{\indexname}
          \fi
        \fi
      \fi
    \thispagestyle{plain}\parindent\z@
    \parskip\z@ \@plus .3\p@\relax
    \let\item\@idxitem}
    {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

124 File tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package f
\let\cftdot\@SepMark
\if@cfthaspart
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
       \let\@cftbsnum \cftpartpresnum
       \let\@cftasnum \cftpartaftersnum
       \let\@cftasnumb \cftpartaftersnumb
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
       {\cftpartfont \cftpartpresnum #1}
       \cftpartfillnum{#2}}
      \nobreak
      \if@cfthaschapter
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}
      \else
        \if@compatibility
```

```
          \global\@nobreaktrue
          \everypar{\global\@nobreakfalse\everypar{}}
        \fi
      \fi
    \endgroup
  \fi}
\fi
\if@cfthaschapter
\renewcommand*{\l@chapter}[2]{
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}
    \vskip \cftbeforechapskip
    {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftchapindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftchapnumwidth\relax
     \let\@cftbsnum \cftchappresnum
     \let\@cftasnum \cftchapaftersnum
     \let\@cftasnumb \cftchapaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\cftchapfont #1}\nobreak
     \cftchapfillnum{#2}}
  \fi}
\fi
\renewcommand*{\l@section}[2]{%
  \ifnum \c@tocdepth >\z@
    \if@cfthaschapter
      \vskip \cftbeforesecskip
    \else
      \addpenalty\@secpenalty
      \addvspace{\cftbeforesecskip}
    \fi
    {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsecnumwidth\relax
     \let\@cftbsnum \cftsecpresnum
     \let\@cftasnum \cftsecaftersnum
     \let\@cftasnumb \cftsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\cftsecfont #1}\nobreak
     \cftsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsection}[2]{%
  \ifnum \c@tocdepth >\@ne
    \vskip \cftbeforesubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
```

```
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubsecindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubsecnumwidth\relax
    \let\@cftbsnum \cftsubsecpresnum
    \let\@cftasnum \cftsubsecaftersnum
    \let\@cftasnumb \cftsubsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
    {\cftsubsecfont #1}\nobreak
    \cftsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsubsection}[2]{%
  \ifnum \c@tocdepth >\tw@
    \vskip \cftbeforesubsubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsubsecpresnum
     \let\@cftasnum \cftsubsubsecaftersnum
     \let\@cftasnumb \cftsubsubsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\cftsubsubsecfont #1}\nobreak
     \cftsubsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@paragraph}[2]{%
  \ifnum \c@tocdepth >3\relax
    \vskip \cftbeforeparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftparanumwidth\relax
     \let\@cftbsnum \cftparapresnum
     \let\@cftasnum \cftparaaftersnum
     \let\@cftasnumb \cftparaaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\cftparafont #1}\nobreak
     \cftparafillnum{#2}}
  \fi}
\renewcommand*{\l@subparagraph}[2]{%
  \ifnum \c@tocdepth >4\relax
    \vskip \cftbeforesubparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
```

```
19612     \leavevmode
19613     \@tempdima \cftsubparanumwidth\relax
19614     \let\@cftbsnum \cftsubparapresnum
19615     \let\@cftasnum \cftsubparaaftersnum
19616     \let\@cftasnumb \cftsubparaaftersnumb
19617     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
19618     {\cftsubparafont #1}\nobreak
19619     \cftsubparafillnum{#2}}
19620   \fi}
19621 \renewcommand*{\l@figure}[2]{%
19622   \ifnum \c@lofdepth >\z@
19623     \vskip \cftbeforefigskip
19624     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
19625      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19626      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19627      \parindent \cftfigindent\relax\@afterindenttrue
19628      \interlinepenalty\@M
19629      \leavevmode
19630      \@tempdima \cftfignumwidth\relax
19631      \let\@cftbsnum \cftfigpresnum
19632      \let\@cftasnum \cftfigaftersnum
19633      \let\@cftasnumb \cftfigaftersnumb
19634      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
19635      {\cftfigfont #1}\nobreak
19636      \cftfigfillnum{#2}}
19637    \fi
19638   }
19639 \renewcommand*{\l@table}[2]{%
19640   \ifnum\c@lotdepth >\z@
19641     \vskip \cftbeforetabskip
19642     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
19643      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19644      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19645      \parindent \cfttabindent\relax\@afterindenttrue
19646      \interlinepenalty\@M
19647      \leavevmode
19648      \@tempdima \cfttabnumwidth\relax
19649      \let\@cftbsnum \cfttabpresnum
19650      \let\@cftasnum \cfttabaftersnum
19651      \let\@cftasnumb \cfttabaftersnumb
19652      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
19653      {\cfttabfont #1}\nobreak
19654      \cfttabfillnum{#2}}
19655    \fi
19656   }
19657 \renewcommand{\@cftl@subfig}{
19658 \renewcommand*{\l@subfigure}[2]{%
19659   \ifnum \c@lofdepth > \toclevel@subfigure
19660     \vskip \cftbeforesubfigskip
19661     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
19662      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19663      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19664      \parindent \cftsubfigindent\relax\@afterindenttrue
19665      \interlinepenalty\@M
```

```
    \leavevmode
    \@tempdima \cftsubfignumwidth\relax
    \let\@cftbsnum \cftsubfigpresnum
    \let\@cftasnum \cftsubfigaftersnum
    \let\@cftasnumb \cftsubfigaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
    {\cftsubfigfont ##1}\nobreak
    \cftsubfigfillnum{##2}}
  \fi
  }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
  \ifnum \c@lotdepth > \toclevel@subtable
    \vskip \cftbeforesubtabskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubtabindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubtabnumwidth\relax
     \let\@cftbsnum \cftsubtabpresnum
     \let\@cftasnum \cftsubtabaftersnum
     \let\@cftasnumb \cftsubtabaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {\cftsubtabfont ##1}\nobreak
     \cftsubtabfillnum{##2}}
  \fi
  }
}
\renewcommand{\newlistentry}[4][\@empty]{%
  \@ifundefined{c@#2}{%    check & set the counter
    \ifx \@empty#1\relax
      \newcounter{#2}
    \else
      \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                           {#1 has no counter for use as a `within'}
        \newcounter{#2}}%
      {\newcounter{#2}[#1]%
       \expandafter\edef\csname the#2\endcsname{%
         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
    \fi
    \setcounter{#2}{0}
  }
  {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

  \@namedef{l@#2}##1##2{%
    \ifnum \@nameuse{c@#3depth} > #4\relax
      \vskip \@nameuse{cftbefore#2skip}
      {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
```

```
      \interlinepenalty\@M
      \leavevmode
      \@tempdima \@nameuse{cft#2numwidth}\relax
      \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
      \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
      \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\rig
      {\@nameuse{cft#2font}##1}\nobreak
      \@nameuse{cft#2fillnum}{##2}}
    \fi
  }  % end of \l@#2

  \expandafter\newlength\csname cftbefore#2skip\endcsname
    \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
  \expandafter\newlength\csname cft#2indent\endcsname
  \expandafter\newlength\csname cft#2numwidth\endcsname
  \ifcase #4\relax  % 0
    \setlength{\@nameuse{cft#2indent}}{0em}
    \setlength{\@nameuse{cft#2numwidth}}{1.5em}
  \or               % 1
    \setlength{\@nameuse{cft#2indent}}{1.5em}
    \setlength{\@nameuse{cft#2numwidth}}{2.3em}
  \or               % 2
    \setlength{\@nameuse{cft#2indent}}{3.8em}
    \setlength{\@nameuse{cft#2numwidth}}{3.2em}
  \or               % 3
    \setlength{\@nameuse{cft#2indent}}{7.0em}
    \setlength{\@nameuse{cft#2numwidth}}{4.1em}
  \else             % anything else
    \setlength{\@nameuse{cft#2indent}}{10.0em}
    \setlength{\@nameuse{cft#2numwidth}}{5.0em}
  \fi
  \@namedef{cft#2font}{\normalfont}
  \@namedef{cft#2presnum}{}
  \@namedef{cft#2aftersnum}{}
  \@namedef{cft#2aftersnumb}{}
  \@namedef{cft#2dotsep}{\cftdotsep}
  \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
  \@namedef{cft#2pagefont}{\normalfont}
  \@namedef{cft#2afterpnum}{}
  \@namedef{toclevel@#2}{#4}
  \@namedef{cft#2fillnum}##1{%
    {\@nameuse{cft#2leader}}\nobreak
    \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

125 File tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package
```

```
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                      \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
```

```
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@numwidth}{%
    \@ifundefined{scr@#1@tocnumwidth}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
            \scr@ifundefinedorrelax{chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.2em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{4.1em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{5m}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
```

```
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
```

```
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
```

```
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
        \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}

\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
```

```
\else
  \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
  \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
  {%
    \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
    \bidi@rightskip \@tocrmarg
    \parfillskip -\bidi@rightskip
    \@nameuse{Ifscr@tso@#1@raggedpage}{%
      \addtolength{\parfillskip}{\z@ \@plus 1fil}%
    }{}%
    \parindent \@nameuse{scr@tso@#1@indent}\relax
    \@afterindenttrue
    \interlinepenalty\@M
    \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
      \addtolength\bidi@rightskip\@flushglue
    \else
      \def\reserved@a{\raggedright}%
      \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
        \addtolength\bidi@rightskip\@flushglue
      \else
        \renewcommand\reserved@a{\raggedright}%
        \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
          \addtolength\bidi@rightskip\@flushglue
        \fi
      \fi
    \fi
    \leavevmode
    \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
    \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
      \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
        \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
          \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
        \fi
      }%
    }{}%
    \advance\bidi@leftskip \@tempdima
    \null\nobreak\hskip -\bidi@leftskip
    {%
      \usetocbasicnumberline
      \let\scr@dte@numberline@box\numberline@box
      \def\numberline@box##1{%
        \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
        \global\scr@dte@tocline@numberwidth
        \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
        \ifdim \scr@dte@tocline@numberwidth
              >\@nameuse{scr@dte@#1@maxnumwidth}\relax
          \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
        \fi
        \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
          \ifdim \scr@dte@tocline@numberwidth
                >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                          +\@nameuse{scr@tso@#1@numsep}\relax
            \PackageWarning{tocbasic%
            }{%
```

```
                number width of #1 toc entries should be
                increased!\MessageBreak
                Currently used number width =
                \the\wd\scr@dte@tocline@numbox,\MessageBreak
                Wanted number separation
                \space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
                Reserved number width \space\space\space\space\space\space =
                \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
              }%
            \fi
          }%
          \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
          \@nameuse{Ifscr@tso@#1@breakafternumber}{%
            {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
          }{}%
        }%
        \@nameuse{scr@tso@#1@entryformat}{%
          #2%
          \nobreak
          {%
            \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
            \nobreak
            \@nameuse{scr@tso@#1@pagenumberbox}{%
              \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
            }%
          }%
          \@par
        }%
      }%
    }%
    \tocbasic@SetPenaltyByTOCLevel{#1}%
  \fi
}

\bidi@undef\scr@dte@def@l@tocline
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
  \DefineTOCEntryCommandOption{entryformat}%
    {scr@tso@}{@entryformat}[1]{entry format}%
  \DefineTOCEntryCommandOption{entrynumberformat}%
    {scr@tso@}{@numberformat}[1]{entry number format}%
  \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
    {scr@tso@}{@linefill}{filling between text and page number}%
  \DefineTOCEntryLengthOption{numsep}%
    {scr@tso@}{@numsep}{entry number separation}%
  \DefineTOCEntryCommandOption{onstarthigherlevel}%
    {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
```

```
\DefineTOCEntryCommandOption{onstartlowerlevel}%
  {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
\DefineTOCEntryCommandOption{onstartsamelevel}%
  {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
\DefineTOCEntryCommandOption{pagenumberbox}%
  {scr@tso@}{@pagenumberbox}[1]{page number box}%
\DefineTOCEntryCommandOption{pagenumberformat}%
  {scr@tso@}{@pagenumberformat}[1]{page number format}%
\DefineTOCEntryOption{raggedentrytext}[true]{%
  \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
  \ifx\FamilyKeyState\FamilyKeyStateProcessed
    \if@tempswa
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \raggedright
    \else
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \relax
    \fi
  \fi
}%
\DefineTOCEntryIfOption{raggedpagenumber}%
  {scr@tso@}{@raggedpage}{page number ragged flag}%
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\DefineTOCEntryLengthOption{numwidth}%
  {scr@tso@}{@numwidth}{entry number width}%
\scr@ifundefinedorrelax{#1tocdepth}{%
  \ifstrstart{#1}{sub}{%
    \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
      \expandafter\edef\csname #1tocdepth\endcsname{%
        \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
      }%
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
```

```
    }%
  }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
            \relax
          }%
        }{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
                      +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
```

```
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
        \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                    +.9em%
          \relax
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
```

```
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{6em}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
\@ifundefined{scr@tso@#1@beforeskip}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
    }{%
      \ifstr{#1}{section}{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
        }{}%
      }{}%
    }%
  }%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
}{}%
\@ifundefined{scr@dte@#1@maxnumwidth}{%
  \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
  \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
}{}%
```

```
\renewcommand*{\scr@dte@donumwidth}{}%
\g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
\expandafter\renewcommand\expandafter*%
\csname scr@tso@#1@numsep\endcsname{.4em}%
\expandafter\renewcommand%
\csname scr@tso@#1@numberformat\endcsname[1]{##1}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \ifstr{#1}{chapter}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
  }{%
    \scr@ifundefinedorrelax{l@chapter}{%
      \ifstr{#1}{section}{%
        \expandafter\renewcommand%
        \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
      }{}%
    }{}%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
  }%
}%
\expandafter\renewcommand
\csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
\@ifundefined{scr@tso@#1@linefill}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@linefill}{\hfill}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@linefill}{\hfill}%
    }{%
      \scr@ifundefinedorrelax{l@chapter}{%
        \ifstr{#1}{section}{%
          \@namedef{scr@tso@#1@linefill}{\hfill}%
        }{}
      }{}
      \expandafter\renewcommand%
      \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
    }%
  }%
}{}%
\expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    {\normalfont\normalcolor ##1}}%
}%
\expandafter\renewcommand%
\csname scr@tso@#1@pagenumberbox\endcsname[1]{%
```

```
    \hb@xt@\@pnumwidth{\hfil ##1}}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}

```

126 File tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
  \ifnum #1>\c@tocdepth \else
    \if@tocstyle@penalties
      \begingroup
        \@tempcnta 20010
        \advance \@tempcnta by -#1
        \ifnum \@tempcnta>\lastpenalty
          \aftergroup\penalty\aftergroup\@lowpenalty
        \fi
      \endgroup
    \fi
    \edef\tocstyledepth{#1}%
    \tocstyle@activate@features
    \ifx\tocstyle@feature@entryvskip\relax
      \vskip \z@ \@plus.2\p@
    \else
      \addvspace{\tocstyle@feature@entryvskip}%
    \fi
    {%
      \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\el
      \tocstyle@feature@raggedhook
      \@tempdima #3\relax
      \@tempdimb #2\relax
      \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
      \ifnum #1>\z@\relax
        \@tempcnta #1\relax \advance\@tempcnta \m@ne
        \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
            \@tempdimb
            \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
            \advance\@tempdimb
            \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \fi
        \fi
      \fi
      \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
      \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
        \ifdim \@tempdimb>
        \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
          \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
          @#1\endcsname{\the\@tempdimb}%
        \fi
      \else
```

```
    \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
    @#1\endcsname{\the\@tempdimb}%
  \fi
  \iftocstyle@autolength
    \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
      \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
      \relax
    \fi
    \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
      \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
      \relax
    \fi
    \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \else
    \@tempdimb #2\relax
    \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
    \ifdim \@tempdima>
    \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
      @\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
  \ifcase\tocstyle@indentstyle\relax\else
    \@tempdimb \z@
    \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \relax
    \fi
    \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \advance\parindent \@tempdimb\@afterindenttrue
  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
  \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
  \ifx\tocstyle@feature@parfillskip\relax\else
    \advance\parfillskip \tocstyle@feature@parfillskip\relax
  \fi
  \interlinepenalty\@M
  \leavevmode
  \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
  \null\nobreak
  \iftocstyle@indentnotnumbered\else
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \tocstyle@feature@entryhook
  {#4}\nobreak
  \ifx\tocstyle@feature@leaders\relax
```

```
20524         \leaders\hbox{$\m@th
20525           \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
20526           \mkern \@dotsep mu$}\hfill
20527       \else
20528         \tocstyle@feature@leaders
20529       \fi
20530       \nobreak
20531       \ifx\tocstyle@feature@pagenumberbox\relax
20532         \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
20533       \else
20534         \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
20535       \fi
20536       \par
20537     }%
20538     \if@tocstyle@penalties
20539       \bgroup
20540         \@tempcnta 20009
20541         \advance\@tempcnta by -#1
20542         \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
20543       \reserved@a
20544     \fi
20545   \fi}
20546 \renewcommand*{\tocstyle@numberline}[1]{%
20547   \begingroup
20548     \ifx\tocstyle@feature@spaceafternumber\relax
20549       \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
20550     \else
20551       \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
20552       \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
20553     \fi
20554     \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
20555       \ifdim \@tempdima >
20556       \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
20557         \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
20558         @\tocstyledepth\endcsname{\the\@tempdima}%
20559       \fi
20560     \else
20561       \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
20562       @\tocstyledepth\endcsname{\the\@tempdima}%
20563     \fi
20564   \endgroup
20565   \iftocstyle@indentnotnumbered
20566     \hskip -\if@RTL\rightskip\else\leftskip\fi
20567   \fi
20568   \ifcase \tocstyle@indentstyle
20569     \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
20570   \or
20571     \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
20572   \else
20573     \ifx\tocstyle@feature@spaceafternumber\relax
20574       \hbox{\tocstyle@@numberline{#1}\enskip}%
20575     \else
20576       \hbox{\tocstyle@@numberline{#1}\hskip
20577         \tocstyle@feature@spaceafternumber\relax}%
```

```
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
    \else
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{0}}{}}%
    \fi
  \fi
  \ifcsname l@chapter\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
  \fi
  \ifcsname l@section\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@section{\tocstyle@l@define{section}{1}}{}}%
  \fi
  \ifcsname l@subsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
  \fi
  \ifcsname l@subsubsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
  \fi
  \ifcsname l@paragraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
  \fi
  \ifcsname l@subparagraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
  \fi
  \ifcsname l@table\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@table{\tocstyle@l@define{table}{1}}{}}%
  \fi
  \ifcsname l@figure\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@figure{\tocstyle@l@define{figure}{1}}{}}%
  \fi
  \def\@tempa#1#2#3#4#5{%
    \ifnum #1>\c@tocdepth \else
      \vskip \z@ \@plus.2\p@
      {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocr
       \parindent #2\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima #3\relax
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
```

```
      {#4}\nobreak
      \leaders\hbox{$\m@th
         \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
         mu$}\hfill
      \nobreak
      \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
      \par}%
  \fi}%
\ifx\@dottedtocline\@tempa\else
  \tocstyle@macrochangewarning\@dottedtocline
\fi
\let\tocstyle@saved@dottedtocline\@dottedtocline
\def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
\ifx\numberline\@tempa\else
  \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
  \ifx\numberline@tempa\else
    \tocstyle@macrochangewarning\numberline
  \fi
\fi
\let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
      \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

127 File todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{righ
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
```

```
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
           \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
            \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@a
                \if@todonotes@authorgiven%
                    {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text
                \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                \fi};%
            \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
```

```
    \fi%
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
        \node(X){\vphantom{X}};%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonote
            {\@todonotes@text};%
        \if@todonotes@authorgiven%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todo
                {\@todonotes@sizecommand\@todonotes@author};%
            \node(Y)[below=of X]{};%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todo
                {\@todonotes@text};%
        \else%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todo
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
    (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
    width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonote
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonot
\if@bidi@todonotes@figposition@right%
\end{scope}
```

```
\fi%
\end{tikzpicture}\hfill
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

128 File wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
            \global\WF@floatfalse \pagebreak
         \fi
      \else % \WF@info{Fits in \the\@tempdimb;}%
         \global\WF@floatfalse
  \fi\fi
  \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
   \xdef\WF@adjlw{\the\@tempdima}%
```

```
   \ifnum `l=\WF@place % fig on left
    \if@RTL%
     \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% position to left of the gap
     \else%
    \hss % figure overlaps space to the left
    \def\@tempa{\kern\columnsep}% position to left of the gap
    \fi%
   \else  %  fig on right
    \if@RTL%
     \hss
      \@tempdima\z@
      \def\@tempa{\kern\columnsep}
     \else%
    \@tempdima\z@ % no left indentation
    \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% figure overlaps space to the right
    \fi%
   \fi
   \ifdim\@tempdimb<\hsize
    \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
    \xdef\WF@adjtlm{\the\@tempdima}%
   \else
    \xdef\WF@wrapil{\z@ \the\hsize}%
    \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
   \fi
   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
    \global\advance\WF@size-\intextsep
   \else % \WF@info{Putting \WF@wfname in middle of page}%
    \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
   \fi \dp\WF@box\z@ \box\WF@box \@tempa
  }% end \hbox to 0pt
  \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

129 File xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\f
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
```

```
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
```

```
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod
```

130 File latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2022/02/18 v1.4.0 bidi adaptations  for `latex.ltx' for
\newcommand{\TeXXeTOn}{\TeXXeTstate\@ne}
\newcommand{\TeXXeTOff}{\TeXXeTstate\z@}
\TeXXeTOn
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
```

```
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \@RTLtabtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \@RTLtabfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\newenvironment{LTR*}{\LTR
  \everypar{%
    {\setbox\z@\lastbox
      \ifvoid\z@
        \kern-\parindent
    \fi}%
  }%
}{\endLTR\@endpetrue}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\newenvironment{RTL*}{\RTL
  \everypar{%
    {\setbox\z@\lastbox
      \ifvoid\z@
        \kern-\parindent
    \fi}%
  }%
}{\endRTL\@endpetrue}
```

```
\def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\f
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                        \let\d@llarend\endgroup
  \@tabarray}
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup}}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
```

```
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
}
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\newcommand*{\bidi@@thebibliography@font@hook}{}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@hboxRconstruct
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
```

```
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct
    \@bidi@list@minipage@parbox@not@nobtrue
  \fi
  \if@RTL
    \ifx#1t%
      \@bidi@list@minipage@parboxtrue
    \else
      \ifx#1b%
        \@bidi@list@minipage@parboxtrue
      \fi
    \fi
  \fi
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
\newenvironment{LTRitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
```

```
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRco
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRco
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
\def\underline#1{%
  \relax
```

```
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\def\@tabular{%
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
 \let\@classiv\@arrayclassiv
 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                               \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                               \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
```

```
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
     \par}%
  \fi}

\newcount\bidi@column@check@number

\def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}

\def\bidi@set@column@status#1#2{%
   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}

\if@twocolumn
\newcommand\DetectColumn[3][1]{%
 \ifx\bidi@firstcolumn@status@write\relax
     \PackageError{bidi}%
      {Option 'DetectColumn' not selected}%
      {\string\DetectColumn\space
       requires the use of the 'DetectColumn'
       option on the package}%
 \fi
 \global\advance\bidi@column@check@number\@ne
 \edef\bidi@column@type{\expandafter\ifx
                \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
                   0\else
                   \csname bidi@column-\the\bidi@column@check@number\endcsname
                \fi}%
 \ifcase \bidi@column@type\relax
     \ifcase #1\or #2\or#3\fi   % 0 not known use first column as default
  \or
     #2%  % 1 First column
  \or
     #3%  % 2 Second (Last column)
  \else
    \ERROR
  \fi
  \edef\next{\write\@auxout
     {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
                                {\bidi@column@type}}}%
  \next
}

```

```
\AtEndDocument{\def\bidi@set@column@status#1#2{%
     \ifnum #2=\bidi@current@column@status\else
       \@tempswatrue
     \fi}%
}
\fi

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

```

```
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}

\bidi@patchcmd\@makecol{%
   \ifvoid\footins
     \setbox\@outputbox \box\@cclv
   \else
     \setbox\@outputbox \vbox {%
       \boxmaxdepth \@maxdepth
```

```
21484       \unvbox \@cclv
21485       \vskip \skip\footins
21486       \color@begingroup
21487         \normalcolor
21488         \footnoterule
21489         \unvbox \footins
21490       \color@endgroup
21491       }%
21492   \fi
21493 }{%
21494   \ifvoid\footins
21495     \ifvoid\@bidi@copyins@
21496       \setbox\@outputbox \box\@cclv
21497     \else
21498       \setbox\@outputbox \vbox {%
21499         \boxmaxdepth \@maxdepth
21500         \unvbox \@cclv
21501         \vskip \skip\@bidi@copyins@
21502         \color@begingroup
21503           \normalcolor
21504           \unvbox \@bidi@copyins@
21505         \color@endgroup
21506       }%
21507     \fi
21508   \else
21509     \setbox\@outputbox \vbox {%
21510       \boxmaxdepth \@maxdepth
21511       \unvbox \@cclv
21512       \vskip \skip\footins
21513       \color@begingroup
21514         \normalcolor
21515         \footnoterule
21516         \unvbox \footins
21517       \color@endgroup
21518       \ifvoid\@bidi@copyins@
21519       \else
21520         \vskip \skip\@bidi@copyins@
21521         \color@begingroup
21522           \normalcolor
21523           \unvbox \@bidi@copyins@
21524         \color@endgroup
21525       \fi
21526       }%
21527   \fi
21528 }{}{}
21529
21530 \def\LTRmarginpar{%
21531   \ifhmode
21532     \@bsphack
21533     \@floatpenalty -\@Mii
21534   \else
21535     \@floatpenalty-\@Miii
21536   \fi
21537   \ifinner
```

```
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
\long\def\@RTLxmpar[#1]#2{%
```

```
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                    \vbox {\vskip \@tempdima
                           \box \@marbox}%
    \global \ht\@marbox \z@
```

```
    \global \dp\@marbox \z@
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
      {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginp
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
\hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
\fi}

\newcommand*{\bidi@font@@outputpage}{}

\def\@outputpage{%
\begingroup           % the \endgroup is put in by \aftergroup
  \let \protect \noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse
  \@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout \vbox{%
    \set@typeset@protect
    \aftergroup \endgroup
    \aftergroup \set@typeset@protect
                                % correct? or just restore by ending
                                % the group?
  \if@specialpage
    \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
  \fi
  \if@twoside
    \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
       \if@RTLmain
          \let\@themargin\evensidemargin
        \else
          \let\@themargin\oddsidemargin
        \fi
```

```
    \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
       \if@RTLmain
         \let\@themargin\oddsidemargin
       \else
         \let\@themargin\evensidemargin
       \fi
    \fi
    \ifx\@thehead\@empty \let\@thehead\hfil \fi
    \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
    \else %% not @twoside
    \ifx\@oddhead\@empty \let\@thehead\hfil \fi
    \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
  \fi
  \reset@font
  \normalsize
  \bidi@font@@outputpage
  \normalsfcodes
  \let\label\@gobble
  \let\index\@gobble
  \let\glossary\@gobble
  \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
    \@begindvi
    \vskip \topmargin
    \moveright\@themargin \vbox {%
      \global\let\bidi@BeforeHeader\@firstofone
      \bidi@beforeheaderhook
      \setbox\@tempboxa \vbox to\headheight{%
        \vfil
        \color@hbox
          \normalcolor
          \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
        \color@endbox
        }%                          %% 22 Feb 87
      \dp\@tempboxa \z@
      \box\@tempboxa
      \vskip \headsep
      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
      \bidi@beforeoutputboxoutputpagehook
      \box\@outputbox
      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
      \bidi@afteroutputboxoutputpagehook
      \global\let\bidi@BeforeFooter\@firstofone
      \bidi@beforefooterhook
      \baselineskip \footskip
      \color@hbox
        \normalcolor
        \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@R
      \color@endbox
      \global\let\bidi@AfterFooter\@firstofone
      \bidi@afterfooterhook
      }%
    }%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
```

```
  \global\let\if@newlist\@@if@newlist
  \global \@colht \textheight
  \stepcounter{page}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
}
\long\def\@makecaption#1#2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{#1: #2}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
  \fi
  \vskip\belowcaptionskip}
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\@ifpackageloaded{amsmath}{}{
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
```

```
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{%
  \RequirePackage{graphicx}%
  \input{mathtools-xetex-bidi.def}%
  }{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{lscape}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{A
}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{lscape}{\input{lscape-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{footnotebackref}{\input{footnotebackref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
\@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
\@ifpackageloaded{pdflscape}{\input{pdflscape-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

131 File xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package f
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

132 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# . . 3287, 3333, 3442, 3450
\% 11748
\' . . . 11868, 14115, 16115
\(. 14216
\) 14217
\, ... 5536, 12131, 16709, 16752, 20698, 20709, 21105
\- 1786, 11867, 14114, 16114
\. 93, 296, 586, 718, 981, 1231, 1785, 6723, 6911, 7223, 8782, 9056, 10890, 13261, 15504, 16277, 16671, 16868, 17071, 17479, 18059, 18742, 19403
\/ 2058
\: 14258, 14317
\< 19037
\= . . . 11868, 14115, 16115
\> 19038
\@ 3357
\@@ 19216, 19218
\@@@bidi@AfterClass 4222, 4227
\@@@bidi@AfterPackage 4267, 4271
\@@H@@footnotetext 9100, 9115
\@@H@@mpfootnotetext 9103, 9121
\@@HLTR@@LTRfootnotetext 9101, 9117
\@@HLTR@@mpLTRfootnotetext 9104, 9123
\@@HRTL@@RTLfootnotetext 9102, 9119
\@@HRTL@@mpRTLfootnotetext 9105, 9125
\@@LTR 15965, 15967, 21065, 21067
\@@LaTeX . . . 21070, 21071
\@@LaTeXe . . 21072, 21073
\@@RTL 15964, 15967, 21064, 21067
\@@Radio . . . 13200, 13208
\@@TeX 15968, 15969, 21068, 21069
\@@XeLaTeX . 21935, 21936
\@@XeTeX . . . 21933, 21934
\@@author 6152, 6155, 6158
\@@bidi@AfterClass 4221, 4238
\@@bidi@AfterPackage 4266, 4281
\@@bidi@PreventPackageFromLoading . . . 4312, 4314, 4316
\@@bidi@pop 3934, 3937, 3938, 3941, 3943
\@@bidi@popinto 3934, 3937, 3938
\@@clr . . 20893, 20898, 20901, 20903,

20904, 20906, 20936, 20941, 20944, 20946, 20947, 20949, 20968
\@@cls 20888, 20931
\@@date . . 6153, 6156, 6159
\@@end 3588, 3589
\@@endpbox . . . 13964, 19113, 19151, 21295
\@@footstart@@v@l . . 9330, 10480, 10538
\@@if@newlist . 11212, 11244, 21679, 21754
\@@input 4137
\@@italiccorr 336, 7267, 14095
\@@line 9424, 9428, 17097, 17106, 17144, 17155, 21247, 21248, 21250, 21251, 21253, 21254
\@@makecaption 17521, 17600, 17622, 18101, 18180, 18202, 18784, 18863, 18885
\@@makefnmark . 17243, 17245, 17792, 17794, 18362, 18363, 18491, 18493
\@@math 7258
\@@mix 20892, 20935
\@@mod . . 20893, 20897, 20898, 20901, 20902, 20903, 20906, 20936, 20940, 20941, 20944, 20945, 20946, 20949, 20968
\@@par 14113, 16113, 16704, 16747, 17226, 17233, 17775, 17782, 18348, 18353, 18474, 18481, 19328, 19330, 21186, 21301
\@@para@footstart@@v@l 10480, 10538
\@@protect 3218
\@@startpbox . . 13963, 19113, 19151, 21295
\@@title . 6151, 6154, 6157
\@@tmp 20897, 20898, 20903, 20904, 20906, 20907, 20940, 20941, 20946, 20947, 20949, 20950, 20968, 20969
\@@underline 21268, 21270, 21272
\@DEBUGfalse 2338
\@False 7246, 7248
\@LTRbibitemsfalse 21119, 21121
\@LTRbibitemstrue 21120
\@LTRbidituftesidenote@sidetrue . . . 5652, 5711, 5715
\@LTRbidituftesidenotemarginparreset 5287, 5294
\@LTRbidituftesidenotesavemarbox 5274, 5275, 5278, 5281
\@LTRbidituftesidenotexmpar 5272, 5273
\@LTRbidituftesidenoteympar 5272, 5277
\@LTRfootgroupv@l 9323, 9331, 10478, 10536
\@LTRfootnotetext 64, 81, 155, 156, 157, 266, 284, 2194, 2316, 5581, 5664, 5671, 6387, 6398, 6604, 6618, 8232, 8233, 9101, 9116, 9117, 9187, 9235, 9243, 9440, 9549, 9652, 9761, 9870, 9979, 10088, 10197, 10306, 10465, 10523, 11467, 11473, 11517, 11543, 11601, 11626, 11632, 12634, 12662, 12741, 12760, 12954, 12958, 12978, 12979, 14024, 14171, 15296, 15298, 15299, 17208, 17214, 17527, 17528, 17538, 17757, 17763, 18107, 18108, 18118, 18456, 18462, 18790, 18791, 18801, 19182, 19199, 19291
\@LTRmarginparfalse 21662, 21664
\@LTRmarginparreset 21561, 21568
\@LTRmarginpartrue 21663
\@LTRsavemarbox 21548, 21549, 21552, 21555
\@LTRxmpar . 21546, 21547
\@LTRympar . 21546, 21551
\@M . 6, 92, 105, 201, 225, 299, 558, 622, 623, 647, 751, 874, 929, 930, 1003, 1123, 1124, 1130, 1253, 2121, 2126, 5883, 6644, 6645, 6651, 6765, 6821, 6822, 6828, 6942, 6992, 7187, 7195, 7262, 8749, 8762, 9019, 9028, 9424, 9428, 10856, 10864, 11185, 13260, 13274, 13298, 15157, 15169, 15181, 16053, 16175, 16176, 16200, 16310, 16449, 16572, 16625, 16626, 16687, 16688, 17042, 17050, 19207, 19314, 19355, 19489, 19520, 19543, 19560, 19577, 19594, 19611, 19628, 19646, 19665, 19685, 19720, 20053, 20514, 20628, 21326
\@MM . . . 41, 55, 71, 244, 258, 273, 8230, 8251, 8298, 8305, 8350, 8357, 9351, 11490, 11507, 11523
\@Mi 7258, 14038
\@Mii . 2269, 5215, 5259,

5303, 7920, 7932, 7945, 21533, 21577
\@Miii 2271, 5217, 5261, 5305, 21535, 21579
\@RTL@footnotefalse . . . 1712, 11310, 11477, 15948, 15953, 21032, 21053
\@RTL@footnotetrue . . . 1710, 11310, 11476, 15950, 15952, 21042, 21052
\@RTLbibitemsfalse 21120, 21121
\@RTLbibitemstrue 21119
\@RTLbidituftesidenote@sidenote . . . 5681, 5712, 5716
\@RTLbidituftesidenotemarginparreset 5331, 5338
\@RTLbidituftesidenotesavemarbox 5318, 5319, 5322, 5325
\@RTLbidituftesidenotexmpar 5316, 5317
\@RTLbidituftesidenoteympar 5316, 5321
\@RTLcolumnfootnotesfalse 9253
\@RTLcolumnfootnotestrue 9252
\@RTLfalse 36, 66, 87, 239, 268, 290, 572, 707, 970, 1220, 1670, 1676, 1694, 2564, 6712, 6900, 7209, 7228, 7240, 7253, 8771, 9042, 9161, 9189, 9202, 9213, 9454, 9464, 9499, 9511, 9563, 9572, 9605, 9616, 9666, 9676, 9711, 9723, 9775, 9785, 9820, 9832, 9884, 9894, 9928, 9940, 9993, 10003, 10037, 10049, 10102, 10112, 10147, 10159, 10211, 10221, 10256, 10268, 10320, 10330, 10365, 10377, 10699, 10718, 10879, 11485, 11518, 11561, 11575, 13255, 13578, 13601, 13605, 13612, 13621, 14104, 14910, 15495, 15664, 15712, 15910, 15944, 15948, 15953, 16002, 16266, 16660, 16854, 17057, 17457, 18037, 18720, 19389, 20990, 21025, 21032, 21053, 21201, 21219, 21659, 21730, 21746
\@RTLfootnotetext 48, 80, 159, 160, 161, 251, 283, 2195, 2317, 5599, 5693, 5700, 6388, 6399, 6605, 6619, 8253, 8254, 9102, 9118, 9119, 9173, 9236, 9244, 9441, 9550, 9653, 9762, 9871, 9980, 10089, 10198, 10307, 10466, 10524, 11458, 11464, 11501, 11542, 11602, 11641, 11647, 12633, 12651, 12726, 12761, 12953, 12957, 12975, 12976, 14025, 14172, 15301, 15303, 15304, 17209, 17218, 17529, 17530, 17540, 17758, 17767, 18109, 18110, 18120, 18457, 18466, 18792, 18793, 18803, 19183, 19200, 19292
\@RTLmainfalse . 1595, 1599, 1882, 1886
\@RTLmaintrue . 1598, 1885
\@RTLmarginparfalse 21663, 21664
\@RTLmarginparreset 21605, 21612
\@RTLmarginpartrue 21662
\@RTLsavemarbox 21592, 21593, 21596, 21599
\@RTLtabfalse . . 409, 1574, 1682, 21026, 21032, 21053, 21201, 21219, 21306
\@RTLtabtrue 1573, 1680, 21017, 21042, 21052, 21089, 21096, 21210, 21228
\@RTLtrue . 36, 50, 87, 239, 253, 290, 572, 707, 970, 1220, 1668, 1674, 1692, 2564, 6712, 6900, 7209, 7267, 7269, 8771, 9042, 9161, 9175, 9202, 9224, 9454, 9474, 9499, 9524, 9563, 9581, 9605, 9628, 9666, 9686, 9711, 9736, 9775, 9795, 9820, 9845, 9884, 9904, 9928, 9953, 9993, 10013, 10037, 10062, 10102, 10122, 10147, 10172, 10211, 10231, 10256, 10281, 10320, 10340, 10365, 10390, 10689, 10709, 10879, 11485, 11502, 11547, 11575, 13255, 13578, 13601, 13612, 13621, 14107, 14910, 15495, 15911, 15936, 15950, 15952, 16266, 16660, 16854, 17057, 17457, 18037, 18720, 19389, 20991, 21016, 21042, 21052,

21210, 21228, 21659, 21730, 21746
\@RTLxmpar . 21590, 21591
\@RTLympar . 21590, 21595
\@Reset 13233, 13242
\@SepMark 19, 20, 21, 22, 168, 214, 215, 216, 217, 334, 350, 546, 547, 548, 549, 700, 701, 702, 703, 954, 955, 956, 957, 1213, 1214, 1215, 1216, 6738, 6739, 6740, 6741, 6742, 6744, 6746, 6748, 6915, 6916, 6917, 6918, 6919, 6921, 6923, 6925, 7166, 7168, 7170, 7172, 7173, 7174, 7175, 7176, 8882, 8883, 8884, 8885, 8998, 9000, 9002, 9004, 9005, 9006, 9007, 9008, 10982, 10983, 10984, 10985, 10986, 10988, 10990, 10992, 11152, 11158, 11280, 11282, 11284, 11286, 11287, 11288, 11289, 11290, 11293, 11295, 11297, 11299, 11300, 11301, 11302, 11303, 13311, 13312, 13313, 13314, 13638, 14797, 14799, 14801, 14803, 14805, 14806, 14808, 14809, 14810, 15538, 15546, 15548, 16281, 16282, 16283, 16284, 16285, 16287, 16289, 16291, 16646, 16647, 16648, 16649, 16650, 16652, 16654, 16656, 16841, 16843, 16845, 16846, 16847, 16848, 16849, 16850, 17023, 17025, 17027, 17029, 17030, 17031, 17032, 17033, 17431, 17432, 17434, 17436, 17438, 17979, 17982, 17984, 17988, 17990, 17992, 17994, 17998, 18000, 18006, 18008, 18014, 18016, 18678, 18680, 18683, 18685, 18687, 18689, 18692, 18696, 18700, 19463, 19707, 21116, 21118, 21829
\@Submit ... 13216, 13225
\@TextField . 13184, 13192
\@True ... 7241, 7247, 7279
\@Undottedtocline 15164
\@Undottedtoclinep 15176
\@acci 11868, 14115, 16115
\@accii 11868, 14115, 16115
\@acciii 11868, 14115, 16115
\@acol 1437, 1445, 2203, 13960, 19097, 21098, 21278, 21304
\@acolampacol .. 1435, 1437, 1443, 1445
\@addamp 1436, 1444
\@addfield 21668
\@addmarginpar ... 21618
\@address 2456, 8087, 8088, 8185, 8187
\@addresscolour 2425, 2442, 8086, 8184
\@addtofilelist ... 4136
\@addtopreamble 1408, 1471, 7340
\@addtoreset 332, 11155, 15536, 15542, 15544
\@addviper 7683
\@afterheading 568, 2104, 2114, 8759, 8767, 14127
\@afterindentfalse .. 2104, 2114, 14126
\@afterindenttrue . .. 647, 874, 1130, 5882, 6651, 6828, 15156, 15168, 15180, 16200, 16572, 19488, 19519, 19542, 19559, 19576, 19593, 19610, 19627, 19645, 19664, 19684, 19719, 20052, 20507, 20627, 21325
\@algocf@finish ... 179
\@algocf@start 171
\@ampacol 1435, 1443
\@arabic 168, 546, 547, 548, 549, 574, 581, 700, 701, 702, 703, 709, 716, 954, 955, 956, 957, 972, 979, 1213, 1214, 1215, 1216, 1222, 1229, 2576, 6714, 6721, 6738, 6739, 6740, 6741, 6742, 6744, 6746, 6748, 6902, 6909, 6915, 6916, 6917, 6918, 6919, 6921, 6923, 6925, 7166, 7168, 7170, 7171, 7172, 7173, 7174, 7175, 7176, 7211, 7218, 8773, 8780, 8882, 8883, 8884, 8885, 8998, 9000, 9002, 9003, 9004, 9005, 9006, 9007, 9008, 9044, 9051, 10881, 10888, 10982, 10983, 10984, 10985, 10986, 10988, 10990, 10992, 11280, 11282, 11284, 11285, 11286, 11287, 11288, 11289, 11290, 11293, 11295, 11297,

11298, 11299, 11300, 11301, 11302, 11303, 13638, 13640, 14797, 14799, 14801, 14803, 14805, 14808, 14809, 14810, 16268, 16275, 16281, 16282, 16283, 16284, 16285, 16287, 16289, 16291, 16646, 16647, 16648, 16649, 16650, 16652, 16654, 16656, 16662, 16669, 16841, 16843, 16845, 16846, 16847, 16848, 16849, 16850, 16856, 16863, 17023, 17025, 17027, 17028, 17029, 17030, 17031, 17032, 17033, 17059, 17066, 17432, 17434, 17436, 17438, 17460, 17476, 17986, 17988, 17990, 17992, 17994, 18002, 18010, 18018, 18040, 18056, 18681, 18683, 18685, 18687, 18689, 18693, 18697, 18701, 18723, 18739, 19391, 19398

\@argdef 3178

\@array 384, 405, 1370, 1371, 19134, 21284

\@arrayacol 21304

\@arrayclassiv . . . 21305

\@arrayclassz 1435, 19138, 21304

\@arraycr 404, 13969, 21306

\@arrayleft 397

\@arrayparboxrestore 14027, 16110

\@arrayright 406

\@arrayrule 1390, 1391, 1392, 1428, 1429, 1430

\@arstdepth 19131, 19136, 19154

\@arstheight 19136, 19154

\@arstrut 394, 13983, 19112, 21294

\@arstrutbox . . . 387, 13971, 14028, 19105, 19146, 19150, 19154, 21287

\@author 428, 442, 478, 499, 762, 764, 782, 827, 846, 1014, 1016, 1034, 1079, 1098, 1264, 1266, 1284, 1329, 1349, 1360, 2003, 6084, 6086, 6155, 6776, 6778, 6796, 6953, 6955, 6973, 7048, 7062, 7098, 7119, 8809, 8821, 8855, 8874, 8904, 8918, 8954, 8975, 10909, 10921, 10955, 10974, 14766, 16321, 16323, 16341, 16386, 16405, 16460, 16462, 16482, 16529, 16551, 16562, 16718, 16732, 16773, 16794, 16905, 16919, 16955, 16976, 17300, 17363, 17414, 17849, 17912, 17963, 18548, 18611, 18662

\@auxout 1730, 1734, 2619, 2954, 2982, 3008, 3036, 3062, 3065, 3099, 3102, 6551, 21370

\@badmath . . 11117, 11131

\@begin@tempboxa 12144, 12240, 12247, 21186

\@begindvi . 11183, 21721

\@beginparpenalty 2117, 2126, 11120, 11134

\@bib@break 17452, 18032, 18715

\@biblabel . . 89, 292, 574, 575, 709, 710, 972, 973, 1222, 1223, 6714, 6715, 6902, 6903, 7211, 7212, 8773, 8774, 9044, 9045, 10881, 10882, 13257, 15497, 16268, 16269, 16662, 16663, 16856, 16857, 17059, 17060, 17460, 17462, 18040, 18042, 18723, 18725, 19391, 19392

\@bibsetup 15497

\@bibtitlestyle 84, 287, 13252

\@bidi@@stpelt 3656, 3662, 3666

\@bidi@AfterClass 4222, 4243, 4248, 4255

\@bidi@AfterPackage 4267, 4286, 4290, 4297

\@bidi@EqualStringX . . . 3721, 3722, 3723

\@bidi@PreventPackageFromLoading . . . 4307, 4308, 4310

\@bidi@UnPreventPackageFromLoading . . . 4399, 4400, 4403

\@bidi@after@Hy@hyperfootnotes 9110, 9248, 9449, 9558, 9661, 9770, 9879, 9988, 10097, 10206, 10315, 10484, 10546

\@bidi@append@to@cslist . . . 3868, 3872, 3882

\@bidi@append@to@list 3872, 3875, 3878, 3885, 3893

\@bidi@before@Hy@hyperfootnotes 9096, 9241, 9438, 9547, 9650, 9759, 9868, 9977, 10086, 10195, 10304, 10463, 10517

\@bidi@copy@stacktop 3940, 3943

\@bidi@copyins@ 1610, 1611, 1612, 1613, 1614, 1897, 1898, 1899, 1900, 1901, 9334, 9336, 9339, 11896, 11897, 11898, 11899, 11909, 11910, 11958, 11959, 12015, 12016, 12017, 12018, 12035, 12036, 12054, 12063, 12075, 12081, 12085, 12097, 12099, 12102, 12133, 15326, 15327, 15416, 15977, 15979, 15980, 21495, 21501, 21504, 21518, 21520, 21523
\@bidi@emptytoks .. 2668, 2673, 2697
\@bidi@envbody 2667, 2669, 2671, 2672, 2673, 2693, 2695, 2696, 2697
\@bidi@fi 3802, 3803, 3804, 3805, 3809, 3810, 3814, 3815, 3819, 3820, 3825, 3826, 3830, 3831
\@bidi@ifnxtc 3769, 3772, 3773
\@bidi@info 1506, 1535, 1537, 1834, 1863, 1865
\@bidi@inslogo@ 1614, 1743, 1745, 1901, 1926, 1951
\@bidi@list@minipage@parbox@not@nobtrue 11590, 21174
\@bidi@list@minipage@parboxfalse 19301
\@bidi@list@minipage@parboxtrue . 11591, 21178, 21181
\@bidi@logo 1630, 1649, 1909, 1925
\@bidi@logo@ 1614, 1646, 1745, 1901, 1925, 1926
\@bidi@logo@hb@xt@ 1902, 1925
\@bidi@logo@hb@xt@columnwidth 1615, 1647
\@bidi@lst@makecaption 13575, 13591, 13592, 13623, 13624, 13625, 13629, 13631
\@bidi@mdf@RTLtrue 14103
\@bidi@patch@AfterPackage 4592, 4595
\@bidi@pdfcreator 1585, 1819, 1927, 1941
\@bidi@pdfcustomproperties 1591, 1822, 1933, 1944
\@bidi@pdfencryptfalse 1799
\@bidi@pdfencrypttrue 1801, 1804
\@bidi@pdfm@markfalse 1752, 1949
\@bidi@pdfm@marktrue 1750, 1948
\@bidi@pdfproducer 1588, 1820, 1930, 1942
\@bidi@perpage@footnotefalse 1762
\@bidi@perpage@footnotetrue 1760
\@bidi@prepend@to@cslist 3870, 3873, 3884, 3926, 3928
\@bidi@prepend@to@list 3873, 3876, 3880, 3886, 3894
\@bidi@removefromreset ... 2794, 2795, 2797
\@bidi@replacefilewithext ... 4184, 4188, 4191
\@bidi@saveprimitive 2655
\@bidi@stepcounter 3655, 3661
\@bidi@tabular@RTLcases . 21087, 21089, 21096
\@bidi@todonotes@align 20674, 20675, 20707, 20748, 20751, 20754, 20757, 20782, 20787, 20788
\@bidi@todonotes@figposition@rightfalse 20689
\@bidi@todonotes@figposition@righttrue 20687
\@bidi@todonotes@textdirection .. 20676, 20680, 20683, 20787, 20788
\@bidi@todonotes@textdirection@RTLfalse 20682
\@bidi@todonotes@textdirection@RTLtrue 20679
\@bidi@unreplacefilewithext ... 4193, 4199, 4202
\@bidi@void@@mpfootinsfalse 9390
\@bidi@void@@mpfootinstrue 9388
\@bidi@void@footinsfalse 10791, 10805
\@bidi@void@footinstrue 10788, 10803
\@bidi@w@w 3851
\@bidi@ww 3845
\@bididefaultcolor 7392, 7399, 20928, 20957
\@bidituftelTRsidenote@normal@cite 5447, 5526, 5646, 5675, 5704, 5726, 5735, 5744
\@bidituftelTRsidenote@normal@cite 5466, 5527, 5647, 5676, 5705, 5727, 5736, 5745
\@bidituftefloat@caption 4820, 4853
\@bidituftefloat@caption@box 4812, 4877, 4888, 4889, 4912, 5147, 5152
\@bidituftefloat@caption@fill 4761, 4770, 4771, 5152
\@bidituftefloat@caption@font 4726, 4727, 4781, 4978, 5149, 5155, 5168
\@bidituftefloat@caption@justification ... 4668, 4784, 4978
\@bidituftefloat@caption@vertical@offset 4815, 4816, 4824, 4888, 4889, 4916
\@bidituftefloat@checkoddpage 4743, 4840
\@bidituftefloat@figure@box 4811,

4870, 4888, 4889, 4911
\@bidituftefloat@float@contents@width 4817, 4822, 4823, 4879, 4913
. . . . . 4832, 4868, 4869, 4871
\@bidituftefloat@float@debug 4801, 4807, 4809, 4810, 4842, 4843, 4846, 4848, 4849, 4926, 4933, 4940, 4941, 4944, 4945
\@bidituftefloat@float@debug@info 4800, 4802, 4803, 4804, 4901, 4908
\@bidituftefloat@float@fullwidth 4888, 4936
\@bidituftefloat@float@textwidth 4889, 4918
\@bidituftefloat@fps 4830, 4845
\@bidituftefloat@fullwidth 4760, 4766, 4767, 4768, 4868
\@bidituftefloat@justification 4728
\@bidituftefloat@justification@autodetect 4668, 4798
\@bidituftefloat@label 4827, 4854
\@bidituftefloat@margin@floatbox . . . 4776, 4779, 4790
\@bidituftefloat@margin@par 4698, 4785
\@bidituftefloat@marginfont 4725, 4726
\@bidituftefloat@orig@caption . . . 4851, 4879, 4909
\@bidituftefloat@orig@endfloat . . . 4814, 4892, 5143
\@bidituftefloat@orig@float . . . 4813, 4866, 5142
\@bidituftefloat@orig@label 4852, 4860, 4880, 4910
\@bidituftefloat@overhang 4759, 4763, 4764, 4962, 4963, 5002, 5003
\@bidituftefloat@pkgname . . . 4643, 4644, 4646
\@bidituftefloat@stored@caption 4818, 4825, 4879, 4914
\@bidituftefloat@stored@label 4819, 4828, 4880, 4896, 4898, 4915
\@bidituftefloat@stored@shortcaption 4817, 4822, 4823, 4879, 4913
\@bidituftegeneralstructure@resetpar 5928, 5934
\@bidituftheading@newlinetospace 4984, 4993
\@bidituftheading@newlinetospace@i 4985, 4987
\@bidituftheading@orig@cr 4992, 4996
\@bidituftesidenote@LTRcitation@font . . . 5354, 5363, 5453
\@bidituftesidenote@LTRmarginfont 5345, 5348, 5351, 5354
\@bidituftesidenote@LTRmarginnote@font . . . 5351, 5360, 5732
\@bidituftesidenote@LTRsidenote@font 5348, 5357
\@bidituftesidenote@RTLcitation@font 5355, 5364
\@bidituftesidenote@RTLmarginfont 5346, 5349, 5352, 5355
\@bidituftesidenote@RTLmarginnote@font . . . 5352, 5361, 5741
\@bidituftesidenote@RTLsidenote@font 5349, 5358
\@bidituftesidenote@add@citation 5488, 5521
\@bidituftesidenote@check@multiple@sidenotes 5546, 5554
\@bidituftesidenote@citation@font 5353, 5362, 5434, 5472, 5500
\@bidituftesidenote@citation@justification 5367, 5501
\@bidituftesidenote@citations 5487, 5489, 5490, 5492, 5497, 5506, 5625, 5654, 5683, 5722, 5731, 5740
\@bidituftesidenote@infootnote@cite 5520, 5624, 5653, 5682, 5721, 5730, 5739
\@bidituftesidenote@justification 5365, 5366, 5367, 5368
\@bidituftesidenote@margin@par 5369, 5502, 5569, 5587, 5605, 5723, 5732, 5741
\@bidituftesidenote@marginfont 5344, 5347, 5350, 5353
\@bidituftesidenote@marginnote@font . . . 5350, 5359, 5723
\@bidituftesidenote@marginnote@justification 5366, 5723, 5732, 5741
\@bidituftesidenote@normal@cite 5428, 5525, 5645, 5674, 5703, 5725, 5734, 5743
\@bidituftesidenote@print@citations 5494, 5644, 5673, 5702, 5724, 5733, 5742
\@bidituftesidenote@sidenote . . . 5623, 5710, 5714
\@bidituftesidenote@sidenote@citations 5519
\@bidituftesidenote@sidenote@font 5347, 5356, 5532, 5533, 5536
\@bidituftesidenote@sidenote@justification . . . 5365, 5532, 5533
\@bidituftesidenote@sidenote@vertical@offset 5620, 5621, 5627, 5629, 5635, 5642, 5656, 5658, 5664, 5671, 5685, 5687, 5693, 5700
\@bidituftesidenote@trim@b 5398, 5405
\@bidituftesidenote@trim@c . . . 5402, 5405, 5410
\@bidituftesidenote@trim@spaces 5387, 5390, 5439, 5441, 5458, 5460, 5477, 5479, 5509, 5511
\@bidituftesidenotemarginparreset 5243, 5250
\@bidituftesidenotesavemarbox 5230, 5231, 5234, 5237
\@bidituftesidenotexmpar 5228, 5229
\@bidituftesidenoteympar 5228, 5233
\@bidituftetoc@eof@line 5875, 5891
\@bidituftetoc@pkgname 5751, 5752
\@bidiundeclaredcolor 7392, 7393, 20928, 20929, 20968

\@bscontmark 14789
\@bsmarkseries . . . 14770
\@bsmtitlempty . . . 14758
\@bsphack 2268, 5214, 5258, 5302, 21532, 21576
\@bsthanksheadpost 14772
\@bsthanksheadpre 14772
\@caption 4969, 14892, 14895
\@captionabovefalse . 17640, 18220, 18903
\@captionabovetrue . 17638, 18218, 18901
\@captype 2208, 2256, 2304, 4782, 14885, 14889, 14892, 17081, 17124
\@cclv 8265, 8322, 10760, 10761, 10789, 10800, 12030, 12042, 12076, 12079, 12080, 12090, 12091, 14042, 14047, 14059, 15971, 21480, 21484, 21496, 21500, 21511
\@cclvi 10507, 10509, 10569, 10571
\@centercr 5956, 16061, 16074, 16087, 19307, 19336, 21237
\@cftasnum . . . 19493, 19524, 19547, 19564, 19581, 19598, 19615, 19632, 19650, 19669, 19689, 19724
\@cftasnumb . . . 19494, 19525, 19548, 19565, 19582, 19599, 19616, 19633, 19651, 19670, 19690, 19725
\@cftbsnum . . . 19492, 19523, 19546, 19563, 19580, 19597, 19614, 19631, 19649, 19668, 19688, 19723
\@cftdopartfalse . 19466
\@cftdoparttrue 19469, 19473
\@cftl@subfig 19657
\@cftl@subtab 19677
\@chapapp . 6987, 7182, 9014, 10852, 17038
\@chapterlistsgap@off 15530
\@chapterlistsgap@on 15537, 15545
\@chclass . . 352, 364, 375, 1377, 1389, 1402, 1422, 1427, 19235, 19251, 19262, 21307, 21312
\@checkend 2686, 2710, 4477, 4478
\@chnum . 353, 360, 371, 1378, 1385, 1398, 1408, 1424, 1425, 1426, 1439, 1447, 1473, 7342, 19236, 19243, 19258, 21309, 21310, 21311
\@circlefnt 11011
\@classiv 2205, 13961, 19099, 21100, 21280, 21305
\@classx . 1405, 1464, 7336
\@classz 1405, 1464, 1498, 1499, 2204, 7336, 13961, 19098, 19138, 21099, 21279, 21304
\@cleartopmattertags 129, 13334
\@cliptoboxdim . . . 19265
\@clsextension 4191, 4202, 4218, 4228, 4237, 4240, 4249
\@clubpenalty 584, 7221, 9054, 16866, 17069, 19401
\@colht 7693, 7720, 7721, 7805, 7806, 7822, 7938, 7953, 7954, 7964, 7965, 7972, 7988, 7992, 10750, 11206, 12008, 12020, 12021, 12022, 12024, 12026, 12114, 14053, 14054, 14933, 14936, 14938, 14940, 14945, 14946, 14947, 14966, 14967, 14968, 14972, 15033, 15036, 15038, 15040, 15045, 15046, 15047, 15066, 15067, 15068, 15072, 21755
\@colourfalse 2368
\@colourgreenfalse 8005, 8103
\@colourgreentrue 8006, 8104
\@colourgreyfalse 8009, 8107
\@colourgreytrue 8010, 8108
\@colourorangefalse 8003, 8101
\@colourorangetrue 8004, 8102
\@colourredfalse 8007, 8105
\@colourredtrue 8008, 8106
\@colourtrue 2367
\@colroom 7965, 7968, 7970, 7971, 8265, 8322, 12008, 12022, 12025, 12027, 14053, 14062
\@combinedblfloats 7605, 7664, 11070, 11106, 11187, 11941, 11994, 14997, 15094, 21419, 21462
\@combinefloats 10745, 12110
\@compactenum@ 5938
\@cons 21618, 21619
\@contcshortstyle 14840
\@contcstyle 14845, 14851, 14856
\@contcwidth 14834, 14835
\@contdelim 14828, 14839, 14843, 14850, 14855
\@contfield 6568, 6583, 6615
\@contfinal 14828, 14840, 14846, 14852, 14856
\@contfmark . 14827, 14830
\@contfnote . 14826, 14829

\@contindw 14851
\@contnfont . . . . . .
. . 14828, 14839, 14843, 14850, 14855
\@contpost 14860
\@contpre 14838, 14844, 14849, 14854
\@conttfont . . . . . .
. . 14828, 14840, 14846, 14852, 14856
\@curfield . . . . . .
6567, 6582, 6602, 6616, 6626, 21668
\@curline 6565, 6580, 21668, 21670
\@currbox . 2276, 2307, 2311, 5179, 5182, 5223, 5226, 5231, 5235, 5267, 5270, 5275, 5279, 5311, 5314, 5319, 5323, 21541, 21544, 21549, 21553, 21585, 21588, 21593, 21597, 21619, 21628, 21660
\@currentHlabel . . .
. 12719, 12734, 12749
\@currentHref . . . . .
. . 12720, 12735, 12750, 12809, 12847, 12880, 12911, 12942, 13164, 13175, 13177
\@currentlabel . . . .
. . 43, 57, 73, 246, 260, 275, 5571, 5589, 5607, 9167, 9181, 9195, 9207, 9218, 9229, 9458, 9468, 9478, 9504, 9517, 9529, 9567, 9576, 9585, 9610, 9622, 9633, 9670, 9680, 9690, 9716, 9729, 9741, 9779, 9789, 9799, 9825, 9838, 9850, 9888, 9898, 9908, 9934, 9947, 9959, 9997, 10007, 10017, 10043, 10056, 10068, 10106, 10116, 10126, 10152, 10165, 10177, 10215, 10225, 10235, 10261, 10274, 10286, 10324, 10334, 10344, 10370, 10383, 10395, 10590, 10602, 10614, 10651, 10665, 10679, 11492, 11509, 11525, 11553, 11567, 11581
\@currentlabelname
. . . . . 12721, 12736, 12751, 12810, 12848, 12881, 12912, 12943
\@currenvir . . . . . .
2672, 2675, 2676, 2696, 2699, 2700, 2727
\@currlist 21618
\@curtabmar . 21667, 21670
\@cvtheme 2448, 2451
\@cvthemeoptions . .
. . . . . 2449, 2451
\@date . . 431, 443, 479, 502, 770, 772, 784, 829, 849, 1022, 1024, 1036, 1081, 1101, 1272, 1274, 1286, 1331, 1352, 1361, 2004, 6102, 6156, 6784, 6786, 6798, 6961, 6963, 6975, 7051, 7063, 7099, 7122, 8812, 8822, 8856, 8877, 8907, 8919, 8955, 8978, 9063, 9068, 10912, 10922, 10956, 10977, 13343, 13348, 14767, 16329, 16331, 16343, 16388, 16408, 16468, 16470, 16484, 16531, 16554, 16563, 16721, 16733, 16774, 16796, 16908, 16920, 16956, 16979, 17304, 17364, 17418, 17853, 17913, 17967, 18434, 18435, 18438, 18443, 18552, 18612, 18666
\@datefield 18374
\@dblarg 14892
\@dblfloatplacement
. . . . 7609, 7668, 11071, 11110, 11194, 11945, 11998, 15001, 15098, 21423, 21466
\@declaredcolor 7377, 7378, 20885, 20908
\@dedication . . . . . .
. . 17320, 17322, 17373, 17421, 17423, 17869, 17871, 17922, 17970, 17972, 18568, 18570, 18621, 18669, 18671
\@dedicatory 323
\@deferlist 12006
\@definitionfileextension
. . . . . 2741, 2744
\@depth . . . 389, 13973, 19078, 19107, 19147, 21289, 21657
\@dgroup 7240
\@dischyph . . . . . .
. 11867, 14114, 16114
\@displaypagenumbersfalse
. 2547
\@displaypagenumberstrue
. 2546
\@dmath 7228, 7257
\@docolbox 11260
\@dodynamicthefoot 11184
\@dodynamicthehead 11184
\@dofilelist . . . . . .
. . . 4488, 4489, 4491
\@dotsep 20525, 20526, 20634, 21332
\@dottedtocline . . .
. . 20640, 20641, 20643, 20661, 21321
\@dseries 7253
\@eha 2663, 19711
\@ehc 2766, 2768, 2774, 2776, 2782, 2784, 2790, 2792, 3194, 4065, 10456,

13544, 13551, 14040, 15139, 15145
\@ehd 14886
\@eightcol@footgroupv@r 10093
\@eightcolLTRfootfmt . 10119, 10140, 10168
\@eightcolLTRfootnotetext 10088, 10112
\@eightcolRTLfootfmt . 10129, 10143, 10180
\@eightcolRTLfootnotetext 10089, 10122
\@eightcolfootfmt . . 10109, 10137, 10155
\@eightcolfootnotetext 10087, 10102
\@elt 2796, 2799, 5067, 5068, 5069, 5070, 5071, 5072, 5073, 5074, 5075, 5076, 5077, 5078, 5108, 5109, 5110, 5111, 5112, 5113, 5114, 5115, 5116, 5117, 5118, 5119, 5120, 5121, 5122, 5123, 5124, 5125, 7279, 8231, 8252, 8258, 8293, 8295, 8297, 8303, 8315, 8345, 8347, 8349, 8355, 19166, 19168
\@email . . 2460, 8093, 8191
\@empty 86, 115, 134, 136, 289, 404, 441, 442, 443, 444, 477, 478, 479, 480, 580, 715, 781, 782, 783, 784, 826, 827, 828, 829, 978, 1033, 1034, 1035, 1036, 1078, 1079, 1080, 1081, 1228, 1283, 1284, 1285, 1286, 1328, 1329, 1330, 1331, 1745, 1926, 2002, 2003, 2004, 2005, 2263, 2575, 2584, 2684, 2708, 3895, 4304, 4317, 4318, 4324, 4347, 4377, 4385, 4404, 4407, 4418, 4422, 4432, 4438, 4439, 4440, 4453, 4465, 4469, 4536, 4547, 5430, 5449, 5468, 5489, 5496, 6084, 6151, 6152, 6153, 6720, 6795, 6796, 6797, 6798, 6908, 6972, 6973, 6974, 6975, 7061, 7062, 7063, 7064, 7097, 7098, 7099, 7100, 7217, 7243, 7573, 7636, 8292, 8344, 8779, 8820, 8821, 8822, 8823, 8854, 8855, 8856, 8857, 8917, 8918, 8919, 8920, 8953, 8954, 8955, 8956, 9050, 9061, 9077, 9081, 10586, 10598, 10610, 10641, 10660, 10674, 10744, 10887, 10920, 10921, 10922, 10923, 10954, 10955, 10956, 10957, 11050, 11086, 11637, 11719, 11919, 11968, 12006, 12109, 12124, 12125, 12126, 12127, 12128, 12721, 12736, 12751, 12810, 12848, 12881, 12912, 12943, 13254, 13320, 13341, 13383, 13596, 13602, 13625, 13629, 13631, 13987, 14764, 14765, 14766, 14767, 14926, 15026, 15524, 16019, 16274, 16340, 16341, 16342, 16343, 16385, 16386, 16387, 16388, 16481, 16482, 16483, 16484, 16528, 16529, 16530, 16531, 16668, 16731, 16732, 16733, 16734, 16772, 16773, 16774, 16775, 16862, 16918, 16919, 16920, 16921, 16954, 16955, 16956, 16957, 17065, 17225, 17278, 17283, 17290, 17296, 17320, 17362, 17363, 17364, 17365, 17366, 17367, 17368, 17369, 17370, 17371, 17372, 17373, 17391, 17395, 17403, 17409, 17421, 17445, 17475, 17500, 17501, 17774, 17827, 17832, 17839, 17845, 17869, 17911, 17912, 17913, 17914, 17915, 17916, 17917, 17918, 17919, 17920, 17921, 17922, 17940, 17944, 17952, 17958, 17970, 18024, 18055, 18080, 18081, 18347, 18375, 18376, 18377, 18378, 18379, 18380, 18381, 18382, 18386, 18392, 18398, 18404, 18410, 18416, 18422, 18428, 18434, 18443, 18473, 18526, 18531, 18538, 18544, 18568, 18610, 18611, 18612, 18613, 18614,

18615, 18616, 18617, 18618, 18619, 18620, 18621, 18639, 18643, 18651, 18657, 18669, 18707, 18738, 18763, 18764, 19036, 19153, 19201, 19397, 19697, 19699, 20888, 20891, 20931, 20934, 21087, 21297, 21306, 21395, 21442, 21707, 21708, 21710, 21711
\@emptycol 7957, 7960, 7976, 7979
\@emptytoks 7242
\@end@tempboxa 12151, 12245, 12262, 21199
\@endfloatbox 2328
\@endmodernpoem 6578, 6598
\@endparenv 6488, 6595, 15571, 15591
\@endparpenalty 2121, 2130, 11121, 11135
\@endpbox 1415, 1416, 1457, 1481, 1482, 1483, 7350, 7351, 7352, 13958, 13964, 19113, 19151, 21295
\@endpetrue . 21041, 21051
\@endtraditionalpoem 6469, 6534
\@ensure@LR . 15961, 21061
\@ensure@LTR . . 15959, 15961, 15969, 21059, 21061, 21069, 21071, 21073, 21934, 21936
\@ensure@RL . 15960, 21060
\@ensure@RTL . . 15958, 15960, 21058, 21060
\@ensure@dir . . 15962, 15963, 21062, 21063
\@ensure@maindir 15963, 21063
\@enumctr 5939, 5940
\@eqnnum 11142, 13337, 21776
\@evenfoot 1966, 11177, 21700
\@evenhead . 11176, 21700
\@expandtwoargs . . . 4423
\@extrafootnotefeaturesfalse 1724
\@extrafootnotefeaturestrue 1722
\@extrainfo 2461, 8094, 8192
\@extratitle 17278, 17279, 17367, 17391, 17392, 17827, 17828, 17916, 17940, 17941, 18526, 18527, 18615, 18639, 18640
\@familyname 2393, 2395, 2396, 2454, 8068, 8158, 8179
\@familynamecolour 2423, 2440
\@fax 2459, 8092, 8190
\@fcolmadefalse . . 12007
\@ff@do@allframes 11186, 11191
\@ff@fbox 11269
\@ff@setoffset . . . 11266
\@ffbackground . . . 11256
\@filebordercolor 13022, 13024
\@filecolor 13040
\@filef@und 4137
\@finalstrut . . . 9145, 9151, 9157, 11497, 11514, 11530, 11557, 11571, 11585
\@firstampfalse 1437, 1445
\@firstcolfirstmark 7572, 7573, 7577, 7635, 7636, 7640, 11049, 11050, 11054, 11085, 11086, 11090, 11918, 11919, 11923, 11967, 11968, 11972, 14925, 14926, 14930, 15025, 15026, 15030, 21394, 21395, 21399, 21441, 21442, 21446
\@firstcoltopmark 7570, 7578, 7633, 7641, 11047, 11055, 11083, 11091, 11916, 11924, 11965, 11973, 14923, 14931, 15023, 15031, 21392, 21400, 21439, 21447
\@firstcolumnfalse 7563, 7626, 7996, 11041, 11077, 11201, 11905, 11954, 14916, 15016, 21385, 21432
\@firstcolumntrue . 7581, 7644, 7951, 11057, 11094, 11165, 11929, 11978, 14975, 15075, 21403, 21450
\@firstdetailselementfalse 8173
\@firstdetailselementtrue 8170
\@firstfooterelementfalse 8089, 8090, 8091, 8092, 8093, 8094
\@firstfooterelementtrue 8074
\@firstname 2393, 2395, 2396, 2453, 8068, 8158, 8179
\@firstnamecolour 2422, 2439
\@firstofone . . . 3528, 3535, 3543, 3554, 3568, 3574, 3584, 3590, 4590, 11214, 11232, 11236, 11239, 11242, 11248, 13146, 13147, 13148, 13149, 14890, 17600, 18180, 18863, 21682, 21724, 21736, 21739, 21741, 21748, 21752, 21758
\@firstoftwo . . . 1541, 1547, 1553, 2805, 2813, 2817, 2825, 2829, 2837, 2843,

2847, 2860, 2868, 2874, 2878, 2886, 2892, 2895, 2898, 2912, 2919, 3303, 3321, 3327, 3351, 3378, 3408, 3468, 3478, 4128, 15505
\@fivecol@footgroupv@r 9766
\@fivecolLTRfootfmt . . . 9792, 9813, 9841
\@fivecolLTRfootnotetext 9761, 9785
\@fivecolRTLfootfmt . . . 9802, 9816, 9853
\@fivecolRTLfootnotetext 9762, 9795
\@fivecolfootfmt 9782, 9810, 9828
\@fivecolfootnotetext 9760, 9775
\@float 4813, 5142
\@floatboxreset . . . 2326
\@floatpenalty . 2269, 2271, 2274, 5215, 5217, 5221, 5225, 5259, 5261, 5265, 5269, 5303, 5305, 5309, 5313, 21533, 21535, 21539, 21543, 21577, 21579, 21583, 21587
\@fltovf 2309, 5226, 5270, 5314, 21544, 21588
\@flushglue 6371, 6372, 14120, 16830, 20055, 20059, 20063, 20109, 21237
\@fnsymbol . 453, 745, 804, 997, 1056, 1247, 1306, 1990, 6759, 6936, 7073, 8832, 8929, 10932, 16304, 16363, 16443, 16504, 16700, 16743, 16930, 17275, 17339, 17824, 17888, 18523, 18587
\@footgroupv@r 9327, 9416, 9445, 9554, 9657, 9766, 9875, 9984, 10093, 10202, 10311, 10471, 10529
\@footnote 6033
\@footnotemark . 2236, 2244, 2252, 5542, 5635, 5642, 5664, 5671, 5693, 5700, 6516, 6523, 6530, 11458, 11464, 11467, 11473, 12762, 12951, 12955, 12969, 12970
\@footnotetext 34, 79, 151, 152, 153, 237, 282, 2193, 2315, 5563, 5635, 5642, 6386, 6397, 6603, 6617, 8211, 8212, 9100, 9114, 9115, 9159, 9234, 9242, 9439, 9548, 9651, 9760, 9869, 9978, 10087, 10196, 10305, 10464, 10519, 10521, 11484, 11541, 11600, 12632, 12640, 12711, 12759, 12952, 12956, 12972, 12973, 14023, 14170, 15291, 15293, 15294, 17207, 17210, 17525, 17526, 17536, 17756, 17759, 18105, 18106, 18116, 18455, 18458, 18788, 18789, 18799, 19181, 19198, 19288, 19290
\@footstartv@l 9322, 10479, 10537
\@footstartv@r 9326, 10472, 10530
\@for 4345, 4406, 4419, 4441, 4445, 5431, 5436, 5450, 5455, 5469, 5474, 5497, 5506, 7541
\@fourcol@footgroupv@r 9657
\@fourcolLTRfootfmt . . . 9683, 9704, 9732
\@fourcolLTRfootnotetext 9652, 9676
\@fourcolRTLfootfmt . . . 9693, 9707, 9744
\@fourcolRTLfootnotetext 9653, 9686
\@fourcolfootfmt 9673, 9701, 9719
\@fourcolfootnotetext 9651, 9666
\@fps 2257, 2258, 2260, 2263, 2280
\@fpsadddefault 2261, 2264
\@freelist 2276, 5067, 5108, 5223, 5224, 5267, 5268, 5311, 5312, 10743, 12108, 21541, 21542, 21585, 21586, 21618, 21619
\@fs@capt 5156, 5169, 5177
\@fs@cfont 5149, 5155, 5165, 5168, 5176, 11146, 11147
\@fs@iftopcapt 5160, 5173, 5186
\@fs@mid . 5159, 5172, 5184
\@fs@post 5158, 5171, 5185
\@fs@pre . 5157, 5170, 5178
\@g@tnextcol 11163
\@getcirc 11007
\@gnewline . . . 16063, 16076, 16089, 16100
\@gobble . . 2173, 2683, 2707, 2729, 2734, 3431, 3432, 3433, 3434, 3435, 3530, 3545, 3560, 3606, 3620, 3632, 3644, 4334, 4469, 4646, 6206, 6271, 11224, 11225, 11226, 14887, 17526, 17528, 17530, 18106, 18108, 18110, 18789, 18791, 18793, 20892, 20935, 21717, 21718, 21719
\@gobbletwo 2754, 2755, 2758, 2759, 3664, 13400
\@gtempa 2936, 2937

\@halignto 393, 408, 19111, 19149, 21087, 21293, 21306
\@hangfrom . . . 17553, 17565, 17567, 18133, 18145, 18147, 18816, 18828, 18830, 21261
\@hboxRconstructfalse 15927, 21007
\@hboxRconstructtrue 404, 15917, 19118, 19157, 20997, 21302
\@height 388, 1495, 7364, 7839, 11848, 13972, 14028, 14140, 17253, 17260, 17802, 17809, 18501, 18508, 19078, 19106, 19147, 21288, 21657
\@highpenalty . . 6665, 6681, 6688, 6698, 6842, 6858, 6865, 6875, 7129, 7144, 7154, 8985, 10820, 10835, 10845, 16214, 16230, 16237, 16247, 16586, 16602, 16609, 16619, 16802, 16816, 16826, 16986, 17001, 17011, 19479, 19514, 19903, 19923, 20011
\@hintcolour . . 2430, 2446
\@holdpg 7699, 7716, 7719, 7736, 7827, 7860, 7862
\@hyper@launch . . . 13045
\@idxitem 102, 107, 222, 227, 603, 618, 867, 1119, 5997, 6004, 6640, 6817, 7028, 13271, 13276, 16171, 16426, 16886, 19459, 21786
\@ifclasslater 4632, 4637
\@ifclassloaded 4252, 4631, 4636, 4666, 6046, 6048, 7030, 9251, 11278, 11291, 21789, 21790, 21791, 21792, 21793, 21794, 21795, 21796, 21797, 21798, 21799, 21800, 21801, 21802, 21803, 21804, 21805, 21806, 21807, 21808, 21809, 21810, 21811, 21812, 21813, 21814, 21842, 21928, 21929
\@ifdefinable . . 2924, 2927, 2930, 2939, 3181, 3196, 11381
\@ifdefinitionfileloaded 2744, 21930
\@ifempty . . 7, 202, 13299
\@ifl@aded 2743, 2744, 2745
\@ifnextchar . . . 163, 405, 2141, 2171, 2186, 3171, 4221, 4222, 4266, 4267, 4311, 5228, 5272, 5316, 7377, 7392, 11456, 11465, 11624, 11639, 11657, 11663, 12217, 12959, 12983, 15306, 15575, 15595, 20885, 20928, 21112, 21546, 21590
\@ifpackagelater 4630, 4635, 11327
\@ifpackageloaded 170, 1454, 3364, 4294, 4354, 4589, 4607, 4629, 4634, 5135, 5140, 5193, 8684, 8685, 9421, 10429, 12756, 12776, 12854, 13153, 13618, 13743, 14000, 14866, 17608, 18188, 18871, 19383, 21088, 21775, 21788, 21801, 21811, 21815, 21819, 21823, 21824, 21825, 21826, 21827, 21834, 21835, 21836, 21837, 21838, 21839, 21840, 21841, 21842, 21843, 21844, 21845, 21846, 21847, 21848, 21849, 21850, 21851, 21852, 21853, 21854, 21855, 21856, 21857, 21858, 21859, 21860, 21861, 21862, 21863, 21864, 21865, 21866, 21867, 21868, 21869, 21870, 21871, 21872, 21873, 21874, 21875, 21876, 21877, 21878, 21879, 21880, 21883, 21884, 21885, 21886, 21909, 21910, 21911, 21912, 21913, 21914, 21915, 21916, 21917, 21918, 21919, 21920, 21921, 21922, 21923, 21924, 21925, 21926, 21927, 21928, 21929, 21931
\@ifpackagewith 7518, 13530, 13533, 16148, 16151, 19408, 21828, 21831, 21832, 21833, 21887, 21897, 21903
\@ifstar 3288, 4220, 4265, 4307, 4399, 4985, 8688, 9249, 9452, 9561, 9664, 9773, 9882, 9991, 10100, 10209, 10318, 10513, 10575, 12220

\@iftagsloaded 2743, 21816, 21817
\@iftexfileloaded 2745, 21881, 21882
\@ifundefined . . 330, 331, 2550, 2764, 2767, 2772, 2775, 2780, 2783, 2788, 2791, 4209, 4213, 4363, 4456, 5377, 5860, 5868, 5983, 5985, 5990, 6080, 6097, 7379, 7386, 7394, 7400, 11149, 11374, 13156, 13157, 13554, 13565, 13628, 13630, 13635, 15683, 16145, 19698, 19702, 19778, 19800, 19801, 19849, 19850, 19933, 19955, 19956, 20184, 20207, 20235, 20295, 20344, 20361, 20391
\@ifundefinedmodel 20918, 20952
\@ifxempty 20978
\@ignoretrue 7264
\@iiiminipage 11587
\@iiiparbox 9400, 11618, 21170
\@indextitlestyle 100, 220, 13269
\@inlabelfalse 7231
\@insertfalse 7684
\@inserttrue 7950
\@iprintcites 16055
\@itemfudge . 21667, 21669
\@itemlabel 21133
\@ixpt 5897
\@keywords 324
\@kludgeins . . . 10747, 12111, 15404, 15419
\@komalongtablefalse . 17608, 18188, 18871
\@lastchclass . . 353, 354, 355, 356, 358, 1378, 1379, 1380, 1381, 1383, 1422, 1423, 1435, 1443, 19236, 19237, 19238, 19239, 19241, 21307, 21308
\@lastvipertrue 7962, 7981
\@latex@error 2662, 4328, 14886, 15139, 15145
\@latex@warning 95, 298, 588, 720, 983, 1233, 2580, 6725, 6913, 7225, 8784, 9058, 10892, 13263, 16279, 16673, 16870, 17073, 17483, 17490, 18063, 18070, 18746, 18753, 19405
\@latex@warning@no@line . . 7955, 7973, 21633
\@latexbug 21619
\@latexerr 12045, 12055, 12065
\@leftcolumn . . . 7564, 7590, 7627, 7649, 7702, 7707, 11042, 11063, 11078, 11099, 11906, 11934, 11955, 11987, 14917, 14976, 14989, 15017, 15076, 15085, 21386, 21412, 21433, 21455
\@let@token . . . 2720, 2723
\@lettrine 13363
\@listI 4683
\@listdepth . . . 11440, 11603, 11872, 11876, 13497, 21124, 21127, 21132
\@listi . . 4683, 4691, 5901
\@loadwithoptions . . . 4144, 4146, 4153
\@lowertitleback 17317, 17372, 17866, 17921, 18565, 18620
\@lowpenalty . 2117, 20434
\@m 93, 296, 586, 718, 981, 1231, 6723, 6911, 7223, 8782, 9056, 10890, 11907, 11909, 11956, 11958, 13261, 15504, 16277, 16671, 16868, 17071, 17479, 18059, 18742, 19403
\@mainmatterfalse 6233, 6263, 7205, 9038
\@mainmattertrue 6230, 6246
\@makecaption 4980, 7325, 14823, 14873, 14905, 17594, 18174, 18857, 21761
\@makechapterhead 301, 6982, 7177, 9009, 10848, 16046, 17034, 19424
\@makecol 10811, 10812, 12031, 12041, 14048, 14060, 21478
\@makefnmark . . . 454, 805, 1307, 1991, 5538, 5549, 7074, 8216, 8237, 8833, 8930, 10933, 13286, 14771, 16364, 16505, 16701, 16744, 16931, 17276, 17277, 17340, 17341, 17825, 17826, 17889, 17890, 18524, 18525, 18588, 18589
\@makefntext 45, 59, 75, 248, 262, 277, 455, 742, 807, 994, 1057, 1244, 1309, 1992, 5536, 5575, 5593, 5611, 6756, 6933, 7075, 8834, 8931, 10934, 11496, 11513, 11529, 11556, 11570, 11584, 12129, 14773, 16301, 16366, 16440, 16507, 16703, 16746, 16932, 17223, 17772, 18346, 18471
\@makeother 3287, 3333, 3442, 3450

\@makeschapterhead 6636, 6813, 7002, 7023, 7191, 9024, 10860, 16167, 16422, 16881, 17046, 19430, 19435
\@makespecialcolbox 10748, 12112
\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 1995, 2001, 7080, 7082, 7087, 7096, 7106, 8839, 8841, 8846, 8853, 8863, 8936, 8938, 8943, 8952, 8962, 10939, 10941, 10946, 10953, 10963, 13325, 14776, 14778, 14785, 16370, 16372, 16377, 16384, 16394, 16511, 16513, 16518, 16527, 16537, 16755, 16757, 16762, 16771, 16781, 16937, 16939, 16944, 16953, 16963, 17344, 17346, 17351, 17361, 17386, 17893, 17895, 17900, 17910, 17935, 18592, 18594, 18599, 18609, 18634
\@maketitle@hook 118, 13323
\@makewincaption . 15774
\@marbox 5224, 5226, 5230, 5234, 5235, 5268, 5270, 5274, 5278, 5279, 5312, 5314, 5318, 5322, 5323, 21542, 21544, 21548, 21552, 21553, 21586, 21588, 21592, 21596, 21597, 21618, 21628, 21631, 21639, 21641, 21642, 21644, 21645, 21646, 21655, 21659, 21660
\@mathmargin . . . 8640, 8647, 8655, 8662
\@maxdepth 9317, 10759, 10774, 10797, 10810, 12122, 21483, 21499, 21510
\@memtempa . . . 14823, 14825, 14839, 14846, 14850, 14855
\@menubordercolor 13116, 13118
\@menucolor 13127
\@midlist 10743, 10744, 12108, 12109
\@minipagefalse 2330, 5245, 5254, 5289, 5298, 5333, 5342, 9397, 11615, 13587, 14879, 17584, 18164, 18847, 21563, 21572, 21607, 21616, 21767
\@minipagerestore 11604
\@minipagetrue 5253, 5297, 5341, 21571, 21615
\@minus 2497, 2583, 4679, 4681, 4688, 4690, 4692, 4693, 5898, 5900, 5902, 5903, 11786, 11824, 15501, 17707, 17717, 17727, 17737, 17747, 18296, 18306, 18316, 18326, 18336, 18979, 18989, 18999, 19009, 19019, 19043
\@mkboth 571, 599, 615, 706, 864, 969, 1116, 1219, 6637, 6711, 6814, 6899, 7024, 7208, 8770, 9041, 10878, 16168, 16265, 16423, 16659, 16853, 16882, 17056
\@mklab 21134
\@mkpream . 392, 13977, 19109, 19141, 21291
\@mobile . 2457, 8090, 8188
\@modernpoem . . 6554, 6598
\@mpLTRfootnotetext 9104, 9122, 9123, 9212, 9238, 9246, 9447, 9556, 9659, 9768, 9877, 9986, 10095, 10204, 10313, 10482, 10544, 11559, 11601, 12662, 12677, 12700, 12764, 14171, 19291
\@mpRTLfootnotetext 9105, 9124, 9125, 9223, 9239, 9247, 9448, 9557, 9660, 9769, 9878, 9987, 10096, 10205, 10314, 10483, 10545, 11545, 11602, 12651, 12676, 12689, 12765, 14172, 19292
\@mparbottom 21629, 21637, 21638, 21639, 21640
\@mpargs 9400, 11593, 11618
\@mparswitchfalse . 4662
\@mparswitchtrue . . 4657
\@mpeightcol@footgroupv@r 10099
\@mpeightcolLTRfootnotetext 10095, 10158
\@mpeightcolRTLfootnotetext 10096, 10171
\@mpeightcolfootnotetext 10094, 10146
\@mpfivecol@footgroupv@r 9772
\@mpfivecolLTRfootnotetext 9768, 9831
\@mpfivecolRTLfootnotetext 9769, 9844
\@mpfivecolfootnotetext 9767, 9819
\@mpfn 2211, 2214, 2217, 2233, 2241, 2249,

5633, 5639, 5662, 5668, 5691, 5697, 6493, 6496, 6499, 6513, 6520, 6527, 11456, 11461, 11465, 11470, 11599, 11629, 11644, 12637, 12648, 12659, 12859, 12890, 12921, 12984, 14167, 19223, 19230
\@mpfootins 9202, 9203, 9213, 9214, 9224, 9225, 9361, 9369, 9377, 9387, 9391, 9394, 11547, 11548, 11561, 11562, 11575, 11576, 11609, 11610, 11613, 14156, 14161
\@mpfootinsv@l . 9359, 9375, 9418, 10638, 10647, 10659, 10662
\@mpfootinsv@r . 9358, 9417, 9499, 9500, 9511, 9512, 9524, 9525, 9605, 9606, 9616, 9617, 9628, 9629, 9711, 9712, 9723, 9724, 9736, 9737, 9820, 9821, 9832, 9833, 9845, 9846, 9929, 9930, 9941, 9942, 9954, 9955, 10038, 10039, 10050, 10051, 10063, 10064, 10147, 10148, 10159, 10160, 10172, 10173, 10256, 10257, 10268, 10269, 10281, 10282, 10365, 10366, 10377, 10378, 10390, 10391, 10636, 10645, 10673, 10676
\@mpfootnotetext . . 9103, 9120, 9121, 9201, 9237, 9245, 9446, 9555, 9658, 9767, 9876, 9985, 10094, 10203, 10312, 10481, 10540, 10542, 11573, 11600, 12640, 12675, 12678, 12763, 14170, 19288, 19290
\@mpfourcol@footgroupv@r 9663
\@mpfourcolLTRfootnotetext 9659, 9722
\@mpfourcolRTLfootnotetext 9660, 9735
\@mpfourcolfootnotetext 9658, 9710
\@mplistdepth 11440, 11603
\@mpninecol@footgroupv@r 10208
\@mpninecolLTRfootnotetext 10204, 10267
\@mpninecolRTLfootnotetext 10205, 10280
\@mpninecolfootnotetext 10203, 10255
\@mppara@LTRfootgroupv@l 10488, 10550
\@mppara@footgroupv@r 10487, 10549
\@mpparaLTRfootnotetext . 10482, 10544, 10658
\@mpparaRTLfootnotetext 10483, 10672
\@mpparafootnotetext . 10481, 10542, 10633
\@mpsevencol@footgroupv@r 9990
\@mpsevencolLTRfootnotetext 9986, 10049
\@mpsevencolRTLfootnotetext 9987, 10062
\@mpsevencolfootnotetext 9985, 10037
\@mpsixcol@footgroupv@r 9881
\@mpsixcolLTRfootnotetext 9877, 9940
\@mpsixcolRTLfootnotetext 9878, 9953
\@mpsixcolfootnotetext 9876, 9928
\@mptencol@footgroupv@r 10317
\@mptencolLTRfootnotetext 10313, 10376
\@mptencolRTLfootnotetext 10314, 10389
\@mptencolfootnotetext 10312, 10364
\@mpthreecol@footgroupv@r 9560
\@mpthreecolLTRfootnotetext 9556, 9615
\@mpthreecolRTLfootnotetext 9557, 9627
\@mpthreecolfootnotetext 9555, 9604
\@mptwocol@footgroupv@r 9451
\@mptwocolLTRfootnotetext 9447, 9510
\@mptwocolRTLfootnotetext 9448, 9523
\@mptwocolfootnotetext 9446, 9498
\@namedef . 4213, 4364, 6551, 9402, 9437, 9536, 9541, 9546, 9639, 9644, 9649, 9748, 9753, 9758, 9857, 9862, 9867, 9966, 9971, 9976, 10075, 10080, 10085, 10184, 10189, 10194, 10293, 10298, 10303, 10402, 10407, 10462, 10516, 10687, 10697, 10707, 10716, 10725, 10737, 14094, 19713, 19752, 19753, 19754, 19755, 19756, 19757, 19758, 19759, 19760, 19761, 19779, 19780, 19781, 19782, 19783, 19784, 19785, 19786, 19787, 19802, 19803, 19804, 19805, 19807, 19808, 19810, 19813, 19816, 19824,

19825, 19827, 19830, 19833, 19846, 19851, 19852, 19853, 19855, 19856, 19858, 19861, 19864, 19872, 19873, 19875, 19878, 19881, 19893, 19934, 19935, 19936, 19937, 19938, 19939, 19940, 19941, 19942, 19957, 19958, 19959, 19960, 19962, 19963, 19965, 19968, 19971, 19979, 19980, 19982, 19985, 19988, 20001, 20185, 20186, 20187, 20188, 20189, 20190, 20191, 20192, 20193, 20232, 20236, 20237, 20238, 20239, 20241, 20242, 20244, 20247, 20250, 20258, 20259, 20261, 20264, 20267, 20292, 20296, 20297, 20298, 20300, 20301, 20303, 20306, 20309, 20317, 20318, 20320, 20323, 20326, 20346, 20349, 20353, 20393, 20396, 20400

\@nameuse 4210, 6549, 8570, 8620, 8623, 8669, 9538, 9539, 9543, 9544, 9641, 9642, 9646, 9647, 9750, 9751, 9755, 9756, 9859, 9860, 9864, 9865, 9968, 9969, 9973, 9974, 10077, 10078, 10082, 10083, 10186, 10187, 10191, 10192, 10295, 10296, 10300, 10301, 10404, 10405, 10409, 10410, 10688, 10694, 10698, 10704, 10708, 10713, 10717, 10722, 11169, 17981, 17997, 18005, 18013, 19442, 19714, 19715, 19716, 19719, 19722, 19727, 19728, 19733, 19737, 19738, 19740, 19741, 19743, 19744, 19746, 19747, 19749, 19750, 19757, 19762, 19763, 19846, 19893, 19897, 19898, 19910, 19917, 19918, 20001, 20005, 20006, 20025, 20040, 20043, 20045, 20048, 20051, 20068, 20069, 20071, 20072, 20082, 20084, 20086, 20087, 20089, 20091, 20092, 20101, 20103, 20107, 20108, 20112, 20116, 20118, 20119, 20179, 20212, 20219, 20224, 20225, 20232, 20285, 20292, 20363, 20920, 20954, 21691

\@ne 137, 142, 353, 362, 365, 459, 810, 1062, 1312, 1378, 1387, 1390, 1391, 1392, 1425, 1428, 1429, 1430, 1782, 1787, 1788, 1789, 2286, 2588, 2616, 2651, 2952, 3006, 3060, 3787, 3946, 4017, 4078, 4571, 4580, 7079, 7529, 8838, 8935, 10938, 11546, 11560, 11574, 11886, 12992, 12993, 12998, 13486, 13542, 13549, 13558, 13569, 13979, 14775, 14852, 15115, 15574, 15594, 16369, 16510, 16707, 16750, 16754, 16936, 17229, 17343, 17778, 17892, 18351, 18477, 18591, 19171, 19175, 19236, 19245, 19252, 19554, 19897, 19898, 20005, 20006, 20179, 20834, 20981, 21127, 21168, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234, 21310, 21312, 21355, 21619

\@newlistfalse 11213, 21680

\@next 2276, 5223, 5224, 5267, 5268, 5311, 5312, 21541, 21542, 21585, 21586, 21618

\@nextchar 359, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 1384, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399,

1400, 1401, 1413, 1415, 1416, 1481, 1482, 1483, 7350, 7351, 7352, 19242, 19244, 19245, 19246, 19247, 19248, 19249, 19250, 19252, 19253, 19254, 19255, 19256, 19259, 19260, 19261
\@nil 1466, 1467, 1469, 1470, 7339, 8259, 8316, 13159, 13168, 13170, 13182, 19357
\@ninecol@footgroupv@r 10202
\@ninecolLTRfootfmt . 10228, 10249, 10277
\@ninecolLTRfootnotetext 10197, 10221
\@ninecolRTLfootfmt . 10238, 10252, 10289
\@ninecolRTLfootnotetext 10198, 10231
\@ninecolfootfmt . . . 10218, 10246, 10264
\@ninecolfootnotetext 10196, 10211
\@nmbrlistfalse . . 21135
\@nobreakfalse . 520, 672, 916, 1155, 6675, 6852, 7139, 8994, 10830, 16224, 16596, 16811, 16996, 19501, 19505, 20033
\@nobreaktrue . . 519, 671, 915, 1154, 6674, 6851, 7138, 8993, 10829, 16223, 16595, 16810, 16995, 19500, 19504, 20032
\@nocnterr 331
\@nocounterr 330
\@nodocument 2255
\@noitemerr 95, 298, 587, 719, 982, 1232, 2580, 6724, 6912, 7224, 8783, 9057, 10891, 13263, 15511, 16278, 16672, 16869, 17072, 17482, 17489, 18062, 18069, 18745, 18752, 19404
\@nonlatinfalse 1568, 1686, 13576, 13620
\@nonlatintrue . 1569, 1688, 13576, 13620
\@normalLTRfootfmt . . . 9153, 9198, 9221
\@normalRTLfootfmt . . . 9147, 9184, 9232
\@normalcr 14123
\@normalfootfmt 9141, 9170, 9210
\@notprerr . . . 3530, 3545
\@nx 124, 125, 334, 13329, 13330
\@nxtcol 11161, 11163, 11204
\@oddfoot 1961, 11174, 11181, 21694, 21711
\@oddhead 11173, 11180, 21694, 21710
\@oldmakefnmark 17276, 17277, 17340, 17341, 17825, 17826, 17889, 17890, 18524, 18525, 18588, 18589
\@onefilewithoptions . . . 4160, 4161, 4168
\@onelevel@sanitize 2258
\@onlypreamble 1663, 4383, 4393, 4397, 10578
\@openbib@code 578, 713, 976, 1226, 2573, 2584, 6718, 6906, 7215, 8777, 9048, 10885, 16272, 16666, 16860, 17063, 17465, 18045, 18728, 19395
\@otarlinesep 19131, 19137
\@outerparskip 6592
\@outputbox 7564, 7567, 7568, 7582, 7594, 7599, 7601, 7627, 7630, 7631, 7645, 7655, 7658, 7660, 9316, 9318, 10750, 10752, 10753, 10758, 10773, 10775, 10789, 10800, 11042, 11045, 11058, 11067, 11078, 11081, 11095, 11105, 11186, 11191, 11238, 11906, 11913, 11914, 11930, 11940, 11955, 11962, 11963, 11979, 11991, 12030, 12042, 12076, 12078, 12089, 12114, 12117, 12118, 14066, 14068, 14070, 14917, 14920, 14921, 14951, 14976, 14979, 14981, 14993, 15017, 15020, 15021, 15051, 15076, 15079, 15081, 15091, 15640, 15643, 15648, 21386, 21389, 21390, 21404, 21416, 21433, 21436, 21437, 21451, 21461, 21480, 21482, 21496, 21498, 21509, 21738
\@outputdblcol 11160, 21474, 21475, 21476
\@outputpage . . . 7607, 7611, 7666, 7670, 11070, 11073, 11108, 11112, 11188, 11192, 11197, 11208, 11943, 11947, 11996, 12000, 14049, 14061, 14999, 15004, 15096, 15101, 15632, 15633, 21421, 21425, 21464, 21468, 21675
\@ovbtrue 10996

\@ovdx 11009, 11017
\@ovdy 11010, 11018
\@ovhorz . . . 11015, 11016
\@ovltrue 10996
\@ovri 11008
\@ovro 11008, 11017, 11018
\@ovrtrue 10996
\@ovttrue 10996
\@ovvert . . . 11013, 11014
\@ovxx 10998, 10999, 11002, 11009, 11014, 11015, 11019, 11020
\@ovyy . . 11000, 11001, 11002, 11010, 11016
\@pagedp . . . 21647, 21657
\@pageht 7688, 7694, 21630, 21637
\@par 20122
\@para@LTRfootgroupv@l 10478, 10536
\@para@footgroupv@r 10471, 10529
\@para@footstartv@l 10479, 10537
\@para@footstartv@r 10472, 10530
\@paraLTRfootfmt . . . 10606, 10625, 10669
\@paraLTRfootnotetext . 10465, 10523, 10597
\@paraRTLfootfmt . . . 10618, 10629, 10683
\@paraRTLfootnotetext 10466, 10609
\@parafootfmt 10594, 10621, 10655
\@parafootnotetext . 10464, 10521, 10579
\@parboxrestore 42, 56, 72, 245, 259, 274, 2325, 4974, 5242, 5286, 5330, 7269, 9206, 9217, 9228, 9354, 9503, 9515, 9528, 9609, 9620, 9632, 9715, 9727, 9740, 9824, 9836, 9849, 9933, 9945, 9958, 10042, 10054, 10067, 10151, 10163, 10176, 10260, 10272, 10285, 10369, 10381, 10394, 10650, 10664, 10678, 10692, 10702, 11213, 11491, 11508, 11524, 11552, 11566, 11580, 11598, 14900, 15114, 21186, 21560, 21604, 21681
\@parboxto . 21189, 21196
\@parmoderr 2274, 5220, 5264, 5308, 21538, 21582
\@part 550, 8741
\@pboxswfalse 11589, 21172
\@pboxswtrue 21194
\@pdfm@mark 13000, 13016, 13050, 13081, 13110, 13185, 13190, 13201, 13206, 13217, 13223, 13234, 13240
\@pdfremotestartview 13031
\@phone . . 2458, 8091, 8189
\@photo 2463, 8064, 8066, 8195, 8197
\@photowidth . . . 2462, 2463, 8066, 8162
\@pkgextension 4188, 4199, 4263, 4272, 4280, 4283, 4291
\@plus 24, 103, 223, 510, 527, 602, 617, 646, 649, 662, 680, 687, 866, 873, 876, 889, 906, 924, 1118, 1129, 1132, 1145, 1163, 1171, 2497, 2583, 4679, 4680, 4681, 4688, 4689, 4690, 4692, 4693, 5898, 5899, 5900, 5902, 5903, 5969, 6639, 6650, 6653, 6666, 6682, 6689, 6816, 6827, 6830, 6843, 6859, 6866, 7027, 7130, 7145, 8717, 8731, 8986, 10623, 10627, 10631, 10821, 10836, 11786, 11824, 13272, 13292, 15166, 15178, 15501, 16170, 16199, 16202, 16215, 16231, 16238, 16425, 16571, 16574, 16587, 16603, 16610, 16803, 16817, 16885, 16987, 17002, 17251, 17258, 17282, 17305, 17323, 17394, 17419, 17507, 17512, 17665, 17684, 17707, 17708, 17717, 17718, 17727, 17728, 17737, 17747, 17800, 17807, 17831, 17854, 17872, 17943, 17968, 18087, 18092, 18245, 18264, 18296, 18297, 18306, 18307, 18316, 18317, 18326, 18336, 18499, 18506, 18530, 18553, 18571, 18642, 18667, 18770, 18775, 18928, 18947, 18979, 18980, 18989, 18990, 18999, 19000, 19009, 19019, 19042, 19308, 19337, 19458, 19733, 19901, 19904, 19908, 20009, 20012, 20016, 20049, 20346, 20349, 20353, 20441, 20625, 21323
\@pnumwidth . . . 13, 15, 208, 210, 513, 514, 516, 530, 531, 535,

665, 666, 668, 690, 691, 695, 892, 893, 897, 909, 910, 912, 1148, 1149, 1151, 1174, 1175, 1179, 6669, 6670, 6672, 6692, 6693, 6697, 6846, 6847, 6849, 6869, 6870, 6874, 7133, 7134, 7136, 7148, 7149, 7153, 7414, 7419, 7420, 8720, 8721, 8725, 8734, 8735, 8737, 8988, 8989, 8991, 10824, 10825, 10827, 10839, 10840, 10844, 13305, 13307, 15186, 16218, 16219, 16221, 16241, 16242, 16246, 16590, 16591, 16593, 16613, 16614, 16618, 16805, 16806, 16808, 16820, 16821, 16825, 16990, 16991, 16993, 17005, 17006, 17010, 19364, 19373, 19375, 19763, 19912, 19913, 19921, 20020, 20021, 20027, 20419, 20532, 20637, 21335

\@preamble 393, 394, 404, 406, 1438, 1446, 13983, 19110, 19112, 19119, 19149, 19150, 19158, 21292, 21294, 21303

\@preameightfmt 10132, 10138, 10141, 10144

\@preamerr 375, 1402, 1432, 19262, 21301, 21314

\@preamfivefmt . 9805, 9811, 9814, 9817

\@preamfntext .. 9165, 9179, 9193, 9349, 9457, 9467, 9477, 9566, 9575, 9584, 9669, 9679, 9689, 9778, 9788, 9798, 9887, 9897, 9907, 9996, 10006, 10016, 10105, 10115, 10125, 10214, 10224, 10234, 10323, 10333, 10343, 10589, 10601, 10613

\@preamfourfmt . 9696, 9702, 9705, 9708

\@preamninefmt 10241, 10247, 10250, 10253

\@preamnormalfmt 9137, 9142, 9148, 9154

\@preamsevenfmt 10023, 10029, 10032, 10035

\@preamsixfmt .. 9914, 9920, 9923, 9926

\@preamtenfmt . 10350, 10356, 10359, 10362

\@preamthreefmt 9590, 9596, 9599, 9602

\@preamtwofmt .. 9484, 9490, 9493, 9496

\@printcites 16057

\@pstrickserr 16011

\@ptsize 2361, 2362, 2363, 2364, 2371

\@publisher ... 6061, 6114

\@publishers 17306, 17370, 17420, 17855, 17919, 17969, 18554, 18618, 18668

\@quote 2464, 8070, 8072, 8199, 8201

\@quotebox 16056

\@quotecolour 2426, 2443, 2553

\@r@m@msize 19144

\@raggedtwoe@abdhook . 16131, 16136, 16146

\@raggedtwoe@document@opt . 16130, 16134, 16152

\@raggedtwoe@everyselectfont 16070, 16083, 16096, 16107

\@raggedtwoe@footmisctrue 16133

\@raggedtwoe@gnewline . 16063, 16076, 16089

\@raggedtwoe@raggedrightboxes@opt 16109, 16128, 16132, 16149

\@raggedtwoe@saved@gnewline 16100

\@raggedtwoe@savedcr 16060, 16073, 16086, 16099

\@raggedtwoe@spaceskipfalse 16106

\@raggedtwoe@spaceskiptrue . 16069, 16082, 16095

\@rc@ifdefinable 2939, 3196

\@reffalse 18374

\@reftrue 18375, 18376, 18377, 18378, 18379, 18380, 18381, 18382

\@regtocline ... 643, 681, 698, 870, 900, 925, 1126, 1164, 1182, 6647, 6683, 6701, 6824, 6860, 6878, 16196, 16232, 16250, 16568, 16604, 16622

\@rememsize . 19141, 19144

\@removefromreset 15520, 15522

\@reqcolroom ... 7688, 7689, 7690, 7691, 7693, 7694, 7695, 7696, 7697, 7698, 7938

\@resetactivechars 11211, 21678

\@resetdyn@mics .. 11199

\@resetst@tics ... 11198

\@restonecolfalse 98, 218, 592, 608, 857, 1109, 6630, 6807, 7017, 13267, 16161, 16416, 16875, 19416

\@restonecoltrue 98, 218, 594, 610, 859, 1111, 6632, 6809, 7019, 13267, 16163, 16418, 16877, 19418

\@resumename .. 2396, 2452

\@revlabeltrue . 743, 995, 1245, 6757, 6934, 16302, 16441
\@rightcolumn . 14943, 14948, 14949, 14958, 14959, 14967, 14971, 14977, 15043, 15048, 15049, 15058, 15059, 15067, 15071, 15077
\@rightskip . . . 14119, 16065, 16066, 16078, 16079, 16091, 16092, 16102, 16103, 21237
\@rjfieldfalse . . . 21665
\@runbordercolor 13056, 13058
\@runcolor 13072
\@s@@size 19144
\@s@bidi@AfterClass 4220, 4229, 4241, 4250
\@s@bidi@AfterPackage 4265, 4273, 4284, 4292
\@sarray 19103
\@savemarbox 21659
\@secondoftwo . . 1543, 1549, 1555, 2807, 2811, 2819, 2823, 2831, 2835, 2841, 2849, 2862, 2871, 2880, 2889, 2895, 2898, 2909, 2914, 2921, 3294, 3304, 3305, 3306, 3307, 3313, 3322, 3328, 3352, 3380, 3408, 3457, 3469, 3470, 3479, 4125, 4253, 4295
\@secpenalty . . 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 8716, 8730, 13297, 19349, 19481, 19536, 19900, 19907, 20008, 20015
\@sectiontitlecolour 2427, 2444
\@seesize . . 19141, 19144
\@setcol 11205
\@setcolbox . 11166, 11202
\@setcopyright 112, 13317
\@setfontsize 4678, 4687, 5897, 5907, 5908, 5909, 5910, 5911, 5912, 5913
\@setfpsbit 2290, 2293, 2296
\@setmarks 7574, 7576, 7606, 7637, 7639, 7665, 11051, 11053, 11070, 11087, 11089, 11107, 11920, 11922, 11942, 11969, 11971, 11995, 14927, 14929, 14998, 15027, 15029, 15095, 21396, 21398, 21420, 21443, 21445, 21463
\@setminipage . . 4976, 11605, 11880, 14902
\@setpar 16704, 16747, 17226, 17233, 17775, 17782, 18348, 18353, 18474, 18481
\@settab 6559
\@sevencol@footgroupv@r 9984
\@sevencolLTRfootfmt . 10010, 10031, 10059
\@sevencolLTRfootnotetext 9979, 10003
\@sevencolRTLfootfmt . 10020, 10034, 10071
\@sevencolRTLfootnotetext 9980, 10013
\@sevencolfootfmt . . 10000, 10028, 10046
\@sevencolfootnotetext 9978, 9993
\@sharp 400, 1440, 1441, 1442, 1448, 1449, 1450, 13159, 13165, 13975, 19115, 19150, 19156, 21298
\@sixcol@footgroupv@r 9875
\@sixcolLTRfootfmt . . . 9901, 9922, 9950
\@sixcolLTRfootnotetext 9870, 9894
\@sixcolRTLfootfmt . . . 9911, 9925, 9962
\@sixcolRTLfootnotetext 9871, 9904
\@sixcolfootfmt 9891, 9919, 9937
\@sixcolfootnotetext 9869, 9884
\@skip@bove . 19135, 19137
\@spaces 19173, 19214, 19219
\@spart 8760
\@specialpagefalse 11168, 21691
\@specialstyle 11169, 21691
\@stabarray 19099
\@stabular 19095
\@star@or@long . 2934, 3166, 3190, 3201
\@startcolumn 12005
\@startdblcolumn 7610, 7612, 7669, 7671, 11071, 11073, 11111, 11112, 11195, 11197, 11946, 11948, 11999, 12001, 15002, 15005, 15099, 15102, 21424, 21426, 21467, 21469
\@startfield 6601
\@startpbox 1415, 1416, 1481, 1482, 1483, 7350, 7351, 7352, 13962, 13963, 13969, 19113, 19151, 21295
\@startsection 23, 13291
\@starttoc . . . 5864, 5872
\@stopfield 6566, 6581, 6585, 6613, 21665
\@stopline . . 6585, 21665
\@stpelt . 3652, 3656, 3658
\@strip 15111
\@subjclass 324
\@subject 17290, 17291, 17369, 17403, 17404, 17839, 17840, 17918, 17952, 17953,

18538, 18539, 18617, 18651, 18652
\@subsectioncolour 2429, 2445
\@subtitle 17296, 17366, 17409, 17845, 17915, 17958, 18544, 18614, 18657
\@tabacol 2203, 13960, 19097, 21098, 21278
\@tabarray . 381, 405, 409, 2205, 13947, 13949, 21093, 21100, 21280, 21306
\@tabclassiv 2205, 13961, 19099, 21100, 21280
\@tabclassz 1443, 2204, 13961, 19098, 21099, 21279
\@tabcr 6562, 6572
\@tabminus 6560
\@tabplus 6559
\@tabular 377, 2191, 21276
\@tabularcr 2205, 13965, 19099, 21100, 21280
\@tagsextension 2740, 2743
\@tarlinesep . . 19137, 19138, 19139, 19140, 19143, 19145
\@temp@bibkey . . 5431, 5450, 5469, 5497
\@temp@bibkeyx 5436, 5437, 5439, 5440, 5441, 5442, 5455, 5456, 5458, 5459, 5460, 5461, 5474, 5475, 5477, 5478, 5479, 5480, 5506, 5507, 5509, 5510, 5511, 5512
\@temp@last@bibkey 5430, 5431, 5437, 5449, 5450, 5456, 5468, 5469, 5475, 5496, 5497, 5507
\@tempa 123, 126, 133, 134, 135, 136, 790, 792, 794, 798, 1042, 1044, 1046, 1050, 1292, 1294, 1296, 1300, 2618, 2625, 2656, 2657, 2660, 2763, 2764, 2767, 2769, 2771, 2772, 2775, 2777, 2779, 2780, 2783, 2785, 2787, 2788, 2791, 2793, 2953, 2963, 2969, 2981, 2988, 2994, 3007, 3017, 3023, 3035, 3042, 3048, 3061, 3074, 3080, 3098, 3108, 3114, 10997, 12182, 12183, 12184, 12185, 12222, 12225, 12226, 12232, 12243, 12244, 12250, 12255, 12256, 12258, 12261, 12318, 12319, 12320, 12321, 12778, 12782, 12785, 12797, 12816, 12820, 12823, 12835, 13328, 13331, 13382, 13383, 14030, 14031, 14033, 14034, 15523, 15524, 15525, 15528, 15535, 15541, 16349, 16351, 16353, 16357, 16490, 16492, 16494, 16498, 17081, 17082, 17124, 17125, 17225, 17467, 17470, 17774, 18047, 18050, 18347, 18473, 18730, 18733, 19222, 19224, 19229, 19231, 20623, 20640, 20644, 20645, 20646, 20655, 20669, 20845, 20848, 20854, 20858, 20872
\@tempb 2656, 2657, 2659, 2660, 12182, 12183, 12223, 12225, 12253, 12255, 12256, 12258, 12261, 15527, 15528, 15534, 15535, 15540, 15541
\@tempboxa 5226, 5270, 5314, 7704, 7705, 8282, 8283, 8284, 8285, 8287, 8336, 8337, 8338, 8339, 8341, 9400, 11008, 11012, 11020, 11021, 11146, 11147, 11148, 11594, 11618, 11723, 11768, 11775, 11785, 11788, 11792, 11794, 11800, 11834, 11836, 11842, 11855, 11859, 11860, 12148, 12244, 12261, 12410, 12591, 12593, 13579, 13584, 13588, 13992, 13993, 13996, 14828, 14831, 14835, 14837, 14843, 14845, 14846, 14875, 14876, 14880, 15775, 15776, 15779, 17531, 17545, 17549, 17551, 17574, 17575, 17577, 17578, 17580, 17585, 17590, 18111, 18125, 18129, 18131, 18154, 18155, 18157, 18158, 18160, 18165, 18170, 18794, 18808, 18812, 18814, 18837, 18838, 18840, 18841, 18843, 18848, 18853, 19196,

19216, 20584, 20587, 20592, 20596, 20600, 20604, 20608, 20612, 20616, 20620, 21261, 21262, 21317, 21318, 21319, 21320, 21544, 21588, 21726, 21733, 21734, 21763, 21764, 21768
\@tempc . 12224, 12226, 12232, 13410, 13415
\@tempcnta 1406, 1465, 1466, 1467, 1469, 1470, 2278, 2284, 2286, 2299, 2300, 2306, 2307, 2633, 2635, 2639, 7337, 7339, 8257, 8314, 13449, 13451, 13454, 13477, 13478, 13486, 15599, 15601, 15602, 15608, 15612, 15625, 15681, 15683, 15687, 15690, 15692, 17329, 17331, 17524, 17543, 17878, 17880, 18104, 18123, 18577, 18579, 18787, 18806, 19209, 20431, 20432, 20433, 20452, 20453, 20454, 20456, 20458, 20540, 20541, 20542, 21619, 21621, 21624, 21626, 21628, 21650
\@tempcntb 2304, 2305, 2306, 15600, 15601, 15608, 15612, 15625, 17524, 17542, 18104, 18122, 18787, 18805
\@tempdima 8, 10, 12, 14, 203, 205, 207, 209, 385, 386, 388, 511, 528, 533, 651, 664, 688, 693, 878, 879, 890, 895, 908, 1134, 1147, 1172, 1177, 1460, 1461, 1493, 1494, 1495, 2358, 2360, 5885, 5886, 6655, 6668, 6690, 6695, 6832, 6845, 6867, 6872, 7131, 7146, 7151, 7362, 7363, 7364, 7412, 7417, 8228, 8229, 8230, 8231, 8249, 8250, 8251, 8252, 8258, 8260, 8261, 8265, 8266, 8267, 8268, 8269, 8277, 8281, 8284, 8285, 8286, 8300, 8301, 8302, 8315, 8317, 8318, 8322, 8323, 8324, 8325, 8326, 8332, 8335, 8338, 8339, 8340, 8352, 8353, 8354, 8570, 8571, 8576, 8577, 8578, 8579, 8580, 8695, 8697, 8699, 8718, 8723, 8733, 10458, 10492, 10493, 10494, 10495, 10497, 10506, 10507, 10510, 10511, 10554, 10555, 10556, 10557, 10559, 10568, 10569, 10572, 10573, 10760, 10762, 10823, 10837, 10842, 11009, 11010, 11013, 11014, 11592, 11596, 12117, 12119, 12241, 12243, 12248, 12250, 12251, 12253, 12266, 12271, 12276, 12280, 13300, 13302, 13304, 13306, 13425, 13430, 13446, 13447, 13452, 13957, 13967, 13972, 14946, 14950, 15046, 15050, 15111, 15136, 15159, 15171, 15172, 15183, 15184, 15603, 16204, 16217, 16239, 16244, 16576, 16589, 16611, 16616, 16705, 16706, 16707, 16748, 16749, 16750, 16818, 16823, 16988, 17003, 17008, 17126, 17127, 17227, 17228, 17229, 17234, 17235, 17238, 17548, 17549, 17574, 17575, 17576, 17578, 17776, 17777, 17778, 17783, 17784, 17787, 18128, 18129, 18154, 18155, 18156, 18158, 18349, 18350, 18351, 18354, 18355, 18358, 18475, 18476, 18477, 18482, 18483, 18486, 18811, 18812, 18837, 18838, 18839, 18841, 19142, 19145, 19147, 19210, 19269, 19270, 19271, 19491, 19495, 19522, 19526, 19545, 19549, 19562, 19566, 19579, 19583, 19596, 19600, 19613, 19617, 19630, 19634, 19648, 19652, 19667,

19671, 19687, 19691, 19722, 19726, 19910, 19916, 20018, 20068, 20071, 20072, 20076, 20448, 20450, 20479, 20482, 20489, 20492, 20496, 20501, 20504, 20516, 20549, 20551, 20552, 20555, 20558, 20562, 20569, 20571, 20630, 20631, 20644, 20646, 20654, 20661, 20807, 20808, 20827, 20838, 20839, 20840, 20841, 20853, 20856, 20862, 20863, 21185, 21186, 21328, 21329, 21629, 21630, 21631, 21632, 21635, 21638, 21641, 21643, 21666, 21667

\@tempdimb 7331, 7785, 7805, 8228, 8229, 8249, 8250, 8301, 8303, 8306, 8353, 8355, 8358, 8573, 8576, 10508, 10509, 10510, 10570, 10571, 10572, 11002, 11003, 11004, 11005, 11007, 12242, 12243, 12249, 12250, 12252, 12253, 13447, 13448, 13450, 15111, 15136, 17236, 17237, 17238, 17785, 17786, 17787, 18356, 18357, 18358, 18484, 18485, 18486, 19142, 19145, 19147, 20449, 20455, 20457, 20462, 20464, 20467, 20471, 20475, 20483, 20485, 20486, 20499, 20505, 20507, 20810, 20811, 20813, 20815, 20818, 20819, 20821, 20824, 20838, 20839, 20840, 20844, 20857, 20861, 20862, 21188, 21189

\@tempdimc 7332, 17224, 17231, 17232, 17242, 17773, 17780, 17781, 17791, 18472, 18479, 18480, 18490

\@tempskipa 6591, 6592, 6593

\@tempswafalse . 4400, 4447, 8269, 8326, 12189, 20892, 20935

\@tempswatrue 4399, 4444, 8263, 8320, 21378

\@temptokena 121, 125, 13326, 13330, 15667

\@tempx 6493, 6494, 12856, 12868

\@tempxi 6496, 6497, 12887, 12899

\@tempxii 6499, 6500, 12918, 12930

\@tempy 2211, 2212

\@tempyi 2214, 2215

\@tempyii 2217, 2218

\@tencol@footgroupv@r 10311

\@tencolLTRfootfmt . 10337, 10358, 10386

\@tencolLTRfootnotetext 10306, 10330

\@tencolRTLfootfmt . 10347, 10361, 10398

\@tencolRTLfootnotetext 10307, 10340

\@tencolfootfmt 10327, 10355, 10373

\@tencolfootnotetext 10305, 10320

\@testopt 3168, 3186, 13954, 13955

\@testpach 352, 1377, 1422, 19235, 21307

\@texfileextension 2742, 2745

\@textbottom .. 10755, 12120, 17251, 17258, 17507, 17512, 17800, 17807, 18087, 18092, 18499, 18506, 18770, 18775

\@textsuperscript . 454, 457, 744, 806, 808, 996, 1060, 1246, 1308, 1310, 1991, 1994, 5536, 5538, 6758, 6935, 7074, 7077, 8833, 8836, 8930, 8933, 10933, 10936, 14771, 16303, 16365, 16367, 16442, 16506, 16508, 16702, 16709, 16745, 16752, 16931, 16934

\@texttop .. 10751, 12116

\@tfor 2279, 10997

\@thanks 433, 441, 469, 477, 775, 781, 820, 826, 1027, 1033, 1072, 1078, 1277, 1283, 1322, 1328, 1996, 2002, 6789, 6795, 6966, 6972, 7053, 7061, 7089, 7097, 8814, 8820, 8848, 8854, 8909, 8917, 8945, 8953, 10914, 10920, 10948, 10954, 11620, 11634, 11637, 14764, 14787, 16334, 16340, 16379, 16385, 16473, 16481, 16520, 16528, 16723, 16731, 16764, 16772, 16910, 16918, 16946, 16954,

17309, 17353, 17362, 17858, 17902, 17911, 18557, 18601, 18610
\@thefnmark 44, 58, 74, 247, 261, 276, 454, 457, 744, 806, 808, 996, 1060, 1246, 1308, 1310, 1991, 1994, 2234, 2242, 2250, 5536, 5538, 5572, 5590, 5608, 5634, 5640, 5663, 5669, 5692, 5698, 6514, 6521, 6528, 6758, 6935, 7074, 7077, 8833, 8836, 8930, 8933, 9168, 9182, 9196, 9208, 9219, 9230, 9271, 9275, 9277, 9283, 9287, 9289, 9295, 9299, 9301, 9459, 9469, 9479, 9505, 9518, 9530, 9568, 9577, 9586, 9611, 9623, 9634, 9671, 9681, 9691, 9717, 9730, 9742, 9780, 9790, 9800, 9826, 9839, 9851, 9889, 9899, 9909, 9935, 9948, 9960, 9998, 10008, 10018, 10044, 10057, 10069, 10107, 10117, 10127, 10153, 10166, 10178, 10216, 10226, 10236, 10262, 10275, 10287, 10325, 10335, 10345, 10371, 10384, 10396, 10591, 10603, 10615, 10652, 10666, 10680, 10933, 10936, 11457, 11462, 11466, 11471, 11493, 11510, 11526, 11554, 11568, 11582, 11625, 11630, 11640, 11645, 11681, 11685, 11687, 11693, 11697, 11699, 11705, 11709, 11711, 12131, 12638, 12649, 12660, 12671, 12789, 12827, 12860, 12891, 12922, 12985, 13288, 16303, 16365, 16367, 16442, 16506, 16508, 16702, 16709, 16745, 16752, 16931, 16934
\@thefoot 11174, 11177, 11181, 21694, 21700, 21708, 21711, 21746
\@thehead 11173, 11176, 11180, 21694, 21700, 21707, 21710, 21730
\@themargin . . . 11230, 12286, 12288, 12293, 12295, 12299, 12301, 21696, 21698, 21702, 21704, 21723
\@thm 15556, 15577
\@thmcountersep 350, 21118
\@threecol@footgroupv@r 9554
\@threecolLTRfootfmt . . . 9579, 9598, 9625
\@threecolLTRfootnotetext 9549, 9572
\@threecolRTLfootfmt . . . 9588, 9601, 9636
\@threecolRTLfootnotetext 9550, 9581
\@threecolfootfmt . . . 9570, 9595, 9613
\@threecolfootnotetext 9548, 9563
\@title 320, 423, 444, 480, 494, 753, 755, 783, 828, 841, 1005, 1007, 1035, 1080, 1093, 1255, 1257, 1285, 1330, 1344, 1355, 2005, 2394, 2455, 6069, 6154, 6767, 6769, 6797, 6944, 6946, 6974, 7043, 7064, 7100, 7114, 8180, 8804, 8823, 8857, 8869, 8899, 8920, 8956, 8970, 10904, 10923, 10957, 10969, 14765, 16312, 16314, 16342, 16387, 16400, 16451, 16453, 16483, 16530, 16546, 16557, 16713, 16734, 16775, 16789, 16900, 16921, 16957, 16971, 17294, 17365, 17407, 17843, 17914, 17956, 18542, 18613, 18655
\@titlecolour . 2424, 2441
\@titlehead 17283, 17285, 17368, 17395, 17397, 17832, 17834, 17917, 17944, 17946, 18531, 18533, 18616, 18643, 18645
\@tocextra 19442, 19443, 19447, 19449, 19452
\@tocline . . 2, 197, 13294
\@tocpagenum 15, 210, 13307
\@tocrmarg 15155, 15167, 15179, 16145, 19486, 19517, 19540, 19557, 19574, 19591, 19608, 19625, 19643, 19662, 19682, 19717, 19768, 20046, 20509, 20626, 21324
\@todonotes@MissingFigureDown 20788
\@todonotes@MissingFigureText 20765

\@todonotes@MissingFigureUp 20787
\@todonotes@author 20698, 20709, 20734, 20752
\@todonotes@currentfigcolor 20769
\@todonotes@currentfigheight 20770
\@todonotes@currentfigwidth 20770, 20772, 20782, 20785
\@todonotes@drawInlineNote 20693
\@todonotes@drawLineToLeftMargin 20721, 20724
\@todonotes@drawLineToRightMargin 20721, 20724
\@todonotes@drawMarginNote . 20720, 20723, 20727
\@todonotes@drawMarginNoteWithLine 20715
\@todonotes@ifdisabled 20794
\@todonotes@sizecommand 20698, 20700, 20707, 20709, 20711, 20734, 20736, 20748, 20751, 20752, 20754, 20757
\@todonotes@text 20698, 20700, 20709, 20711, 20734, 20736, 20749, 20755, 20758
\@todonotes@textwidth 20732
\@toodeep 21125
\@topnum . . . 111, 314, 466, 817, 1069, 1319, 6147, 7086, 8845, 8942, 10945, 13316, 14784, 16376, 16517, 16761, 16943, 17350, 17899, 18598
\@topsep . . . 15570, 15590
\@topsepadd 2122, 15571, 15591
\@totalleftmargin 11870, 11874, 11877, 11886, 13468, 13469, 13490, 14118, 15573, 15574, 15593, 15594, 16119, 21144, 21146, 21152, 21154, 21158, 21160, 21164, 21166, 21168, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234, 21666
\@traditionalpoem 6442, 6534
\@trivlist 15567, 15587, 21137
\@twocol@footgroupv@r 9445
\@twocolLTRfootfmt . . . 9471, 9492, 9520
\@twocolLTRfootnotetext 9440, 9464
\@twocolRTLfootfmt . . . 9481, 9495, 9532
\@twocolRTLfootnotetext 9441, 9474
\@twocolfootfmt 9461, 9489, 9507
\@twocolfootnotetext 9439, 9454
\@twosidefalse 4662
\@twosidetrue 4657
\@typeset@protect 2150, 2156, 2162, 2177
\@undeclaredcolor 7377, 7385, 20885, 20886
\@undefined 2208, 13959, 14885
\@undottedtocline 15152
\@unexpandable@protect 3219, 4559
\@unrecurse . 19132, 19135
\@uppertitleback 17313, 17371, 17862, 17920, 18561, 18619
\@urlbordercolor 13087, 13089
\@urlcolor 13101
\@viiipt 4687, 5907, 15611, 15624
\@viipt 5907, 15611, 15624
\@viper . . . 7613, 7615, 7617, 7672, 7674, 7676, 7690, 7697, 7941, 7992, 15112, 15127, 15129, 15134
\@viperoutput . 7619, 7678
\@vipt 5908
\@vpt 5908
\@whilenum 13478
\@whilesw . 7611, 7670, 11072, 11112, 11196, 11947, 12000, 15003, 15100, 21425, 21468
\@wholewidth 10999, 11001, 11019
\@width 31, 235, 390, 540, 725, 960, 1205, 1495, 6730, 6883, 7159, 7364, 7586, 7651, 7883, 7902, 8210, 8788, 9087, 9136, 10870, 11101, 11404, 11406, 11848, 11936, 11983, 13285, 13356, 13974, 14028, 14140, 14985, 15087, 15230, 15241, 15273, 15324, 16255, 16678, 16834, 17016, 17253, 17508, 17802, 18088, 18501, 18771, 19108, 19147, 21290, 21408, 21457, 21657
\@x 6551, 6552
\@x@sf 5545, 5550, 5556, 5559
\@xLTRfootnote 2199, 2321, 6392, 6403, 6609, 6623, 11465, 11468
\@xLTRfootnotenext 2198, 2320, 6391, 6402, 6608, 6622, 11624, 11627, 12657, 19182

\@xRTLfootnote 2201, 2323, 6394, 6405, 6611, 6625, 11456, 11459
\@xRTLfootnotenext 2200, 2322, 6393, 6404, 6610, 6624, 11639, 11642, 12646, 19183
\@xaddress 321
\@xauthor 321
\@xcolor@ . . 20893, 20936
\@xcurraddr 322
\@xemail 322
\@xepersian@pdfcustomproperties 1824
\@xfloat 2254
\@xfootnote 2197, 2319, 6390, 6401, 6607, 6621, 12983
\@xfootnotemark . . 12668
\@xfootnotenext 2196, 2318, 6389, 6400, 6606, 6620, 12635, 19181
\@xiipt 5910
\@xipt 5909
\@xivpt 303, 5911
\@xmakefntext . . 807, 1309, 16366, 16507
\@xp 121, 308, 333, 334, 7278, 13326
\@xpt 4678
\@xstartcol 12023
\@xthm 15575, 15595
\@xtitle 320
\@xxpt 5912
\@xxxii 2305
\@xympar 5232, 5236, 5276, 5280, 5320, 5324, 21550, 21554, 21594, 21598, 21661
\@yargdef 3188
\@ympar 21658
\@ythm 15575, 15595
\[. 6559, 11116
\\ 122, 404, 751, 796, 1003, 1048, 1253, 1298, 2205, 2502, 2508, 2655, 3677, 3693, 3697, 3926, 3928, 3929, 3930, 3938, 3943, 3944, 3946, 4992, 4993, 4994, 4996, 5956, 6325, 6463, 6765, 6942, 8068, 8069, 8072, 8088, 8175, 8180, 8187, 8197, 8201, 9067, 9071, 9080, 12490, 12493, 12506, 12509, 12609, 13030, 13045, 13064, 13327, 13347, 13351, 13541, 13542, 13548, 13549, 13952, 14123, 15685, 15697, 16060, 16061, 16073, 16074, 16086, 16087, 16099, 16310, 16355, 16449, 16496, 18449, 19099, 19114, 19130, 19131, 19307, 19336, 20731, 20738, 21100, 21237, 21280, 21296, 21306
\{ 2067, 14260, 14304
\} 2068, 14260, 21105
\] 6560, 11126
\^ 1833, 6342, 6343, 6345, 6346
\` . . . 11868, 14115, 16115
\| . . . 11747, 11748, 11863

Numbers

\0 1787
\1 . . . 14202, 14253, 14305
\9 1787

\␣ 1603, 1890, 5438, 5442, 5457, 5461, 5476, 5480, 5508, 5512, 11740, 11742, 18443

A

\abovecaptionskip 13577, 14016, 14018, 14824, 14874, 17598, 17602, 17617, 17625, 18178, 18182, 18197, 18205, 18861, 18865, 18880, 18888, 21762
\abovedisplayshortskip . . . 4680, 4689, 5899
\abovedisplayskip . 4679, 4682, 4688, 4695, 4729, 5898, 5905
\abstractname 629, 635, 638, 936, 942, 944, 1188, 1194, 1197, 6706, 6894, 16182, 16188, 16191, 16632, 16638, 16641
\Acrobatmenu 13106
\active 6342, 6343, 6345, 6346
\add@strip 15136
\addcontentsline 553, 555, 2499, 4971, 8744, 8746, 13608, 13613, 14897, 19425, 19432, 19449, 20765
\AddExtraParaSkip . . 10450, 10453, 10578
\addfontfeature 2422, 2423, 2424, 2425, 2426, 2427, 2429, 2430
\addpenalty 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 6665, 6681, 6688, 6842, 6858, 6865, 7129, 7144, 8716, 8730, 8985, 10820, 10835, 13297, 16214, 16230, 16237, 16586, 16602, 16609, 16802, 16816, 16986, 17001, 19349, 19351, 19479, 19481, 19514, 19536, 19900, 19903, 19907, 20008, 20011, 20015
\address 321, 2456
\addresscolour 2425, 8020, 8118, 8124, 8130, 8136, 8142

\addressfont 2434, 2442, 2553, 8058, 8086, 8150, 8184
\addresssymbol 2416, 8088, 8187
\addresstyle 2442
\addtocontents . . . 19765
\addtocounter 13470, 13471
\AddToHook 3499, 3540, 3580
\addtolength . . . 2376, 2377, 2378, 2379, 2380, 2381, 2479, 2480, 2482, 2484, 2485, 2488, 4764, 4767, 4768, 4771, 5922, 8166, 8167, 8168, 8579, 12343, 12344, 13436, 13438, 13440, 13441, 13459, 13461, 13462, 13464, 13465, 13467, 13468, 13469, 13484, 13485, 17228, 17231, 17232, 17235, 17237, 17575, 17576, 17777, 17780, 17781, 17784, 17786, 18155, 18156, 18350, 18355, 18357, 18476, 18479, 18480, 18483, 18485, 18838, 18839, 19368, 19369, 20049, 20055, 20059, 20063
\addvspace 5, 200, 510, 527, 662, 680, 687, 889, 906, 924, 1145, 1163, 1171, 5950, 6007, 6666, 6682, 6843, 6859, 7130, 8717, 8731, 8986, 10821, 13297, 16215, 16231, 16587, 16603, 16803, 16987, 19483, 19537, 19901, 19908, 20009, 20012, 20016, 20043, 20443
\adjmc@inner 134
\adjmc@outer 136
\adjmc@page@sofar@orig 164
\adjmult@cols 163
\adjmulticols 132
\adl@act@classz . . . 1498
\adl@act@CT@setup 1456, 1463
\adl@activate . 1373, 1456
\adl@argarraydashrule 1392, 1430
\adl@array . . . 1370, 1375
\adl@arraydashrule 1391, 1429
\adl@arrayinit 1372
\adl@arrayrestore . 1367
\adl@arrayrule 1390, 1428
\adl@box . 1413, 1415, 1416
\adl@class@iiiorvii 1419, 1452
\adl@class@start 1418, 1451
\adl@CT@setup 1455, 1458, 1459
\adl@depth 1462
\adl@endarray 1367
\adl@endmbox 1414
\adl@everyvbox 1371, 1372
\adl@extract@arc . . 1467
\adl@extract@dgc . . 1470
\adl@extract@drsc . 1468
\adl@height 1461
\adl@inactivate 1373, 1455
\adl@LT@array 13157
\adl@noalign 1374
\adl@org@activate . 1456
\adl@org@classz . . . 1499
\adl@org@endpbox . . 1457
\adl@org@inactivate 1455
\adl@putlrc 1410, 1411, 1412, 1440, 1441, 1442, 1448, 1449, 1450
\adl@startmbox 1413
\advance 12, 90, 207, 293, 311, 386, 533, 577, 693, 712, 879, 895, 975, 1177, 1225, 1460, 1494, 1787, 1788, 1789, 1964, 1969, 2286, 2300, 2306, 2572, 2616, 2651, 2952, 3006, 3060, 3787, 3946, 3952, 3962, 4017, 4034, 4043, 4571, 5180, 5886, 5961, 6312, 6320, 6321, 6592, 6695, 6717, 6872, 6905, 7151, 7214, 7363, 7371, 7372, 7412, 7524, 7690, 7691, 7694, 7697, 7698, 7748, 7749, 7750, 7812, 7952, 7953, 7968, 7987, 7988, 8218, 8228, 8229, 8239, 8249, 8250, 8266, 8267, 8268, 8285, 8294, 8301, 8323, 8324, 8325, 8339, 8346, 8353, 8500, 8501, 8510, 8511, 8527, 8529, 8533, 8535, 8539, 8542, 8543, 8544, 8723, 8776, 9047, 9431, 9433, 10458, 10493, 10495, 10500, 10504, 10555, 10557, 10562, 10566, 10842, 10884, 10999, 11001, 11003, 11009, 11010, 11017, 11018, 11019, 11189, 11190, 11743, 11757, 11770, 11771, 11803, 11808, 11809, 11812, 11821, 11885, 12012, 12013, 12017, 12018, 12020, 12021, 12024, 12025, 12026, 12027, 12146, 12992, 13002, 13258, 13304, 13448, 13451, 13452, 13486, 13967, 13979, 14045, 14938, 14940, 14967,

14968, 14971, 15038, 15040, 15067, 15068, 15071, 15125, 15126, 15127, 15128, 15137, 15159, 15172, 15184, 15197, 15326, 15327, 15332, 15333, 15336, 15337, 15568, 15572, 15573, 15588, 15592, 15593, 15601, 15692, 15714, 15742, 15749, 15791, 15796, 15797, 15798, 15827, 15828, 15854, 15865, 16020, 16022, 16027, 16030, 16053, 16244, 16271, 16616, 16665, 16706, 16749, 16823, 16859, 17008, 17062, 17127, 17464, 18044, 18447, 18727, 19060, 19131, 19145, 19155, 19175, 19270, 19308, 19324, 19337, 19341, 19373, 19374, 19394, 19495, 19526, 19549, 19566, 19583, 19600, 19617, 19634, 19652, 19671, 19691, 19726, 19767, 19916, 19917, 20025, 20076, 20432, 20452, 20457, 20507, 20508, 20509, 20512, 20516, 20541, 20552, 20631, 20654, 20808, 20810, 20820, 20839, 20840, 20869, 20880, 20881, 21127, 21140, 21141, 21144, 21146, 21152, 21154, 21158, 21160, 21164, 21166, 21264, 21265, 21329, 21355, 21630, 21631, 21638, 21639, 21640, 21641, 21666

\afterassignment . . 1605, 1607, 1892, 1894, 3220, 4026, 5410, 19205, 19206

\aftergroup 2104, 2114, 4229, 4231, 4241, 4243, 4253, 4255, 4273, 4275, 4284, 4286, 4295, 4297, 5394, 5409, 7375, 7377, 7384, 7390, 7409, 7701, 7707, 7710, 11217, 11219, 15910, 15911, 15914, 15919, 15920, 15924, 15929, 15930, 15934, 15938, 15942, 15946, 19342, 20434, 20874, 20883, 20885, 20922, 20926, 20979, 20990, 20991, 20994, 20999, 21000, 21004, 21009, 21010, 21014, 21019, 21023, 21028, 21676, 21686, 21687

\ALG@floatstyle 5195, 5196, 5197

\algocf@float 21829

\algocf@makecaption 188

\algocf@within 166, 168, 21831, 21832, 21833

\alignL 7310

\alignR 7317

\allowbreak 8224, 8245, 9491, 9494, 9497, 9597, 9600, 9603, 9703, 9706, 9709, 9812, 9815, 9818, 9921, 9924, 9927, 10030, 10033, 10036, 10139, 10142, 10145, 10248, 10251, 10254, 10357, 10360, 10363

\Alph 14806

\AM@CheckAtEnd . . . 15705

\AM@ClearShipoutPicture 15707

\AM@currentdocname 15670, 15676

\AM@findfile 15674

\AM@output 15703

\AM@pagecount 15672

\AM@pageref . 15687, 15690

\AM@pagestemp 15680, 15685, 15686, 15689, 15697, 15698, 15702

\AM@readlist 15702

\AM@split@options 15666

\AM@temp . . . 15667, 15668

\AM@threadname 15665, 15675, 15676

\AM@xrprefix 15683, 15687, 15690

\and 448, 484, 762, 788, 791, 833, 1014, 1040, 1043, 1085, 1264, 1290, 1293, 1335, 1357, 2009, 6776, 6802, 6953, 6979, 7068, 7104, 8827, 8861, 8924, 8960, 10927, 10961, 14762, 15669, 16321, 16347, 16350, 16392, 16460, 16488, 16491, 16535, 16559, 16738, 16779, 16925, 16961, 17384, 17933, 18632

\andify 116, 13321

\andname . . 796, 1048, 1298, 16355, 16496

\andnext 14763

\AppendToTokenList 3893

\arabic 19, 20, 21, 22, 86, 214, 215, 216, 217, 289, 329, 11152, 11158, 13254, 13311, 13312, 13313, 13314, 19707, 21829
\array 407, 21304
\arraycolsep 407
\arraylinesep 19138
\arrayrulecolor . . . 1467
\arrayrulewidth . . 19155
\arraystretch 388, 389, 2098, 2109, 13972, 13973, 19106, 19107, 19142, 21113, 21288, 21289
\aslice . 15834, 15835, 15837, 15839, 15840, 15842, 15855, 15856, 15858
\At@ViperColsBreak 7715, 7718
\AtBeginCaption . . 13619
\AtBeginDocument 1596, 1743, 2391, 2451, 2548, 3534, 4624, 4773, 5000, 5134, 5139, 5192, 6003, 6203, 6268, 8097, 8211, 8232, 8253, 8683, 11533, 12135, 12607, 13627, 13634, 13717, 16131, 19121, 20581
\AtBeginPackage . . 14867
\AtEndDocument . 1815, 2555, 3560, 4476, 6487, 6544, 14245, 14296, 14314, 21376
\AtEndOfClass 2390
\AtPageLowerLeft . . 8491
\AtPageUpperLeft 8491, 8515, 8545
\AtTextUpperLeft 8495, 8521
\author 321, 446, 482, 786, 831, 1038, 1083, 1288, 1333, 2007, 6053, 6085, 6800, 6977, 7066, 7102, 8825, 8859, 8922, 8958, 10925, 10959, 16345, 16390, 16486, 16533, 16736, 16777, 16923, 16959, 17374, 17923, 18622
\auto@footnoterule 11420, 11431
\autodot 17431, 17979, 18678, 20644
\autofootnoterule . 1698, 8204, 9130, 11429, 12127, 21780

B

\backmatter 6257, 7199, 9032
\Backref@HyperLTRFootnote 11657, 11664
\Backref@HyperRTLFootnote 11663, 11667
\Backref@HyperSymbol 11665, 11668, 11671, 11674
\Backref@OptHyperLTRFootnote 11670
\Backref@OptHyperRTLFootnote 11673
\Backref@OptLTRHyperFootnote 11657
\Backref@OptRTLHyperFootnote 11663
\BackrefFootnoteTag . . 11655, 11656, 11661, 11662, 11681, 11685, 11687, 11693, 11697, 11699, 11705, 11709, 11711
\badness 7741, 7745, 7773, 7777, 7779, 7784, 7788, 7792, 7856, 7877
\baselineskip 402, 724, 726, 730, 732, 1204, 1206, 1210, 1212, 3160, 4706, 4708, 4711, 4713, 4715, 4718, 4873, 5503, 5570, 5588, 5606, 5723, 5732, 5741, 5822, 5829, 5836, 5843, 5850, 5950, 6007, 6350, 6411, 6475, 6481, 6729, 6731, 6735, 6737, 6882, 6884, 6888, 6890, 7525, 7526, 7543, 7547, 7954, 11227, 11758, 13446, 13454, 13988, 13998, 14121, 14138, 15789, 15792, 15806, 15830, 15834, 15839, 15843, 15855, 15866, 15893, 16126, 16254, 16256, 16260, 16262, 16677, 16679, 16683, 16685, 18441, 18444, 18446, 18451, 19117, 19156, 20808, 20816, 20820, 21300, 21720, 21743
\baselinestretch . . 2406, 5566, 5584, 5602, 9162, 9176, 9190, 9204, 9215, 9226, 9455, 9465, 9475, 9501, 9513, 9526, 9537, 9542, 9564, 9573, 9582, 9607, 9618, 9630, 9640, 9645, 9667, 9677, 9687, 9713, 9725, 9738, 9749, 9754, 9776, 9786, 9796, 9822, 9834, 9847, 9858, 9863, 9885, 9895, 9905, 9931, 9943, 9956, 9967, 9972, 9994, 10004, 10014, 10040, 10052, 10065, 10076, 10081, 10103, 10113, 10123, 10149, 10161, 10174, 10185, 10190, 10212, 10222, 10232, 10258, 10270, 10283, 10294,

10299, 10321, 10331, 10341, 10367, 10379, 10392, 10403, 10408, 10490, 10552, 10587, 10599, 10611, 10642, 10661, 10675, 10693, 10703, 10712, 10721
\BCmd 2103
\BDefaboveskip 2118, 2133, 2136
\BDefbelowskip 2122, 2134, 2137
\BDefinlineskip 2127, 2135, 2138
\begin 412, 422, 427, 490, 498, 736, 749, 760, 839, 845, 988, 1001, 1012, 1091, 1097, 1238, 1251, 1262, 1342, 1348, 1357, 1359, 1360, 2097, 2099, 2108, 2110, 2113, 2506, 2510, 2512, 2514, 2516, 2520, 2528, 2531, 2566, 2679, 2683, 2703, 2707, 2734, 3597, 3598, 3605, 3631, 4333, 4779, 4780, 4793, 4796, 4870, 4871, 4877, 4878, 4885, 4886, 4911, 4912, 4949, 4952, 4955, 4958, 4962, 4963, 5147, 5148, 5766, 5822, 5829, 5836, 5843, 5850, 5863, 5871, 5993, 5998, 6131, 6178, 6201, 6576, 6750, 6763, 6774, 6927, 6940, 6951, 6995, 7007, 7032, 7042, 7047, 7110, 7118, 7428, 7438, 7451, 7461, 7474, 7484, 7497, 7507, 8072, 8178, 8183, 8201, 8370, 8373, 8377, 8379, 8384, 8386, 8390, 8393, 8396, 8400, 8402, 8406, 8408, 8412, 8415, 8418, 8422, 8424, 8429, 8431, 8602, 8668, 8795, 8803, 8808, 8867, 8873, 8888, 8898, 8903, 8966, 8974, 9066, 10895, 10903, 10908, 10967, 10973, 11119, 12358, 12363, 12381, 12484, 12486, 12500, 12502, 13346, 14912, 15608, 16295, 16308, 16319, 16398, 16404, 16432, 16447, 16458, 16542, 16550, 16559, 16561, 16562, 16692, 16712, 16717, 16793, 16889, 16899, 16904, 16967, 16975, 17264, 17284, 17289, 17299, 17312, 17316, 17396, 17402, 17413, 17455, 17813, 17833, 17838, 17848, 17861, 17865, 17945, 17951, 17962, 18035, 18512, 18532, 18537, 18547, 18560, 18564, 18644, 18650, 18661, 18718, 19387, 20695, 20702, 20705, 20716, 20729, 20732, 20739, 20745, 20768, 20772, 20778, 20785
\begin@bidi@stack 2673, 2683, 2684, 2697, 2707, 2708
\begingroup . . . 6, 119, 201, 302, 315, 379, 391, 452, 512, 529, 663, 689, 803, 891, 907, 1055, 1146, 1173, 1305, 1486, 1989, 2232, 2240, 2248, 2627, 2655, 2674, 2698, 2917, 2936, 3286, 3332, 3339, 3369, 3385, 3401, 3441, 3449, 3482, 3532, 3660, 3868, 3870, 3900, 3910, 3920, 4050, 4123, 4147, 4162, 4228, 4239, 4251, 4272, 4282, 4293, 4443, 4557, 4569, 4604, 4973, 5392, 5638, 5667, 5696, 6070, 6087, 6103, 6115, 6148, 6452, 6512, 6519, 6526, 6556, 6667, 6691, 6844, 6868, 7072, 7132, 7147, 7236, 7355, 7409, 7418, 7608, 7667, 8496, 8522, 8719, 8732, 8831, 8928, 8987, 10489, 10551, 10822, 10838, 10931, 11071, 11109, 11193, 11209, 11460, 11469, 11628, 11643, 11717, 11769, 11802, 11944, 11997, 12171, 12187, 12357, 12636, 12647, 12658, 12669, 12767, 12787, 12825, 12858, 12889, 12920, 13154, 13169, 13298, 13324, 13393, 13423, 13611, 13976, 14769, 14899, 15000, 15097, 15307, 15311, 15315, 15663, 15711, 16002, 16216,

16240, 16362, 16503, 16588, 16612, 16742, 16804, 16819, 16929, 16989, 17004, 17338, 17454, 17547, 17887, 18034, 18127, 18586, 18717, 18810, 19204, 19321, 19345, 19484, 19911, 20019, 20430, 20547, 20887, 20930, 20979, 21091, 21422, 21465, 21676
\beginL 176, 1471, 1640, 1919, 2553, 5254, 5298, 7340, 7369, 7375, 7377, 7409, 9464, 9516, 9572, 9621, 9676, 9728, 9785, 9837, 9894, 9946, 10003, 10055, 10112, 10164, 10221, 10273, 10330, 10382, 11012, 11123, 11138, 11305, 12137, 12143, 12152, 12172, 12188, 12198, 12991, 13580, 15712, 15904, 15910, 15926, 16002, 17174, 17185, 17192, 17202, 19272, 20878, 20883, 20885, 20979, 20984, 20990, 21006, 21572, 21650, 21730, 21746
\beginR 174, 336, 348, 379, 404, 1472, 2202, 5254, 5342, 7267, 7341, 7370, 7375, 7384, 7390, 7409, 8489, 9424, 9428, 11148, 12139, 12144, 12201, 12240, 12247, 12616, 12624, 13006, 13042, 13074, 13103, 13129, 13135, 13142, 13339, 13580, 13992, 14056, 14059, 14095, 14186, 14194, 14385, 14711, 14875, 14877, 15779, 15904, 15911, 15916, 15998, 15999, 16000, 17168, 17178, 17189, 17196, 17590, 18170, 18853, 19096, 19118, 19157, 19279, 20879, 20883, 20922, 20926, 20979, 20984, 20991, 20996, 21247, 21250, 21253, 21270, 21277, 21302, 21616, 21650, 21667, 21669, 21730, 21746, 21765, 21768, 21776
\belowcaptionskip 13590, 14016, 14018, 14865, 14882, 17596, 17604, 17615, 17627, 18176, 18184, 18195, 18207, 18859, 18867, 18878, 18890, 21770
\belowdisplayshortskip . . . 4681, 4690, 5900
\belowdisplayskip 4682, 4695, 4730, 5905
\bf 1925, 15775, 15777
\bfseries . . . 25, 303, 516, 532, 561, 564, 668, 692, 894, 912, 1151, 1176, 1648, 2053, 2523, 6130, 6672, 6694, 6849, 6871, 6996, 7008, 7136, 7150, 7182, 7188, 7196, 8722, 8737, 8752, 8755, 8764, 8991, 9014, 9020, 9029, 10827, 10841, 10852, 10857, 10865, 13293, 16221, 16243, 16593, 16615, 16789, 16808, 16822, 16993, 17007, 17038, 17043, 17051, 19915, 20024, 20373, 20377, 20382, 20411
\bgroup 171, 172, 379, 394, 399, 404, 637, 1196, 1472, 1609, 1896, 2192, 2314, 6384, 6602, 6616, 7269, 7341, 11123, 11124, 11138, 11594, 11822, 13980, 13982, 14022, 14056, 14059, 14105, 15112, 15723, 15912, 15918, 15922, 15928, 15932, 15937, 15940, 15945, 16190, 16640, 19096, 19104, 19112, 19118, 19149, 19153, 19157, 20539, 20992, 20998, 21002, 21008, 21012, 21018, 21021, 21027, 21091, 21097, 21277, 21286, 21294, 21302
\BHFN@OldLTRFootnote . 11650, 11665, 11671
\BHFN@OldRTLFootnote . 11651, 11668, 11674
\bib@after@hook 17499, 17501, 18079, 18081, 18762, 18764
\bib@before@hook 17449, 17500, 18029,

18080, 18712, 18763
\bib@beginhook 17442, 17448, 18022, 18028, 18705, 18711
\bib@endhook 17503, 18083, 18766
\bib@heading 17444, 18027, 18710
\bibcleanup 15515
\bibentry 5440, 5442, 5459, 5461, 5478, 5480, 5510, 5512
\bibfont 15494
\bibindent . . . 2557, 2558
\bibitem@fin 15509
\bibliofont 85, 288, 13253
\bibliographyitemlabel 2559, 2566
\bibname . . 5986, 5987, 6710, 6711, 6898, 6899, 7207, 7208, 9040, 9041, 10877, 10878, 16264, 16265, 16658, 16659, 16852, 16853, 17055, 17056
\bibpostamble 15510
\bibpreamble 15493, 17445, 17446, 18024, 18025, 18707, 18708
\bibsection 5981, 5984, 5986, 5987, 14909, 15491, 19384, 19386
\bidi@@convert@dimen@t@pt 2855
\bidi@@convert@dimen@t@unit 2852
\bidi@@diagbox@double@ii 8371, 8375
\bidi@@diagbox@double@iii 8374, 8382
\bidi@@diagbox@triple@setbox@NW@tabular@iii . . . 8391, 8394, 8398
\bidi@@diagbox@triple@setbox@NW@tabular@iiii 8397, 8404
\bidi@@diagbox@triple@setbox@SE@tabular@i 8413, 8420
\bidi@@diagbox@triple@setbox@SE@tabular@iii . . . 8416, 8419, 8427
\bidi@@end . . . 3588, 3592
\bidi@@footnotetext@font . . 38, 241, 5568, 11480, 11487, 11578
\bidi@@loadwithoptions 4142, 4149, 4152, 4156
\bidi@@LTRfootnotetext@font . . 68, 270, 5586, 11481, 11520, 11564
\bidi@@null . . . 3760, 3761
\bidi@@onefilewithoptions . . . 4164, 4167, 4170
\bidi@@patchcmd 3334, 3336
\bidi@@RTLfootnotetext@font . . 52, 255, 5604, 11482, 11504, 11550
\bidi@@thebibliography@font@hook . . . 88, 291, 573, 708, 971, 1221, 2565, 6713, 6901, 7210, 8772, 9043, 10880, 13256, 14911, 15496, 16267, 16661, 16855, 17058, 17458, 18038, 18721, 19390, 21122
\bidi@addto@envbody . . . 2669, 2687, 2689
\bidi@addto@long@envbody . . . 2693, 2711, 2713
\bidi@AfterAtEndOfClass 4231, 4236
\bidi@AfterAtEndOfPackage 4275, 4279
\bidi@AfterClass . . 4219
\bidi@AfterEndDocument 3577, 3580, 3584, 3590
\bidi@AfterEndDocumentCheckLabelsRerun . . . 2606, 3549, 3554
\bidi@afterenddocumentchecklabelsrerunhook . . . 3549, 3550, 3555
\bidi@afterenddocumenthook 3577, 3578, 3583, 3591
\bidi@AfterEndEnvironment 3634, 3644
\bidi@AfterEndPreamble 3537, 3540, 3543, 3545, 3546, 6167
\bidi@afterendpreamblehook 3537, 3538, 3544, 3546
\bidi@AfterFile 4216, 11676, 17607, 18187, 18870
\bidi@AfterFooter 3516, 21748
\bidi@afterfooterhook . . 3516, 3517, 21749
\bidi@AfterLastShipout . . . 3562, 3568, 3574
\bidi@afterlastshipouthook 3562, 3563, 3569, 3575
\bidi@AfterOutputBoxOutputPage . 3510, 11239, 21739
\bidi@afteroutputboxoutputpagehook 3510, 3511, 11240, 21740
\bidi@AfterOutputPageShipOut . 3520, 11242, 21752
\bidi@afteroutputpageshipouthook 3520, 3521, 11243, 21753
\bidi@AfterPackage 4264
\bidi@AfterPreamble . . 3534, 3535, 13524
\bidi@AfterReadingMainAux 4546, 4549
\bidi@append . . 3443, 3493
\bidi@append@cslist@to@cslist 3881, 3954
\bidi@append@list@to@list 3877, 3963
\bidi@append@to@list 3856, 3875
\bidi@append@toks@cs@to@list 3885
\bidi@appto 3222, 3366, 3542, 4586
\bidi@apptocmd 3439, 3440, 19300
\bidi@are@these@correct 3853, 3856
\bidi@AtBeginEnvironment 3594, 3606
\bidi@AtEndEnvironment 3610, 3620
\bidi@AtEndOutputPage 2650, 3523, 11248, 21758
\bidi@atendoutputpagehook 3523, 3524, 11249, 21759
\bidi@AtEndPreamble 1792, 3496, 3499, 3528, 3530,

3535, 4626, 5424, 13593, 15270, 15329
\bidi@autofootnoterulefalse . 11408, 11412, 11415
\bidi@autofootnoteruletrue 11430
\bidi@backslash 3677, 3678
\bidi@BeforeBeginEnvironment 3624, 3632
\bidi@BeforeClass . 4217
\bidi@BeforeClosingMainAux 4509, 4520, 4524, 4527, 4535, 4538
\bidi@BeforeFile . . 4215
\bidi@BeforeFooter 3513, 21741
\bidi@beforefooterhook . . 3513, 3514, 21742
\bidi@BeforeHeader . 3504, 11232, 21724
\bidi@beforeheaderhook 3504, 3505, 11233, 21725
\bidi@BeforeOutputBoxOutputPage . 3507, 11236, 21736
\bidi@beforeoutputboxoutputpage 3507, 3508, 11237, 21737
\bidi@BeforeOutputPageShipOut . 3501, 11214, 21682
\bidi@beforeoutputpageshipout 3501, 3502, 11215, 21683
\bidi@BeforePackage 4262
\bidi@bswitch . 3819, 3821
\bidi@CharsBefore . 3734, 3736, 3737, 3742, 3746, 3747, 3752
\bidi@CharsBeforeNC 3735
\bidi@clearpage 3571, 3573
\bidi@collect@@body 2675, 2682
\bidi@collect@body 2670
\bidi@collect@long@@body 2699, 2706
\bidi@collect@long@body 2694
\bidi@column@check@number . . 21339, 21355, 21357, 21359, 21371
\bidi@column@status . . 1731, 1735, 21341
\bidi@column@type . . 21356, 21361, 21372
\bidi@copy@stacktop 3939
\bidi@copyins@amount . . 12016, 12017, 12018, 12021, 12026, 12027, 12039
\bidi@counter@page 2620, 2649
\bidi@cs@a . . . 3762, 3763
\bidi@cs@e 3933, 3934, 3936, 3937, 3940, 3942
\bidi@cs@lista 3906, 3907, 3908, 3909, 3918, 3919
\bidi@cs@listb 3903, 3905
\bidi@cs@liste 3901, 3906
\bidi@csappto 3266
\bidi@csarg 3689, 3705, 3779, 3786, 3804, 3809, 3814, 3819, 3825, 3830, 3872, 3873, 3891, 3897, 3908, 3918, 3927, 3937, 3941, 3945
\bidi@csdefcs 2923
\bidi@cseappto 3267, 3270
\bidi@cseappreto 3276, 3279
\bidi@csgappto . 3268, 3595, 3611, 3625, 3635
\bidi@csgpreto 3277
\bidi@cslet 2929
\bidi@csletcs 2926
\bidi@csname . . . 3701, 3852, 3858, 3903, 3937
\bidi@cspreto 3275
\bidi@csprotect . . . 4006
\bidi@csuse 3209, 3601, 3615, 3628, 3639
\bidi@cswitch . 3814, 3816
\bidi@csxappto 3269, 3271
\bidi@csxpreto 3278, 3280
\bidi@current@column@status . 21341, 21344, 21377
\bidi@dbg@fail 3294, 3304, 3305, 3306, 3307, 3313, 3322, 3328, 3435, 3457, 3469, 3470, 3479
\bidi@dbg@info . 3295, 3297, 3300, 3302, 3303, 3314, 3316, 3318, 3320, 3321, 3323, 3325, 3327, 3433, 3458, 3460, 3462, 3465, 3471, 3473
\bidi@dbg@init . 3292, 3311, 3432, 3455
\bidi@dbg@succ . 3338, 3434, 3466, 3474, 3476
\bidi@dbg@trce . 3285, 3331, 3431, 3440, 3448
\bidi@default 3804, 3809, 3814, 3819, 3825, 3830
\bidi@del@tok@from@list 3900
\bidi@digits . . . 1781, 1787, 1788, 1789
\bidi@digits@charclass 1783, 1787, 1788, 1789, 1790
\bidi@dummies 3784, 3786, 3787
\bidi@eappto 3226, 3239, 3267
\bidi@empty 1797, 1798, 3759, 3762, 3763
\bidi@empty@stack 3944, 3950
\bidi@empty@toks . . 3957, 3960, 3964
\bidi@endpreamblehook 3496, 3497, 3529, 3531
\bidi@ensure@new@command 2934, 2935
\bidi@ensure@newcommand 2934, 9240, 9252, 9253, 9254, 9260, 9261, 9265, 9266, 9267, 9268, 9280, 9292, 9314, 9315, 9343, 9344, 9345, 9346, 9349, 9355, 9357, 9382, 9383, 9401, 9416, 9419, 9422, 9427, 9430, 9432, 9436, 9454, 9464, 9474, 9484, 9489, 9492, 9495, 9498, 9510, 9523, 9535, 9540, 9545, 9563, 9572, 9581, 9590, 9595, 9598, 9601, 9604, 9615, 9627, 9638, 9643, 9648, 9666, 9676, 9686, 9696, 9701, 9704, 9707, 9710,

9722, 9735, 9747, 9752, 9757, 9775, 9785, 9795, 9805, 9810, 9813, 9816, 9819, 9831, 9844, 9856, 9861, 9866, 9884, 9894, 9904, 9914, 9919, 9922, 9925, 9928, 9940, 9953, 9965, 9970, 9975, 9993, 10003, 10013, 10023, 10028, 10031, 10034, 10037, 10049, 10062, 10074, 10079, 10084, 10102, 10112, 10122, 10132, 10137, 10140, 10143, 10146, 10158, 10171, 10183, 10188, 10193, 10211, 10221, 10231, 10241, 10246, 10249, 10252, 10255, 10267, 10280, 10292, 10297, 10302, 10320, 10330, 10340, 10350, 10355, 10358, 10361, 10364, 10376, 10389, 10401, 10406, 10411, 10419, 10426, 10430, 10440, 10448, 10461, 10579, 10597, 10609, 10621, 10625, 10629, 10633, 10658, 10672, 10686, 10696, 10706, 10715, 10724, 10736, 10742, 10746, 10757, 10758

\bidi@ensure@newlength ... 2941, 9264, 9347

\bidi@epreto ... 3248, 3261, 3276

\bidi@eqs@a ... 3715, 3716

\bidi@eqs@b ... 3715, 3716

\bidi@EqualString . 3715

\bidi@EqualStringX 3720

\bidi@error 2943, 3194, 3789, 3896, 4065

\bidi@everyjob . 1536, 1537, 1864, 1865

\bidi@excludedpackages 4303, 4304, 4324, 4360, 4377, 4385, 4395, 4417, 4418, 4426, 4427, 4432, 4445

\bidi@expandonce .. 3214, 3225, 3229, 3233, 3237, 3247, 3251, 3255, 3259, 3477

\bidi@ff@box 11256, 11274

\bidi@firstcolumn@status@write 1729, 1737, 7589, 7648, 11062, 11098, 11933, 11986, 14988, 15084, 21348, 21411, 21454

\bidi@font@@outputpage . 11222, 21673, 21715

\bidi@footdir@footnote 79, 282, 11535, 11537, 11541

\bidi@fswitch . 3830, 3832

\bidi@gappto 2644, 3230, 3268, 3496, 3501, 3504, 3507, 3510, 3513, 3516, 3520, 3523, 3537, 3549, 3562, 3577

\bidi@gobbleopt 4466, 4475

\bidi@gpreto .. 3252, 3277

\bidi@hook@acma 4490, 4534, 4547, 4548, 4553

\bidi@hook@bcma 4484, 4533, 4536, 4537, 4543

\bidi@hooktocmd 3443, 3451, 3453

\bidi@hooktocmd@i 3467, 3481

\bidi@hop@ES .. 3723, 3725

\bidi@ifblank@i 2895, 2896, 2898

\bidi@ifdefmacro 2901, 2903, 2904, 2905

\bidi@ifdefparam 3413, 3415, 3416, 3417

\bidi@ifdefprotected 3422, 3424, 3425, 3426

\bidi@ifEmpty 3762

\bidi@ifempty 3760

\bidi@ifEmptyX 3761

\bidi@ifhashcheck 3299, 3384, 3464

\bidi@ifhashcheck@i 3388, 3390

\bidi@ifhashcheck@ii 3392, 3395, 3396, 3397

\bidi@ifNextChar .. 3770

\bidi@ifpatchable 3288, 3290, 3337

\bidi@ifpatchable@i 3288, 3309

\bidi@ifpattern 3301, 3400

\bidi@ifscanable 3298, 3319, 3368, 3463

\bidi@in@front@of@cslist 3909, 3910

\bidi@in@front@of@list 3908

\bidi@info 2945

\bidi@init@mult@footinsv@l 15343, 15357

\bidi@init@mult@footinsv@r 15339, 15355

\bidi@invert@csstack 3949

\bidi@IsEmptyList . 3763

\bidi@isloaded 3360, 13643, 13644, 13645, 13646, 13647, 13648, 13649, 13650, 13651, 13652, 13653, 13654, 13655, 13656, 13657, 13658, 13659, 13660, 13661, 13662, 13663, 13664, 13665, 13666, 13667, 13668, 13669, 13670, 13671, 13672, 13673, 13674, 13675, 13676, 13677, 13678, 13679, 13680, 13681, 13682, 13683, 13684, 13685,

13686, 13687, 13688, 13689, 13690, 13691, 13692, 13693, 13694, 13695, 13696, 13697, 13698, 13699, 13700, 13701, 13702, 13703, 13704, 13705, 13706, 13707, 13708, 13709, 13710, 13711, 13712, 13713, 13714, 13715, 13716, 13719, 13722, 13725, 13728, 13731, 13734, 13737, 13740, 13744, 13747, 13750, 13753, 13756, 13759, 13762, 13765, 13768, 13771, 13774, 13777, 13780, 13783, 13786, 13789, 13792, 13795, 13798, 13801, 13804, 13807, 13810, 13813, 13816, 13819, 13822, 13825, 13828, 13831, 13834, 13837, 13840, 13843, 13846, 13849, 13852, 13855, 13858, 13861, 13864, 13867, 13870, 13873, 13876, 13879, 13882, 13885, 13888, 13891, 13894, 13897, 13900, 13903, 13906, 13909, 13912, 13915, 13918, 13921, 13924, 13927, 13930, 13933

\bidi@lastcolumn@status@write 1733, 1738, 7593, 7654, 11066, 11104, 11939, 11990, 14992, 15090, 21415, 21460

\bidi@leave@mult@copyins 15325, 15417

\bidi@leave@mult@footins@vl 15335, 15413

\bidi@leave@mult@footins@vr 15331, 15409

\bidi@left@footnoterule . 14074, 14080, 14085

\bidi@leftskip 19916, 19917, 19918, 20025, 20045, 20076, 20077, 20109, 21030

\bidi@length@of@csstack ... 3945, 3946, 3949

\bidi@length@of@stack 3945, 3959

\bidi@load@hook 4135, 4138, 4171, 4208

\bidi@loadwithoptions ... 4143, 4144, 4149

\bidi@local@in@front@of@list 3913, 3930

\bidi@local@push@onto 3929

\bidi@looprepeat@comp ... 4023, 4059, 4064

\bidi@looprepeat@csarg 4001, 4053

\bidi@looprepeat@csargromannumeral 4003, 4018, 4019, 4020, 4021, 4022, 4025, 4030, 4031, 4032, 4033, 4034, 4036, 4042, 4055, 4057, 4058, 4059, 4066, 4067, 4069, 4074, 4082

\bidi@looprepeat@csromannumeral 4002, 4026, 4034, 4037, 4053, 4081

\bidi@looprepeat@depth 4002, 4003, 4005, 4017, 4043

\bidi@looprepeat@dxbody 4026, 4030

\bidi@looprepeat@setup 4023, 4049

\bidi@looprepeat@sign ... 4023, 4034, 4064

\bidi@looprepeat@tmp 4024, 4025, 4052, 4054, 4057, 4062, 4069, 4072, 4074, 4077

\bidi@looprepeat@traceexit 4008, 4043

\bidi@looprepeat@traceinit 4008, 4016

\bidi@looprepeat@zero ... 4023, 4042, 4080

\bidi@lst@caption@direction 13542, 13543, 13555, 13558

\bidi@lst@caption@script 13549, 13550, 13566, 13569

\bidi@lst@ensure@caption@direction 13553, 13578, 13580, 13582, 13601, 13605, 13612, 13621

\bidi@lst@ensure@caption@script . 13564, 13576, 13620

\bidi@make@mppara@LTRfootgroup . 10486, 10548, 10715

\bidi@make@para@footstart@@ . 10477, 10535, 10736

\bidi@make@para@LTRfootgroup . 10475, 10533, 10696

\bidi@makecolbf 10798, 10812

\bidi@matrix@check 2726, 21107

\bidi@matrix@error 2728, 2732

\bidi@mopfn@bottom 9403, 10727, 10763, 10776, 10813, 10814

\bidi@mopfootnotebf 10772, 10806

\bidi@mpfootnoterule .. 11312, 11546, 11560, 11574, 11612, 14160, 19298

\bidi@mswitch . 3825, 3827

\bidi@multicol@align@columns 15212, 15263, 15266, 15268

\bidi@n@everypar 15906, 15907, 15908, 15909, 20801, 20986, 20987, 20988, 20989

\bidi@namedef 3646
\bidi@nameedef 3648
\bidi@namegdef . . . .
. . . 2649, 2947, 3647
\bidi@namelongdef . 2932
\bidi@namexdef 3649
\bidi@new@command .
. 3166,
3168, 3197, 3205
\bidi@new@ifnch 2720, 2722
\bidi@new@ifnextchar
. . . . . 2717, 21112
\bidi@newcommand . .
. . . . . 3168, 3170
\bidi@newrobustcmd
. 1604,
1606, 3165, 3166,
3190, 3201, 3222,
3226, 3230, 3234,
3239, 3240, 3244,
3248, 3252, 3256,
3261, 3262, 3266,
3267, 3268, 3269,
3270, 3271, 3275,
3276, 3277, 3278,
3279, 3280, 3284,
3330, 3429, 3439,
3447, 3496, 3499,
3501, 3504, 3507,
3510, 3513, 3516,
3520, 3523, 3534,
3537, 3540, 3549,
3562, 3577, 3580,
3594, 3610, 3624,
3634, 21080, 21082
\bidi@next . . . . . .
3736, 3737, 3739,
3741, 3742, 3744,
3749, 3751, 3752, 3754
\bidi@NextChar 3767
\bidi@normal@footmarkwidth
9249, 9307, 9313,
9452, 9561, 9664,
9773, 9882, 9991,
10100, 10209,
10318, 10513, 10575
\bidi@notblank . 2897,
2905, 3417, 3426
\bidi@nxt@a . . . . . .
. . . 3768, 3771, 3773
\bidi@nxt@b . . . . . .
. . . 3768, 3771, 3774
\bidi@nxt@c . . . . . .
. . . 3769, 3772, 3773
\bidi@nxt@ch . . . . . .
. . . 3768, 3771, 3773
\bidi@o@everypar . .
. 15905,
15907, 15908,
20985, 20987, 20988
\bidi@oldwbuskip . .
. . . . . 3895, 3898
\bidi@onefilewithoptions
. . . 4159, 4160, 4164
\bidi@orig@leftline
. 21255, 21257, 21258
\bidi@orig@raggedleft
. 21240, 21242, 21243
\bidi@orig@raggedright
. 21241, 21242, 21243
\bidi@orig@rightline
. 21256, 21257, 21258
\bidi@oswitch 3809
\bidi@p@ftn 2146, 2209,
2211, 2212, 2214,
2215, 2217, 2218,
2222, 2225, 2228, 2333
\bidi@p@ftntext . . .
. . . 2193, 2210, 2315
\bidi@p@LTRftntext
. . . 2194, 2213, 2316
\bidi@p@RTLftntext
. . . 2195, 2216, 2317
\bidi@p@xfootnote .
. . . 2197, 2231, 2319
\bidi@p@xftntext 2196,
2221, 2236, 2318
\bidi@p@xLTRfootnote
. . . 2199, 2239, 2321
\bidi@p@xLTRftntext
. 2198,
2224, 2244, 2320
\bidi@p@xRTLfootnote
. . . 2201, 2247, 2323
\bidi@p@xRTLftntext
. 2200,
2227, 2252, 2322
\bidi@page@count 2587,
2588, 2622, 2651
\bidi@paraskip 10497,
10500, 10504,
10559, 10562, 10566
\bidi@patch@@AfterPackage
. . . . . 4598, 4603
\bidi@patch@Add 4585, 4614
\bidi@patch@AfterPackage
. . . . 4588, 5536,
5538, 5541, 5562,
5713, 5763, 5819, 6063
\bidi@patch@counter
. . . . 4566, 4570,
4573, 4579, 4580, 4599
\bidi@patch@gtemp .
. . . . . 4606, 4613
\bidi@patch@list 4584,
4586, 4624, 4626, 4633
\bidi@patch@OrgIfClassLater
. . . . . 4632, 4637
\bidi@patch@OrgIfClassLoaded
. . . . . 4631, 4636
\bidi@patch@OrgIfPackageLater
. . . . . 4630, 4635
\bidi@patch@OrgIfPackageLoaded
. . . . . 4629, 4634
\bidi@patch@stepcounter
. . . 4568, 4578, 4597
\bidi@patch@temp . .
. . . . . 4596, 4600
\bidi@patch@try 4615, 4618
\bidi@patchcmd . . . .
. . 171, 179, 188,
338, 3330, 3331,
3552, 3565, 3582,
3599, 3613, 3637,
4857, 8369, 8372,
8389, 8392, 8395,
8411, 8414, 8417,
8435, 8443, 8451,
8460, 8469, 8478,
12284, 13184,
13192, 13200,
13208, 13216,
13225, 13233,
13242, 13500,
13506, 13514,
13594, 13607,
14066, 15351,
15360, 15381,
15388, 15395,
15403, 15654,
19287, 19295, 21478
\bidi@patchcmd@scantoks
. . . 3348, 3354, 3489
\bidi@pdfencrypt@keylength
. . . . . 1657, 1810
\bidi@pdfencrypt@ownerpassword
. . . 1654, 1797, 1809
\bidi@pdfencrypt@permissionflags
. . . . . 1660, 1811
\bidi@pdfencrypt@userpassword
. . . 1651, 1798, 1808

\bidi@pdfm@mark 1937, 1952
\bidi@pickescape . . 3710
\bidi@pop@cs@into 3933, 3952
\bidi@pop@into 3936, 3962
\bidi@pos . 2947, 2955, 2983, 3009, 3037, 3063, 3066, 3100, 3103
\bidi@poscount . 2949, 2952, 2955, 2972, 2974, 2983, 2997, 2999, 3006, 3009, 3026, 3028, 3037, 3051, 3053, 3060, 3063, 3066, 3083, 3085, 3089, 3091, 3100, 3103, 3117, 3119, 3123, 3125, 3132, 3134, 3135, 3137, 3138, 3141, 3142, 3149, 3151, 3152
\bidi@prepend . 3451, 3494
\bidi@prepend@cslist@to@cslist 3883
\bidi@prepend@list@to@list 3879
\bidi@prepend@to@list 3876
\bidi@prepend@toks@cs@to@list 3886
\bidi@preto 3244, 3275, 3526
\bidi@pretocmd . 3447, 3448, 3627, 3669
\bidi@PreventPackageFromLoading 4306, 4320, 4350, 4383
\bidi@process@envbody 2672, 2676, 2677, 2691, 2696, 2700, 2701, 2715
\bidi@protected 3217, 3239, 3240, 3261, 3262, 3270, 3271, 3279, 3280
\bidi@protected@cseappto 3270
\bidi@protected@csepreto 3279
\bidi@protected@csxappto 3271
\bidi@protected@csxpreto 3280
\bidi@protected@eappto 3239
\bidi@protected@epreto 3261
\bidi@protected@immediate@write . . . 4539, 4550, 4556
\bidi@protected@xappto 3240
\bidi@protected@xpreto 3262
\bidi@provide@command 3201, 3203
\bidi@providerobustcmd 3201
\bidi@push@begins 2679, 2680, 2683
\bidi@push@cs@onto@cs 3926, 3953
\bidi@push@long@begins . . . 2703, 2704, 2707
\bidi@push@onto . . . 3927
\bidi@push@onto@cs 3927, 3928
\bidi@raggedleft 2500, 2507, 2512, 2531, 8068, 8184, 11030, 11036, 12400, 21245
\bidi@raggedright . . . 11028, 11034, 15425, 15428, 15430, 15433, 15435, 15437, 15440, 15442, 15444, 15446, 15449, 15451, 15453, 15455, 15457, 15460, 15462, 15465, 15467, 15470, 15472, 15474, 15477, 15479, 15481, 15484, 15486, 15488, 21244
\bidi@rcol@copyinsskip 11896, 11901, 11910, 11959
\bidi@redefine@newpage 4500, 4540
\bidi@reflect@box . . . 15983, 15990, 21074, 21081, 21083
\bidi@reinsert@footnotesv@l . . 15349, 15358, 15386, 15393, 15400
\bidi@reinsert@footnotesv@r . . 15347, 15356, 15385, 15392, 15399
\bidi@renew@command
\bidi@renewrobustcmd 3190
\bidi@ReplaceClass 4190
\bidi@replacefile@msg 4127, 4151, 4166, 4204
\bidi@ReplaceInput 4174
\bidi@ReplacePackage 4187
\bidi@RequirePackage . . . 4326, 4386, 4437
\bidi@ResetPreventPackageFromLoading 4378, 4384, 4393, 4432
\bidi@resrvda 3340, 3341, 3342, 3345, 3346, 3347, 3348, 3349, 3350, 3355, 3358, 3370, 3371, 3372, 3373, 3374, 3376, 3377, 3386, 3388, 3402, 3403, 3405, 3407, 3408, 3483, 3484, 3485, 3486, 3487, 3488, 3489, 3490, 3491
\bidi@resrvdb . 3342, 3343
\bidi@restore@newpage . . . 4485, 4502, 4532
\bidi@restorecatcode 3694
\bidi@right@footnoterule . 14075, 14078, 14087
\bidi@rightskip 19912, 20020, 20046, 20047, 20055, 20059, 20063, 21031
\bidi@RTL@everypar . . 10586, 10598, 10610, 10641, 10660, 10674, 15904, 15908, 19036, 20984, 20988
\bidi@s@tfftextcol 11253, 11257
\bidi@saved@checkend . . . 4477, 4480, 4498
\bidi@saved@clearpage . . . 4482, 4483, 4486

\bidi@saved@dofilelist 4488, 4491, 4492, 4499
\bidi@saved@eqno 15994, 15996, 15997, 21771, 21773, 21774
\bidi@saved@leqno 15995, 15996, 15997, 21772, 21773, 21774
\bidi@saved@newpage 4501, 4512
\bidi@saved@RequirePackage 4305, 4325, 4336, 4388, 4390, 4468
\bidi@sepmark@charclass 1784, 1785, 1786, 1790
\bidi@set@column@status . 21343, 21371, 21376
\bidi@set@cslist 3919, 3920
\bidi@set@list 3918
\bidi@set@load@hook 4212, 4215, 4216, 4218, 4237, 4249, 4263, 4280, 4291
\bidi@SOUL@ulleaders 19077, 19083
\bidi@stack@length 3944, 3946, 3947, 3951, 3952, 3961, 3962
\bidi@star@footmarkwidth 9249, 9310, 9452, 9561, 9664, 9773, 9882, 9991, 10100, 10209, 10318, 10513, 10575
\bidi@storecatcode 3687
\bidi@StorePreventPackageFromLoading 4394, 4397
\bidi@StringBefore 3745
\bidi@StringBeforeNC 3733
\bidi@switch . . . 3793, 3804, 3806, 3811
\bidi@switch@exit . 3803, 3804, 3805, 3809, 3810, 3814, 3815, 3819, 3820, 3825, 3826, 3830, 3831
\bidi@t@w@w 3854
\bidi@tabular@RTLcases 21087, 21114
\bidi@tempa 1666, 1672, 1678, 1684, 1690, 1696, 1708, 1714, 1720, 1727, 1741, 1748, 1758
\bidi@tempb 1666, 1667, 1672, 1673, 1678, 1679, 1684, 1685, 1690, 1691, 1696, 1697, 1708, 1709, 1714, 1715, 1720, 1721, 1727, 1728, 1741, 1742, 1748, 1749, 1758, 1759
\bidi@tempcountb 3681, 3950, 3951, 3960, 3961
\bidi@temptoksa 3682, 3950, 3953, 3954, 3955, 3957, 3960, 3964
\bidi@temptoksb 3683, 3952, 3953, 3954, 3955
\bidi@todonotes@tempa 20677, 20685
\bidi@todonotes@tempb 20677, 20678, 20685, 20686
\bidi@tok@SM . . 3901, 3906
\bidi@toks@lista . . 3866, 3868, 3869, 3870, 3871, 3902, 3904, 3910, 3911, 3913, 3915, 3920, 3921
\bidi@toks@listb 3866, 3902, 3904
\bidi@undef 3350, 3429, 3491, 3531, 3546, 19771, 19772, 19928, 19929, 20130, 20131
\bidi@undefined . . . 3429
\bidi@undefinedcs . 3779, 3786, 3841, 3845, 3851, 3855, 3896
\bidi@UnPreventPackageFromLoading 4398
\bidi@UnReplaceClass 4201
\bidi@UnReplaceInput 4178
\bidi@UnReplacePackage 4198
\bidi@version . . 1503, 1504, 1519, 1538, 1540, 1546, 1552, 1586, 1589, 1592, 1831, 1847, 1869, 1871, 1928, 1931, 1934
\bidi@w@w 3841
\bidi@warning . . 2944, 3604, 3618, 3630, 3642
\bidi@willbeunhskip . . . 3888, 3895, 3898
\bidi@x@stack@to@list 3959
\bidi@xappto 3234, 3240, 3269
\bidi@xargdef . 3172, 3180
\bidi@xparaskip 10458, 10496, 10558, 10577
\bidi@xpreto 3256, 3262, 3278
\bidicolor 7335, 7391, 7406, 7408, 11254, 20927, 20974, 20977, 20978
\bidics 3678
\bididate . 1502, 1504, 1519, 1586, 1589, 1829, 1847, 1928, 1931
\bidiGscale@@box 12220, 12221
\bidiGscale@box 12197, 12198, 12217
\bidiGscale@box@dd . 12229, 12233, 12239
\bidiGscale@box@dddd 12235, 12246
\bidillap 21260
\bidipdfinfooff . . . 1949
\bidipdfinfoon 1948, 1954
\bidipoem@@hvlen 6308, 6314, 6317, 6320, 6329
\bidipoem@half@verses . . . 6334, 6335, 6338
\bidipoem@half@verses@next . . . 6334, 6335, 6336
\bidipoem@hvind . . . 6308, 6311, 6312, 6320, 6321, 6324, 6327
\bidipoem@hvlen 6307, 6312, 6314, 6325, 6327
\bidipoem@hvsep 6307, 6320, 6321, 6328
\bidipoem@next 6313, 6314

\bidipoem@openbox 6352, 6357
\bidipoem@p@ftn 6359, 6369, 6493, 6494, 6496, 6497, 6499, 6500, 6503, 6506, 6509, 6614, 12857, 12867, 12888, 12898, 12919, 12929
\bidipoem@p@ftntext 6386, 6397, 6492, 6603, 6617, 12855
\bidipoem@p@LTRftntext 6387, 6398, 6495, 6604, 6618, 12886
\bidipoem@p@RTLftntext 6388, 6399, 6498, 6605, 6619, 12917
\bidipoem@p@xfootnote 6390, 6401, 6511, 6607, 6621
\bidipoem@p@xftntext 6389, 6400, 6502, 6516, 6606, 6620
\bidipoem@p@xLTRfootnote 6392, 6403, 6518, 6609, 6623
\bidipoem@p@xLTRftntext 6391, 6402, 6505, 6523, 6608, 6622
\bidipoem@p@xRTLfootnote 6394, 6405, 6525, 6611, 6625
\bidipoem@p@xRTLftntext 6393, 6404, 6508, 6530, 6610, 6624
\bidipoem@set@@verse . . . 6314, 6317, 6319
\bidipoem@set@verseI 6313, 6316
\bidipoem@spreadbox 6303, 6325, 6327, 6328, 6329
\bidirlap 21259
\biditufteﬂoatDebugInfoNL 4645, 4733, 4737, 5032, 5081
\biditufteﬂoatError 4644, 5127
\biditufteﬂoatInfoNL . . . 4645, 4646, 5196
\biditufteﬂoatRecalculate 4762, 4773
\bidituftehyperrefLoadHyperref 6021, 6032
\bidituftesidenotemarginpar . . . 5212, 5564, 5723
\bidituftetocError . . . 5752, 5799, 5808
\bidiversion . . 1538, 1866
\bigskip 16045
\bigskipamount 9410, 9415, 10498, 10502, 10560, 10564
\bl 15810, 15811, 15814, 15815, 15816, 15820, 15875, 15882, 15886
\blacktriangleleft 11738, 11740
\blacktriangleright 11738, 11740
\bm@b 21320
\bm@l 21317
\bm@r 21318
\bm@t 21319
\bool . . . 14186, 14194, 14325, 14342, 14343, 14387, 14393, 14408, 14431, 14434, 14454, 14459, 14471, 14488, 14489, 14492, 14509, 14534, 14541, 14547, 14553, 14563, 14570, 14592, 14704, 14707, 14715, 14716, 15636, 15638, 15647
\boolean 4645, 4705, 4707, 4710, 4714, 4717, 4720, 4745, 4841, 4856, 4867, 4887, 4894, 4902, 4919, 4939, 4943, 4961, 4962, 4965, 4966, 5001, 5010, 5021, 5766, 5770, 5818, 6031, 6168, 6237, 6248, 11268, 15669
\botmark . . . 11247, 21757
\box . . 1641, 1920, 5182, 7242, 7306, 7374, 7531, 7534, 7551, 7555, 7590, 7594, 7600, 7601, 7649, 7655, 7659, 7660, 7886, 7891, 7898, 7905, 7941, 8225, 8246, 8262, 8319, 9422, 9427, 10423, 10437, 10446, 10789, 10800, 11063, 11067, 11099, 11105, 11148, 11238, 11271, 11276, 11836, 11843, 11846, 11860, 11934, 11940, 11987, 11991, 12030, 12042, 12053, 12063, 12076, 12148, 12165, 12168, 12211, 12214, 12244, 12261, 13588, 13996, 14050, 14056, 14066, 14068, 14070, 14404, 14662, 14673, 14678, 14712, 14713, 14714, 14715, 14717, 14846, 14880, 14989, 14993, 15085, 15091, 15228, 15234, 15249, 15257, 15635, 15643, 15648, 15779, 15783, 15799, 15833, 15837, 15842, 15846, 15858, 15869, 15883, 15886, 15890, 15895, 15971, 15987, 16032, 16035, 17099, 17108, 17146, 17157, 17580, 17590, 18160, 18170, 18390, 18396, 18402, 18408, 18414, 18420, 18426, 18432,

18438, 18843, 18853, 19279, 19325, 19343, 20871, 20872, 20882, 21078, 21262, 21412, 21416, 21455, 21461, 21480, 21496, 21628, 21644, 21655, 21668, 21670, 21734, 21738, 21768
\boxdef 2095, 2097, 2103, 2108, 2113
\boxmaxdepth ... 8217, 8222, 8238, 8243, 8270, 8327, 9317, 10759, 10774, 10995, 11789, 11791, 12115, 21483, 21499, 21510
\br 15810, 15812, 15814, 15815, 15816, 15820, 15876, 15882, 15890
\BR@b@bibitem . 5417, 5418
\BR@bibitem ... 5420, 5421
\BR@c@bibitem 5422
\bracetext 1608, 1895, 15910, 15911, 20990, 20991
\break 13953
\BreakBibliography 17451, 17484, 17486, 17492, 18031, 18064, 18066, 18072, 18714, 18747, 18749, 18755
\breaklooprepeat 3987, 3989, 4041, 4042, 4060, 4071, 4076, 4090
\breakrepeatloop .. 4016
\bs 2063, 2064, 2066
\bslice 15830, 15831, 15833, 15843, 15844, 15846, 15866, 15867, 15869, 15893, 15894, 15895
\bx@A 5067, 5108
\bx@a 5041, 5073, 5114
\bx@AA ... 5080, 5082, 5120
\bx@B 5067, 5108
\bx@b 5042, 5073, 5114
\bx@BB 5083, 5120
\bx@C 5067, 5108
\bx@c 5043, 5073, 5114
\bx@CC 5084, 5120
\bx@D 5067, 5108
\bx@d 5044, 5073, 5114
\bx@DD 5085, 5120
\bx@E 5067, 5108
\bx@e 5045, 5073, 5114
\bx@EE 5086, 5120
\bx@F 5068, 5109
\bx@f 5046, 5074, 5115
\bx@FF 5087, 5121
\bx@G 5068, 5109
\bx@g 5047, 5074, 5115
\bx@GG 5088, 5121
\bx@H 5068, 5109
\bx@h 5048, 5074, 5115
\bx@HH 5089, 5121
\bx@I 5068, 5109
\bx@i 5049, 5074, 5115
\bx@II 5090, 5121
\bx@J 5068, 5109
\bx@j 5050, 5074, 5115
\bx@JJ 5091, 5121
\bx@K 5069, 5110
\bx@k 5051, 5075, 5116
\bx@KK 5092, 5122
\bx@L 5069, 5110
\bx@l 5052, 5075, 5116
\bx@LL 5093, 5122
\bx@M 5069, 5110
\bx@m 5053, 5075, 5116
\bx@MM 5094, 5122
\bx@N 5069, 5110
\bx@n 5054, 5075, 5116
\bx@NN 5095, 5122
\bx@O 5070, 5111
\bx@o 5055, 5076, 5117
\bx@OO 5096, 5123
\bx@P 5070, 5111
\bx@p 5056, 5076, 5117
\bx@PP 5097, 5123
\bx@Q 5070, 5111
\bx@q 5057, 5076, 5117
\bx@QQ 5098, 5123
\bx@R 5070, 5111
\bx@r 5058, 5076, 5117
\bx@RR 5099, 5123
\bx@S 5031, 5033, 5071, 5112
\bx@s 5059, 5077, 5118
\bx@SS 5100, 5124
\bx@T 5034, 5071, 5112
\bx@t 5060, 5077, 5118
\bx@TT 5101, 5124
\bx@U 5035, 5071, 5112
\bx@u 5061, 5077, 5118
\bx@UU 5102, 5124
\bx@V 5036, 5071, 5112
\bx@v 5062, 5077, 5118
\bx@VV 5103, 5124
\bx@W 5037, 5072, 5113
\bx@w 5063, 5078, 5119
\bx@WW 5104, 5125
\bx@X 5038, 5072, 5113
\bx@x 5064, 5078, 5119
\bx@XX 5105, 5125
\bx@Y 5039, 5072, 5113
\bx@y 5065, 5078, 5119
\bx@YY 5106, 5125
\bx@Z 5040, 5072, 5113
\bx@z 5066, 5078, 5119
\bx@ZZ 5107, 5125
\bye 1952
\bystep 3969, 3981, 4065, 4078, 4088, 4101, 4114, 4115

C

\c 14388, 14389, 14403, 14665, 14746
\c@abspage 11343
\c@addvipersep 14933, 14951, 14956, 14978, 15008, 15033, 15051, 15056, 15078, 15105
\c@algocf 168
\c@chapter 6744, 6746, 6748, 6921, 6923, 6925, 7166, 7168, 7170, 7171, 8998, 9000, 9002, 9003, 10988, 10990, 10992, 11280, 11282, 11284, 11285, 11293, 11295, 11297, 11298, 13638, 14808, 15538, 16287, 16289, 16291, 16652, 16654, 16656, 16841, 16843, 16845, 17023, 17025, 17027, 17028

\c@colht 14933, 14945, 14971, 14972, 15033, 15045, 15071, 15072
\c@curpg 11162, 11189, 11190
\c@DFNsloppiness 8215, 8236
\c@enumiv 574, 581, 709, 716, 972, 979, 1222, 1229, 2576, 6714, 6721, 6902, 6909, 7211, 7218, 8773, 8780, 9044, 9051, 10881, 10888, 16268, 16275, 16662, 16669, 16856, 16863, 17059, 17066, 17460, 17469, 17476, 18040, 18049, 18056, 18723, 18732, 18739, 19391, 19398
\c@equation 6744, 6921, 7166, 8612, 8681, 8998, 10988, 11280, 11293, 14808, 16287, 16656, 16841, 17023, 18018, 18701
\c@figure . 6746, 6923, 7168, 9000, 10990, 11282, 11295, 14809, 16289, 16652, 16843, 17025, 18002, 18693
\c@footnote 128, 318, 453, 745, 804, 997, 1056, 1247, 1306, 1990, 6759, 6936, 7073, 8832, 8929, 10932, 11621, 11635, 12670, 12780, 12788, 12818, 12826, 13333, 14030, 14033, 16304, 16363, 16443, 16504, 16700, 16743, 16930, 17275, 17339, 17824, 17888, 18523, 18587
\c@Hy@AnnotLevel 12992, 12993, 12998, 13002
\c@L@lines 13473, 13475, 13478
\c@ll@chapseci 7416
\c@ll@chapsecii . . . 7411
\c@lofdepth . 19622, 19659
\c@lor@error 7380, 7387, 7395, 7401, 20919, 20953
\c@lotdepth . 19640, 19679
\c@lstlisting 13638, 13640
\c@LT@chunks 13979
\c@mpfootnote 11546, 11560, 11574, 11599, 14169
\c@NAT@ctr 15497
\c@page 6175, 8497, 8525, 11162, 11189, 20834, 21624
\c@paragraph 548, 702, 956, 1215, 6741, 6918, 7175, 8884, 9007, 10985, 11289, 11302, 14803, 16284, 16649, 16849, 17032, 17436, 17992, 18687
\c@poem@no 6444, 6486, 6538, 6549
\c@secnumdepth 304, 551, 560, 6985, 7180, 8742, 8751, 9012, 10851, 16049, 17037
\c@section 6738, 6915, 7172, 9004, 10982, 11286, 11299, 14797, 15548, 16281, 16646, 16846, 17029, 17986, 18681
\c@subparagraph . . . 549, 703, 957, 1216, 6742, 6919, 7176, 8885, 9008, 10986, 11290, 11303, 14805, 16285, 16650, 16850, 17033, 17438, 17994, 18689
\c@subsection 546, 700, 954, 1213, 6739, 6916, 7173, 8882, 9005, 10983, 11287, 11300, 14799, 16282, 16647, 16847, 17030, 17432, 17988, 18683
\c@subsubsection . . 547, 701, 955, 1214, 6740, 6917, 7174, 8883, 9006, 10984, 11288, 11301, 14801, 16283, 16648, 16848, 17031, 17434, 17990, 18685
\c@table . . 6748, 6925, 7170, 9002, 10992, 11284, 11297, 14810, 16291, 16654, 16845, 17027, 18010, 18697
\c@thisframe 11161, 11166, 11202, 11204, 11205
\c@tocdepth . . . 3, 198, 508, 525, 644, 660, 678, 871, 904, 922, 1127, 1143, 1161, 6648, 6664, 6680, 6825, 6841, 6857, 7128, 7143, 8715, 8729, 8984, 10819, 10834, 13295, 15153, 15165, 15177, 16197, 16213, 16229, 16569, 16585, 16601, 16801, 16815, 16985, 17000, 19467, 19471, 19513, 19532, 19554, 19571, 19588, 19605, 19897, 20005, 20040, 20428, 20624, 21322
\c@tracingmulticols 15361, 15379
\c@twb 7541
\c@twcompctr 7522
\c@twcompoddctr . . . 7538

\c@twfirst 7523, 7529, 7536, 7540, 7549, 7552
\c@twlftside 7527
\c@twlspec 7541, 7544, 7548
\c@twprune 7527, 7528, 7544, 7548
\c@twrounds 7539, 7542, 7545, 7557
\c@twrtside 7528
\c@twslicea 7525, 7527, 7531, 7534, 7543, 7544, 7551, 7555
\c@twsliceb 7526, 7528, 7531, 7534, 7547, 7548, 7551, 7555
\c@twwinlines . 7524, 7537
\c@zabspage 11343
\cals@activate@rtl 7290
\cals@AtBeginTable 7307
\cals@AtEndTable . . 7309
\cals@backup@row . . 7306
\cals@borderB 7305
\cals@borderL 7302
\cals@borderR 7303
\cals@borderT 7304
\cals@current@context 7296
\cals@last@context 7295
\cals@paddingL . 7312, 7314, 7319, 7321
\cals@paddingR 7316, 7323
\cals@set@tohsize . 7299
\cals@setcellprevdepth 7299
\cals@setpadding . . 7299
\cals@setup@alignment 7283, 7298
\cals@table@alignment 7288, 7289
\cals@tbreak@tokens 7293
\cals@tfoot@height 7294
\cals@tfoot@tokens 7292, 7309
\cals@thead@tokens 7291
\cals@vfillAdd . 7284, 7286, 7312, 7321
\cals@vfillDrop 7285, 7286, 7314, 7316, 7319, 7323
\CAny 2084
\cAny 2092
\cap@indent 17557, 17560, 17565, 17567, 17568, 18137, 18140, 18145, 18147, 18148, 18820, 18823, 18828, 18830, 18831
\cap@left 17579, 17590, 18159, 18170, 18842, 18853
\cap@margin 17522, 18102, 18785
\cap@right . . . 17581, 17590, 18161, 18170, 18844, 18853
\cap@width 17545, 17548, 17551, 18125, 18128, 18131, 18808, 18811, 18814
\capfont 17532, 17553, 17558, 17563, 17567, 17586, 17590, 18112, 18133, 18138, 18143, 18147, 18166, 18170, 18795, 18816, 18821, 18826, 18830, 18849, 18853
\caplabelfont . 17533, 17554, 17559, 17564, 17569, 17587, 18113, 18134, 18139, 18144, 18149, 18167, 18796, 18817, 18822, 18827, 18832, 18850
\caption 4850, 4851, 4853, 4909, 12373, 12391, 13956, 14884, 14886
\caption@@make . . . 14017
\caption@@par 7327
\caption@begin . . . 14013
\caption@end 14019
\caption@hangindent 7328
\caption@iftop 14016, 14018
\caption@LT@make . 14002
\caption@LT@setup 14009
\caption@makecaption 7325, 13623
\caption@normalsize 14014
\caption@parindent 7328
\caption@prepare@stepcounter 14012
\caption@setautoposition 14010
\caption@setoptions 14007, 14008
\caption@settype . 14003
\caption@starfalse 13624, 14011
\caption@startrue . . . 13625, 13631, 14011
\captionabove . 17638, 17643, 18218, 18223, 18901, 18906
\captionbelow . 17640, 17645, 18220, 18225, 18903, 18908
\captionformat 17533, 17554, 17559, 17564, 17569, 17587, 18113, 18134, 18139, 18144, 18149, 18167, 18796, 18817, 18822, 18827, 18832, 18850
\captionlabelfalse 13629
\catcode 1830, 1953, 3357, 3690, 3691, 3692, 3732, 5389, 5411, 6342, 6343, 6345, 6346, 11747, 11748, 11863
\Centering 16059
\centering 303, 8072, 8085, 8201, 11029, 11035, 12403, 12488, 12504, 14831, 14833, 14835, 17322, 17871, 18570
\CenteringLeftskip 16064
\CenteringParfillskip 16067
\CenteringParindent 16068
\CenteringRightskip 16065
\centerline 307, 11843, 11860, 15998, 21246
\cftbeforechapskip 19515
\cftbeforefigskip 19623
\cftbeforeparaskip 19589

\cftbeforepartskip 19483
\cftbeforesecskip 19534, 19537
\cftbeforesubfigskip 19660
\cftbeforesubparaskip 19606
\cftbeforesubsecskip 19555
\cftbeforesubsubsecskip 19572
\cftbeforesubtabskip 19680
\cftbeforetabskip 19641
\cftchapaftersnum 19524
\cftchapaftersnumb 19525
\cftchapfillnum . . 19528
\cftchapfont 19527
\cftchapindent 19516, 19519, 19766
\cftchapnumwidth 19522, 19767
\cftchappresnum . . 19523
\cftchapterprecistoc 19765
\cftdot 19463
\cftdotfill 19757
\cftdotsep 19756
\cftfigaftersnum . 19632
\cftfigaftersnumb 19633
\cftfigfillnum . . . 19636
\cftfigfont 19635
\cftfigindent 19624, 19627
\cftfignumwidth . . 19630
\cftfigpresnum . . . 19631
\cftparaaftersnum 19598
\cftparaaftersnumb 19599
\cftparafillnum . . 19602
\cftparafont 19601
\cftparaindent 19590, 19593
\cftparanumwidth . 19596
\cftparapresnum . . 19597
\cftpartaftersnum 19493
\cftpartaftersnumb 19494
\cftpartfillnum . . 19497
\cftpartfont 19496
\cftpartindent 19485, 19488
\cftpartnumwidth . 19491
\cftpartpresnum 19492, 19496
\cftsecaftersnum . 19547
\cftsecaftersnumb 19548
\cftsecfillnum . . . 19551
\cftsecfont 19550
\cftsecindent 19539, 19542
\cftsecnumwidth . . 19545
\cftsecpresnum . . . 19546
\cftsubfigaftersnum 19669
\cftsubfigaftersnumb 19670
\cftsubfigfillnum 19673
\cftsubfigfont . . . 19672
\cftsubfigindent 19661, 19664
\cftsubfignumwidth 19667
\cftsubfigpresnum 19668
\cftsubparaaftersnum 19615
\cftsubparaaftersnumb 19616
\cftsubparafillnum 19619
\cftsubparafont . . 19618
\cftsubparaindent 19607, 19610
\cftsubparanumwidth 19613
\cftsubparapresnum 19614
\cftsubsecaftersnum 19564
\cftsubsecaftersnumb 19565
\cftsubsecfillnum 19568
\cftsubsecfont . . . 19567
\cftsubsecindent 19556, 19559
\cftsubsecnumwidth 19562
\cftsubsecpresnum 19563
\cftsubsubsecaftersnum 19581
\cftsubsubsecaftersnumb 19582
\cftsubsubsecfillnum 19585
\cftsubsubsecfont 19584
\cftsubsubsecindent 19573, 19576
\cftsubsubsecnumwidth 19579
\cftsubsubsecpresnum 19580
\cftsubtabaftersnum 19689
\cftsubtabaftersnumb 19690
\cftsubtabfillnum 19693
\cftsubtabfont . . . 19692
\cftsubtabindent 19681, 19684
\cftsubtabnumwidth 19687
\cftsubtabpresnum 19688
\cfttabaftersnum . 19650
\cfttabaftersnumb 19651
\cfttabfillnum . . . 19654
\cfttabfont 19653
\cfttabindent 19642, 19645
\cfttabnumwidth . . 19648
\cfttabpresnum . . . 19649
\chapnumfont 16048
\chapter 5764, 5792, 5862, 5870, 5986, 5992, 6710, 6898, 7207, 9040, 10877, 16264, 16658, 16852, 17055
\chapterheadendvskip 16054
\chapterheadstartvskip 16046
\chaptermark . 6249, 19426
\chaptername . . 308, 14817
\chapterstyle 14812
\char 1791, 2067, 2068, 3678
\chardef 3677, 11747, 13542, 13543, 13549, 13550
\check@floats 7966
\CheckCommand 12777, 12815
\checkoddpage 4744
\CIIIAny 2085
\ciiiAny 2093
\circle 7430, 7433, 7440, 7443, 7453, 7456, 7463, 7466, 7476, 7479, 7486, 7489, 7499, 7502, 7509, 7512
\cite 5426, 5518, 5524, 5525, 5619, 5624, 5645, 5653, 5674, 5682, 5703, 5721, 5725, 5730, 5734, 5739, 5743, 15506, 15507
\citeasnoun 15507
\citeN 15506
\cites 5519
\cl@@ckpt 19167
\ClassInfo 6206, 6271, 17649, 18229, 18912

\ClassWarning 17332, 17881, 18580
\ClassWarningNoLine 14868
\clear 4523
\cleardoubleemptypage 17279, 17324, 17828, 17873, 18527, 18572
\cleardoublepage 6128, 6173, 6175, 6232, 6245, 6259, 7201, 9034
\clearpage . 604, 620, 869, 1121, 3566, 3567, 3571, 3572, 4482, 4483, 4486, 5128, 6140, 6175, 6261, 6642, 6819, 7029, 7203, 9036, 16173, 16428, 16887, 17387, 17936, 18635, 19460
\clipbox@@ 16034
\CloneTOCEntryStyle 17655, 17668, 17687, 17693, 18235, 18248, 18267, 18273, 18918, 18931, 18950, 18956
\closing 9074, 18446
\clubpenalty 92, 295, 583, 584, 717, 980, 1230, 2577, 6460, 6722, 6910, 7220, 7221, 8781, 9053, 9054, 10889, 13260, 15503, 16276, 16670, 16865, 16866, 17068, 17069, 17478, 18058, 18741, 19400, 19401
\coffeefont 15173
\col@number 132, 137, 139, 142, 143, 150, 459, 810, 1062, 1312, 7079, 8838, 8935, 10938, 14775, 15115, 15197, 15202, 15276, 15277, 15279, 15282, 15283, 15290, 15340, 15341, 15344, 15345, 15407, 15411, 16369, 16510, 16754, 16936, 17343, 17892, 18591
\col@sep 379, 407, 7331, 7332, 13968, 21091
\color 2024, 2025, 2026, 2027, 2028, 2500, 7376, 7379, 7382, 7400, 7403, 8066, 8069, 8079, 8197, 13399, 14132, 20884
\color@ 20924, 20971
\color@b@x 7368, 7406, 7408, 20877, 20974, 20977
\color@begingroup 5574, 5592, 5610, 6612, 6626, 9169, 9183, 9197, 9209, 9220, 9231, 9337, 9460, 9470, 9480, 9506, 9519, 9531, 9569, 9578, 9587, 9612, 9624, 9635, 9672, 9682, 9692, 9718, 9731, 9743, 9781, 9791, 9801, 9827, 9840, 9852, 9890, 9900, 9910, 9936, 9949, 9961, 9999, 10009, 10019, 10045, 10058, 10070, 10108, 10118, 10128, 10154, 10167, 10179, 10217, 10227, 10237, 10263, 10276, 10288, 10326, 10336, 10346, 10372, 10385, 10397, 10593, 10605, 10617, 10654, 10668, 10682, 10765, 10778, 11495, 11512, 11528, 11555, 11569, 11583, 11595, 12083, 12093, 12100, 14022, 14106, 21486, 21502, 21513, 21521
\color@block . 7373, 20882
\color@box . . 7406, 20974
\color@endbox . . 2334, 5248, 5292, 5336, 17171, 17181, 17199, 21566, 21610, 21731, 21747
\color@endgroup 5578, 5596, 5614, 6614, 9171, 9185, 9199, 9211, 9222, 9233, 9340, 9398, 9462, 9472, 9482, 9508, 9521, 9533, 9571, 9580, 9589, 9614, 9626, 9637, 9674, 9684, 9694, 9720, 9733, 9745, 9783, 9793, 9803, 9829, 9842, 9854, 9892, 9902, 9912, 9938, 9951, 9963, 10001, 10011, 10021, 10047, 10060, 10072, 10110, 10120, 10130, 10156, 10169, 10181, 10219, 10229, 10239, 10265, 10278, 10290, 10328, 10338, 10348, 10374, 10387, 10399, 10595, 10607, 10619, 10656, 10670, 10684, 10769, 10782, 11498, 11515, 11531, 11558, 11572, 11586, 11616, 12086, 12096, 12103, 21490, 21505, 21517, 21524
\color@fb@x . 20975, 20976
\color@fbox . . 7407, 20975
\color@hbox 17168, 17178, 17196, 21728, 21744
\color@setgroup 7409, 20979

\color@vbox 2312, 5239, 5283, 5327, 21557, 21601
\colorA . . 6987, 6996, 7008
\colorB 6993, 6999, 7005, 7011
\colorblend . . . 20891, 20892, 20934, 20935
\colorbox 2140, 2142, 2143
\columncolor . . 1466, 7339
\columnsep 99, 219, 597, 613, 862, 1114, 1973, 2409, 6635, 6812, 7022, 7595, 7894, 11068, 11992, 13268, 14995, 15112, 15205, 15251, 16166, 16421, 16880, 20839, 20844, 20848, 20854, 20857, 21417
\columnseprule . . 99, 219, 596, 612, 861, 1113, 1974, 2410, 6634, 6811, 7021, 7586, 7651, 7883, 7902, 11060, 11101, 11936, 11983, 13268, 14985, 15087, 15230, 15241, 16165, 16420, 16879, 21408, 21457
\columnseprulecolor 15229, 15240
\columnwidth . . 28, 41, 55, 71, 232, 244, 258, 273, 540, 544, 731, 965, 1211, 1618, 1624, 2324, 6736, 6889, 7159, 7163, 7271, 7584, 7588, 7592, 7596, 7647, 7653, 7881, 7885, 7890, 7895, 7897, 7904, 8215, 8236, 8788, 8792, 9087, 9091, 9136, 9166, 9180, 9194, 9206, 9217, 9228, 9503, 9515, 9528, 9609, 9620, 9632, 9715, 9727, 9740, 9824, 9836, 9849, 9933, 9945, 9958, 10042, 10054, 10067, 10151, 10163, 10176, 10260, 10272, 10285, 10369, 10381, 10394, 10508, 10570, 10650, 10664, 10678, 10870, 10874, 11059, 11061, 11065, 11069, 11097, 11103, 11401, 11404, 11406, 11491, 11508, 11524, 11551, 11565, 11579, 11597, 11878, 11885, 11932, 11938, 11981, 11985, 11989, 11993, 12345, 12346, 13282, 13356, 13360, 14109, 14983, 14987, 14991, 14994, 15083, 15089, 15112, 15141, 15147, 15309, 15313, 15317, 15321, 16261, 16684, 16834, 16838, 17016, 17020, 17260, 17508, 17513, 17809, 18088, 18093, 18368, 18372, 18508, 18771, 18776, 21406, 21410, 21414, 21418, 21453, 21459, 21649, 21651
\contentslabel . 5823, 5830, 5837, 5844, 5851
\contentsline 12608
\contentsmargin . . 19365
\contentspush 19339
\convertcolorspec 20898, 20901, 20941, 20944
\Coord 2081
\coord 2086
\CoordIII 2083
\coordiii 2088
\Coordn 2082
\coordn 2087
\Coordx 2078, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2092, 2093
\coordx 2089
\Coordy 2079, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2092, 2093
\coordy 2090
\Coordz 2080, 2083, 2085, 2088, 2093
\coordz 2091
\copy 5235, 5279, 5323, 7275, 7564, 7627, 7736, 8226, 8247, 11042, 11078, 11906, 11955, 12156, 12202, 14047, 14059, 14063, 14917, 15017, 15903, 15986, 16056, 21077, 21386, 21433, 21553, 21597, 21660
\cor@height . . . 14940, 14941, 14968, 14969, 15008, 15040, 15041, 15068, 15069, 15105
\count 1613, 1900, 2307, 3996, 5224, 5268, 5312, 9411, 9443, 9552, 9655, 9764, 9873, 9982, 10091, 10200, 10309, 10468, 10474, 10526, 10532, 11172, 11898, 11907, 11909, 11956, 11958, 12285, 12291, 15340, 15344, 21542, 21586, 21694
\count@ . . . 1406, 1465, 2747, 2752, 4570, 4571, 4573, 7337, 15192, 15193,

15195, 15197, 15204, 15225, 15226, 15228, 15245, 15246, 15249, 15604, 15612, 15625, 19206
\counterwithout 14813, 14814, 14815, 14816
\cr 395, 6407, 6414, 6470, 9425, 9429, 9431, 13983, 19112, 19150, 21294
\crcr . 406, 2206, 6410, 19100, 19130, 21102, 21105, 21281
\CROP@@llc 7472
\CROP@@lrc 7495
\CROP@@ulc 7426
\CROP@@urc 7449
\CROP@execopt 7519
\cs 14243, 14294, 14312, 14366, 14381, 14669, 14671, 15632, 15633
\cs@a 3763
\csname 8, 44, 58, 74, 166, 168, 203, 247, 261, 276, 333, 334, 383, 1369, 2169, 2170, 2184, 2185, 2211, 2214, 2217, 2233, 2241, 2249, 2304, 2591, 2594, 2597, 2599, 2601, 2604, 2607, 2615, 2616, 2621, 2628, 2630, 2632, 2633, 2634, 2635, 2638, 2640, 2644, 2646, 2675, 2676, 2699, 2700, 2727, 2754, 2758, 2769, 2777, 2785, 2793, 2795, 2797, 2801, 2802, 2866, 2908, 2918, 2924, 2925, 2927, 2928, 2930, 2931, 2933, 3134, 3135, 3137, 3138, 3141, 3142, 3151, 3152, 3187, 3188, 3211, 3266, 3267, 3268, 3269, 3275, 3276, 3277, 3278, 3361, 3362, 3365, 3366, 3599, 3600, 3602, 3613, 3614, 3616, 3627, 3637, 3646, 3647, 3648, 3649, 3672, 3696, 3701, 3705, 3721, 3739, 3741, 3749, 3751, 3760, 3761, 3841, 3845, 3878, 3880, 3891, 3892, 3906, 3914, 3916, 3943, 3964, 4001, 4002, 4003, 4019, 4020, 4021, 4022, 4124, 4127, 4131, 4148, 4151, 4153, 4163, 4166, 4168, 4175, 4180, 4185, 4195, 4211, 4214, 4228, 4240, 4272, 4283, 4367, 4370, 4410, 4459, 4599, 4620, 4971, 4972, 4979, 4980, 5572, 5590, 5608, 5639, 5668, 5697, 5939, 6465, 6493, 6496, 6499, 6513, 6520, 6527, 6535, 6536, 6574, 6599, 6600, 7382, 7388, 7396, 7403, 9168, 9182, 9196, 9208, 9219, 9230, 9459, 9469, 9479, 9505, 9518, 9530, 9568, 9577, 9586, 9611, 9623, 9634, 9671, 9681, 9691, 9717, 9730, 9742, 9780, 9790, 9800, 9826, 9839, 9851, 9889, 9899, 9909, 9935, 9948, 9960, 9998, 10008, 10018, 10044, 10057, 10069, 10107, 10117, 10127, 10153, 10166, 10178, 10216, 10226, 10236, 10262, 10275, 10287, 10325, 10335, 10345, 10371, 10384, 10396, 10591, 10603, 10615, 10652, 10666, 10680, 10997, 11150, 11151, 11156, 11157, 11262, 11263, 11264, 11265, 11267, 11269, 11270, 11271, 11272, 11274, 11275, 11276, 11333, 11357, 11375, 11461, 11470, 11493, 11510, 11526, 11554, 11568, 11582, 11629, 11644, 12610, 12613, 12615, 12619, 12623, 12637, 12648, 12659, 12859, 12890, 12921, 13300, 13403, 13406, 13836, 13902, 14897, 14898, 14905, 17212, 17216, 17220, 17658, 17660, 17662, 17665, 17671, 17680, 17682, 17684, 17690, 17761, 17765, 17769, 18238, 18240, 18242, 18245, 18251, 18259, 18261, 18264, 18270, 18460, 18464, 18468, 18921, 18923, 18925, 18928, 18934, 18942, 18944, 18947, 18953, 19102, 19128, 19130, 19162, 19184, 19186, 19202, 19203, 19223, 19230, 19443, 19706, 19707,

19723, 19724, 19725, 19732, 19734, 19735, 19788, 19789, 19943, 19944, 20054, 20058, 20062, 20161, 20164, 20178, 20194, 20195, 20211, 20218, 20223, 20284, 20339, 20341, 20343, 20359, 20362, 20368, 20370, 20373, 20377, 20382, 20386, 20390, 20404, 20408, 20411, 20414, 20418, 20420, 20456, 20458, 20465, 20466, 20470, 20475, 20479, 20490, 20491, 20495, 20501, 20556, 20557, 20561, 20657, 20658, 20660, 20663, 20664, 20668, 21132, 21197, 21283, 21344, 21357, 21359, 21829
\CT@@do@color 7334
\CT@cell@color 1490, 7359
\CT@color 7333
\CT@column@color 1488, 7357
\CT@do@color 1491, 7334, 7360
\CT@extract . . . 1466, 7339
\CT@row@color . 1489, 7358
\CT@setup 1455, 1456, 1458, 1459, 1463, 1487, 7330, 7356
\cumpartcl 15807
\cumtcl 15807
\curraddr 322
\current@color 7375, 7381, 7388, 7396, 7402, 11725, 11730, 20883, 20920, 20921, 20925, 20954, 20955, 20972
\CurrentOption 6187, 6188, 6189, 6190, 6191, 6211, 6212, 6213, 6214, 6215, 8012, 8110
\currentposxwidth . 3131
\currentposyheight 3148
\customername 18406
\CustomFBox 11727
\cuted@@column@badness 7759, 7760, 7773, 7784
\cuted@@page@rule 7839, 7840
\cuted@@tempbox@a 7700, 7710, 7737, 7739, 7740, 7828, 7886, 7898
\cuted@@tempbox@c 7739, 7740, 7747, 7748, 7752, 7753, 7768, 7772, 7782, 7798, 7816, 7827, 7830, 7832, 7833
\cuted@@tempbox@var . . . 7878, 7916, 7928
\cuted@@tempdim@a 7768, 7770, 7772, 7774, 7777, 7778, 7779, 7829, 7841, 7847, 7859, 7863, 7869, 7966, 7967, 7968, 7972
\cuted@@tempdim@b . 7732, 7735, 7737, 7740, 7744, 7756, 7774, 7798, 7806, 7812, 7819, 7828, 7830, 7855, 7858, 7860
\cuted@@tempdim@spread 7747, 7748, 7749, 7750, 7757, 7761, 7764, 7767, 7768, 7770, 7775, 7786, 7796, 7799, 7804, 7807, 7811, 7815, 7832, 7834, 7836
\cuted@@varbox@a 7736, 7737, 7743, 7744, 7772, 7778, 7781, 7789, 7858, 7891, 7905
\cuted@@varbox@c 7743, 7744, 7749, 7750, 7754, 7755, 7778, 7781, 7785, 7788, 7789, 7790, 7792, 7817
\cuted@@wlog@debug 7751, 7777, 7779, 7788, 7792
\cvcomputer 2532
\cvdoubleitem . 2509, 2533
\cventry 2521
\cvlanguage 2530
\cvline 2504, 2505, 2510, 2514, 2516, 2522, 2531
\cvlistdoubleitem . 2515
\cvlistitem 2513
\cvtheme 2447, 2450

D

\d 14213
\d@llarbegin 379, 408, 1410, 1411, 1412, 1475, 1478, 1479, 7344, 7347, 7348, 21091
\d@llarend 380, 408, 1410, 1411, 1412, 1477, 1478, 1479, 7346, 7347, 7348, 21092
\dashgapcolor 1470
\date 447, 483, 787, 832, 1039, 1084, 1289, 1334, 2008, 6053, 6101, 6801, 6978, 7067, 7103, 8826, 8860, 8923, 8959, 10926, 10960, 16346, 16391, 16487, 16534, 16737, 16778, 16924, 16960, 17383, 17932, 18631
\datename 18436
\deadcycles . . . 3583, 3586
\debugfootnotedirection 11320
\DeclareOption 2339, 2342, 2345, 2348, 2351, 2354, 2357, 2362, 2363, 2364, 2365, 2366, 2368, 4649, 4651, 4653, 4656, 4661, 5758, 5759, 6017, 6018, 6043, 6044,

6187, 6188, 6189, 6190, 6191, 6211, 6212, 6213, 6214, 6215, 8002, 8004, 8006, 8008, 8010, 8011, 8100, 8102, 8104, 8106, 8108, 8109
\DeclareRobustCommand 2066, 2067, 2068, 2069, 2070, 2071, 2072, 4984, 4991, 7376, 7391, 20884, 20927
\DeclareSectionCommand 17695, 17703, 17713, 17723, 17733, 17743, 18275, 18284, 18292, 18302, 18312, 18322, 18332, 18958, 18967, 18975, 18985, 18995, 19005, 19015
\DeclareTOCEntryStyle . 19773, 19930, 20132
\dedication 17382, 17931, 18630
\dedicatory 323
\def 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 197, 218, 227, 228, 229, 230, 234, 237, 251, 266, 298, 301, 313, 319, 336, 345, 350, 352, 377, 382, 384, 405, 406, 407, 408, 454, 455, 486, 550, 587, 719, 742, 743, 751, 790, 791, 793, 798, 800, 805, 807, 835, 982, 994, 995, 1003, 1042, 1043, 1045, 1050, 1052, 1057, 1058, 1087, 1232, 1244, 1245, 1253, 1292, 1293, 1295, 1300, 1302, 1307, 1309, 1337, 1357, 1367, 1368, 1371, 1377, 1405, 1418, 1419, 1422, 1435, 1443, 1451, 1452, 1455, 1456, 1459, 1464, 1502, 1503, 1605, 1607, 1608, 1651, 1654, 1657, 1660, 1729, 1733, 1829, 1831, 1866, 1883, 1891, 1892, 1893, 1894, 1895, 1901, 1902, 1909, 1925, 1926, 1927, 1930, 1933, 1937, 1948, 1949, 1952, 1961, 1966, 1991, 1992, 2074, 2075, 2076, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2098, 2109, 2140, 2141, 2142, 2143, 2150, 2156, 2162, 2170, 2175, 2177, 2185, 2190, 2191, 2206, 2210, 2213, 2216, 2221, 2224, 2227, 2231, 2239, 2247, 2254, 2256, 2257, 2259, 2328, 2422, 2423, 2424, 2425, 2426, 2427, 2429, 2430, 2448, 2449, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2580, 2649, 2669, 2670, 2673, 2679, 2682, 2693, 2694, 2697, 2703, 2706, 2717, 2719, 2722, 2726, 2732, 2740, 2741, 2742, 2743, 2744, 2745, 2746, 2753, 2754, 2758, 2763, 2771, 2779, 2787, 2794, 2796, 2896, 2904, 2925, 2933, 2934, 2935, 2941, 2943, 2944, 2945, 2947, 3166, 3168, 3170, 3176, 3180, 3183, 3192, 3203, 3205, 3206, 3217, 3290, 3309, 3341, 3342, 3343, 3354, 3368, 3371, 3372, 3384, 3396, 3400, 3403, 3416, 3425, 3453, 3481, 3484, 3485, 3493, 3494, 3530, 3545, 3572, 3589, 3646, 3647, 3648, 3649, 3658, 3678, 3687, 3694, 3701, 3705, 3710, 3715, 3720, 3722, 3725, 3728, 3736, 3737, 3739, 3741, 3742, 3749, 3751, 3752, 3759, 3760, 3761, 3762, 3763, 3767, 3768, 3770, 3771, 3773, 3779, 3785, 3803, 3804, 3809, 3814, 3819, 3825, 3830, 3841, 3845, 3851, 3854, 3868, 3870, 3872, 3873, 3875, 3876, 3877, 3879, 3881, 3883, 3885, 3886, 3891, 3892, 3893, 3894, 3895, 3900, 3901, 3908, 3910, 3913, 3918, 3920, 3926, 3927, 3928, 3929, 3933, 3936, 3938, 3939, 3943, 3945, 3946, 3949, 3959, 4001, 4002, 4003, 4006, 4016, 4023, 4025, 4030, 4042, 4049, 4051, 4055, 4056, 4063, 4065, 4068, 4073, 4080, 4082, 4149, 4152, 4161, 4164, 4316, 4327, 4366, 4479, 4489, 4502, 4556, 4566, 4568, 4573, 4578, 4584, 4585, 4588, 4595, 4603, 4618, 4691, 4782,

4803, 4807, 4820,
4900, 4969, 4987,
4993, 5030, 5155,
5157, 5158, 5159,
5168, 5170, 5171,
5172, 5176, 5178,
5184, 5185, 5212,
5226, 5229, 5233,
5237, 5250, 5256,
5270, 5273, 5277,
5281, 5294, 5300,
5314, 5317, 5321,
5325, 5338, 5390,
5405, 5410, 5536,
5538, 5566, 5584,
5602, 5623, 5652,
5681, 5901, 5938,
5946, 6175, 6313,
6314, 6316, 6334,
6335, 6338, 6348,
6349, 6350, 6351,
6357, 6360, 6371,
6372, 6373, 6383,
6409, 6413, 6420,
6442, 6461, 6462,
6463, 6469, 6492,
6495, 6498, 6502,
6505, 6508, 6511,
6518, 6525, 6535,
6536, 6537, 6547,
6551, 6554, 6559,
6560, 6561, 6563,
6572, 6578, 6599,
6600, 6724, 6756,
6757, 6765, 6912,
6933, 6934, 6942,
6982, 7002, 7074,
7075, 7106, 7177,
7191, 7224, 7228,
7240, 7253, 7260,
7264, 7267, 7330,
7333, 7336, 7368,
7375, 7378, 7385,
7393, 7399, 7406,
7407, 7409, 7523,
7536, 7539, 7540,
7545, 7552, 7557,
7561, 7624, 7683,
7685, 7687, 8209,
8213, 8216, 8234,
8237, 8255, 8312,
8489, 8553, 8580,
8582, 8587, 8618,
8619, 8692, 8741,
8760, 8783, 8833,
8834, 8863, 8930,
8931, 8962, 9009,
9024, 9057, 9135,
9162, 9176, 9190,
9204, 9215, 9226,
9255, 9256, 9257,
9265, 9266, 9267,
9384, 9455, 9465,
9475, 9501, 9513,
9526, 9537, 9542,
9564, 9573, 9582,
9607, 9618, 9630,
9640, 9645, 9667,
9677, 9687, 9713,
9725, 9738, 9749,
9754, 9776, 9786,
9796, 9822, 9834,
9847, 9858, 9863,
9885, 9895, 9905,
9931, 9943, 9956,
9967, 9972, 9994,
10004, 10014,
10040, 10052,
10065, 10076,
10081, 10103,
10113, 10123,
10149, 10161,
10174, 10185,
10190, 10212,
10222, 10232,
10258, 10270,
10283, 10294,
10299, 10321,
10331, 10341,
10367, 10379,
10392, 10403,
10408, 10458,
10490, 10552,
10587, 10599,
10611, 10642,
10661, 10675,
10693, 10703,
10712, 10721,
10813, 10848,
10860, 10891,
10933, 10934,
10963, 10994,
11026, 11032,
11039, 11075,
11149, 11160,
11208, 11312,
11399, 11403,
11405, 11407,
11409, 11411,
11413, 11414,
11416, 11420,
11429, 11431,
11438, 11439,
11456, 11459,
11465, 11468,
11476, 11477,
11478, 11484,
11501, 11517,
11545, 11559,
11573, 11587,
11593, 11599,
11606, 11619,
11623, 11627,
11633, 11638,
11642, 11721,
11735, 11737,
11739, 11741,
11749, 11854,
11864, 11895,
11903, 11952,
12005, 12041,
12129, 12137,
12143, 12152,
12154, 12170,
12181, 12182,
12184, 12197,
12198, 12200,
12216, 12218,
12221, 12223,
12224, 12239,
12246, 12306,
12307, 12308,
12309, 12318,
12320, 12356,
12608, 12635,
12646, 12657,
12668, 12678,
12689, 12700,
12711, 12726,
12741, 12758,
12784, 12801,
12809, 12822,
12839, 12847,
12855, 12872,
12880, 12886,
12903, 12911,
12917, 12934,
12942, 12950,
12964, 12968,
12982, 12990,
12997, 13005,
13008, 13011,

13045, 13077,
13106, 13133,
13136, 13138,
13141, 13150,
13151, 13155,
13157, 13158,
13159, 13161,
13170, 13172,
13263, 13267,
13276, 13277,
13278, 13280,
13284, 13286,
13291, 13294,
13315, 13327,
13363, 13364,
13382, 13399,
13401, 13402,
13409, 13414,
13424, 13473,
13475, 13575,
13591, 13592,
13624, 13625,
13629, 13631,
13937, 13949,
13953, 13954,
13955, 13962,
13990, 14021,
14029, 14032,
14037, 14076,
14083, 14093,
14101, 14167,
14168, 14771,
14773, 14823,
14825, 14873,
14884, 14895,
14914, 15014,
15111, 15119,
15152, 15164,
15176, 15190,
15223, 15237,
15272, 15276,
15307, 15311,
15315, 15319,
15323, 15325,
15331, 15335,
15339, 15343,
15347, 15349,
15511, 15525,
15527, 15534,
15540, 15620,
15672, 15676,
15680, 15682,
15698, 15710,
15724, 15774,
15781, 15900,
15901, 15903,
15904, 15910,
15911, 15912,
15922, 15932,
15940, 15948,
15949, 15950,
15951, 15952,
15953, 15958,
15959, 15962,
15964, 15965,
15966, 15967,
15969, 15970,
15983, 15989,
15996, 15997,
15998, 15999,
16000, 16002,
16003, 16109,
16130, 16136,
16156, 16157,
16278, 16301,
16302, 16310,
16349, 16350,
16352, 16357,
16359, 16364,
16366, 16394,
16440, 16441,
16449, 16490,
16491, 16493,
16498, 16500,
16505, 16507,
16537, 16559,
16672, 16701,
16703, 16744,
16746, 16781,
16869, 16931,
16932, 16963,
17034, 17046,
17072, 17076,
17119, 17166,
17169, 17176,
17179, 17187,
17194, 17197,
17223, 17225,
17245, 17429,
17430, 17482,
17489, 17638,
17640, 17772,
17774, 17794,
17978, 18062,
18069, 18218,
18220, 18346,
18363, 18367,
18370, 18374,
18446, 18471,
18473, 18493,
18677, 18745,
18752, 18901,
18903, 19035,
19039, 19056,
19077, 19080,
19095, 19100,
19103, 19126,
19130, 19134,
19144, 19160,
19166, 19174,
19195, 19204,
19205, 19221,
19225, 19228,
19232, 19235,
19265, 19310,
19344, 19366,
19372, 19375,
19377, 19380,
19404, 20057,
20081, 20623,
20644, 20646,
20802, 20845,
20848, 20854,
20858, 20877,
20883, 20886,
20908, 20917,
20923, 20929,
20951, 20957,
20966, 20970,
20974, 20975,
20976, 20979,
20984, 20990,
20991, 20992,
21002, 21012,
21021, 21032,
21033, 21042,
21043, 21052,
21053, 21058,
21059, 21062,
21064, 21065,
21066, 21067,
21069, 21071,
21073, 21074,
21087, 21089,
21094, 21096,
21102, 21104,
21111, 21113,
21116, 21118,
21119, 21120,
21121, 21123,
21133, 21170,
21236, 21246,

21249, 21252, 21257, 21258, 21259, 21260, 21261, 21263, 21266, 21276, 21281, 21284, 21304, 21307, 21317, 21318, 21319, 21320, 21321, 21341, 21343, 21376, 21383, 21430, 21530, 21544, 21547, 21551, 21555, 21568, 21574, 21588, 21591, 21595, 21599, 21612, 21618, 21658, 21662, 21663, 21664, 21665, 21675, 21761, 21773, 21774, 21776, 21899, 21901, 21905, 21907, 21934, 21936
\default@color 7375, 20883
\DefaultFindent . . 13371
\DefaultLhang 13367
\DefaultLoversize 13368
\DefaultLraise . . . 13369
\DefaultNindent . . 13372
\DefaultOptionsFile . 13391, 13394, 13397
\DefaultSlope 13373
\deffootnote . . 17222, 17247, 17771, 17796, 18345, 18365, 18470, 18495
\define@choicekey . 1666, 1672, 1678, 1684, 1690, 1696, 1708, 1714, 1720, 1727, 1741, 1748, 1758, 20677, 20685
\define@key 1650, 1653, 1656, 1659, 20675
\definecolor 2015, 2016, 2017, 2018, 2019, 2421, 2428, 8016, 8021, 8024, 8025, 8026, 8028, 8029, 8032, 8033, 8035, 8036, 8039, 8040, 8042, 8043, 8046, 8047, 8049, 8050, 8053, 8054, 8119, 8120, 8125, 8126, 8131, 8132, 8137, 8138, 8143, 8144, 8685
\DefineTOCEntryCommandOption 20139, 20141, 20143, 20147, 20149, 20151, 20153, 20155
\DefineTOCEntryIfOption . 20135, 20137, 20169
\DefineTOCEntryLengthOption . . 19774, 19776, 19931, 20133, 20145, 20171, 20173
\DefineTOCEntryOption 20157
\DefNewDummy . . 3785, 3802
\delimiter 11718
\DEPTH 19268, 19275
\depth 12146, 14714, 14721, 14746
\depthof . . 8560, 8565, 8574, 8575, 8579, 8584
\descriptionlabel . 5979
\DetectColumn 21347, 21351
\detokenize 2902, 2904, 3341, 3343, 3344, 3371, 3386, 3403, 3406, 3414, 3416, 3484, 3485, 4362
\dfn@afteroutput 8304, 8307, 8356, 8359
\dfn@boxa . 8213, 8218, 8221, 8225, 8226, 8227, 8234, 8239, 8242, 8246, 8247, 8248, 8261, 8268, 8271, 8273, 8280, 8288, 8318, 8325, 8328, 8330, 8334, 8342
\dfn@boxb 8227, 8248, 8265, 8266, 8273, 8278, 8322, 8323, 8330, 8333
\dfn@countins . 8257, 8314
\dfn@dima 8218, 8219, 8220, 8231, 8239, 8240, 8241, 8252, 8256, 8273, 8293, 8313, 8330, 8345
\dfn@dimb 8293, 8294, 8296, 8297, 8299, 8345, 8346, 8348, 8349, 8351
\dfn@elt@adjust 8293, 8345
\dfn@elt@getht 8258, 8315
\dfn@fnht . 8229, 8250, 8291, 8294, 8300, 8301, 8302, 8343, 8346, 8352, 8353, 8354
\dfn@fnmaxdp 8217, 8222, 8227, 8238, 8243, 8248, 8270, 8273, 8327, 8330
\dfn@footnoterule 8311, 8363
\dfn@footnotetext . 8212
\dfn@gobble . . . 8214, 8235
\dfn@ins . . 8222, 8223, 8224, 8226, 8243, 8244, 8245, 8247, 8261, 8262, 8318, 8319
\dfn@latex@footnotetext 8211
\dfn@latex@LTRfootnotetext 8217, 8232
\dfn@latex@makecol 8310, 8362
\dfn@latex@RTLfootnotetext 8238, 8253
\dfn@list . 8231, 8252, 8259, 8292, 8294, 8297, 8303, 8316, 8344, 8346, 8349, 8355
\dfn@LTRfootnotetext 8213, 8233
\dfn@LTRmakecol 8312, 8364, 8366
\dfn@makecol 8364, 8365, 8366
\dfn@makefnmark 8216, 8237
\dfn@RTLfootnotetext 8234, 8254
\dfn@RTLmakecol 8255, 8364, 8365
\dfn@split 8227, 8248, 8261, 8273, 8318, 8330
\DFNalwaysdouble . . 8367
\DFNcolumnsep 8276, 8289, 8333
\DFNcolumnwidth 8210, 8215, 8236, 8275, 8277, 8280, 8290, 8332, 8334

\diagbox@double 8369, 8372
\diagbox@double@pict@NE 8443, 8450
\diagbox@double@pict@NW 8442
\diagbox@double@pict@SE 8435, 8442
\diagbox@double@pict@SW 8450
\diagbox@font 8370, 8373, 8377, 8379, 8384, 8386, 8390, 8393, 8396, 8400, 8402, 8406, 8408
\diagbox@ht 8437, 8440, 8445, 8448
\diagbox@insepl . . . 8370, 8377, 8379, 8390, 8393, 8400, 8402, 8412, 8422, 8424
\diagbox@insepr . . . 8373, 8384, 8386, 8396, 8406, 8408, 8415, 8418, 8429, 8431
\diagbox@setlinecolor 8436, 8439, 8444, 8447, 8452, 8456, 8461, 8465, 8470, 8474, 8479, 8483
\diagbox@triple@pict@NE 8460
\diagbox@triple@pict@NW 8451
\diagbox@triple@pict@SE 8478
\diagbox@triple@pict@SW 8469
\diagbox@triple@setbox@NE 8434
\diagbox@triple@setbox@NW 8389, 8392, 8395, 8410
\diagbox@triple@setbox@SE 8411, 8414, 8417, 8434
\diagbox@triple@setbox@SW 8410
\diagbox@wd 8437, 8440, 8445, 8448
\DigitsDotDashInterCharToks 1790, 1791
\dim 14388, 14389, 14712, 14713, 14714
\dimen 1612, 1899, 9348, 9412, 9432, 9433, 9434, 9442, 9551, 9654, 9763, 9872, 9981, 10090, 10199, 10308, 10467, 10473, 10525, 10531, 11899, 15209, 15216, 15217, 15225, 15226, 15231, 15232, 15245, 15246, 15253, 15254, 21667, 21670
\dimen@ . . . 7371, 7372, 10752, 10754, 11757, 11758, 11759, 11769, 11770, 11771, 11774, 11775, 11776, 11782, 11792, 11794, 11803, 11805, 11812, 11813, 11814, 11815, 14044, 14045, 14046, 15326, 15327, 15332, 15333, 15336, 15337, 15971, 15976, 19058, 19060, 19066, 19072, 20816, 20817, 20818, 20819, 20820, 20821, 20880, 20881
\dimen@i 19059, 19060, 19065, 19071
\dimen@ii 11807, 11808, 11809, 11815, 11817, 11820, 11821, 11822
\dimexpr . 28, 232, 731, 965, 1211, 2853, 2856, 3137, 3141, 3151, 3160, 6736, 6889, 7705, 7767, 7768, 7770, 7796, 7805, 7829, 7859, 13282, 14138, 14147, 15112, 15321, 16261, 16684, 17250, 17257, 17260, 17799, 17806, 17809, 18498, 18505, 18508, 19918, 20084, 20091, 20101, 20103, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234
\DiscardVskip 13374
\display@setup 7229, 7254
\displayindent 7270
\displaystyle 11123, 11139
\displaywidth 7270, 8556, 8558, 8563, 11142, 13338
\divide 4111, 6321, 9433, 10509, 10510, 10571, 10572, 11009, 11010, 12145, 12146, 15407, 15411, 15815, 15816, 19140
\do 319, 320, 321, 322, 323, 324, 2281, 4346, 4406, 4421, 4442, 4445, 5431, 5436, 5450, 5455, 5469, 5474, 5497, 5506, 7541, 10997, 13478, 20366
\do@@hvFloat 12306
\document 3526, 3542
\documentclass . 4329, 4332, 12052, 12062
\doloopbody 3971, 3972, 4016, 4089, 4096, 4103, 4106, 4108, 4112, 4114, 4116, 4120
\doubleitemmaincolumnwidth 2470, 2483, 2484, 2485, 2486, 2510, 2512
\doublerulesepcolor 1469
\downtovalue . . . 3969, 3981, 4063, 4102
\dp 40, 54, 70, 243, 257, 272, 389, 1462, 1637, 1916, 7372, 7373,

7705, 7748, 7750, 7753, 7755, 7816, 7817, 7832, 7834, 8218, 8239, 8266, 8285, 8287, 8323, 8339, 8341, 8559, 8564, 8577, 8583, 8697, 8702, 8706, 8709, 9353, 10421, 10752, 10760, 11008, 11021, 11490, 11507, 11523, 12012, 12017, 12117, 12158, 12159, 12162, 12204, 12205, 12208, 13422, 13973, 14146, 14149, 15209, 15225, 15226, 15231, 15232, 15245, 15246, 15253, 15254, 15795, 15796, 15797, 15971, 16015, 17085, 17127, 17130, 17184, 17191, 17575, 17578, 18155, 18158, 18838, 18841, 19107, 19142, 19154, 19268, 19270, 20872, 20881, 20882, 21289, 21639, 21646, 21733

\dquad 7262, 7264

\draw 20696, 20703, 20707, 20730, 20740, 20748, 20751, 20754, 20757, 20769, 20774, 20781, 20787, 20788

\dseries@display@setup 7254

E

\edef . . 123, 359, 1384, 1438, 1446, 1506, 1536, 1834, 1864, 2168, 2183, 2211, 2214, 2217, 2618, 2656, 2659, 2672, 2676, 2683, 2696, 2700, 2707, 2900, 2903, 2953, 2981, 3007, 3035, 3061, 3098, 3224, 3225, 3228, 3229, 3246, 3247, 3250, 3251, 3340, 3345, 3355, 3370, 3373, 3386, 3390, 3395, 3402, 3405, 3412, 3415, 3421, 3424, 3477, 3483, 3486, 3648, 3689, 3699, 3777, 3786, 3848, 3903, 3906, 3933, 3936, 3940, 4024, 4029, 4030, 4052, 4057, 4069, 4074, 4167, 4175, 4185, 4317, 4360, 4404, 4426, 4440, 4468, 4560, 4572, 4579, 4596, 5400, 5545, 5556, 6493, 6496, 6499, 8609, 8612, 11150, 11156, 11261, 11263, 11264, 11265, 11350, 11371, 11655, 11661, 11789, 12778, 12785, 12816, 12823, 12856, 12887, 12918, 13328, 13480, 13482, 13488, 13490, 14030, 14033, 15523, 15667, 15686, 15689, 15715, 16145, 17081, 17124, 17467, 18047, 18347, 18730, 19110, 19135, 19149, 19167, 19222, 19229, 19242, 19706, 20178, 20211, 20218, 20223, 20284, 20438, 20542, 20655, 20892, 20897, 20906, 20921, 20925, 20935, 20940, 20949, 20955, 20968, 20972, 21189, 21292, 21356, 21370

\EdefEscapeName . . 13109

\egroup 179, 185, 382, 406, 641, 1200, 1367, 1368, 1485, 2206, 2207, 2332, 6410, 6614, 7273, 7354, 9399, 11128, 11129, 11143, 11617, 11829, 11833, 14056, 14059, 15120, 15758, 15768, 15783, 15914, 15920, 15924, 15930, 15934, 15938, 15942, 15946, 16009, 16194, 16644, 19100, 19101, 19126, 19132, 20542, 20994, 21000, 21004, 21010, 21014, 21019, 21023, 21028, 21094, 21102, 21103, 21281, 21282

\eightcolumnfootnotes 10084

\eject 11760, 11829, 11849

\else 4, 12, 13, 25, 36, 87, 104, 116, 134, 136, 151, 155, 159, 167, 175, 182, 191, 199, 207, 208, 224, 239, 290, 305, 309, 340, 353, 354, 355, 357, 358, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 398, 404, 450, 461, 464, 513, 530, 533, 534, 554, 557, 572, 593, 604, 609, 620, 624, 632, 636, 637, 641, 645, 648, 649, 654, 665, 676, 690, 693,

694, 697, 707, 754,
763, 771, 795, 799,
801, 812, 815, 858,
869, 872, 875, 876,
882, 892, 895, 896,
899, 909, 920, 931,
939, 943, 952, 970,
1006, 1015, 1023,
1047, 1051, 1053,
1064, 1067, 1110,
1121, 1125, 1128,
1131, 1132, 1137,
1148, 1159, 1174,
1177, 1178, 1181,
1191, 1195, 1196,
1200, 1220, 1256,
1265, 1273, 1297,
1301, 1303, 1314,
1317, 1354, 1359,
1360, 1373, 1378,
1379, 1380, 1382,
1383, 1386, 1387,
1388, 1390, 1391,
1392, 1393, 1394,
1395, 1396, 1399,
1400, 1401, 1421,
1422, 1423, 1424,
1425, 1426, 1428,
1429, 1430, 1431,
1432, 1542, 1548,
1554, 1597, 1599,
1608, 1619, 1622,
1625, 1800, 1803,
1870, 1884, 1886,
1895, 1905, 2152,
2158, 2164, 2179,
2262, 2270, 2275,
2285, 2524, 2525,
2526, 2528, 2564,
2631, 2637, 2658,
2661, 2680, 2688,
2704, 2712, 2728,
2798, 2806, 2812,
2818, 2824, 2830,
2836, 2842, 2848,
2861, 2869, 2873,
2879, 2887, 2891,
2913, 2920, 2966,
2991, 3020, 3045,
3077, 3111, 3140,
3175, 3379, 3710,
3723, 3724, 3737,
3738, 3740, 3742,
3750, 3752, 3774,
3788, 3841, 3845,
3851, 3857, 3897,
4066, 4075, 4126,
4150, 4165, 4230,
4242, 4274, 4285,
4323, 4335, 4336,
4353, 4362, 4407,
4422, 4425, 4452,
4453, 4467, 4748,
4754, 4949, 4952,
4955, 4958, 4988,
5216, 5222, 5254,
5260, 5266, 5304,
5310, 5489, 5886,
5887, 6175, 6260,
6313, 6326, 6335,
6425, 6446, 6471,
6544, 6564, 6565,
6580, 6585, 6589,
6631, 6642, 6646,
6649, 6652, 6653,
6658, 6669, 6678,
6692, 6695, 6696,
6700, 6712, 6768,
6777, 6785, 6808,
6819, 6823, 6826,
6829, 6830, 6835,
6846, 6855, 6869,
6872, 6873, 6877,
6900, 6945, 6954,
6962, 6984, 6995,
6997, 7018, 7029,
7070, 7081, 7084,
7133, 7148, 7151,
7152, 7179, 7193,
7202, 7209, 7232,
7262, 7288, 7313,
7320, 7369, 7374,
7412, 7413, 7419,
7437, 7460, 7483,
7506, 7531, 7532,
7534, 7546, 7551,
7553, 7555, 7575,
7580, 7598, 7614,
7638, 7643, 7657,
7673, 7692, 7708,
7729, 7769, 7780,
7794, 7797, 7803,
7835, 7843, 7846,
7849, 7865, 7868,
7871, 7896, 7925,
7959, 7963, 7978,
7986, 8078, 8160,
8174, 8219, 8223,
8225, 8240, 8244,
8246, 8255, 8260,
8269, 8280, 8284,
8292, 8312, 8317,
8326, 8334, 8338,
8344, 8364, 8378,
8385, 8401, 8407,
8423, 8430, 8492,
8502, 8505, 8508,
8528, 8531, 8534,
8538, 8562, 8644,
8659, 8674, 8675,
8676, 8677, 8704,
8720, 8723, 8724,
8734, 8745, 8748,
8761, 8771, 8829,
8840, 8843, 8926,
8937, 8940, 8988,
9011, 9026, 9035,
9042, 9063, 9064,
9066, 9071, 9077,
9079, 9083, 9161,
9202, 9273, 9276,
9285, 9288, 9297,
9300, 9321, 9325,
9329, 9335, 9360,
9368, 9376, 9389,
9454, 9499, 9563,
9605, 9666, 9711,
9775, 9820, 9884,
9928, 9993, 10037,
10102, 10147,
10211, 10256,
10320, 10365,
10499, 10503,
10520, 10541,
10561, 10565,
10582, 10637,
10646, 10749,
10790, 10804,
10824, 10839,
10842, 10843,
10850, 10862,
10879, 10929,
10940, 10943,
11002, 11052,
11057, 11088,
11093, 11118,
11131, 11148,
11175, 11179,
11200, 11306,
11310, 11336,
11360, 11442,
11445, 11485,

11536, 11574,
11575, 11591,
11609, 11683,
11686, 11695,
11698, 11707,
11710, 11720,
11738, 11740,
11756, 11761,
11781, 11810,
11816, 11832,
11839, 11844,
11857, 11887,
11921, 11926,
11970, 11975,
12009, 12010,
12015, 12032,
12033, 12035,
12043, 12044,
12054, 12073,
12077, 12079,
12088, 12090,
12098, 12113,
12137, 12139,
12142, 12143,
12144, 12150,
12152, 12160,
12166, 12169,
12172, 12179,
12186, 12188,
12194, 12198,
12201, 12206,
12212, 12215,
12228, 12231,
12234, 12240,
12247, 12257,
12270, 12279,
12287, 12294,
12297, 12300,
12319, 12322,
12328, 12329,
12332, 12339,
12341, 12347,
12358, 12366,
12368, 12369,
12370, 12373,
12378, 12384,
12386, 12387,
12388, 12391,
12401, 12403,
12416, 12422,
12425, 12429,
12435, 12438,
12441, 12447,
12452, 12455,
12459, 12461,
12464, 12468,
12470, 12472,
12476, 12481,
12485, 12492,
12497, 12501,
12508, 12513,
12517, 12521,
12523, 12526,
12530, 12532,
12534, 12538,
12542, 12546,
12552, 12555,
12559, 12565,
12568, 12571,
12577, 12592,
12602, 12611,
12622, 12642,
12653, 12664,
12682, 12693,
12704, 12715,
12730, 12745,
12805, 12843,
12876, 12907,
12938, 12991,
13003, 13006,
13023, 13032,
13042, 13057,
13065, 13074,
13088, 13103,
13117, 13129,
13255, 13273,
13293, 13296,
13304, 13305,
13321, 13343,
13344, 13346,
13351, 13375,
13376, 13377,
13378, 13387,
13392, 13405,
13430, 13439,
13474, 13481,
13489, 13509,
13519, 13527,
13557, 13568,
13586, 13596,
13602, 13639,
13718, 13721,
13724, 13727,
13730, 13733,
13736, 13739,
13742, 13746,
13749, 13752,
13755, 13758,
13761, 13764,
13767, 13770,
13773, 13776,
13779, 13782,
13785, 13788,
13791, 13794,
13797, 13800,
13803, 13806,
13809, 13812,
13815, 13818,
13821, 13824,
13827, 13830,
13833, 13836,
13839, 13842,
13845, 13848,
13851, 13854,
13857, 13860,
13863, 13866,
13869, 13872,
13875, 13878,
13881, 13884,
13887, 13890,
13893, 13896,
13899, 13902,
13905, 13908,
13911, 13914,
13917, 13920,
13923, 13926,
13929, 13932,
13940, 13941,
13942, 13943,
13966, 13995,
14004, 14010,
14041, 14056,
14058, 14069,
14079, 14086,
14156, 14777,
14780, 14791,
14792, 14793,
14794, 14795,
14796, 14825,
14841, 14847,
14853, 14878,
14888, 14910,
14928, 14944,
14957, 14970,
14974, 15028,
15044, 15057,
15070, 15074,
15130, 15138,
15144, 15153,
15155, 15159,
15160, 15165,
15167, 15172,

15177, 15179, 15184, 15194, 15207, 15269, 15292, 15297, 15302, 15347, 15349, 15365, 15372, 15408, 15412, 15416, 15495, 15500, 15533, 15539, 15547, 15550, 15574, 15594, 15609, 15657, 15688, 15712, 15770, 15778, 15812, 15838, 15876, 15877, 15878, 15904, 15958, 15959, 15962, 15966, 15967, 15970, 15972, 15978, 15996, 15997, 16002, 16010, 16019, 16029, 16035, 16038, 16045, 16047, 16053, 16064, 16066, 16077, 16079, 16090, 16092, 16101, 16103, 16122, 16142, 16156, 16157, 16162, 16173, 16177, 16185, 16189, 16190, 16194, 16198, 16201, 16202, 16207, 16218, 16227, 16241, 16244, 16245, 16249, 16266, 16313, 16322, 16330, 16354, 16358, 16360, 16371, 16374, 16417, 16428, 16452, 16461, 16469, 16495, 16499, 16501, 16512, 16515, 16556, 16561, 16562, 16570, 16573, 16574, 16579, 16590, 16599, 16613, 16616, 16617, 16621, 16627, 16635, 16639, 16640, 16644, 16660, 16689, 16740, 16756, 16759, 16805, 16820, 16823, 16824, 16829, 16830, 16854, 16876, 16887, 16927, 16938, 16941, 16990, 17005, 17008, 17009, 17036, 17048, 17057, 17089, 17134, 17168, 17170, 17174, 17178, 17180, 17185, 17189, 17192, 17196, 17198, 17202, 17229, 17230, 17238, 17251, 17258, 17278, 17283, 17290, 17296, 17320, 17327, 17331, 17345, 17348, 17391, 17395, 17403, 17409, 17421, 17429, 17430, 17443, 17445, 17457, 17472, 17488, 17498, 17507, 17512, 17515, 17516, 17517, 17519, 17544, 17556, 17561, 17566, 17583, 17597, 17603, 17616, 17626, 17644, 17674, 17778, 17779, 17787, 17800, 17807, 17827, 17832, 17839, 17845, 17869, 17876, 17880, 17894, 17897, 17940, 17944, 17952, 17958, 17970, 17978, 17983, 17999, 18007, 18015, 18023, 18024, 18037, 18052, 18068, 18078, 18087, 18092, 18095, 18096, 18097, 18099, 18124, 18136, 18141, 18146, 18163, 18177, 18183, 18196, 18206, 18224, 18254, 18351, 18352, 18358, 18375, 18376, 18377, 18378, 18379, 18380, 18381, 18382, 18386, 18389, 18392, 18395, 18398, 18401, 18404, 18407, 18410, 18413, 18416, 18419, 18422, 18425, 18428, 18431, 18434, 18437, 18442, 18443, 18449, 18477, 18478, 18486, 18499, 18506, 18526, 18531, 18538, 18544, 18568, 18575, 18579, 18593, 18596, 18639, 18643, 18651, 18657, 18669, 18677, 18706, 18707, 18720, 18735, 18751, 18761, 18770, 18775, 18778, 18779, 18780, 18782, 18807, 18819, 18824, 18829, 18846, 18860, 18866, 18879, 18889, 18907, 18937,

19029, 19032, 19068, 19085, 19118, 19131, 19139, 19152, 19157, 19236, 19237, 19238, 19240, 19241, 19244, 19245, 19246, 19247, 19248, 19249, 19250, 19252, 19253, 19254, 19255, 19256, 19259, 19260, 19261, 19324, 19341, 19348, 19350, 19355, 19360, 19361, 19364, 19369, 19373, 19374, 19389, 19413, 19417, 19427, 19433, 19439, 19444, 19450, 19460, 19472, 19480, 19485, 19486, 19487, 19495, 19502, 19516, 19517, 19518, 19526, 19535, 19539, 19540, 19541, 19549, 19556, 19557, 19558, 19566, 19573, 19574, 19575, 19583, 19590, 19591, 19592, 19600, 19607, 19608, 19609, 19617, 19624, 19625, 19626, 19634, 19642, 19643, 19644, 19652, 19661, 19662, 19663, 19671, 19681, 19682, 19683, 19691, 19701, 19716, 19717, 19718, 19726, 19748, 19766, 19767, 19768, 19906, 20014, 20031, 20041, 20056, 20060, 20163, 20428, 20442, 20446, 20469, 20484, 20494, 20498, 20508, 20509, 20510, 20511, 20516, 20518, 20519, 20527, 20533, 20550, 20560, 20566, 20572, 20575, 20586, 20624, 20626, 20631, 20640, 20645, 20647, 20654, 20661, 20692, 20699, 20704, 20710, 20721, 20724, 20735, 20742, 20756, 20806, 20813, 20814, 20816, 20824, 20832, 20834, 20835, 20846, 20850, 20855, 20864, 20870, 20878, 20882, 20891, 20910, 20915, 20934, 20959, 20964, 20984, 21030, 21031, 21058, 21059, 21062, 21066, 21067, 21126, 21145, 21148, 21153, 21156, 21159, 21162, 21165, 21179, 21187, 21192, 21193, 21194, 21204, 21205, 21207, 21213, 21214, 21216, 21222, 21223, 21225, 21231, 21232, 21234, 21242, 21243, 21244, 21245, 21248, 21251, 21254, 21257, 21258, 21259, 21260, 21262, 21264, 21265, 21269, 21271, 21285, 21302, 21307, 21308, 21309, 21310, 21311, 21312, 21313, 21314, 21317, 21318, 21322, 21324, 21329, 21358, 21367, 21377, 21397, 21402, 21444, 21449, 21474, 21481, 21497, 21508, 21519, 21534, 21540, 21578, 21584, 21622, 21624, 21634, 21650, 21652, 21655, 21659, 21668, 21697, 21700, 21703, 21709, 21730, 21746, 21766, 21773, 21774, 21891, 21899, 21905

\em 5979

\email 322, 2460

\emaillink 2542, 8093, 8191

\emailsymbol 2420, 8093, 8191

\empty 11670, 11673, 12319, 19038

\EmptyTokenList . . . 3892

\end 179, 186, 429, 432, 435, 500, 503, 766, 774, 777, 847, 850, 1018, 1026, 1029, 1099, 1102, 1268, 1276, 1279, 1350, 1353, 1358, 1359, 1360, 1952, 2101, 2112, 2113, 2508, 2510, 2512, 2514, 2516, 2520, 2528, 2531, 2581, 2672, 2680, 2682, 2683, 2689, 2696, 2704, 2706, 2707, 2713, 3597, 3598, 3619, 3643, 4788, 4789, 4794, 4797,

4874, 4875, 4882, 4883, 4890, 4891, 4911, 4912, 4950, 4953, 4956, 4959, 4966, 4967, 5150, 5151, 5770, 5826, 5833, 5840, 5847, 5854, 5865, 5873, 6000, 6001, 6137, 6180, 6202, 6586, 6780, 6788, 6791, 6957, 6965, 6968, 6997, 7009, 7049, 7052, 7055, 7120, 7123, 7436, 7446, 7459, 7469, 7482, 7492, 7505, 7515, 8072, 8181, 8193, 8201, 8606, 8680, 8810, 8813, 8816, 8875, 8878, 8905, 8908, 8911, 8976, 8979, 9068, 10910, 10913, 10916, 10975, 10978, 11130, 12376, 12394, 12496, 12512, 12603, 13348, 14912, 15628, 16325, 16333, 16336, 16406, 16409, 16464, 16472, 16475, 16552, 16555, 16560, 16561, 16562, 16719, 16722, 16725, 16797, 16906, 16909, 16912, 16977, 16980, 17077, 17120, 17286, 17301, 17308, 17314, 17318, 17326, 17398, 17415, 17425, 17453, 17835, 17850, 17857, 17863, 17867, 17875, 17947, 17964, 17974, 18033, 18534, 18549, 18556, 18562, 18566, 18574, 18646, 18663, 18673, 18716, 19191, 19387, 20696, 20703, 20713, 20718, 20731, 20738, 20741, 20760, 20777, 20784, 20790, 20792

\end@dblfloat 17164

\end@float 4814, 5143, 17115

\end@rotdblfloat . 17119

\end@rotfloat 17076, 17117, 17118

\endarray 382, 406, 1367, 1368, 19126, 19130, 21094

\endBCmd 2103

\endbidi@switch 3798, 3802, 3803

\endbidi@tabular@RTLcases . 21094, 21102, 21109

\endcsname . 8, 44, 58, 74, 166, 168, 203, 247, 261, 276, 333, 334, 383, 1369, 2169, 2170, 2184, 2185, 2211, 2214, 2217, 2233, 2241, 2249, 2304, 2591, 2594, 2597, 2599, 2602, 2604, 2607, 2615, 2616, 2621, 2629, 2630, 2632, 2634, 2636, 2639, 2640, 2645, 2646, 2675, 2676, 2699, 2700, 2727, 2755, 2759, 2769, 2777, 2785, 2793, 2795, 2797, 2801, 2802, 2859, 2865, 2866, 2908, 2918, 2924, 2925, 2927, 2928, 2930, 2931, 2933, 3135, 3136, 3138, 3139, 3142, 3143, 3152, 3153, 3187, 3188, 3210, 3211, 3266, 3267, 3268, 3269, 3275, 3276, 3277, 3278, 3361, 3362, 3365, 3366, 3599, 3600, 3602, 3613, 3614, 3616, 3627, 3637, 3646, 3647, 3648, 3649, 3659, 3672, 3696, 3701, 3705, 3721, 3739, 3741, 3749, 3751, 3760, 3761, 3841, 3845, 3878, 3880, 3891, 3892, 3906, 3914, 3916, 3943, 3964, 4001, 4002, 4003, 4019, 4020, 4021, 4022, 4124, 4127, 4132, 4148, 4151, 4153, 4163, 4166, 4168, 4175, 4179, 4180, 4185, 4194, 4195, 4211, 4214, 4228, 4240, 4272, 4283, 4368, 4370, 4408, 4410, 4416, 4459, 4599, 4620, 4971, 4972, 4979, 4980, 5572, 5590, 5608, 5639, 5668, 5697, 5939, 6465, 6493, 6496, 6499, 6513, 6520, 6527, 6535, 6536, 6574, 6599, 6600, 7382, 7388, 7396, 7403, 9168, 9182, 9196, 9208, 9219, 9230, 9459, 9469, 9479, 9505, 9518, 9530, 9568, 9577, 9586, 9611, 9623, 9634, 9671, 9681, 9691, 9717, 9730, 9742, 9780, 9790, 9800, 9826, 9839, 9851, 9889, 9899, 9909, 9935, 9948, 9960, 9998, 10008, 10018, 10044, 10057, 10069, 10107, 10117, 10127, 10153, 10166, 10178, 10216, 10226, 10236, 10262, 10275, 10287, 10325,

10335, 10345, 10371, 10384, 10396, 10591, 10603, 10615, 10652, 10666, 10680, 10997, 11150, 11152, 11156, 11158, 11262, 11263, 11264, 11265, 11267, 11269, 11270, 11271, 11272, 11274, 11275, 11276, 11333, 11357, 11375, 11461, 11470, 11493, 11510, 11526, 11554, 11568, 11582, 11629, 11644, 12610, 12613, 12615, 12619, 12623, 12637, 12648, 12659, 12859, 12890, 12921, 13300, 13403, 13406, 13836, 13902, 14897, 14898, 14905, 15519, 15529, 15543, 17212, 17216, 17220, 17658, 17660, 17662, 17665, 17671, 17680, 17682, 17684, 17690, 17761, 17765, 17769, 18238, 18240, 18242, 18245, 18251, 18259, 18261, 18264, 18270, 18460, 18464, 18468, 18921, 18923, 18925, 18928, 18934, 18942, 18944, 18947, 18953, 19102, 19128, 19130, 19162, 19184, 19186, 19202, 19203, 19223, 19230, 19443, 19706, 19707, 19723, 19724, 19725, 19732, 19734, 19735, 19788, 19789, 19943, 19944, 20054, 20058, 20062, 20161, 20164, 20178, 20194, 20195, 20211, 20218, 20223, 20284, 20339, 20341, 20343, 20359, 20362, 20368, 20370, 20373, 20377, 20382, 20386, 20390, 20404, 20408, 20411, 20414, 20418, 20420, 20453, 20454, 20456, 20458, 20463, 20465, 20467, 20471, 20474, 20475, 20478, 20479, 20488, 20490, 20492, 20496, 20500, 20501, 20554, 20556, 20558, 20562, 20582, 20583, 20591, 20595, 20599, 20603, 20607, 20611, 20615, 20619, 20657, 20658, 20660, 20663, 20664, 20668, 21132, 21197, 21283, 21344, 21357, 21359, 21829

\enddocument . . . 3552, 3558, 3565, 3582

\endflushleft . 2123, 2131

\endgraf 13998, 14017, 17623, 18203, 18886

\endgroup 17, 127, 212, 310, 317, 380, 396, 470, 522, 536, 674, 696, 821, 898, 918, 1073, 1157, 1180, 1323, 1492, 1997, 2235, 2243, 2251, 2627, 2666, 2685, 2709, 2917, 2936, 3291, 3310, 3355, 3377, 3387, 3404, 3454, 3527, 3663, 3869, 3871, 3907, 3912, 3921, 4079, 4123, 4147, 4162, 4233, 4245, 4257, 4277, 4288, 4299, 4463, 4562, 4572, 4612, 4981, 5408, 5410, 5641, 5670, 5699, 6076, 6093, 6109, 6120, 6160, 6479, 6515, 6522, 6529, 6587, 6676, 6699, 6853, 6876, 7090, 7140, 7155, 7361, 7621, 7680, 8518, 8548, 8726, 8739, 8849, 8946, 8995, 10512, 10574, 10831, 10846, 10949, 11073, 11113, 11197, 11218, 11463, 11472, 11631, 11646, 11732, 11773, 11804, 11949, 12002, 12180, 12195, 12601, 12639, 12650, 12661, 12672, 12773, 12798, 12836, 12869, 12900, 12931, 13160, 13171, 13309, 13332, 13408, 13432, 13615, 13984, 14788, 14906, 15006, 15103, 15310, 15314, 15318, 15706, 15756, 15761, 15763, 15766, 15771, 16008, 16039, 16225, 16248, 16380, 16521,

16597, 16620, 16765, 16812, 16827, 16947, 16997, 17012, 17354, 17454, 17592, 17903, 18034, 18172, 18602, 18717, 18855, 19205, 19329, 19508, 19924, 20035, 20436, 20564, 20874, 20907, 20950, 20969, 21092, 21427, 21470, 21676, 21686
\endL 183, 1496, 1642, 1921, 2553, 7365, 7374, 7375, 7384, 7390, 7409, 11016, 11129, 11143, 11305, 12142, 12150, 12169, 12179, 12194, 12215, 13003, 13582, 15770, 15910, 15929, 16038, 17174, 17185, 17192, 17202, 19280, 20882, 20883, 20922, 20926, 20979, 20990, 21009, 21655, 21730, 21746
\endlist 96, 299, 589, 721, 952, 984, 1234, 5964, 5972, 5977, 6726, 6914, 7226, 8785, 9059, 10893, 13264, 15514, 16280, 16674, 16871, 17074, 17496, 18076, 18759, 19406
\endlooprepeat 4006, 4035, 4042
\endLTR 15949, 21033, 21041
\endMakeFramed . . . 11746
\endmath 7259
\endmdf@lrbox 14141
\endminipage 9384, 11606, 19284
\endmodernpoem 6600
\endmulticols 15381
\endpgfpicture . . . 15724
\endpspicture 16003
\endR 181, 336, 348, 382, 406, 1367, 1368, 1485, 2206, 2207, 7267, 7354, 7370, 7375, 7377, 7409, 8489, 9425, 9429, 11148, 12139, 12144, 12201, 12240, 12247, 12616, 12624, 13006, 13042, 13074, 13103, 13129, 13139, 13142, 13339, 13582, 13992, 14056, 14059, 14095, 14186, 14194, 14385, 14711, 14875, 14877, 15779, 15911, 15919, 15998, 15999, 16000, 17170, 17180, 17189, 17198, 17590, 18170, 18853, 19100, 19101, 19126, 19132, 19279, 20879, 20883, 20885, 20979, 20991, 20999, 21102, 21247, 21250, 21253, 21270, 21281, 21282, 21655, 21668, 21670, 21730, 21746, 21765, 21768, 21776
\endrotate 17179
\endRTL 15951, 21043, 21051
\ends@math 7259
\endsideways 17197
\endsidewaysfigure 17117
\endsidewaystable 17118
\endstabular 19100, 19102
\endstrip 15119
\endtabular . 382, 383, 1368, 1369, 2206, 19126, 19128, 19212, 21281, 21283
\endtabularx 19163, 19192, 19203
\endtcb@lrbox 19284, 19285
\endtcb@savebox . . 19285
\endtcb@vbox 19295
\endtitlepage . . 631, 938, 1190, 6708, 6896, 16184, 16634
\endtraditionalpoem 6536
\endtrivlist 11144
\endturn 17169
\endwindow 15781
\enskip 20549, 20574
\enspace 308, 15775, 15777
\ensuremath 1538
\env@RTLcases 21107, 21111
\EQ 8553, 8559, 8560, 8564, 8565, 8574, 8575, 8577, 8579, 8580, 8582, 8583, 8584, 8585, 8587, 8588, 8589, 8601, 8604, 8606, 8608, 8609, 8611, 8614, 8616, 8618, 8619, 8621, 8622, 8624, 8627, 8628, 8629, 8632, 8635, 8643, 8650, 8658, 8665, 8667, 8670, 8674, 8675, 8676, 8677, 8689, 8691, 8692
\eq@addpunct 7264
\EQ@box 7269, 7275
\eq@group 7232, 7241
\eq@GRP@first@dmath 7241
\eq@if . . . 2750, 2751, 2753
\eq@isIntertext . . . 7279
\eq@prelim . . . 7232, 7249
\eq@setnumber 7235
\eq@setup@a 7237
\eq@startup 7238
\eq@wdCond 7256
\eqnewif 1564, 1565, 1570, 1582, 2746
\eqno 327, 15994, 15996, 21771, 21773
\eqnumform 7267
\eqstyle 7234
\equal 2518, 2535, 2539, 2543, 4802, 4836, 4847, 4879, 4880, 4896, 4937, 5195, 5437,

5438, 5456, 5457, 5475, 5476, 5507, 5508, 8180, 11253
\errmessage 1609, 1896, 15207
\ERROR 21368
\escapechar 2655, 2747, 2752, 2936, 3688, 3693, 3695, 3697, 3710
\ESO@isMEMOIR 8494
\ESO@tempdima 8499, 8500, 8501, 8503, 8507, 8509, 8510, 8511, 8516, 8523, 8527, 8529, 8533, 8535, 8539, 8546
\ESO@tempdimb 8514, 8516, 8541, 8542, 8543, 8544, 8546
\evenpage . 1958, 1961, 1962, 1963, 1965, 1966, 1967, 1968, 1970
\evensidemargin . . . 1982, 8527, 8535, 12288, 12293, 12301, 21696, 21704
\everycr 13988
\everydisplay 7229
\everyhbox . . . 15913, 15915, 15923, 15925, 20993, 20995, 21003, 21005
\everyjob 1536, 1537, 1864, 1865
\everymath 346
\everypar 520, 672, 916, 1155, 5254, 5298, 5342, 6675, 6852, 7139, 8994, 10830, 11024, 15905, 15909, 16117, 16224, 16596, 16811, 16996, 19501, 19505, 20033, 20985, 20989, 21035, 21045, 21572, 21616
\everyvbox 1371, 1372, 15933, 15935, 15941, 15943, 21013, 21015, 21022, 21024
\ExecuteOptions 2369, 4666, 6047, 6049, 8013, 8111
\ExecuteOptionsX . . 1765
\exhyphenpenalty 623, 930, 1124, 6645, 6822, 16176, 16626, 16688
\exp 14262, 14265, 14319, 14494, 14548
\expandafter 166, 359, 383, 753, 762, 770, 796, 799, 1005, 1014, 1022, 1048, 1051, 1255, 1264, 1272, 1298, 1301, 1369, 1384, 1466, 1467, 1468, 1470, 1541, 1543, 1547, 1549, 1553, 1555, 2151, 2153, 2157, 2159, 2163, 2165, 2169, 2170, 2178, 2180, 2184, 2185, 2209, 2212, 2215, 2218, 2222, 2225, 2228, 2279, 2280, 2333, 2591, 2594, 2597, 2601, 2615, 2627, 2628, 2633, 2644, 2669, 2671, 2675, 2676, 2680, 2683, 2693, 2695, 2699, 2700, 2704, 2707, 2727, 2729, 2734, 2754, 2755, 2758, 2759, 2795, 2797, 2801, 2805, 2807, 2811, 2813, 2817, 2819, 2823, 2825, 2829, 2831, 2835, 2837, 2841, 2843, 2847, 2849, 2860, 2862, 2866, 2867, 2868, 2870, 2871, 2874, 2878, 2880, 2885, 2886, 2888, 2889, 2892, 2901, 2908, 2912, 2914, 2917, 2918, 2919, 2921, 2924, 2925, 2927, 2928, 2930, 2931, 2933, 2937, 3182, 3183, 3184, 3185, 3186, 3188, 3211, 3215, 3266, 3267, 3268, 3269, 3275, 3276, 3277, 3278, 3361, 3362, 3376, 3377, 3378, 3380, 3387, 3388, 3391, 3406, 3413, 3422, 3599, 3613, 3627, 3637, 3646, 3647, 3648, 3649, 3664, 3691, 3692, 3701, 3705, 3760, 3761, 3773, 3774, 3869, 3871, 3878, 3880, 3882, 3884, 3885, 3886, 3906, 3908, 3911, 3914, 3915, 3916, 3918, 3921, 3926, 3989, 4001, 4003, 4019, 4020, 4021, 4022, 4060, 4071, 4076, 4090, 4123, 4124, 4125, 4128, 4131, 4147, 4148, 4162, 4163, 4175, 4180, 4185, 4195, 4211, 4214, 4240, 4283, 4345, 4354, 4366, 4368, 4369, 4409, 4419, 4420, 4441, 4458, 4469, 4471, 4598, 4599, 5398, 5939, 6369, 6494, 6497, 6500, 6503, 6506, 6509, 6535, 6536, 6599, 6600, 6614, 6767, 6776, 6784, 6944, 6953, 6961, 7229, 7339, 7381, 7402, 7569, 7571, 7632, 7634, 9400, 11046, 11048, 11082, 11084, 11150, 11151, 11156, 11157, 11254, 11271, 11276, 11335, 11338, 11359, 11362, 11375, 11389, 11390, 11391, 11392, 11394, 11618, 11773, 11795, 11796,

11804, 11915, 11917, 11964, 11966, 12185, 12223, 12224, 12641, 12643, 12652, 12654, 12663, 12665, 12768, 12782, 12796, 12820, 12834, 12867, 12898, 12929, 13160, 13161, 13168, 13182, 13403, 13411, 13416, 13596, 13597, 13602, 13603, 13985, 14031, 14034, 14887, 14890, 14922, 14924, 15022, 15024, 15668, 15685, 15697, 15702, 15907, 16312, 16321, 16329, 16355, 16358, 16451, 16460, 16468, 16496, 16499, 17082, 17094, 17104, 17125, 17140, 17152, 17657, 17659, 17661, 17664, 17670, 17679, 17681, 17683, 17689, 18237, 18239, 18241, 18244, 18250, 18258, 18260, 18263, 18269, 18920, 18922, 18924, 18927, 18933, 18941, 18943, 18946, 18952, 19102, 19128, 19161, 19164, 19184, 19187, 19189, 19191, 19202, 19203, 19211, 19215, 19217, 19224, 19226, 19231, 19233, 19242, 19706, 19707, 19723, 19724, 19725, 19732, 19734, 19735, 19788, 19943, 20054, 20058, 20062, 20161, 20164, 20178, 20194, 20211, 20218, 20223, 20284, 20338, 20340, 20342, 20358, 20362, 20367, 20369, 20372, 20376, 20381, 20385, 20389, 20403, 20408, 20410, 20413, 20417, 20420, 20466, 20470, 20491, 20495, 20557, 20561, 20657, 20658, 20660, 20663, 20664, 20667, 20892, 20904, 20907, 20915, 20916, 20935, 20947, 20950, 20964, 20965, 20969, 20987, 21283, 21344, 21356, 21391, 21393, 21438, 21440, 21829

\ExplSyntaxOff . . . 15652
\ExplSyntaxOn 15631
\extrafeetendmini 9357, 9383
\extrafeetendminihook 9381, 9382
\extrafeetins . 9314, 9315
\extrafeetinshook 9342, 9343
\extrafeetminihook 9356
\extrainfo 2461
\extrarowheight 386, 13959, 13967
\extrarulesep 19155
\extratitle 17376, 17925, 18624

F

\f@nch@everypar . . 11024
\f@nch@foot 11032
\f@nch@head 11026
\f@nch@reset 11026, 11032
\f@nch@vbox . 11027, 11033
\f@size 347
\FamilyKeyState . . 20159
\FamilyKeyStateProcessed 20159
\familyname 2454
\familynamecolour . . . 2423, 8017, 8115
\familynamefont 2432, 2440, 8057, 8151
\familynamestyle 2440, 8068, 8158, 8179
\FamilySetBool . . . 20158
\fancy@@oval 10994
\fancyfoot 2553, 5022, 5023, 8083
\fancyhead 5011, 5012, 5013, 6238, 6239, 6250, 6251, 6252
\fancyhf . . 2402, 5009, 5018, 5028, 6236, 6247
\fancyhfoffset 5002, 5003
\fancypagestyle 2399, 2552, 5017, 5027, 8082
\FAX 2419
\fax 2459
\faxsymbol 2419, 8092, 8190
\fb@adjheight 11760, 11830, 11850
\fb@afterframe 11755, 11780, 11838
\FB@captype 11155, 11156, 11158
\fb@frh . 11767, 11771, 11786, 11821, 11824
\fb@put@frame . 11749, 11760, 11831, 11851
\fb@putboxa . . . 11754, 11779, 11837, 11854
\fb@resto@set 11789, 11829, 11833
\fb@sizeofframe 11762, 11784
\fbox 2103, 2113, 7408, 8693, 12415, 12421, 12428, 12434, 12440, 12446, 12454, 12458, 12463, 12467, 12471, 12475,

12490, 12491, 12506, 12507, 12516, 12520, 12525, 12529, 12533, 12537, 12545, 12551, 12558, 12564, 12570, 12576, 16037
\fboxrule 2051, 11723, 11729, 11735, 11737, 11739, 11741
\fboxsep . . 2052, 2119, 2128, 7370, 7371, 7372, 7408, 11723, 11735, 11737, 11739, 11741, 16036, 20879, 20880, 20881, 20977
\fcolorbox 2053
\FeetAboveFloat 10811, 10815
\FeetAtBottom 10813
\FeetBelowFloat . . 10812
\FeetBelowRagged 10814, 10816
\ff@backcol 11265
\ff@col 11263
\ff@frametype 11261, 11272
\ff@txtcol 11253, 11254, 11264
\fi . . . 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 177, 184, 193, 207, 208, 213, 218, 224, 227, 228, 229, 239, 290, 305, 309, 328, 336, 348, 362, 363, 375, 376, 379, 382, 398, 404, 406, 463, 468, 506, 513, 521, 523, 530, 533, 534, 537, 556, 557, 563, 572, 595, 604, 611, 620, 624, 637, 640, 641, 642, 648, 649, 654, 657, 665, 673, 675, 682, 683, 690, 693, 694, 699, 707, 746, 756, 765, 773, 797, 799, 814, 819, 853, 860, 869, 875, 876, 882, 885, 892, 895, 896, 901, 909, 917, 919, 926, 927, 931, 951, 952, 953, 970, 998, 1008, 1017, 1025, 1049, 1051, 1066, 1071, 1105, 1112, 1121, 1125, 1131, 1132, 1137, 1140, 1148, 1156, 1158, 1165, 1166, 1174, 1177, 1178, 1183, 1196, 1199, 1200, 1201, 1220, 1248, 1258, 1267, 1275, 1299, 1301, 1316, 1321, 1359, 1360, 1362, 1365, 1367, 1368, 1373, 1387, 1388, 1402, 1403, 1417, 1425, 1426, 1432, 1433, 1437, 1442, 1445, 1450, 1453, 1461, 1462, 1471, 1472, 1484, 1485, 1496, 1544, 1550, 1556, 1600, 1601, 1608, 1609, 1621, 1627, 1628, 1671, 1677, 1683, 1689, 1695, 1707, 1713, 1719, 1725, 1739, 1746, 1753, 1763, 1780, 1791, 1796, 1802, 1805, 1813, 1821, 1872, 1887, 1888, 1895, 1896, 1907, 1943, 2154, 2160, 2166, 2181, 2202, 2206, 2207, 2209, 2265, 2266, 2272, 2287, 2288, 2291, 2294, 2297, 2301, 2302, 2310, 2524, 2525, 2526, 2528, 2556, 2564, 2612, 2626, 2641, 2642, 2664, 2665, 2680, 2690, 2704, 2714, 2723, 2730, 2800, 2808, 2814, 2820, 2826, 2832, 2838, 2844, 2850, 2863, 2872, 2875, 2881, 2890, 2893, 2915, 2922, 2960, 2964, 2970, 2971, 2989, 2995, 2996, 3014, 3018, 3024, 3025, 3043, 3049, 3050, 3071, 3075, 3081, 3082, 3109, 3115, 3116, 3144, 3177, 3212, 3363, 3381, 3553, 3556, 3599, 3613, 3627, 3637, 3665, 3710, 3715, 3720, 3723, 3724, 3725, 3733, 3743, 3745, 3753, 3760, 3763, 3767, 3774, 3779, 3790, 3802, 3803, 3841, 3845, 3852, 3856, 3858, 3897, 3989, 4023, 4061, 4067, 4071, 4076, 4090, 4129, 4155, 4169, 4181, 4196, 4232, 4244, 4276, 4287, 4341, 4343, 4344, 4373, 4375, 4379, 4380, 4389, 4391, 4412, 4413, 4415, 4429, 4430, 4432, 4433, 4448, 4461, 4462, 4470, 4487, 4542, 4552, 4563, 4750, 4756, 4949, 4952, 4955, 4958, 4977, 4988, 5218, 5227, 5254, 5262, 5271, 5306, 5315, 5491, 5548, 5550, 5560, 5886, 5887, 6004, 6005, 6006, 6184, 6262, 6314, 6327, 6335, 6366, 6367, 6422, 6423, 6427, 6434, 6439, 6448, 6477, 6485, 6487, 6542, 6544, 6548, 6567, 6569, 6570, 6571, 6582, 6584, 6585, 6594, 6596, 6633, 6642, 6646, 6652, 6653, 6658,

6661, 6669, 6677,
6684, 6685, 6692,
6695, 6696, 6702,
6712, 6744, 6746,
6748, 6760, 6770,
6779, 6787, 6810,
6819, 6823, 6829,
6830, 6835, 6838,
6846, 6854, 6861,
6862, 6869, 6872,
6873, 6879, 6900,
6921, 6923, 6925,
6937, 6947, 6956,
6964, 6984, 6990,
6991, 6995, 6997,
7020, 7029, 7083,
7088, 7126, 7133,
7141, 7148, 7151,
7152, 7156, 7166,
7168, 7170, 7179,
7185, 7186, 7193,
7204, 7209, 7228,
7230, 7231, 7232,
7240, 7251, 7253,
7262, 7267, 7269,
7284, 7285, 7286,
7288, 7290, 7315,
7322, 7328, 7340,
7341, 7353, 7354,
7365, 7369, 7370,
7374, 7375, 7377,
7384, 7390, 7409,
7412, 7413, 7419,
7424, 7447, 7470,
7493, 7516, 7531,
7534, 7535, 7551,
7555, 7556, 7558,
7579, 7604, 7611,
7620, 7622, 7642,
7663, 7670, 7679,
7681, 7711, 7722,
7723, 7731, 7762,
7763, 7771, 7776,
7787, 7793, 7800,
7801, 7802, 7808,
7809, 7810, 7837,
7845, 7851, 7852,
7853, 7867, 7873,
7874, 7875, 7908,
7922, 7934, 7937,
7947, 7961, 7969,
7975, 7980, 7982,
7983, 7984, 7998,
8033, 8040, 8047,
8054, 8079, 8128,
8134, 8140, 8146,
8160, 8175, 8221,
8224, 8225, 8242,
8245, 8246, 8271,
8287, 8288, 8290,
8299, 8308, 8309,
8328, 8341, 8342,
8351, 8360, 8361,
8364, 8380, 8387,
8403, 8409, 8425,
8432, 8489, 8492,
8504, 8512, 8513,
8516, 8530, 8536,
8537, 8540, 8546,
8566, 8650, 8665,
8674, 8675, 8676,
8677, 8707, 8720,
8723, 8724, 8727,
8734, 8740, 8747,
8748, 8754, 8761,
8771, 8842, 8847,
8881, 8939, 8944,
8982, 8988, 8996,
8998, 9000, 9002,
9011, 9017, 9018,
9026, 9037, 9042,
9063, 9066, 9069,
9071, 9078, 9079,
9083, 9106, 9126,
9161, 9202, 9278,
9279, 9290, 9291,
9302, 9303, 9324,
9332, 9333, 9341,
9365, 9367, 9373,
9379, 9380, 9395,
9424, 9425, 9428,
9429, 9431, 9454,
9464, 9499, 9516,
9563, 9572, 9605,
9621, 9666, 9676,
9711, 9728, 9775,
9785, 9820, 9837,
9884, 9894, 9928,
9946, 9993, 10003,
10037, 10055,
10102, 10112,
10147, 10164,
10211, 10221,
10256, 10273,
10320, 10330,
10365, 10382,
10449, 10494,
10501, 10505,
10522, 10543,
10556, 10563,
10567, 10584,
10639, 10648,
10728, 10735,
10756, 10793,
10807, 10824,
10832, 10839,
10842, 10843,
10847, 10850,
10855, 10862,
10879, 10942,
10947, 10981,
10988, 10990,
10992, 11002,
11006, 11013,
11014, 11015,
11016, 11056,
11072, 11074,
11092, 11112,
11114, 11125,
11132, 11148,
11170, 11178,
11182, 11196,
11203, 11280,
11282, 11284,
11293, 11295,
11297, 11305,
11308, 11310,
11325, 11339,
11363, 11447,
11449, 11485,
11538, 11546,
11560, 11574,
11575, 11590,
11591, 11614,
11688, 11689,
11700, 11701,
11712, 11713,
11714, 11724,
11738, 11740,
11750, 11818,
11819, 11847,
11852, 11861,
11874, 11875,
11876, 11890,
11925, 11947,
11950, 11974,
12000, 12003,
12014, 12019,
12028, 12034,
12036, 12037,
12053, 12063,
12072, 12082,

12087, 12092, 12104, 12106, 12107, 12121, 12137, 12139, 12142, 12143, 12144, 12150, 12152, 12163, 12169, 12172, 12179, 12188, 12194, 12196, 12198, 12201, 12209, 12215, 12230, 12236, 12237, 12240, 12247, 12259, 12260, 12273, 12283, 12289, 12296, 12302, 12303, 12319, 12323, 12328, 12332, 12333, 12343, 12344, 12349, 12350, 12351, 12359, 12368, 12370, 12371, 12372, 12373, 12374, 12386, 12388, 12389, 12390, 12391, 12392, 12397, 12403, 12404, 12405, 12418, 12424, 12431, 12437, 12443, 12449, 12450, 12451, 12456, 12460, 12465, 12469, 12473, 12477, 12478, 12479, 12480, 12487, 12495, 12503, 12511, 12518, 12522, 12527, 12531, 12535, 12539, 12540, 12541, 12548, 12554, 12561, 12567, 12573, 12579, 12580, 12581, 12582, 12583, 12584, 12585, 12594, 12599, 12600, 12604, 12616, 12624, 12628, 12629, 12644, 12655, 12666, 12686, 12697, 12708, 12723, 12738, 12753, 12812, 12850, 12883, 12914, 12945, 12971, 12974, 12977, 12980, 12989, 12991, 12995, 13001, 13003, 13006, 13020, 13025, 13034, 13042, 13054, 13059, 13067, 13074, 13085, 13090, 13096, 13103, 13114, 13119, 13129, 13135, 13139, 13142, 13170, 13174, 13189, 13197, 13205, 13213, 13222, 13230, 13239, 13247, 13255, 13267, 13273, 13276, 13277, 13278, 13293, 13304, 13305, 13310, 13322, 13339, 13343, 13346, 13349, 13351, 13375, 13376, 13377, 13378, 13389, 13390, 13407, 13418, 13430, 13442, 13455, 13457, 13476, 13483, 13491, 13497, 13511, 13521, 13529, 13560, 13561, 13571, 13572, 13589, 13598, 13604, 13638, 13641, 13720, 13723, 13726, 13729, 13732, 13735, 13738, 13741, 13745, 13748, 13751, 13754, 13757, 13760, 13763, 13766, 13769, 13772, 13775, 13778, 13781, 13784, 13787, 13790, 13793, 13796, 13799, 13802, 13805, 13808, 13811, 13814, 13817, 13820, 13823, 13826, 13829, 13832, 13835, 13838, 13841, 13844, 13847, 13850, 13853, 13856, 13859, 13862, 13865, 13868, 13871, 13874, 13877, 13880, 13883, 13886, 13889, 13892, 13895, 13898, 13901, 13904, 13907, 13910, 13913, 13916, 13919, 13922, 13925, 13928, 13931, 13934, 13940, 13942, 13945, 13954, 13955, 13970, 13992, 13997, 14006, 14010, 14051, 14052, 14056, 14057, 14059, 14064, 14071, 14081, 14088, 14095, 14103, 14107, 14140, 14162, 14186, 14194, 14385, 14711, 14779, 14783, 14786, 14791, 14792, 14793, 14794, 14795, 14796, 14808, 14822, 14825, 14831, 14835, 14836,

14857, 14858, 14859, 14864, 14875, 14877, 14881, 14891, 14903, 14910, 14932, 14939, 14942, 14963, 14973, 15003, 15009, 15010, 15032, 15039, 15042, 15063, 15073, 15100, 15106, 15107, 15112, 15132, 15142, 15143, 15148, 15149, 15155, 15159, 15160, 15163, 15167, 15172, 15175, 15179, 15184, 15188, 15196, 15207, 15221, 15226, 15232, 15246, 15254, 15269, 15282, 15290, 15295, 15300, 15305, 15348, 15350, 15371, 15378, 15410, 15414, 15418, 15495, 15502, 15521, 15526, 15531, 15538, 15548, 15549, 15552, 15553, 15554, 15559, 15564, 15568, 15574, 15580, 15585, 15588, 15594, 15613, 15626, 15627, 15659, 15677, 15691, 15699, 15700, 15704, 15712, 15727, 15735, 15770, 15779, 15780, 15798, 15802, 15809, 15810, 15812, 15814, 15815, 15816, 15822, 15847, 15849, 15860, 15871, 15878, 15884, 15886, 15889, 15890, 15904, 15958, 15959, 15962, 15966, 15967, 15970, 15975, 15976, 15981, 15996, 15997, 15998, 15999, 16000, 16002, 16005, 16013, 16024, 16029, 16034, 16037, 16038, 16045, 16047, 16051, 16053, 16062, 16064, 16066, 16075, 16077, 16079, 16088, 16090, 16092, 16101, 16103, 16124, 16144, 16156, 16157, 16164, 16173, 16177, 16190, 16193, 16194, 16195, 16201, 16202, 16207, 16210, 16218, 16226, 16233, 16234, 16241, 16244, 16245, 16251, 16266, 16287, 16289, 16291, 16305, 16315, 16324, 16332, 16356, 16358, 16373, 16378, 16412, 16419, 16428, 16444, 16454, 16463, 16471, 16497, 16499, 16514, 16519, 16561, 16562, 16564, 16567, 16573, 16574, 16579, 16582, 16590, 16598, 16605, 16606, 16613, 16616, 16617, 16623, 16627, 16640, 16643, 16644, 16645, 16652, 16654, 16656, 16660, 16689, 16758, 16763, 16799, 16805, 16813, 16820, 16823, 16824, 16828, 16829, 16830, 16841, 16843, 16845, 16854, 16878, 16887, 16940, 16945, 16983, 16990, 16998, 17005, 17008, 17009, 17013, 17023, 17025, 17027, 17036, 17041, 17048, 17057, 17091, 17095, 17105, 17136, 17141, 17142, 17153, 17154, 17168, 17170, 17174, 17178, 17180, 17185, 17189, 17192, 17196, 17198, 17202, 17229, 17238, 17240, 17251, 17258, 17281, 17287, 17293, 17296, 17319, 17324, 17325, 17337, 17347, 17352, 17355, 17392, 17393, 17399, 17406, 17409, 17424, 17429, 17430, 17431, 17447, 17450, 17457, 17474, 17495, 17502, 17507, 17512, 17515, 17516, 17517, 17519, 17546, 17570, 17571, 17572, 17590, 17591, 17599, 17605, 17618, 17628, 17646,

17652, 17676, 17778, 17787, 17789, 17800, 17807, 17830, 17836, 17842, 17845, 17868, 17873, 17874, 17886, 17896, 17901, 17904, 17941, 17942, 17948, 17955, 17958, 17973, 17978, 17979, 17982, 17985, 17998, 18001, 18006, 18009, 18014, 18017, 18026, 18030, 18037, 18054, 18075, 18082, 18087, 18092, 18095, 18096, 18097, 18099, 18126, 18150, 18151, 18152, 18170, 18171, 18179, 18185, 18198, 18208, 18226, 18232, 18256, 18351, 18358, 18359, 18375, 18376, 18377, 18378, 18379, 18380, 18381, 18382, 18389, 18391, 18395, 18397, 18401, 18403, 18407, 18409, 18413, 18415, 18419, 18421, 18425, 18427, 18431, 18433, 18437, 18439, 18443, 18445, 18449, 18477, 18486, 18488, 18499, 18506, 18529, 18535, 18541, 18544, 18567, 18572, 18573, 18585, 18595, 18600, 18603, 18640, 18641, 18647, 18654, 18657, 18672, 18677, 18678, 18709, 18713, 18720, 18737, 18758, 18765, 18770, 18775, 18778, 18779, 18780, 18782, 18809, 18833, 18834, 18835, 18853, 18854, 18862, 18868, 18881, 18891, 18909, 18915, 18939, 19030, 19033, 19075, 19091, 19096, 19100, 19101, 19118, 19126, 19132, 19139, 19146, 19152, 19157, 19188, 19245, 19246, 19262, 19263, 19279, 19317, 19324, 19326, 19341, 19352, 19355, 19362, 19363, 19364, 19369, 19373, 19374, 19389, 19412, 19419, 19437, 19438, 19454, 19455, 19456, 19460, 19461, 19470, 19474, 19475, 19476, 19482, 19485, 19486, 19487, 19495, 19506, 19507, 19509, 19510, 19516, 19517, 19518, 19526, 19529, 19530, 19538, 19539, 19540, 19541, 19549, 19552, 19556, 19557, 19558, 19566, 19569, 19573, 19574, 19575, 19583, 19586, 19590, 19591, 19592, 19600, 19603, 19607, 19608, 19609, 19617, 19620, 19624, 19625, 19626, 19634, 19637, 19642, 19643, 19644, 19652, 19655, 19661, 19662, 19663, 19671, 19674, 19681, 19682, 19683, 19691, 19694, 19708, 19716, 19717, 19718, 19726, 19729, 19751, 19766, 19767, 19768, 19909, 19925, 20017, 20031, 20034, 20036, 20064, 20065, 20066, 20073, 20088, 20105, 20127, 20166, 20167, 20435, 20437, 20444, 20446, 20459, 20460, 20461, 20468, 20472, 20477, 20481, 20487, 20493, 20497, 20503, 20506, 20508, 20509, 20510, 20513, 20516, 20519, 20520, 20529, 20535, 20544, 20545, 20553, 20559, 20563, 20566, 20567, 20578, 20579, 20589, 20590, 20594, 20598, 20602, 20606, 20610, 20614, 20618, 20622, 20626, 20631, 20639, 20642, 20649, 20650, 20654, 20661,

20684, 20690, 20701, 20706, 20712, 20714, 20721, 20724, 20737, 20746, 20759, 20762, 20773, 20779, 20780, 20786, 20791, 20794, 20808, 20813, 20816, 20817, 20818, 20819, 20823, 20826, 20828, 20834, 20835, 20849, 20859, 20860, 20867, 20872, 20875, 20878, 20879, 20882, 20883, 20885, 20894, 20895, 20899, 20905, 20911, 20912, 20913, 20916, 20922, 20926, 20937, 20938, 20942, 20948, 20960, 20961, 20962, 20965, 20979, 20984, 21030, 21031, 21039, 21049, 21058, 21059, 21062, 21066, 21067, 21102, 21128, 21147, 21155, 21161, 21167, 21175, 21182, 21183, 21184, 21190, 21195, 21198, 21206, 21207, 21215, 21216, 21224, 21225, 21233, 21234, 21242, 21243, 21244, 21245, 21248, 21251, 21254, 21257, 21258, 21259, 21260, 21262, 21264, 21265, 21272, 21275, 21277, 21281, 21282, 21285, 21301, 21302, 21310, 21311, 21314, 21315, 21316, 21317, 21318, 21324, 21329, 21337, 21354, 21360, 21362, 21369, 21379, 21381, 21401, 21425, 21428, 21448, 21468, 21471, 21474, 21492, 21507, 21525, 21527, 21536, 21545, 21580, 21589, 21621, 21624, 21625, 21626, 21627, 21628, 21636, 21650, 21654, 21655, 21659, 21667, 21668, 21669, 21670, 21671, 21692, 21699, 21705, 21706, 21707, 21708, 21710, 21711, 21712, 21730, 21746, 21765, 21768, 21769, 21773, 21774, 21776, 21784, 21786, 21895, 21901, 21907

\figcaption . 12368, 12386

\fill 6177, 6181, 12403, 12598, 13940, 13942, 13944

\filright . . 19304, 19333

\FirstFrameCommand 11737, 11783

\firstmark 7577, 7640, 11054, 11090, 11247, 11923, 11972, 14930, 15030, 21399, 21446, 21757

\firstname 2453

\firstnamecolour 2422, 8018, 8114

\firstnamefont 2431, 2439, 8056, 8057, 8148, 8151

\firstnamestyle 2439, 8068, 8158, 8179

\fivecolumnfootnotes 9757

\Fld@width . . . 13188, 13196, 13204, 13212

\flnew@within 11155

\float@newx 11149

\floatalignment 4806, 4807, 4848, 4849, 4871, 4878, 4886, 4937, 5148

\FloatBarrier . 4778, 5128

\floatc@bidituftefloatplain 5146, 5156, 5163, 5169, 5177

\floatc@bidituftefloatplaintop 5163

\floatc@bidituftefloatruled 5164

\floatc@plain 11146

\floatingpenalty 41, 55, 71, 244, 258, 273, 8230, 8251, 8298, 8305, 8350, 8357, 9351, 11490, 11507, 11523

\floatstyle 5197

\flushleft . . . 2120, 2129

\FN@sf@@footnote 2147, 2151

\FN@sf@@footnotemark 2176, 2178

\FN@sf@@LTRfootnote 2148, 2157

\FN@sf@@RTLfootnote 2149, 2163

\FN@sf@gobble@bracket 2187, 2190

\FN@sf@gobble@opt 2153, 2159, 2165, 2168

\FN@sf@gobble@optonly 2180, 2183

\FN@sf@gobble@twobracket 2172, 2175

\font 19042, 19043

\fontdimen . 19042, 19043

\fontsize 303, 6132, 6134, 6136, 8056, 8148, 13288, 15611, 15624

\foo 15682, 15684, 15694, 15696
\footdir@abspage 11350, 11353, 11354, 11357, 11358, 11361
\footdir@debug 11322, 11330, 11334, 11337, 11347, 11354, 11358, 11361
\footdir@debugfalse 1718
\footdir@debugtrue 1716, 11320
\footdir@fntext 11368, 11385, 11387
\footdir@LeftRightElse . 11328, 11344, 11421
\footdir@name 11371, 11374, 11375
\footdir@ORG@bidi@amsart@footnotetext 79
\footdir@ORG@bidi@amsart@LTRfootnotetext 81
\footdir@ORG@bidi@amsart@RTLfootnotetext 80
\footdir@ORG@bidi@amsbook@footnotetext 282
\footdir@ORG@bidi@amsbook@LTRfootnotetext 284
\footdir@ORG@bidi@amsbook@RTLfootnotetext 283
\footdir@ORG@bidi@footnotetext 11541
\footdir@ORG@bidi@LTRfootnotetext 11543
\footdir@ORG@bidi@RTLfootnotetext 11542
\footdir@temp 79, 80, 81, 282, 283, 284, 11380, 11541, 11542, 11543
\footdir@toks 11321, 11388, 11389, 11390, 11394
\footdir@write 11315, 11345, 11384
\footersymbol 8075, 8076, 8091, 8092, 8093, 8094
\footfootmark 9143, 9268, 9491, 9597, 9703, 9812, 9921, 10030, 10139, 10248, 10357, 10624, 11678
\footfudgefactor . . . 10422, 10511, 10573
\footins 35, 49, 65, 238, 252, 267, 8230, 8251, 8255, 8256, 8267, 8270, 8274, 8298, 8304, 8312, 8313, 8324, 8327, 8331, 8350, 8356, 9160, 9174, 9188, 9348, 9407, 10732, 10741, 10764, 10768, 10777, 10781, 10787, 10802, 11484, 11501, 11517, 11907, 11908, 11956, 11957, 12010, 12011, 12012, 12013, 12033, 12034, 12044, 12053, 12074, 12092, 12095, 15972, 15973, 15975, 21479, 21485, 21489, 21494, 21512, 21516
\footinsdim 9347, 9348, 9412, 9442, 9551, 9654, 9763, 9872, 9981, 10090, 10199, 10308, 10467, 10473, 10525, 10531
\footinsv@l 9320, 9328, 9414, 9415, 10473, 10474, 10502, 10504, 10531, 10532, 10564, 10566, 10583, 10597, 15336, 15337, 15344, 15345, 15349, 15350, 15364, 15411, 15412
\footinsv@r 9319, 9409, 9410, 9411, 9412, 9442, 9443, 9454, 9464, 9474, 9551, 9552, 9563, 9572, 9581, 9654, 9655, 9666, 9676, 9686, 9763, 9764, 9775, 9785, 9795, 9872, 9873, 9884, 9894, 9904, 9981, 9982, 9993, 10003, 10013, 10090, 10091, 10102, 10112, 10122, 10199, 10200, 10211, 10221, 10231, 10308, 10309, 10320, 10330, 10340, 10467, 10468, 10498, 10500, 10525, 10526, 10560, 10562, 10581, 10609, 15332, 15333, 15340, 15341, 15347, 15348, 15363, 15407, 15408
\footmarkstyle 9265, 9304
\footmarkwidth 9264, 9269, 9270, 9272, 9274, 9277, 9281, 9282, 9284, 9286, 9289, 9293, 9294, 9296, 9298, 9301, 9308, 9311, 11679, 11680, 11682, 11684, 11687, 11691, 11692, 11694, 11696, 11699, 11703, 11704, 11706, 11708, 11711
\footnote 417, 491, 741, 840, 993, 1092, 1243, 1343, 2147, 2150, 5714, 6033, 6064, 6755, 6932, 7037, 7111, 8800, 8868, 8893, 8967, 10900, 10968, 14826, 14829, 16300, 16399, 16437, 16543, 16697, 16785, 16894, 16968, 17272, 17388, 17821, 17937, 18520, 18636

\footnotelayout 5532, 5533, 5536
\footnotemark 2176, 2177, 11619, 11633, 14827, 14830
\footnoterule 8209, 8271, 8277, 8282, 8310, 8311, 8328, 8332, 8336, 8362, 8363, 9135, 9364, 9372, 9393, 9408, 10734, 10767, 10780, 11312, 11409, 11413, 11416, 11431, 11436, 11437, 11439, 12095, 12128, 15272, 15974, 19296, 21488, 21515
\footnotes 5529
\footnotesep . . 29, 31, 40, 46, 54, 60, 70, 76, 233, 235, 243, 249, 257, 263, 272, 278, 8227, 8248, 8273, 8330, 9144, 9150, 9156, 9352, 10492, 10554, 11489, 11497, 11506, 11514, 11522, 11530, 11557, 11571, 11585, 13283, 13285
\footnotesize . . . 38, 52, 68, 106, 226, 241, 255, 270, 413, 737, 989, 1239, 2531, 2553, 4686, 4687, 4725, 5344, 5345, 5346, 5538, 5568, 5586, 5604, 6751, 6928, 7033, 8796, 8889, 9344, 9345, 9346, 10896, 11480, 11481, 11482, 11487, 11504, 11520, 11550, 11564, 11578, 13275, 15775, 15777, 16296, 16433, 16693, 16890, 17268, 17817, 18516
\footnotetext . . 2211, 2222, 6493, 6503
\footrule 11033
\footrulewidth 2401, 5007
\footscript 9265, 9271, 9275, 9277, 11681, 11685, 11687
\footskip . . 11033, 21743
\foottextfont . . 9144, 9164, 9206, 9344, 9437, 9456, 9491, 9502, 9546, 9565, 9597, 9608, 9649, 9668, 9703, 9714, 9758, 9777, 9812, 9823, 9867, 9886, 9921, 9932, 9976, 9995, 10030, 10041, 10085, 10104, 10139, 10150, 10194, 10213, 10248, 10259, 10303, 10322, 10357, 10368, 10427, 10462, 10491, 10516, 10553, 10588, 10624, 10649
\forcerectofloat . . 4809
\forceversofloat . . 4810
\forvariable 3969, 3975, 4051, 4087, 4094, 4099, 4105, 4110, 4114, 4115
\fourcolumnfootnotes 9648
\fp 14483, 14484, 14485, 14486
\fps@figure 12356
\framebox 8066, 8197, 15141, 15147
\FrameCommand 11735
\FrameHeightAdjust 11809
\FrameRestore . 11743, 11747, 11863, 11864
\fromaddress 9061, 9067, 9077, 13341, 13347
\fromname 9082
\fromplace 18443
\fromsig 9081, 9083, 18450
\fromvalue 3969, 4055, 4078, 4100, 4115
\frontmatter 6231
\fs@biditufteboxed 5175
\fs@biditufteplain 5154, 5162
\fs@biditufteplaintop 5162
\fs@biditufteruled 5167
\fslice . 15792, 15793, 15795, 15796, 15799
\ftn@amount . . . 12011, 12012, 12013, 12020, 12024, 12025
\ftn@font 17243, 17792, 18491
\ftn@rule@height 17250, 17253, 17257, 17260, 17799, 17802, 17806, 17809, 18498, 18501, 18505, 18508
\ftn@rule@test@values 17249, 17256, 17798, 17805, 18497, 18504
\ftn@rule@width 17253, 17260, 17802, 17809, 18501, 18508
\ftnm@font 17245, 17794, 18493
\full@width 15199, 15211, 15259
\futurelet 790, 792, 1042, 1044, 1292, 1294, 2720, 3769, 3772, 16349, 16351, 16490, 16492

G

\g 8572, 8574, 8578, 8671, 14181, 14186, 14188, 14194, 14196, 14239, 14243, 14244, 14290, 14294, 14295, 14312, 14313, 14350, 14366, 14369, 14375, 14376, 14377, 14378, 14379, 14388, 14389, 14391, 14393,

14394, 14395, 14402, 14403, 14408, 14414, 14423, 14426, 14434, 14435, 14438, 14439, 14440, 14441, 14442, 14443, 14445, 14448, 14449, 14451, 14454, 14456, 14459, 14464, 14472, 14473, 14475, 14476, 14477, 14478, 14479, 14480, 14481, 14483, 14484, 14485, 14486, 14488, 14489, 14499, 14507, 14508, 14509, 14511, 14516, 14517, 14522, 14523, 14527, 14532, 14535, 14542, 14544, 14547, 14548, 14552, 14554, 14555, 14558, 14559, 14560, 14564, 14565, 14569, 14570, 14577, 14592, 14593, 14594, 14596, 14601, 14604, 14605, 14608, 14612, 14613, 14614, 14618, 14619, 14620, 14627, 14628, 14629, 14631, 14632, 14635, 14636, 14641, 14647, 14658, 14663, 14664, 14665, 14669, 14672, 14673, 14674, 14675, 14677, 14685, 14699, 14700, 14701, 14702, 14704, 14707, 14715, 14716, 14719, 14723, 14724, 14726, 14728, 14729, 14730, 14734, 14735, 14736, 14741, 14748, 15634, 15642, 15645

\g@addto@macro . 4214, 4458, 4543, 4553, 4804, 5490, 5492, 8601, 8604, 8606, 14073, 20366, 20662

\g@mix@page@int .. 14621

\gdef .. 406, 408, 2050, 2422, 2423, 2424, 2425, 2426, 2427, 2429, 2430, 2591, 2615, 3647, 3733, 3735, 3745, 3747, 4064, 4066, 4067, 4537, 4548, 4822, 4823, 4825, 4828, 4908, 4913, 4914, 4915, 5067, 5108, 5487, 5625, 5654, 5683, 5722, 5731, 5740, 6069, 6086, 6102, 6114, 6154, 6155, 6156, 6343, 6346, 6601, 6613, 6615, 7576, 7639, 8555, 8568, 10785, 10798, 10811, 10812, 11053, 11089, 11375, 11435, 11922, 11971, 13404, 13637, 13640, 14929, 15029, 15556, 15577, 15966, 19040, 19305, 19306, 19311, 19334, 19335, 20659, 21066, 21116, 21341, 21398, 21445

\geometry 4708, 4711, 4715, 4718, 4722

\Gin@angle 15617

\Gin@bboxtrue 12173

\Gin@defaultbp 12174, 12175, 12176, 12177, 19267, 19268, 19271

\Gin@eheight 15619

\Gin@esetsize 12192

\Gin@ewidth . 15618, 15619

\Gin@exclamation .. . 12222, 15618, 15621

\Gin@gridfalse ... 15604

\Gin@ii 12181

\Gin@iii ... 12170, 12184

\Gin@llx 12174

\Gin@lly 12175

\Gin@outer@scalex 15615

\Gin@outer@scaley 15616

\Gin@scalex 15620

\Gin@scaley 15621

\Gin@urx 12176

\Gin@ury 12177

\Ginclude@graphics 12178, 12190

\Ginput@path 14381

\global 301, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 466, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 519, 520, 671, 672, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 817, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 915, 916, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1154, 1155, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1319, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1461, 1462, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2209, 2212, 2215,

2218, 2222, 2225,
2228, 2307, 2311,
2333, 2616, 2630,
2632, 2638, 2640,
2651, 2657, 2669,
2693, 2777, 2793,
2952, 3006, 3060,
3869, 3871, 3891,
3892, 3903, 3911,
3921, 4034, 4053,
4055, 4057, 4069,
4074, 4673, 4807,
4851, 4852, 5224,
5235, 5238, 5268,
5279, 5282, 5312,
5323, 5326, 5380,
6147, 6344, 6347,
6365, 6369, 6385,
6396, 6422, 6423,
6450, 6463, 6464,
6484, 6494, 6497,
6500, 6503, 6506,
6509, 6541, 6551,
6565, 6567, 6572,
6573, 6579, 6580,
6582, 6602, 6614,
6616, 6674, 6675,
6793, 6794, 6795,
6796, 6797, 6798,
6799, 6800, 6801,
6802, 6851, 6852,
6970, 6971, 6972,
6973, 6974, 6975,
6976, 6977, 6978,
6979, 7057, 7058,
7059, 7060, 7061,
7062, 7063, 7064,
7065, 7066, 7067,
7068, 7086, 7092,
7093, 7094, 7095,
7096, 7097, 7098,
7099, 7100, 7101,
7102, 7103, 7104,
7138, 7139, 7231,
7241, 7242, 7243,
7244, 7245, 7246,
7247, 7248, 7256,
7269, 7274, 7278,
7334, 7563, 7564,
7574, 7581, 7615,
7626, 7627, 7637,
7644, 7674, 7699,
7718, 7915, 7926,
7939, 7951, 7953,
7962, 7964, 7965,
7968, 7971, 7981,
7988, 7989, 7996,
8222, 8229, 8243,
8250, 8262, 8270,
8274, 8291, 8294,
8302, 8307, 8319,
8327, 8331, 8343,
8346, 8354, 8359,
8681, 8818, 8819,
8820, 8821, 8822,
8823, 8824, 8825,
8826, 8827, 8845,
8851, 8852, 8853,
8854, 8855, 8856,
8857, 8858, 8859,
8860, 8861, 8913,
8914, 8915, 8916,
8917, 8918, 8919,
8920, 8921, 8922,
8923, 8924, 8942,
8948, 8949, 8950,
8951, 8952, 8953,
8954, 8955, 8956,
8957, 8958, 8959,
8960, 8993, 8994,
9202, 9213, 9224,
9388, 9390, 9431,
9499, 9511, 9524,
9605, 9616, 9628,
9711, 9723, 9736,
9820, 9832, 9845,
9929, 9941, 9954,
10038, 10050,
10063, 10147,
10159, 10172,
10256, 10268,
10281, 10365,
10377, 10390,
10413, 10427,
10500, 10504,
10562, 10566,
10634, 10659,
10673, 10744,
10788, 10791,
10797, 10803,
10805, 10810,
10829, 10830,
10918, 10919,
10920, 10921,
10922, 10923,
10924, 10925,
10926, 10927,
10945, 10951,
10952, 10953,
10954, 10955,
10956, 10957,
10958, 10959,
10960, 10961,
11041, 11042,
11051, 11057,
11077, 11078,
11087, 11094,
11165, 11168,
11201, 11204,
11206, 11212,
11213, 11214,
11232, 11236,
11239, 11242,
11244, 11248,
11546, 11547,
11560, 11561,
11574, 11575,
11896, 11897,
11898, 11899,
11905, 11906,
11907, 11908,
11909, 11910,
11920, 11929,
11954, 11955,
11956, 11957,
11958, 11959,
11969, 11978,
12007, 12008,
12020, 12021,
12022, 12024,
12025, 12026,
12027, 12109,
12122, 12782,
12796, 12820,
12834, 12867,
12898, 12929,
12992, 13002,
13587, 13979,
13980, 14031,
14034, 14053,
14054, 14062,
14759, 14760,
14761, 14762,
14763, 14764,
14765, 14766,
14767, 14784,
14879, 14916,
14917, 14927,
14933, 14936,
14938, 14940,
14941, 14943,
14948, 14956,

14958, 14966, 14967, 14968, 14969, 14971, 14972, 14975, 14976, 15007, 15008, 15016, 15017, 15027, 15033, 15036, 15038, 15040, 15041, 15043, 15048, 15056, 15058, 15066, 15067, 15068, 15069, 15071, 15072, 15075, 15076, 15104, 15105, 15111, 15112, 15124, 15125, 15126, 15127, 15128, 15129, 15131, 15137, 15209, 15226, 15232, 15246, 15254, 15497, 15714, 15731, 15732, 15733, 15734, 15742, 15749, 15782, 15806, 15807, 15808, 16007, 16057, 16223, 16224, 16338, 16339, 16340, 16341, 16342, 16343, 16344, 16345, 16346, 16347, 16376, 16382, 16383, 16384, 16385, 16386, 16387, 16388, 16389, 16390, 16391, 16392, 16477, 16478, 16479, 16480, 16481, 16482, 16483, 16484, 16485, 16486, 16487, 16488, 16517, 16523, 16524, 16525, 16526, 16527, 16528, 16529, 16530, 16531, 16532, 16533, 16534, 16535, 16595, 16596, 16727, 16728, 16729, 16730, 16731, 16732, 16733, 16734, 16735, 16736, 16737, 16738, 16761, 16767, 16768, 16769, 16770, 16771, 16772, 16773, 16774, 16775, 16776, 16777, 16778, 16779, 16810, 16811, 16914, 16915, 16916, 16917, 16918, 16919, 16920, 16921, 16922, 16923, 16924, 16925, 16943, 16949, 16950, 16951, 16952, 16953, 16954, 16955, 16956, 16957, 16958, 16959, 16960, 16961, 16995, 16996, 17350, 17362, 17363, 17364, 17365, 17366, 17367, 17368, 17369, 17370, 17371, 17372, 17373, 17374, 17375, 17376, 17377, 17378, 17379, 17380, 17381, 17382, 17383, 17384, 17584, 17638, 17640, 17899, 17911, 17912, 17913, 17914, 17915, 17916, 17917, 17918, 17919, 17920, 17921, 17922, 17923, 17924, 17925, 17926, 17927, 17928, 17929, 17930, 17931, 17932, 17933, 18164, 18218, 18220, 18598, 18610, 18611, 18612, 18613, 18614, 18615, 18616, 18617, 18618, 18619, 18620, 18621, 18622, 18623, 18624, 18625, 18626, 18627, 18628, 18629, 18630, 18631, 18632, 18847, 18901, 18903, 19131, 19135, 19136, 19137, 19154, 19166, 19171, 19175, 19187, 19224, 19226, 19231, 19233, 19500, 19501, 19504, 19505, 20032, 20033, 20083, 20087, 20656, 20804, 20812, 20822, 20825, 20869, 21127, 21344, 21355, 21385, 21386, 21396, 21403, 21432, 21433, 21443, 21450, 21542, 21553, 21556, 21586, 21597, 21600, 21628, 21637, 21638, 21639, 21640, 21642, 21645, 21646, 21660, 21665, 21679, 21680, 21682, 21691, 21724, 21736, 21739, 21741, 21748, 21752, 21754, 21755, 21758, 21767

\GlobalSetatBoolean 2786

\GlobalSetBoolean 2770, 4809,

4810, 4837, 4838, 4842, 4843, 5136, 5137
\glossary .. 11226, 21719
\glueexpr 20212, 20219, 20224, 20285, 20346, 20349, 20353, 20359
\Gm@pageframes ... 12284
\Gm@vrule 12267, 12268, 12269, 12271, 12272, 12273, 12276, 12277, 12278, 12281, 12282, 12283
\Gm@vrules@mpi ... 12264
\Gm@vrules@mpii .. 12274
\grid 15612, 15625
\Grot@box 12142, 12150, 17174, 17185, 17192, 17202
\Grot@box@kv 12143
\Grot@box@std 12137
\Grot@setangle 12138, 12149, 17167, 17177, 17188, 17195
\Grot@x 12140, 12145, 17172, 17182, 17190, 17200
\Grot@y 12141, 12146, 17173, 17183, 17190, 17201
\group .. 14362, 14383, 14670, 14683, 14688, 14695, 14751
\grp@aligned 7247
\GRP@box . 7242, 7274, 7276
\grp@eqs@numbered . 7246
\grp@hasNumber 7251
\GRP@label 7243
\grp@linewidth 7245
\GRP@queue ... 7242, 7278
\grp@setnumber 7251
\grp@shiftnumber .. 7248
\grp@wdL 7244
\grp@wdNum 7245
\grp@wdR 7244
\grp@wdT 7244
\Gscale@box 12152, 12244, 12261
\Gscale@div 12243, 12250, 12253
\Gscale@end . 12156, 12202
\Gscale@start 12156, 12202
\Gscale@x .. 12154, 12200
\Gscale@y .. 12154, 12200
\gsetlength 4671, 4824, 4916, 5378, 5627, 5629, 5656, 5658, 5685, 5687

H

\H@@footnotemark 12673, 12762, 12955, 12969, 12986
\H@@footnotetext 9114, 12632, 12643, 12712, 12759, 12873, 12956, 12972, 12986
\H@@mpfootnotetext ... 9120, 12641, 12675, 12679, 12763
\H@refstepcounter 13162
\halign 6384, 13982
\hangafter .. 7424, 14852
\hangindent 107, 108, 109, 227, 228, 229, 647, 874, 1130, 6004, 6005, 6006, 6651, 6828, 7328, 7424, 13276, 13277, 13278, 14845, 14851, 16200, 16572, 21262, 21786
\hb@xt@ 456, 516, 535, 668, 695, 897, 912, 1059, 1151, 1179, 1993, 6672, 6697, 6849, 6874, 7076, 7136, 7153, 7414, 7583, 7588, 7592, 7646, 7647, 7653, 7879, 7885, 7890, 7897, 7904, 8725, 8737, 8835, 8932, 8991, 9270, 9277, 9282, 9289, 9294, 9301, 10827, 10844, 10935, 11096, 11097, 11103, 11123, 11138, 11257, 11680, 11687, 11692, 11699, 11704, 11711, 11931, 11932, 11938, 11980, 11985, 11989, 12165, 12211, 12266, 12271, 12276, 12280, 13337, 13501, 13508, 13515, 13520, 13588, 14880, 14982, 14987, 14991, 15082, 15083, 15089, 15186, 16221, 16246, 16593, 16618, 16709, 16752, 16825, 16933, 16993, 17010, 17550, 17590, 18130, 18170, 18813, 18853, 19078, 19763, 19921, 20027, 20419, 20532, 20569, 20571, 20637, 20644, 20646, 21078, 21259, 21260, 21335, 21405, 21410, 21414, 21452, 21453, 21459, 21649, 21730, 21746, 21768
\hbadness 5179, 8215, 8236, 19207, 19209, 20743, 20744, 20761
\hbox . 15, 28, 188, 210, 232, 345, 379, 387, 404, 544, 654, 731, 882, 965, 1137, 1211, 1413, 1472, 1632, 1911, 2192, 4783, 4871, 4873, 4878, 4911, 4912, 4921, 4928, 5148, 5181, 5499, 5538, 5565, 5583, 5601, 5723, 5732, 5741, 6176, 6184, 6303, 6353, 6357, 6368, 6385, 6396, 6602, 6616, 6658, 6736, 6835, 6889, 7163, 7275, 7341, 7370, 7530, 7533, 7550,

7554, 8274, 8277, 8280, 8331, 8332, 8334, 8558, 8563, 8569, 8792, 9091, 10420, 10432, 10437, 10441, 10446, 10691, 10701, 10711, 10720, 10874, 11012, 11026, 11027, 11032, 11034, 11058, 11061, 11065, 11142, 11146, 11148, 11186, 11191, 11401, 12130, 12131, 12139, 12144, 12155, 12156, 12201, 12202, 12240, 12247, 13282, 13288, 13307, 13360, 13971, 13991, 13996, 14056, 14059, 14367, 14383, 14384, 14402, 14662, 14664, 14674, 14710, 14745, 15159, 15193, 15209, 15211, 15321, 15640, 15642, 15645, 15726, 15775, 15779, 15799, 15832, 15836, 15841, 15845, 15857, 15868, 15885, 15895, 15912, 15921, 15922, 15931, 15985, 15986, 15987, 15989, 15990, 16016, 16034, 16045, 16207, 16261, 16579, 16684, 16808, 16838, 17020, 17189, 17243, 17245, 17260, 17513, 17621, 17792, 17794, 17809, 18093, 18201, 18362, 18363, 18372, 18388, 18394, 18400, 18406, 18412, 18418, 18424, 18430, 18436, 18491, 18493, 18508, 18776, 18884, 19057, 19105, 19118, 19146, 19157, 19196, 19266, 20524, 20525, 20574, 20576, 20633, 20634, 20837, 20871, 20873, 20879, 20992, 21001, 21002, 21011, 21076, 21077, 21080, 21081, 21082, 21083, 21091, 21097, 21261, 21270, 21272, 21277, 21287, 21302, 21331, 21332, 21657, 21667, 21669

\hboxL 192, 1624, 1626, 1906, 11843, 11860, 13503, 15922, 21002

\hboxR 190, 1618, 1620, 1904, 15912, 20992

\head@style 621, 928, 1122, 1355, 6643, 6820, 16174, 16557, 16624, 16686

\headheight 1975, 8543, 11027, 11234, 21726

\headrule 11030

\headrulewidth 2400, 5006

\headsep . . 1983, 1986, 8544, 11235, 21735

\headwidth 2490, 11026, 11028, 11029, 11030, 11032, 11034, 11035, 11036

\height . 12146, 12220, 12428, 12430, 12434, 12436, 12463, 12464, 12467, 12468, 12525, 12526, 12529, 12530, 12558, 12560, 12564, 12566, 14713, 14721, 14746

\hfil . 15, 210, 516, 535, 668, 695, 897, 912, 1060, 1151, 1179, 1409, 1410, 1411, 1412, 1440, 1441, 1442, 1448, 1449, 1450, 1965, 1970, 6354, 6356, 6461, 6672, 6697, 6849, 6874, 7136, 7153, 7414, 7531, 7534, 7551, 7555, 7585, 7587, 7650, 7652, 7882, 7884, 7901, 7903, 8725, 8737, 8991, 9430, 10827, 10844, 11060, 11100, 11102, 11128, 11141, 11148, 11935, 11937, 11982, 11984, 12273, 12278, 13307, 13588, 13996, 14880, 14984, 14986, 15086, 15088, 15186, 15779, 15833, 15837, 15842, 15846, 15858, 15869, 15895, 16221, 16246, 16593, 16618, 16808, 16825, 16993, 17010, 19763, 19921, 20027, 20419, 20532, 20569, 20571, 20637, 20644, 20646, 21105, 21335, 21407, 21409, 21456, 21458, 21668, 21670, 21707, 21708, 21710, 21711, 21768

\hfill 1478, 1479, 2511, 2517, 2531, 4940, 4941, 4944, 4945,

6325, 6335, 7347, 7348, 8067, 11028, 11029, 11034, 11035, 15161, 15185, 15424, 15427, 15428, 15429, 15432, 15433, 15434, 15435, 15436, 15439, 15440, 15441, 15442, 15443, 15444, 15445, 15448, 15449, 15450, 15451, 15452, 15453, 15454, 15455, 15456, 15459, 15460, 15461, 15464, 15465, 15466, 15469, 15470, 15471, 15472, 15473, 15476, 15477, 15478, 15479, 15480, 15483, 15484, 15485, 15486, 15487, 15886, 15890, 17260, 17658, 17675, 17809, 18238, 18255, 18390, 18396, 18402, 18408, 18414, 18420, 18426, 18432, 18508, 18921, 18938, 19306, 19335, 20393, 20396, 20400, 20526, 20635, 20792, 21333
\hfilneg 9424, 9428
\hfuzz . 8556, 19208, 19210
\hintcolour 2430
\hintfont 2438, 2446, 2500, 2507, 2512
\hintscolumnwidth 2466, 2480, 2484, 2492, 2500, 2506, 2512, 2569
\hintstyle 2446
\hline 13948, 13950, 13956
\HLOFF 2055
\HLON 2049
\HLTR@@LTRfootnotetext . . . 9116, 12634, 12665, 12742, 12760, 12802, 12904, 12958, 12978
\HLTR@@mpLTRfootnotetext . . . 9122, 12663, 12677, 12701, 12764
\hoffset 1979
\hold@viper 7597, 7600, 7656, 7659, 7727, 7730, 7914, 7915, 7926, 7927, 7939, 7940, 7952, 7987, 7989, 7990
\holder . 15789, 15792, 15801, 15811, 15812, 15830, 15834, 15839, 15843, 15855, 15859, 15866, 15870
\href 2536, 2537, 2540, 2541, 2544, 2545
\HRTL@@mpRTLfootnotetext . . . 9124, 12652, 12676, 12690, 12765
\HRTL@@RTLfootnotetext . . . 9118, 12633, 12654, 12727, 12761, 12840, 12935, 12957, 12975
\hrule 31, 235, 540, 725, 960, 1205, 5170, 5171, 5181, 5182, 6355, 6730, 6883, 6993, 6999, 7005, 7011, 7159, 7839, 8210, 8788, 9087, 9136, 10870, 11404, 11406, 11438, 11848, 13285, 13356, 14140, 15273, 15324, 15887, 16255, 16678, 16834, 17016, 17253, 17260, 17508, 17802, 17809, 18088, 18368, 18501, 18508, 18771
\hrulefill 28, 232, 544, 731, 965, 1211, 6736, 6889, 7163, 8792, 9091, 10874, 11401, 13282, 13360, 15321, 16261, 16684, 16838, 17020, 17513, 18093, 18372, 18776
\hsize 41, 55, 71, 244, 258, 273, 624, 931, 1125, 1925, 2324, 5180, 5181, 5241, 5285, 5329, 5926, 6646, 6823, 7271, 7531, 7534, 7551, 7555, 9166, 9180, 9194, 9206, 9217, 9228, 9423, 9485, 9503, 9515, 9528, 9591, 9609, 9620, 9632, 9697, 9715, 9727, 9740, 9806, 9824, 9836, 9849, 9915, 9933, 9945, 9958, 10024, 10042, 10054, 10067, 10133, 10151, 10163, 10176, 10242, 10260, 10272, 10285, 10351, 10369, 10381, 10394, 10431, 10592, 10604, 10616, 10650, 10653, 10664, 10667, 10678, 10681, 11147, 11148, 11491, 11508, 11524, 11551, 11565, 11579, 11596, 11597, 11743, 11848, 11878, 11881, 11885, 11888, 11889, 13584, 13588, 13982, 13993, 13996, 14026, 14109, 14110, 14117, 14140, 14876, 14880, 15113, 15193, 15195, 15203, 15239,

15243, 15247, 15250, 15255, 15258, 15308, 15312, 15316, 15948, 15950, 16118, 16177, 16627, 16689, 16705, 16748, 17227, 17234, 17236, 17550, 17551, 17590, 17776, 17783, 17785, 18130, 18131, 18170, 18349, 18354, 18356, 18475, 18482, 18484, 18813, 18814, 18853, 20584, 20587, 20592, 20596, 20600, 20604, 20608, 20612, 20616, 20620, 20840, 20861, 20865, 21032, 21042, 21186, 21559, 21603, 21764, 21768

\hskip 14, 28, 209, 232, 305, 309, 534, 544, 654, 655, 694, 731, 882, 883, 896, 944, 965, 1137, 1138, 1178, 1211, 1358, 1411, 1412, 1450, 1474, 1477, 2583, 5887, 6327, 6371, 6372, 6375, 6377, 6378, 6381, 6658, 6659, 6696, 6736, 6835, 6836, 6873, 6889, 7152, 7163, 7343, 7346, 7413, 7584, 7591, 7595, 7596, 7881, 7889, 7894, 7895, 8275, 8276, 8279, 8289, 8290, 8333, 8724, 8792, 9091, 10418, 10843, 10874, 11059, 11064, 11068, 11069, 11124, 11140, 11401, 11981, 11988, 11992, 11993, 12266, 12268, 12269, 12272, 12277, 12280, 12282, 12283, 13188, 13196, 13204, 13212, 13221, 13229, 13238, 13246, 13282, 13306, 13338, 13360, 13495, 14983, 14990, 14994, 14995, 15160, 15172, 15184, 15239, 15243, 15247, 15250, 15251, 15255, 15258, 15259, 15321, 15424, 15427, 15429, 15432, 15434, 15436, 15439, 15441, 15443, 15445, 15448, 15450, 15452, 15454, 15456, 15459, 15461, 15464, 15466, 15469, 15471, 15473, 15476, 15478, 15480, 15483, 15485, 15487, 15501, 15743, 15750, 16207, 16208, 16245, 16261, 16560, 16579, 16580, 16617, 16684, 16824, 16838, 17009, 17020, 17098, 17100, 17107, 17109, 17145, 17147, 17156, 17158, 17260, 17513, 17809, 18093, 18372, 18508, 18776, 19066, 19072, 19084, 19089, 19305, 19334, 19495, 19526, 19549, 19566, 19583, 19600, 19617, 19634, 19652, 19671, 19691, 19726, 19918, 20077, 20109, 20519, 20566, 20576, 20631, 21329, 21406, 21413, 21417, 21418, 21651, 21653, 21667, 21670

\hspace . 108, 109, 228, 229, 553, 2501, 2506, 2512, 4923, 4930, 5152, 5830, 5831, 5837, 5838, 5844, 5845, 5851, 5852, 5979, 6005, 6006, 8197, 8370, 8373, 8377, 8379, 8384, 8386, 8390, 8393, 8396, 8400, 8402, 8406, 8408, 8412, 8415, 8418, 8422, 8424, 8429, 8431, 8744, 9078, 9272, 9284, 9296, 11682, 11694, 11706, 12403, 12419, 12432, 12444, 12457, 12466, 12474, 12519, 12528, 12536, 12549, 12562, 12574, 12598, 13277, 13278, 17545, 17560, 17565, 17567, 17568, 18125, 18140, 18145, 18147, 18148, 18448, 18808, 18823, 18828, 18830, 18831, 19029, 19030, 19311, 19323, 21889, 21893, 21898, 21900, 21904, 21906

\hss 457, 516, 535, 668, 695, 897, 912, 1151, 1179, 1648, 1925, 1994, 5946,

6672, 6697, 6849, 6874, 7077, 7136, 7153, 7414, 7590, 7594, 7649, 7655, 7887, 7892, 7899, 7906, 8278, 8288, 8333, 8342, 8558, 8561, 8563, 8566, 8569, 8725, 8737, 8836, 8933, 8991, 9271, 9277, 9283, 9289, 9295, 9301, 10827, 10844, 10936, 11063, 11067, 11099, 11105, 11257, 11681, 11687, 11693, 11699, 11705, 11711, 11934, 11940, 11987, 11991, 12165, 12211, 12269, 12283, 13508, 13515, 13520, 13991, 13999, 14404, 14665, 14746, 14989, 14993, 15085, 15091, 15229, 15230, 15240, 15241, 15757, 15767, 15987, 15998, 15999, 16000, 16221, 16246, 16593, 16618, 16709, 16752, 16808, 16825, 16934, 16993, 17010, 17243, 17621, 17630, 17792, 18201, 18210, 18362, 18491, 18884, 18893, 19078, 19921, 20027, 20845, 20847, 20852, 20858, 21078, 21196, 21247, 21248, 21250, 21251, 21253, 21254, 21259, 21260, 21317, 21318, 21319, 21320, 21412, 21416, 21455, 21461, 21655

\ht 385, 1460, 1493, 1638, 1917, 7362, 7371, 7373, 7690, 7697, 7705, 7719, 7730, 7747, 7749, 7752, 7754, 7768, 7781, 7785, 7788, 7789, 7792, 7798, 7816, 7817, 7830, 7860, 7952, 7987, 8218, 8227, 8239, 8248, 8256, 8266, 8268, 8284, 8313, 8323, 8325, 8338, 8709, 9432, 9538, 9543, 9641, 9646, 9750, 9755, 9859, 9864, 9968, 9973, 10077, 10082, 10186, 10191, 10295, 10300, 10404, 10409, 10422, 10493, 10555, 11008, 11768, 11775, 11792, 11799, 11800, 11813, 11817, 11840, 12011, 12016, 12158, 12159, 12161, 12204, 12205, 12207, 12340, 13421, 13438, 13957, 14015, 14028, 14043, 14045, 14046, 14138, 14145, 14148, 14967, 14971, 14976, 15067, 15071, 15076, 15127, 15129, 15327, 15333, 15337, 15801, 15859, 15870, 15875, 15876, 15877, 15878, 15882, 15897, 16014, 16037, 17084, 17126, 17129, 17184, 17191, 17574, 17576, 17577, 18154, 18156, 18157, 18837, 18839, 18840, 19106, 19142, 19154, 19269, 20880, 20882, 21288, 21631, 21641, 21645

\ht@hold@viper 7728, 7730, 7952, 7953, 7987, 7988

\ht@strip 15124, 15125, 15126, 15127, 15128, 15131, 15133

\ht@viper 7689, 7695, 7696, 7719, 7720, 7721, 7732, 7886, 7891, 7898, 7905

\httplink 2538

\Huge 5913, 6996, 7008, 7188, 7196, 9020, 9029, 10857, 10865, 17043, 17051

\huge 564, 5767, 5769, 5912, 6987, 7182, 8755, 8764, 9014, 10852, 17038, 17294, 17407, 17843, 17956, 18542, 18655

\hv@Bottom 12498

\hv@Center . . . 12402, 12413, 12453, 12515, 12543, 12596

\hv@figure . 12367, 12385

\hv@floatObject 12328, 12332

\hv@floatType . 12358, 12367, 12385, 12603

\hv@Height 12340

\hv@label 12309

\hv@Left . . . 12343, 12411

\hv@longCap 12308

\hv@Right . . 12344, 12400

\hv@shortCap 12307, 12373, 12391

\hv@Top . 12426, 12462, 12482, 12524, 12556

\hv@Width . . 12338, 12361

\hv@Zero . . . 12327, 12590

\hvAboveCaptionSkip 12506, 12509

\hvBelowCaptionSkip 12490, 12493
\hvCaptionBox . 12362, 12379, 12421, 12423, 12434, 12436, 12446, 12448, 12454, 12455, 12463, 12464, 12471, 12472, 12483, 12484, 12490, 12493, 12499, 12500, 12507, 12510, 12516, 12517, 12525, 12526, 12533, 12534, 12551, 12553, 12564, 12566, 12576, 12578
\hvCapWidth . . . 12336, 12338, 12340, 12342, 12346, 12348, 12363, 12381
\hvFloat 12310
\hvMaxCapWidth 12321, 12322, 12343, 12344, 12345, 12348
\hvObjectBox 12325, 12328, 12330, 12334, 12340, 12415, 12417, 12428, 12430, 12440, 12442, 12458, 12459, 12467, 12468, 12475, 12476, 12483, 12486, 12491, 12494, 12499, 12502, 12506, 12509, 12520, 12521, 12529, 12530, 12537, 12538, 12545, 12547, 12558, 12560, 12570, 12572
\hvObjectWidth 12334, 12338, 12342, 12343, 12344
\hvOBox 12328, 12332
\hvSet@capAngle 12361, 12380
\hvSet@capPos 12343, 12344, 12411, 12482, 12498
\hvSet@capVPos 12413, 12426, 12453, 12462, 12515, 12524, 12543, 12556
\hvSet@capWidth 12338, 12340, 12345, 12346
\hvSet@floatCapSep 12419, 12432, 12444, 12457, 12466, 12474, 12519, 12528, 12536, 12549, 12562, 12574
\hvSet@floatPos .. 12356
\hvSet@objectAngle 12327, 12331
\hvSet@objectPos .. . 12400, 12402, 12596
\hvSet@rotAngle 12321, 12590, 12593
\Hy@Acrobatmenu .. 13107
\Hy@backout 13134
\Hy@BeginAnnot 12990, 13010, 13047, 13079, 13108
\Hy@bidipoem@footnotetext 12863, 12872
\Hy@bidipoem@LTRfootnotetext 12894, 12903
\Hy@bidipoem@RTLfootnotetext 12925, 12934
\Hy@CleanupFile .. 13012
\Hy@colorlink . 13040, 13072, 13101, 13127
\Hy@EndAnnot 12997, 13043, 13075, 13104, 13130
\Hy@endcolorlink . 12999
\Hy@footnote@currentHlabel . 12719, 12734, 12749
\Hy@footnote@currentHref 12681, 12684, 12692, 12695, 12703, 12706, 12714, 12717, 12720, 12729, 12732, 12735, 12744, 12747, 12750, 12793, 12831, 12864, 12895, 12926
\Hy@gtemp .. 12769, 12774
\Hy@href@nextactionraw 13036, 13068, 13097, 13123
\Hy@href@page 13031
\Hy@linkcounter 8609, 8614
\Hy@linktoc 12612
\Hy@LT@currentHref 13164, 13175
\Hy@LT@LTRfootnotetext 12792, 12801
\Hy@LT@RTLfootnotetext 12830, 12839
\Hy@MakeRemoteAction 13015
\Hy@maketitle@end . . 12961, 12966, 12968
\Hy@maketitle@optarg 12959, 12964
\Hy@pstringD 13014, 13033
\Hy@pstringdef 13013, 13014, 13048, 13049, 13080
\Hy@pstringF 13011, 13012, 13013, 13028, 13048, 13061, 13066
\Hy@pstringP 13049, 13066
\Hy@pstringURI 13080, 13093
\Hy@raisedlink 12683, 12694, 12705, 12716, 12731, 12746, 12806, 12844, 12877, 12908, 12939, 13176
\Hy@saved@footnotemark 12951, 12970
\Hy@saved@footnotetext 12952, 12973
\Hy@SetNewWindow 13035, 13063
\Hy@setpdfborder 13021, 13055, 13086, 13115
\Hy@tabularx@hook 12758, 12770
\Hy@temp@menu 13109, 13122
\Hy@xspace@end 13006, 13042, 13074, 13103, 13129
\HyLTR@saved@LTRfootnotetext 12954, 12979
\HyOrg@maketitle .. . 12949, 12960, 12965

\HyOrg@TX@endtabularx 12757
\hyper@@anchor 12681, 12684, 12692, 12695, 12703, 12706, 12714, 12717, 12729, 12732, 12744, 12747, 12804, 12807, 12842, 12845, 12875, 12878, 12906, 12909, 12937, 12940
\hyper@anchorend . 13177
\hyper@anchorstart 13177
\hyper@link 13005
\hyper@linkend 12616, 12620, 12624, 12626, 13006, 13139, 13142
\hyper@linkfile . . 13008
\hyper@linkstart 12616, 12620, 12624, 12626, 13006, 13135, 13142
\hyper@linkurl . . . 13077
\hyper@makecurrent 13163
\hyper@nat@current 13136
\hyper@natlinkbreak 13141
\hyper@natlinkend 13138
\hyper@natlinkstart 13133
\hyperref 11681, 11685, 11687, 11693, 11697, 11699, 11705, 11709, 11711
\hypersetup 2384, 2392, 6023, 6082, 6099
\hyphenpenalty . . . 6, 105, 201, 225, 623, 930, 1124, 6645, 6822, 13274, 13298, 16176, 16626, 16688, 16831
\HyRTL@saved@RTLfootnotetext 12953, 12976

I

\i 4090, 4091, 4103, 4115, 4116
\ialign . . . 393, 19111, 19149, 21105, 21293
\IeC 13424
\if 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 398, 404, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399, 1400, 1401, 1424, 1425, 1426, 1428, 1429, 1430, 1431, 1432, 2283, 2289, 2292, 2295, 2298, 3786, 3841, 3845, 3851, 3855, 3896, 3979, 4362, 7232, 7251, 7284, 7285, 7286, 11333, 11357, 11591, 13391, 13939, 13941, 13943, 15675, 19118, 19152, 19157, 19244, 19245, 19246, 19247, 19248, 19249, 19250, 19252, 19253, 19254, 19255, 19256, 19259, 19260, 19261, 21191, 21192, 21285, 21302, 21309, 21310, 21311, 21312, 21313, 21314
\if@allcaps 752, 761, 769, 1004, 1013, 1021, 1254, 1263, 1271, 6766, 6775, 6783, 6943, 6952, 6960, 16311, 16320, 16328, 16450, 16459, 16467
\if@altsecnumformat . 17431, 17979, 18678
\if@bib@break@ 17441, 17466, 17481, 17497, 18021, 18046, 18061, 18077, 18704, 18729, 18744, 18760
\if@bibchapter . . . 19420
\if@bidi@amsmathloaded@ 13718
\if@bidi@amstextloaded@ 13721
\if@bidi@amsthmloaded@ 13724
\if@bidi@animateloaded@ 13727
\if@bidi@arabxetexloaded@ 13926
\if@bidi@arrayloaded@ 13860
\if@bidi@arydshlnloaded@ 13884
\if@bidi@blank 2894, 3397, 3404
\if@bidi@breqnloaded@ 13730
\if@bidi@calsloaded@ 13733
\if@bidi@captionloaded@ 13736
\if@bidi@colorloaded@ 13742
\if@bidi@colortblloaded@ 13761
\if@bidi@croploaded@ 13739
\if@bidi@csdef . 1823, 2858, 2907, 10451, 15271, 15330, 15406
\if@bidi@csmacro . . 2906
\if@bidi@csprimitive 2916
\if@bidi@csundef 2590, 2593, 2596, 2600, 2605, 2864, 2937, 2972, 2997, 3026, 3051, 3083, 3089, 3117, 3123, 3132, 3149, 3671, 4567, 4619, 9097, 9098, 9111, 9112, 21785
\if@bidi@cutedloaded@ 13749
\if@bidi@cutwinloaded@ 13746
\if@bidi@dblfnoteloaded@ 13752
\if@bidi@def 2876
\if@bidi@defmacro 2899, 2900, 2908, 3296, 3315, 3459
\if@bidi@defparam 3317, 3411, 3412, 3461

\if@bidi@defprimitive 2910
\if@bidi@defprotected 3324, 3420, 3421, 3472
\if@bidi@diagboxloaded@ 13755
\if@bidi@draftwatermarkloaded@ 13815
\if@bidi@empheqloaded@ 13818
\if@bidi@fancyboxloaded@ 13809
\if@bidi@fancyhdrloaded@ 13812
\if@bidi@fancyvrbloaded@ 13932
\if@bidi@floatloaded@ 13764
\if@bidi@floatrowloaded@ 13767
\if@bidi@flowframloaded@ 13770
\if@bidi@fontspecloaded@ 13923
\if@bidi@framedloaded@ 13773
\if@bidi@ftnrightloaded@ 13776
\if@bidi@geometryloaded@ 13791
\if@bidi@graphicxloaded@ 13788
\if@bidi@hvfloatloaded@ 13794
\if@bidi@hyperrefloaded@ 13806
\if@bidi@lettrineloaded@ 13827
\if@bidi@linenoloaded@ 13830
\if@bidi@list@minipage@parbox 1583, 21142, 21202, 21211, 21220, 21229, 21242, 21243, 21257, 21258
\if@bidi@list@minipage@parbox@hook@case 1584, 21150, 21204, 21213, 21222, 21231
\if@bidi@listingsloaded@ 13833
\if@bidi@longtableloaded@ 13881
\if@bidi@mdf@RTL 14100, 14107
\if@bidi@mdframedloaded@ 13797
\if@bidi@midfloatloaded@ 13800
\if@bidi@minitocloaded@ 13893
\if@bidi@multicolloaded@ 13887
\if@bidi@multienumloaded@ 13890
\if@bidi@natbibloaded@ 13896
\if@bidi@newfloatloaded@ 13899
\if@bidi@ntheoremloaded@ 13803
\if@bidi@overpicloaded@ 13821
\if@bidi@patchable 3284, 3285
\if@bidi@pdfencrypt 1572, 1806
\if@bidi@pdfm@mark 1575, 1818, 1876, 1940
\if@bidi@pdfpagesloaded@ 13824
\if@bidi@perpage@footnote 1567, 1793
\if@bidi@pgfloaded@ 13842
\if@bidi@picinparloaded@ 13845
\if@bidi@polyglossialoaded@ 13929
\if@bidi@pstricksloaded@ 13839
\if@bidi@quotchaploaded@ 13848
\if@bidi@rotatingloaded@ 13905
\if@bidi@soulloaded@ 13866
\if@bidi@stabularloaded@ 13863
\if@bidi@subfigloaded@ 13869
\if@bidi@subfigureloaded@ 13872
\if@bidi@supertabularloaded@ 13875
\if@bidi@tablsloaded@ 13908
\if@bidi@tabularyloaded@ 13911
\if@bidi@tikzloaded@ 13851
\if@bidi@titlesecloaded@ 13854
\if@bidi@titletocloaded@ 13857
\if@bidi@tocbasicloaded@ 13914
\if@bidi@tocbibindloaded@ 13920
\if@bidi@tocstyleloaded@ 13917
\if@bidi@todonotes@figposition@right 20673, 20771, 20776, 20783, 20789
\if@bidi@todonotes@textdirection@RTL 20672, 20706, 20746, 20780
\if@bidi@undef 2882, 2941, 3193, 3204, 3223, 3227, 3231, 3235, 3245, 3249, 3253, 3257, 3293, 3312, 3456
\if@bidi@void@@mpfootins 9095, 9363, 9371
\if@bidi@void@footins 9094, 10726, 10733
\if@bidi@wrapfigloaded@ 13785
\if@bidi@xcolorloaded@ 13758
\if@bidi@xltxtraloaded@ 13779
\if@bidi@xtabloaded@ 13878
\if@bidi@xunicodeloaded@ 13782
\if@capbreak 17562, 18142, 18825
\if@captionabove 17595, 17601, 17614, 17624, 18175, 18181, 18194, 18204, 18858, 18864, 18877, 18887
\if@cftdopart 19477

\if@cfthaschapter 19468, 19472, 19478, 19499, 19511, 19533
\if@cfthaspart . . . 19464
\if@chapterentrywithdots 18252, 18935
\if@colour 2367
\if@colourgreen 8005, 8034, 8103, 8129
\if@colourgrey . 8009, 8048, 8107, 8141
\if@colourorange 8003, 8027, 8101, 8123
\if@colourred . . 8007, 8041, 8105, 8135
\if@compatibility . . . 518, 670, 746, 914, 998, 1153, 1248, 6760, 6937, 16305, 16444, 19503, 20031, 21273
\if@contcw . 14832, 14861
\if@conthang 14842
\if@contindent . . . 14848
\if@DEBUG 2338
\if@displaypagenumbers 2546, 2549
\if@donumindex 19421, 19440
\if@dotocbib 19382
\if@dotocind 19428, 19445
\if@extrafootnotefeatures 1580, 1778
\if@fcolmade . . . 7611, 7670, 11072, 11112, 11196, 11947, 12000, 12029, 15003, 15100, 21425, 21468
\if@ff@nwpg 11164
\if@filesw 2617, 2962, 2968, 2987, 2993, 3016, 3022, 3041, 3047, 3073, 3079, 3107, 3113
\if@firstcolumn 7562, 7625, 7686, 7958, 7977, 11040, 11076, 11904, 11953, 12041, 14915, 15015, 15121, 21384, 21431, 21621
\if@firstdetailselement 8170, 8172
\if@firstfooterelement 8074, 8077
\if@hboxRconstruct 1571, 1879, 2828, 2834, 11590, 21149, 21173, 21204, 21213, 21222, 21231, 21242, 21243, 21257, 21258
\if@ignore . . . 3638, 3640
\if@inlabel 7231
\if@inltxdoc 19413
\if@insert 7985
\if@komalongtable . . 17611, 18191, 18874
\if@left@column@shrink 7848
\if@left@column@spread 7765, 7842
\if@LTRbibitems . 87, 290, 572, 707, 970, 1220, 1578, 2564, 6712, 6900, 7209, 8771, 9042, 10879, 13255, 14910, 15495, 16266, 16660, 16854, 17057, 17457, 18037, 18720, 19389
\if@LTRmarginpar 1577, 21650, 21655, 21659
\if@mainmatter . 6230, 6986, 7181, 9013, 16050, 17982, 17998, 18006, 18014
\if@minipage . 4975, 14901
\if@mparswitch . . . 21623
\if@newlist . . . 11212, 11244, 21679, 21754
\if@nobreak 4563, 11865, 14111, 16111
\if@nonlatin 336, 348, 1566, 1791, 2840, 2846, 7267, 7269, 14095
\if@noparlist 6589
\if@noskipsec . . 7230, 11866, 14112, 16112
\if@oldtoc . 658, 684, 886, 902, 1141, 1168, 6662, 6686, 6839, 6863, 16211, 16235, 16583, 16607
\if@openright 6258, 7200, 9033
\if@ovb 11016
\if@ovl 11014
\if@ovr 11013
\if@ovt 11015
\if@pboxsw 21198
\if@ref 18385
\if@restonecol 604, 620, 869, 1121, 6642, 6819, 7029, 16173, 16428, 16887, 19460
\if@reversemargin 21626
\if@right@column@shrink . . . 7766, 7795, 7870
\if@right@column@spread 7864
\if@rjfield 21665
\if@rl 1565
\if@rl@footnote . . . 1582
\if@rlmain 1564
\if@rot@twoside 17088, 17093, 17103, 17133, 17139, 17151
\if@RTL 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 207, 208, 224, 227, 228, 229, 290, 305, 309, 513, 530, 533, 534, 557, 572, 624, 637, 648, 649, 654, 665, 690, 693, 694, 707, 875, 876, 882, 892, 895, 896, 909, 931, 970, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1220, 1359, 1360, 1471, 1472, 1485, 1496, 1565, 1598, 1878, 1885, 2564, 2804, 2810, 2961, 2986, 3015, 3040, 3072, 3106, 5886, 5887, 6004, 6005, 6006, 6646, 6652, 6653, 6658, 6669, 6692, 6695, 6696, 6712, 6823, 6829,

6830, 6835, 6846,
6869, 6872, 6873,
6900, 6984, 6995,
6997, 7133, 7148,
7151, 7152, 7179,
7193, 7209, 7228,
7240, 7253, 7328,
7369, 7370, 7374,
7375, 7377, 7384,
7390, 7409, 7412,
7413, 7419, 7424,
7531, 7534, 7551,
7555, 8376, 8383,
8399, 8405, 8421,
8428, 8557, 8637,
8652, 8674, 8675,
8676, 8677, 8700,
8720, 8723, 8724,
8734, 8748, 8761,
8771, 8988, 9011,
9026, 9042, 9063,
9066, 9071, 9079,
10824, 10839,
10842, 10843,
10850, 10862,
10879, 11148,
11305, 11591,
11738, 11740,
12137, 12139,
12142, 12143,
12144, 12150,
12152, 12169,
12172, 12179,
12188, 12194,
12198, 12201,
12215, 12240,
12247, 12412,
12514, 12616,
12624, 13006,
13042, 13074,
13103, 13129,
13135, 13139,
13142, 13187,
13195, 13203,
13211, 13219,
13228, 13236,
13245, 13255,
13273, 13276,
13277, 13278,
13293, 13304,
13305, 13339,
13343, 13346,
13351, 13472,
13479, 13487,
13507, 13517,
13992, 14067,
14077, 14084,
14103, 14186,
14194, 14385,
14711, 14791,
14792, 14793,
14794, 14795,
14796, 14875,
14877, 14910,
15155, 15159,
15160, 15167,
15172, 15179,
15184, 15495,
15574, 15594,
15609, 15623,
15655, 15779,
15829, 15904,
15958, 15959,
15962, 15966,
15998, 15999,
16000, 16045,
16047, 16053,
16064, 16066,
16077, 16079,
16090, 16092,
16101, 16103,
16120, 16140,
16156, 16157,
16177, 16190,
16201, 16202,
16207, 16218,
16241, 16244,
16245, 16266,
16561, 16562,
16573, 16574,
16579, 16590,
16613, 16616,
16617, 16627,
16640, 16660,
16689, 16805,
16820, 16823,
16824, 16829,
16830, 16854,
16990, 17005,
17008, 17009,
17036, 17048,
17057, 17168,
17170, 17174,
17178, 17180,
17185, 17189,
17192, 17196,
17198, 17202,
17229, 17238,
17429, 17430,
17457, 17515,
17516, 17517,
17519, 17590,
17778, 17787,
17978, 18037,
18095, 18096,
18097, 18099,
18170, 18351,
18358, 18443,
18449, 18477,
18486, 18677,
18720, 18778,
18779, 18780,
18782, 18853,
19028, 19031,
19061, 19081,
19279, 19324,
19341, 19361,
19364, 19369,
19373, 19374,
19389, 19485,
19486, 19487,
19495, 19516,
19517, 19518,
19526, 19539,
19540, 19541,
19549, 19556,
19557, 19558,
19566, 19573,
19574, 19575,
19583, 19590,
19591, 19592,
19600, 19607,
19608, 19609,
19617, 19624,
19625, 19626,
19634, 19642,
19643, 19644,
19652, 19661,
19662, 19663,
19671, 19681,
19682, 19683,
19691, 19716,
19717, 19718,
19726, 19766,
19767, 19768,
20446, 20508,
20509, 20510,
20516, 20519,
20566, 20626,
20631, 20654,
20661, 20721,
20724, 20808,

20843, 20851, 20878, 20879, 20882, 20883, 20885, 20922, 20926, 20979, 20984, 21030, 21031, 21058, 21059, 21062, 21066, 21143, 21151, 21157, 21163, 21176, 21244, 21245, 21247, 21250, 21253, 21257, 21258, 21259, 21260, 21262, 21264, 21265, 21270, 21317, 21318, 21324, 21329, 21650, 21655, 21659, 21667, 21668, 21669, 21670, 21765, 21768, 21776, 21786, 21888, 21898, 21904
\if@RTL@footnote 36, 239, 1582, 1881, 5254, 9161, 9202, 9454, 9499, 9563, 9605, 9666, 9711, 9775, 9820, 9884, 9928, 9993, 10037, 10102, 10147, 10211, 10256, 10320, 10365, 10518, 10539, 10580, 10635, 10644, 11485, 11534, 11574, 11575
\if@RTLbibitems . 87, 290, 572, 707, 970, 1220, 1579, 2564, 6712, 6900, 7209, 8771, 9042, 10879, 13255, 14910, 15495, 16266, 16660, 16854, 17057, 17457, 18037, 18720, 19389
\if@RTLcolumnfootnotes 1581, 9424, 9425, 9428, 9429, 9464, 9516, 9572, 9621, 9676, 9728, 9785, 9837, 9894, 9946, 10003, 10055, 10112, 10164, 10221, 10273, 10330, 10382
\if@RTLmain 1564, 1597, 1616, 1877, 1884, 1903, 7427, 7450, 7473, 7496, 7880, 8364, 8489, 8492, 8498, 8506, 8516, 8526, 8532, 8546, 11310, 12265, 12275, 12292, 12298, 13525, 15112, 15269, 21474, 21695, 21701, 21730, 21746
\if@RTLmarginpar 1576, 21650, 21655, 21659
\if@RTLtab . 362, 363, 379, 382, 404, 406, 1367, 1368, 1387, 1388, 1425, 1426, 1570, 2202, 2206, 2207, 2816, 2822, 7288, 7290, 7311, 7318, 7340, 7341, 7354, 7365, 13940, 13942, 14056, 14059, 19096, 19100, 19101, 19118, 19126, 19132, 19157, 19245, 19246, 21102, 21277, 21281, 21282, 21302, 21310, 21311
\if@sectionentrywithdots 17672
\if@sentdir 1880
\if@specialpage 11167, 21690
\if@star 16034
\if@tab@rl 1570
\if@tablecaptionabove . 17642, 18222, 18905
\if@tempswa 4405, 4450, 8272, 8329, 20160
\if@thmmarks . . 15557, 15561, 15578, 15582
\if@titlecentered 1341, 16541
\if@titlepage . . 411, 625, 733, 932, 985, 1184, 1235, 7031, 8794, 8887, 10894, 16178, 16292, 16429, 16628, 16691, 16888, 17263, 17812, 18511
\if@tocstyle@penalties 20429, 20538
\if@todonotes@authorgiven 20697, 20708, 20733, 20750
\if@todonotes@disabled 20691, 20692
\if@todonotes@dviStyle 20694, 20728
\if@ttb@rotate . . . 11304
\if@twocolumn . . . 98, 218, 458, 591, 607, 634, 641, 809, 856, 941, 952, 1061, 1108, 1193, 1200, 1311, 1617, 1623, 6184, 6629, 6806, 7016, 7078, 8837, 8934, 10937, 12043, 13267, 14774, 16160, 16187, 16194, 16368, 16415, 16509, 16637, 16644, 16753, 16874, 16935, 17342, 17891, 18590, 19415, 21346, 21620, 21779
\if@twoside 6175, 8524, 11171, 17311, 17324, 17392, 17860, 17873, 17941, 18559, 18572, 18640, 20834, 21693
\if@vihproof 15140, 15146
\ifadl@inactive . . . 1373
\ifadl@usingarypkg 1376
\ifAM@output 15701
\ifAM@survey 15679
\ifartopt 14811
\ifbidi@autofootnoterule 11311, 11546, 11560, 11574

\ifbidi@in@label 3850, 3852
\IfbidiPackageVersion 1551
\IfbidiPackageVersionBefore 1545
\IfbidiPackageVersionLater 1539
\ifblendcolors 20890, 20911, 20933, 20960
\ifbool 14125, 14134
\ifcase 1408, 1435, 1439, 1443, 1447, 1473, 1667, 1673, 1679, 1685, 1691, 1697, 1709, 1715, 1721, 1728, 1742, 1749, 1759, 7342, 12612, 14010, 19355, 19736, 20498, 20568, 20678, 20686, 20910, 20959, 21361, 21362
\ifcat 1608, 1895, 3736, 3737
\ifconvertcolorsU 20896, 20912, 20939, 20961
\ifcpoddpage 4752
\ifcsname 2859, 2865, 3210, 3599, 3613, 3627, 3637, 3659, 4179, 4194, 4408, 4416, 15519, 15529, 15543, 20453, 20454, 20463, 20474, 20478, 20488, 20500, 20554, 20582, 20583, 20591, 20595, 20599, 20603, 20607, 20611, 20615, 20619
\ifdefined . . . 2877, 2883
\ifdefining 3856
\ifdfn@allowcbreak 8225, 8246
\ifdfn@ruleboth 8283, 8337
\ifdfn@trysingle 8264, 8321
\ifdim 1461, 1462, 1540, 1546, 1552, 4988, 5555, 6324, 6361, 6363, 6422, 6423, 6425, 6431, 6471, 6483, 6565, 6567, 6580, 6582, 6590, 7261, 7705, 7720, 7764, 7767, 7796, 7804, 7805, 7811, 7834, 7841, 7847, 7863, 7869, 7938, 7954, 7967, 7970, 7972, 8219, 8240, 8260, 8269, 8296, 8300, 8317, 8326, 8348, 8352, 9269, 9274, 9281, 9286, 9293, 9298, 10494, 10498, 10502, 10556, 10560, 10564, 11002, 11004, 11147, 11679, 11684, 11691, 11696, 11703, 11708, 11750, 11758, 11774, 11775, 11805, 11813, 11826, 11841, 11874, 11875, 12157, 12164, 12203, 12210, 12255, 12345, 12483, 12499, 13430, 13444, 13450, 13584, 13993, 14004, 14043, 14046, 14781, 14824, 14831, 14835, 14837, 14876, 14937, 14945, 14947, 15037, 15045, 15047, 15122, 15133, 15217, 15225, 15231, 15245, 15253, 15729, 15776, 15801, 15859, 15870, 15877, 15882, 15897, 16010, 16035, 17549, 17557, 18129, 18137, 18389, 18395, 18401, 18407, 18413, 18419, 18425, 18431, 18437, 18812, 18820, 19143, 20071, 20085, 20090, 20464, 20489, 20555, 20811, 20813, 20815, 20817, 20818, 20819, 20821, 20861, 20868, 21632, 21764
\ifdofullc@p 17552, 18132, 18815
\iffalse 2748, 2749, 2751, 11865, 11866, 13635, 14111, 14112, 16111, 16112
\IfFileExists . . 4134, 4732, 6204, 6269
\iffootdir@debug 11319, 11323
\ifFootnoteBackref@numberlinked 11677
\ifGin@grid . 15610, 15623
\ifGin@iso 12254
\ifhbox 10436, 10445, 10449
\ifhmode . . 2267, 5213, 5257, 5301, 5544, 5550, 7375, 7377, 7384, 7390, 7409, 19317, 20883, 20885, 20922, 20926, 20979, 21257, 21258, 21301, 21531, 21575
\ifhv@fbox . . . 12414, 12420, 12427, 12433, 12439, 12445, 12454, 12458, 12463, 12467, 12471, 12475, 12489, 12505, 12516, 12520, 12525, 12529, 12533, 12537, 12544, 12550, 12557, 12563, 12569, 12575
\ifhv@nonFloat 12357, 12364, 12382, 12403, 12595, 12597
\ifhv@onlyText . . . .

. . . . . 12365, 12383
\ifhv@useOBox 12328, 12332
\ifHy@href@ismap . 13094
\ifHy@hyperfootnotes
. . 9099, 9113, 12631
\ifHy@nesting . . . . .
. . 12680, 12691, 12702, 12713, 12728, 12743, 12803, 12841, 12874, 12905, 12936
\ifHy@pdfa . . . 13020, 13054, 13085, 13114
\ifin@ 4424
\ifin@label 3858
\ifinner . . 2273, 5219, 5263, 5307, 11753, 20803, 21537, 21581
\ifL@grid 13445
\ifL@realh 13381
\iflatin 2839
\ifLettrineImage . 13375
\ifLettrineOnGrid 13376
\ifLettrineRealHeight
. 13377
\ifLettrineSelfRef 13378
\ifLtoR 2809
\ifLtoRhboxconstruct
. 2833
\ifLtoRtable 2821
\ifmaskcolors . 20900, 20911, 20943, 20960
\ifmmode 1868, 7369, 7374, 11117, 11127, 12137, 12139, 12142, 12143, 12144, 12150, 12152, 12169, 12172, 12179, 12188, 12194, 12198, 12201, 12215, 12240, 12247, 12991, 13003, 13006, 13042, 13074, 13103, 13129, 15712, 15770, 16002, 16038, 17168, 17170, 17174, 17178, 17180, 17185, 17189, 17192, 17196, 17198, 17202, 20878, 20882, 21193, 21268
\ifNAT@openbib . . . 15498
\ifnonlatin 2845
\ifnum 3, 137, 143, 198, 304, 353, 354, 355, 356, 358, 459, 508, 525, 551, 560, 644, 660, 678, 810, 871, 904, 922, 1062, 1127, 1143, 1161, 1312, 1378, 1379, 1380, 1381, 1383, 1422, 1423, 1787, 1788, 1789, 2299, 2635, 3134, 3710, 3738, 3740, 3748, 3750, 3951, 3961, 4059, 4065, 4090, 4105, 4111, 6444, 6648, 6664, 6680, 6744, 6746, 6748, 6825, 6841, 6857, 6921, 6923, 6925, 6985, 7079, 7128, 7143, 7166, 7168, 7170, 7180, 7262, 7529, 7537, 7542, 7549, 7759, 7760, 7773, 7784, 7920, 7932, 7945, 8160, 8715, 8729, 8742, 8751, 8838, 8935, 8984, 8998, 9000, 9002, 9012, 9430, 10819, 10834, 10851, 10938, 10988, 10990, 10992, 11280, 11282, 11284, 11293, 11295, 11297, 11443, 11546, 11560, 11574, 11874, 11876, 12064, 12993, 12998, 13295, 13437, 13497, 13555, 13558, 13566, 13569, 13638, 13954, 13955, 14038, 14039, 14775, 14808, 14934, 14964, 15034, 15064, 15153, 15165, 15177, 15277, 15283, 15361, 15379, 15538, 15548, 15789, 15795, 15807, 15810, 15811, 15812, 15814, 15815, 15816, 15817, 15826, 15848, 15853, 15864, 15875, 15876, 15882, 15886, 15889, 15890, 15996, 15997, 16004, 16049, 16197, 16213, 16229, 16287, 16289, 16291, 16369, 16510, 16569, 16585, 16601, 16652, 16654, 16656, 16754, 16801, 16815, 16841, 16843, 16845, 16936, 16985, 17000, 17023, 17025, 17027, 17037, 17331, 17343, 17880, 17892, 17981, 17997, 18005, 18013, 18579, 18591, 19188, 19236, 19237, 19238, 19239, 19241, 19346, 19348, 19467, 19471, 19513, 19532, 19554, 19571, 19588, 19605, 19622, 19640, 19659, 19679, 19714, 19897, 19898, 20005, 20006, 20030, 20040, 20428, 20433, 20451, 20624, 20842, 21124, 21307, 21308, 21322,

21377, 21628, 21650, 21773, 21774
\ifodd 2284, 6175, 8497, 8525, 8596, 11172, 12285, 12291, 20834, 21624, 21694
\ifoddpage 4746
\ifonelinecaptions . 17523, 18103, 18786
\ifpgfrememberpicturepositiononpage 15725
\ifpoem@started 6418, 6424, 6564, 6571, 6585
\ifprimitive . . 2911, 2918
\ifPst@shift@star 16026
\ifr@ggedbottom . . 15976
\ifrot@messages 17138, 17150
\ifRtoL 2803
\ifRtoLhboxconstruct 2827
\ifRtoLtable 2815
\ifshowgrid 16004
\ifsomething 3989
\ifstr . . 19779, 19780, 19781, 19782, 19783, 19784, 19785, 19786, 19787, 19802, 19803, 19804, 19805, 19807, 19808, 19809, 19812, 19815, 19824, 19825, 19826, 19829, 19832, 19851, 19852, 19853, 19855, 19856, 19857, 19860, 19863, 19872, 19873, 19874, 19877, 19880, 19934, 19935, 19936, 19937, 19938, 19939, 19940, 19941, 19942, 19957, 19958, 19959, 19960, 19962, 19963, 19964, 19967, 19970, 19979, 19980, 19981, 19984, 19987, 20185, 20186, 20187, 20188, 20189, 20190, 20191, 20192, 20193, 20236, 20237, 20238, 20239, 20241, 20242, 20243, 20246, 20249, 20258, 20259, 20260, 20263, 20266, 20296, 20297, 20298, 20300, 20301, 20302, 20305, 20308, 20317, 20318, 20319, 20322, 20325, 20345, 20348, 20351, 20371, 20375, 20380, 20392, 20395, 20399, 20409
\ifstrstart 20176, 20208, 20282
\iftagsleft@ . . 328, 8554
\iftest 3793
\ifthenelse 2518, 2535, 2539, 2543, 2551, 4645, 4705, 4707, 4710, 4714, 4717, 4720, 4745, 4802, 4821, 4836, 4841, 4847, 4856, 4867, 4873, 4879, 4880, 4887, 4894, 4896, 4902, 4919, 4937, 4939, 4943, 4961, 4962, 4965, 4966, 5001, 5010, 5021, 5031, 5080, 5195, 5419, 5437, 5438, 5456, 5457, 5475, 5476, 5507, 5508, 5626, 5631, 5655, 5660, 5684, 5689, 5766, 5770, 5818, 6031, 6077, 6086, 6094, 6121, 6168, 6237, 6248, 8064, 8070, 8087, 8090, 8091, 8092, 8093, 8094, 8180, 8185, 8188, 8189, 8190, 8191, 8192, 8195, 8199, 11253, 11268, 15669, 17092, 17137
\iftocstyle@autolength 20473
\iftocstyle@indentnotnumbered 20518, 20565
\iftrue 2750, 5160, 5173, 5186
\ifttl@label 19322
\ifTX@ 19178
\ifvbox 10747, 12111, 15404, 15419
\ifvmode . . 2958, 3012, 3069, 4563, 4949, 4952, 4955, 4958, 14140, 15207, 15568, 15588, 19130
\ifvoid . . . 7597, 7613, 7656, 7672, 7727, 7914, 8223, 8244, 8255, 8280, 8312, 8334, 9319, 9320, 9328, 9334, 9358, 9359, 9375, 9387, 10787, 10802, 11609, 11834, 11855, 12010, 12015, 12033, 12035, 12044, 12054, 12074, 12075, 12079, 12090, 12097, 13170, 13174, 14056, 14156, 15192, 15347, 15349, 15363, 15364, 15408, 15412, 15416, 15904, 15970, 15972, 15977, 20984, 21037, 21047, 21479, 21494, 21495, 21518
\ifWF@float . 20816, 20830
\ifx . 115, 134, 136, 151, 155, 159, 166, 794, 798, 1046, 1050, 1296, 1300, 1797, 1798, 2150, 2156, 2162, 2177, 2208, 2260, 2263, 2524, 2525, 2526, 2528, 2628, 2657, 2660,

2680, 2684, 2704, 2708, 2723, 2727, 2797, 2866, 2884, 3173, 3361, 3377, 3716, 3722, 3723, 3760, 3761, 3762, 3763, 3773, 3779, 3804, 3809, 3814, 3819, 3825, 3830, 4018, 4124, 4148, 4163, 4228, 4240, 4272, 4283, 4318, 4324, 4335, 4336, 4347, 4377, 4386, 4387, 4407, 4422, 4432, 4446, 4453, 4465, 4481, 4536, 4547, 5489, 6313, 6334, 6487, 6539, 6544, 6546, 7573, 7636, 8292, 8344, 9061, 9077, 9081, 11050, 11086, 11440, 11718, 11919, 11968, 12006, 12183, 12225, 12226, 12232, 12319, 12321, 12327, 12338, 12340, 12343, 12344, 12361, 12367, 12368, 12370, 12373, 12385, 12386, 12388, 12391, 12400, 12402, 12411, 12413, 12426, 12453, 12462, 12482, 12498, 12515, 12524, 12543, 12556, 12590, 12596, 12609, 12640, 12651, 12662, 12969, 12972, 12975, 12978, 13022, 13030, 13056, 13064, 13087, 13116, 13320, 13341, 13383, 13403, 13595, 13596, 13600, 13602, 13959, 14885, 14926, 15026, 15291, 15296, 15301, 15524, 15528, 15535, 15541, 15685, 15697, 15967, 16019, 16060, 16073, 16086, 16353, 16357, 16494, 16498, 17225, 17251, 17258, 17278, 17283, 17290, 17296, 17320, 17391, 17395, 17403, 17409, 17421, 17445, 17507, 17512, 17774, 17800, 17807, 17827, 17832, 17839, 17845, 17869, 17940, 17944, 17952, 17958, 17970, 18024, 18087, 18092, 18347, 18375, 18376, 18377, 18378, 18379, 18380, 18381, 18382, 18386, 18392, 18398, 18404, 18410, 18416, 18422, 18428, 18434, 18443, 18473, 18499, 18506, 18526, 18531, 18538, 18544, 18568, 18639, 18643, 18651, 18657, 18669, 18707, 18770, 18775, 19138, 19357, 19699, 20054, 20058, 20062, 20159, 20440, 20511, 20523, 20531, 20548, 20573, 20640, 20645, 20647, 20891, 20934, 21067, 21177, 21180, 21187, 21348, 21356, 21395, 21442, 21707, 21708, 21710, 21711

\ifXC@@tst . 20914, 20963

\ignorespaces ... 46, 60, 76, 122, 249, 263, 278, 336, 630, 639, 937, 1189, 1198, 3547, 4037, 4053, 4055, 4061, 4064, 4067, 4071, 4076, 4972, 4979, 4980, 4989, 5576, 5594, 5612, 5648, 5677, 5706, 5971, 6395, 6406, 6559, 6560, 6707, 6895, 7265, 7271, 7384, 7390, 7398, 7405, 9066, 9080, 9144, 9150, 9156, 11497, 11514, 11530, 11557, 11571, 11585, 12267, 12271, 12276, 12281, 13327, 13346, 14095, 14898, 14905, 16183, 16192, 16633, 16642, 17168, 17178, 17196, 17532, 17553, 17558, 17563, 17568, 17586, 18112, 18133, 18138, 18143, 18148, 18166, 18449, 18795, 18816, 18821, 18826, 18831, 18849, 20922, 20926, 21169, 21208, 21217, 21226, 21235

\iii 4097

\ilg 15798, 15821

\immediate ... 4560, 6551

\in@ 4423

\includegraphics 2559, 8066, 8197, 15598, 15671

\includemedia .....

. 14360, 14690, 14691
\includepdf 15662
\indentedwidth 9079
\index 3975, 3976, 11225, 21718
\indexname 598, 599, 600, 614, 615, 863, 864, 1115, 1116, 5991, 5992, 6636, 6637, 6813, 6814, 7023, 7024, 7025, 16167, 16168, 16422, 16423, 16881, 16882, 16883, 19424, 19425, 19426, 19430, 19431, 19432, 19435, 19436, 19442, 19443, 19447, 19448, 19449, 19452, 19453
\indexspace 6007
\input 1664, 1665, 1779, 1874, 1950, 2371, 6205, 6270, 21778, 21788, 21789, 21790, 21791, 21792, 21793, 21794, 21795, 21796, 21797, 21798, 21799, 21800, 21801, 21802, 21803, 21804, 21805, 21806, 21807, 21808, 21809, 21810, 21811, 21812, 21813, 21814, 21816, 21817, 21821, 21827, 21834, 21835, 21836, 21837, 21838, 21839, 21840, 21841, 21842, 21843, 21844, 21845, 21846, 21847, 21848, 21849, 21850, 21851, 21852, 21853, 21854, 21855, 21856, 21857, 21858, 21859, 21860, 21861, 21862, 21863, 21864, 21865, 21866, 21867, 21868, 21869, 21870, 21871, 21872, 21873, 21874, 21875, 21876, 21877, 21878, 21879, 21881, 21882, 21883, 21884, 21885, 21886, 21909, 21910, 21911, 21912, 21913, 21914, 21915, 21916, 21917, 21918, 21919, 21920, 21921, 21922, 21923, 21924, 21925, 21926, 21927, 21928, 21929, 21930, 21931
\input@path 14381
\InputIfFileExists . . 4122, 4131, 13394
\insert 35, 49, 65, 238, 252, 267, 1614, 1901, 8214, 8230, 8235, 8251, 8298, 8304, 8350, 8356, 9160, 9174, 9188, 9454, 9464, 9474, 9563, 9572, 9581, 9666, 9676, 9686, 9775, 9785, 9795, 9884, 9894, 9904, 9993, 10003, 10013, 10102, 10112, 10122, 10211, 10221, 10231, 10320, 10330, 10340, 10579, 10597, 10609, 11484, 11501, 11517, 12034, 12036, 15348, 15350
\insert@column 1410, 1411, 1412, 1413, 1415, 1416, 1476, 1478, 1479, 1481, 1482, 1483, 7345, 7347, 7348, 7350, 7351, 7352
\insertpenalties 11448, 12064
\int 14414, 14461, 14462, 14466, 14544, 14632, 14635, 14636, 14647, 14685, 14723, 14748, 15634
\interfootnotelinepenalty . . 39, 53, 69, 242, 256, 271, 9350, 11488, 11505, 11521
\interlinepenalty 39, 53, 69, 242, 256, 271, 558, 622, 647, 874, 929, 1123, 1130, 5883, 6644, 6651, 6821, 6828, 6992, 7187, 7195, 7917, 7929, 7942, 8749, 8762, 9019, 9028, 9350, 10856, 10864, 11488, 11505, 11521, 15157, 15169, 15181, 16053, 16175, 16200, 16572, 16625, 16687, 17042, 17050, 19314, 19355, 19489, 19520, 19543, 19560, 19577, 19594, 19611, 19628, 19646, 19665, 19685, 19720, 20053, 20514, 20628, 20809, 21326
\intermath@penalty 7264
\intextsep . 20869, 20871
\InTheoType 8570, 15558, 15560, 15579, 15581
\invoicename 18412
\ior . . 14464, 14465, 14469
\isempty . . 4821, 5419, 5626, 5631, 5655, 5660, 5684, 5689, 6077, 6086, 6094, 6121
\isodd 17092, 17137

\isSC@ODD 19029, 19030, 19032, 19033, 21889, 21891, 21893, 21895
\isundefined 5031, 5080, 8064, 8070, 8087, 8090, 8091, 8092, 8093, 8094, 8185, 8188, 8189, 8190, 8191, 8192, 8195, 8199
\item 102, 222, 603, 618, 867, 950, 1119, 5963, 5971, 5976, 5997, 6640, 6817, 7028, 11122, 11137, 13271, 16171, 16426, 16886, 19459
\itemindent 5958, 5959, 5967, 21131
\itemsep 4694, 5904, 5943, 5957
\itemx 15423
\itemxox 15458
\itemxoxx 15468
\itemxx 15426
\itemxxo 15463
\itemxxox 15475
\itemxxx 15431
\itemxxxo 15482
\itemxxxx 15438
\itemxxxxx 15447
\itshape . . 2058, 2531, 5767, 5769, 5773, 5780, 5787, 5822, 5829, 5836, 5843, 5850, 6154, 6155, 6156

J

\j 4111, 4112, 4116
\juo@ht 14953, 14960, 15053, 15060, 15129, 15136
\juo@pr 14936, 14966, 15036, 15066
\juo@sar 14935, 14965, 15007, 15035, 15065, 15104
\juo@sk . 14934, 14964, 15007, 15034, 15064, 15104, 15137
\justifying 4728, 4798, 5368, 16098
\JustifyingParfillskip 16104
\JustifyingParindent 4700, 5371, 5930, 16105

K

\keepthetitle 14757
\kern . . . 27, 29, 30, 31, 231, 233, 234, 235, 336, 539, 541, 543, 545, 723, 724, 726, 729, 730, 732, 744, 959, 961, 964, 966, 996, 1203, 1204, 1206, 1209, 1210, 1212, 1246, 1474, 1479, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2092, 2093, 2140, 2142, 2143, 5170, 5171, 5181, 5182, 5184, 5649, 5650, 5678, 5679, 5707, 5708, 6728, 6729, 6731, 6734, 6735, 6737, 6758, 6881, 6882, 6884, 6887, 6888, 6890, 6935, 7158, 7160, 7162, 7164, 7343, 7348, 7370, 8209, 8210, 8640, 8647, 8655, 8662, 8701, 8705, 8787, 8789, 8791, 8793, 9086, 9088, 9090, 9092, 9135, 9136, 9262, 9263, 10869, 10871, 10873, 10875, 11013, 11014, 11015, 11257, 11400, 11402, 11403, 11404, 11405, 11406, 11438, 11723, 11787, 12165, 12211, 13281, 13283, 13284, 13285, 13355, 13357, 13359, 13361, 14095, 15216, 15272, 15273, 15320, 15322, 15323, 15324, 15976, 15987, 15990, 16017, 16033, 16253, 16254, 16256, 16259, 16260, 16262, 16303, 16442, 16676, 16677, 16679, 16682, 16683, 16685, 16833, 16835, 16837, 16839, 17015, 17017, 17019, 17021, 17250, 17254, 17257, 17260, 17261, 17506, 17509, 17511, 17514, 17799, 17803, 17806, 17809, 17810, 18086, 18089, 18091, 18094, 18367, 18369, 18371, 18373, 18498, 18502, 18505, 18508, 18509, 18769, 18772, 18774, 18777, 19065, 19071, 19328, 20844, 20848, 20854, 20857, 20879, 21038, 21048, 21078, 21081, 21083, 21647
\keys . . . 14177, 14373, 14467, 14706, 14707
\keywords 324
\kill 13956
\KOMAClassName 17332, 17649, 17881, 18229, 18580, 18912
\KV@do 13411, 13416
\KV@prefix . 13409, 13414

L

\l 8596, 8612, 8615, 8621, 8624, 8626, 8627, 8630, 8631, 8634, 8637, 8638, 8639, 8644,

8645, 8646, 8652, 8653, 8654, 8659, 8660, 8661, 8670, 8673, 8681, 14185, 14187, 14193, 14195, 14201, 14202, 14203, 14204, 14205, 14206, 14207, 14208, 14209, 14210, 14211, 14213, 14214, 14216, 14217, 14218, 14225, 14226, 14227, 14229, 14231, 14234, 14235, 14242, 14252, 14253, 14254, 14255, 14256, 14257, 14258, 14259, 14260, 14261, 14262, 14263, 14264, 14265, 14266, 14270, 14271, 14272, 14274, 14276, 14279, 14280, 14282, 14283, 14284, 14293, 14303, 14304, 14305, 14306, 14307, 14308, 14309, 14310, 14311, 14317, 14319, 14320, 14321, 14324, 14326, 14328, 14333, 14334, 14335, 14337, 14339, 14344, 14346, 14348, 14356, 14367, 14368, 14383, 14384, 14385, 14386, 14404, 14424, 14432, 14437, 14451, 14456, 14460, 14461, 14462, 14464, 14465, 14466, 14469, 14473, 14475, 14476, 14477, 14478, 14479, 14480, 14481, 14483, 14484, 14485, 14486, 14488, 14489, 14490, 14492, 14493, 14494, 14497, 14498, 14499, 14502, 14535, 14537, 14540, 14565, 14567, 14599, 14603, 14615, 14616, 14662, 14672, 14678, 14690, 14691, 14710, 14711, 14712, 14713, 14714, 14715, 14716, 14717, 14718, 14753, 14754, 15636, 15638, 15647

\l@ 19730

\L@ante 13370, 13460, 13494

\l@chapter 6687, 6701, 6864, 6878, 7142, 10833, 16236, 16250, 16608, 16622, 16814, 16999, 19379, 19380, 19512, 20593

\l@color . . . 13399, 13400

\l@figure 5891, 5892, 19621, 20621

\L@Findent 13371, 13462, 13495

\L@first 13434, 13436, 13438, 13440, 13444, 13450, 13452, 13454, 13456, 13460, 13461, 13463, 13464, 13473, 13475

\L@gridfalse 13376

\L@gridtrue 13376

\L@hang 13367, 13459

\L@imagefalse 13375

\L@imagetrue 13375

\l@initial 13364

\L@lbox . 13413, 13420, 13421, 13422, 13458, 13459, 13494

\l@LOKeys 13404, 13406, 13411, 13416

\L@lraise 13435, 13436, 13441, 13494

\L@next . 13466, 13467, 13480, 13482, 13485

\l@ngrel@x 3173, 3174, 3176

\L@Nindent . . . 13372, 13465, 13467, 13469, 13482, 13484

\L@novskip 13374, 13444, 13448

\L@oversize 13368, 13425, 13430

\l@paragraph 19587, 20609

\L@parshape 13473, 13475, 13480, 13482, 13488, 13490, 13493

\l@part . 507, 659, 677, 903, 921, 1142, 1160, 6663, 6679, 6840, 6856, 7127, 8728, 8983, 10818, 16212, 16228, 16584, 16600, 16800, 16984, 19376, 19377, 19465, 20585, 20588

\L@Pindent . . . 13458, 13459, 13461, 13462, 13464, 13465, 13468, 13475

\L@raise . . . 13369, 13435

\L@realhfalse 13377

\L@realhtrue 13377

\l@refstring 13364

\l@section 524, 685, 698, 887, 900, 1169, 1182, 8714, 19531, 20597

\L@selfreffalse . . 13378

\L@selfreftrue . . . 13378

\L@slope 13373, 13484, 13485

\l@subfigure 19658

\l@subparagraph 19604, 20613

\l@subsection 19553, 20601

\l@subsubsection 19570, 20605

\l@subtable 19678

\l@table 5892, 19639, 20617

\L@target@dp 13441

\L@target@tht 13427, 13435, 13440
\L@tbox . 13380, 13388, 13433, 13438, 13496
\l@textcolor 13401, 13402
\label 2555, 4850, 4852, 4854, 4858, 4910, 11224, 11656, 11662, 12375, 12393, 21717
\labelitemi . 743, 995, 1058, 1245, 6757, 6934, 16302, 16441
\labelname . . . 15424, 15427, 15429, 15432, 15434, 15436, 15439, 15441, 15443, 15445, 15448, 15450, 15452, 15454, 15456, 15459, 15461, 15464, 15466, 15469, 15471, 15473, 15476, 15478, 15480, 15483, 15485, 15487
\labelsep 85, 90, 288, 293, 577, 712, 975, 1225, 2570, 2572, 5920, 5922, 5979, 6717, 6905, 7214, 8776, 9047, 10884, 13253, 13258, 15424, 15427, 15429, 15432, 15434, 15436, 15439, 15441, 15443, 15445, 15448, 15450, 15452, 15454, 15456, 15459, 15461, 15464, 15466, 15469, 15471, 15473, 15476, 15478, 15480, 15483, 15485, 15487, 16271, 16665, 16859, 17062, 17464, 18044, 18727, 19394
\labelwidth 89, 90, 292, 293, 575, 576, 710, 711, 973, 974, 1223, 1224, 2569, 2571, 5921, 5922, 6715, 6716, 6903, 6904, 7212, 7213, 8774, 8775, 9045, 9046, 10882, 10883, 11879, 13257, 13258, 15424, 15427, 15429, 15432, 15434, 15436, 15439, 15441, 15443, 15445, 15448, 15450, 15452, 15454, 15456, 15459, 15461, 15464, 15466, 15469, 15471, 15473, 15476, 15478, 15480, 15483, 15485, 15487, 16269, 16270, 16663, 16664, 16857, 16858, 17060, 17061, 17462, 17463, 18042, 18043, 18725, 18726, 19392, 19393
\landscape . 14073, 15654
\langle 2059
\Larg 2058, 2059, 2060, 2061, 2062
\Larga 2059
\Largb 2060
\LARGE 423, 494, 751, 841, 1003, 1093, 1253, 1344, 1355, 5822, 5829, 5911, 6154, 6765, 6942, 7043, 7114, 8149, 8804, 8869, 8899, 8970, 10904, 10969, 16310, 16400, 16449, 16546, 16557, 16713, 16900, 16971
\Large 561, 5773, 5836, 5910, 6155, 6156, 8060, 8153, 8752, 16789, 17298, 17304, 17306, 17322, 17411, 17418, 17420, 17423, 17847, 17853, 17855, 17871, 17960, 17967, 17969, 17972, 18546, 18552, 18554, 18570, 18659, 18666, 18668, 18671
\large 425, 431, 496, 502, 516, 668, 758, 768, 843, 849, 912, 1010, 1020, 1095, 1101, 1151, 1260, 1270, 1346, 1352, 1356, 1361, 5780, 5843, 5909, 6672, 6772, 6782, 6849, 6949, 6959, 7045, 7051, 7116, 7122, 7136, 8059, 8061, 8152, 8154, 8737, 8806, 8812, 8871, 8877, 8901, 8907, 8972, 8978, 8991, 10827, 10906, 10912, 10971, 10977, 16221, 16317, 16327, 16402, 16408, 16456, 16466, 16548, 16554, 16558, 16563, 16593, 16715, 16721, 16808, 16902, 16908, 16973, 16979, 16993, 20023, 20373, 20411
\Largr 2062
\Largs 2061
\lastbox 7704, 10413, 10435, 10444, 10448, 14137, 15904, 20984, 21036, 21046
\LastFrameCommand 11741, 11851
\lastkern . . . 5555, 11826
\lastpenalty . 7262, 20433
\lastrule 7309
\lastskip 4988, 6590, 6591, 7261

\LastTOCLevelWasHigher 20343
\LastTOCLevelWasLower 20339
\LastTOCLevelWasSame 20341
\LaTeX 13151, 21070, 21071, 21083
\LaTeXe 21072, 21073
\LBEG 2063
\lcb . 2060, 2063, 2064, 2067
\lccode 3738, 3740, 20835, 20836
\Lcs 2074
\LcsStar 2075
\leaders 17260, 17809, 18508, 19078, 19370, 20524, 20633, 21331
\leavevmode . . 14, 209, 305, 378, 515, 532, 653, 667, 692, 744, 881, 894, 911, 996, 1059, 1136, 1150, 1176, 1246, 2192, 2500, 2959, 3013, 3070, 5543, 5884, 6352, 6428, 6657, 6671, 6694, 6758, 6834, 6848, 6871, 6935, 7135, 7150, 7230, 7231, 7369, 7421, 8722, 8736, 8990, 9488, 9594, 9700, 9809, 9918, 10027, 10136, 10245, 10354, 10826, 10841, 11122, 11137, 11588, 12153, 12199, 12219, 13009, 13046, 13078, 13287, 13306, 14132, 15158, 15170, 15182, 15903, 15984, 15989, 16035, 16056, 16206, 16220, 16243, 16303, 16442, 16578, 16592, 16615, 16807, 16822, 16992, 17007, 17260, 17809, 18508, 19045, 19096, 19320, 19343, 19490, 19521, 19544, 19561, 19578, 19595, 19612, 19629, 19647, 19666, 19686, 19721, 19914, 20022, 20067, 20515, 20629, 20878, 21075, 21080, 21082, 21090, 21097, 21171, 21277, 21327
\left . 21091, 21098, 21104
\left@footnoterule 30, 234, 415, 538, 722, 739, 958, 991, 1202, 1241, 6727, 6753, 6880, 6930, 7035, 7157, 8786, 8798, 8891, 9085, 10868, 10898, 11403, 11409, 11422, 11424, 11560, 11574, 13284, 13354, 14074, 14076, 16252, 16298, 16435, 16675, 16695, 16832, 16892, 17014, 17248, 17270, 17505, 17797, 17819, 18085, 18367, 18496, 18518, 18768
\leftfootnoterule . 1700, 8206, 9132, 11407, 11410, 11648, 12124, 21781
\leftline 15999, 21249, 21255, 21257
\leftlinenumbers 13528, 13531
\leftmargin 90, 293, 576, 577, 711, 712, 947, 974, 975, 1224, 1225, 2571, 2572, 4691, 5901, 5960, 5961, 5968, 5974, 6716, 6717, 6904, 6905, 7213, 7214, 8775, 8776, 9046, 9047, 10883, 10884, 13258, 16053, 16270, 16271, 16664, 16665, 16858, 16859, 17061, 17062, 17463, 17464, 18043, 18044, 18726, 18727, 19393, 19394, 21141, 21144, 21154, 21158, 21166, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234
\leftmargini . . . 4691, 5901, 5914, 5921
\leftmarginii 5915
\leftmarginiii 5916
\leftmarginiv 5917
\leftmarginv 5918
\leftmarginvi 5919
\leftmarginwidth . 16829
\leftmark 6251
\leftskip 12, 13, 207, 208, 305, 309, 513, 530, 533, 534, 624, 637, 648, 649, 654, 665, 690, 693, 694, 875, 876, 882, 892, 895, 896, 909, 931, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 5878, 5886, 5887, 6458, 6646, 6652, 6653, 6658, 6669, 6692, 6695, 6696, 6823, 6829, 6830, 6835, 6846, 6869, 6872, 6873, 7133, 7148, 7151, 7152, 7284, 7285, 7286, 7412, 7413, 7419, 8720, 8723, 8724, 8734,

8988, 9404, 10729, 10738, 10824, 10839, 10842, 10843, 13304, 13305, 14119, 14791, 14792, 15155, 15159, 15160, 15167, 15172, 15179, 15184, 16064, 16066, 16077, 16079, 16090, 16092, 16101, 16103, 16177, 16190, 16201, 16202, 16207, 16218, 16241, 16244, 16245, 16573, 16574, 16579, 16590, 16613, 16616, 16617, 16627, 16640, 16689, 16805, 16820, 16823, 16824, 16829, 16830, 16990, 17005, 17008, 17009, 19312, 19324, 19341, 19362, 19364, 19369, 19373, 19374, 19485, 19486, 19487, 19495, 19516, 19517, 19518, 19526, 19539, 19540, 19541, 19549, 19556, 19557, 19558, 19566, 19573, 19574, 19575, 19583, 19590, 19591, 19592, 19600, 19607, 19608, 19609, 19617, 19624, 19625, 19626, 19634, 19642, 19643, 19644, 19652, 19661, 19662, 19663, 19671, 19681, 19682, 19683, 19691, 19716, 19717, 19718, 19726, 19766, 19767, 19768, 20446, 20508, 20509, 20510, 20516, 20519, 20566, 20626, 20631, 20654, 20661, 21030, 21031, 21238, 21264, 21265, 21324, 21329

\LEND 2064

\leqno 328, 15995, 15997, 21772, 21774

\let 86, 102, 115, 152, 153, 156, 157, 160, 161, 164, 222, 289, 319, 327, 328, 347, 379, 380, 383, 400, 404, 408, 413, 414, 415, 416, 417, 418, 419, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 491, 492, 493, 580, 603, 618, 715, 737, 738, 739, 740, 741, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 840, 867, 978, 989, 990, 991, 992, 993, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1092, 1119, 1228, 1239, 1240, 1241, 1242, 1243, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1343, 1369, 1370, 1374, 1390, 1391, 1392, 1428, 1429, 1430, 1455, 1456, 1457, 1458, 1463, 1498, 1499, 1603, 1605, 1607, 1737, 1738, 1745, 1832, 1890, 1892, 1894, 1926, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2147, 2148, 2149, 2176, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2203, 2204, 2205, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2575, 2584, 2657, 2675, 2699, 2718, 2723, 2748, 2749, 2756, 2757, 2760, 2761, 2795, 2928, 2931, 2939, 3174, 3196, 3218, 3219, 3349, 3429, 3431, 3432, 3433, 3434, 3435, 3490, 3528, 3535, 3543, 3554, 3560, 3568, 3571, 3574, 3584, 3588, 3590, 3655, 3656, 3661, 3768, 3771, 3802, 3888, 3895, 3898, 3908, 3918, 3929, 3996, 4006, 4008, 4042, 4053, 4144, 4160, 4180, 4195, 4211, 4304, 4325, 4326, 4342, 4385, 4388, 4390, 4395, 4409, 4417, 4418, 4438, 4439, 4466, 4477, 4482, 4486, 4488, 4491, 4501, 4512, 4539, 4550, 4559, 4608, 4613, 4629, 4630, 4631, 4632, 4634,

4635, 4636, 4637,
4683, 4813, 4814,
4851, 4852, 4858,
4860, 4864, 4909,
4910, 4992, 4994,
4996, 5142, 5143,
5156, 5160, 5162,
5163, 5169, 5173,
5177, 5186, 5430,
5431, 5449, 5450,
5468, 5469, 5496,
5497, 5525, 5526,
5527, 5624, 5645,
5646, 5647, 5653,
5674, 5675, 5676,
5682, 5703, 5704,
5705, 5721, 5725,
5726, 5727, 5730,
5734, 5735, 5736,
5739, 5743, 5744,
5745, 5892, 5956,
5997, 6084, 6151,
6152, 6153, 6343,
6344, 6346, 6347,
6365, 6386, 6387,
6388, 6389, 6390,
6391, 6392, 6393,
6394, 6397, 6398,
6399, 6400, 6401,
6402, 6403, 6404,
6405, 6466, 6484,
6535, 6541, 6562,
6575, 6585, 6599,
6603, 6604, 6605,
6606, 6607, 6608,
6609, 6610, 6611,
6617, 6618, 6619,
6620, 6621, 6622,
6623, 6624, 6625,
6640, 6720, 6751,
6752, 6753, 6754,
6755, 6793, 6794,
6795, 6796, 6797,
6798, 6799, 6800,
6801, 6802, 6817,
6908, 6928, 6929,
6930, 6931, 6932,
6970, 6971, 6972,
6973, 6974, 6975,
6976, 6977, 6978,
6979, 7028, 7033,
7034, 7035, 7036,
7037, 7038, 7039,
7057, 7058, 7059,
7060, 7061, 7062,
7063, 7064, 7065,
7066, 7067, 7068,
7092, 7093, 7094,
7095, 7096, 7097,
7098, 7099, 7100,
7101, 7102, 7103,
7104, 7111, 7112,
7113, 7217, 7241,
7243, 7246, 7247,
7248, 7254, 7259,
7279, 7291, 7292,
7293, 7295, 7296,
7302, 7303, 7304,
7305, 7325, 7334,
7375, 7381, 7402,
7574, 7577, 7578,
7637, 7640, 7641,
8204, 8205, 8206,
8207, 8208, 8211,
8212, 8214, 8232,
8233, 8235, 8253,
8254, 8258, 8293,
8295, 8307, 8310,
8311, 8315, 8345,
8347, 8359, 8362,
8363, 8410, 8434,
8442, 8450, 8779,
8796, 8797, 8798,
8799, 8800, 8818,
8819, 8820, 8821,
8822, 8823, 8824,
8825, 8826, 8827,
8851, 8852, 8853,
8854, 8855, 8856,
8857, 8858, 8859,
8860, 8861, 8868,
8889, 8890, 8891,
8892, 8893, 8894,
8895, 8913, 8914,
8915, 8916, 8917,
8918, 8919, 8920,
8921, 8922, 8923,
8924, 8948, 8949,
8950, 8951, 8952,
8953, 8954, 8955,
8956, 8957, 8958,
8959, 8960, 8967,
8968, 8969, 9050,
9100, 9101, 9102,
9103, 9104, 9105,
9114, 9115, 9116,
9117, 9118, 9119,
9120, 9121, 9122,
9123, 9124, 9125,
9130, 9131, 9132,
9133, 9134, 9234,
9235, 9236, 9237,
9238, 9239, 9242,
9243, 9244, 9245,
9246, 9247, 9251,
9439, 9440, 9441,
9445, 9446, 9447,
9448, 9451, 9548,
9549, 9550, 9554,
9555, 9556, 9557,
9560, 9651, 9652,
9653, 9657, 9658,
9659, 9660, 9663,
9760, 9761, 9762,
9766, 9767, 9768,
9769, 9772, 9869,
9870, 9871, 9875,
9876, 9877, 9878,
9881, 9978, 9979,
9980, 9984, 9985,
9986, 9987, 9990,
10087, 10088,
10089, 10093,
10094, 10095,
10096, 10099,
10196, 10197,
10198, 10202,
10203, 10204,
10205, 10208,
10305, 10306,
10307, 10311,
10312, 10313,
10314, 10317,
10464, 10465,
10466, 10471,
10472, 10478,
10479, 10480,
10481, 10482,
10483, 10487,
10488, 10519,
10521, 10523,
10524, 10529,
10530, 10536,
10537, 10538,
10540, 10542,
10544, 10545,
10549, 10550,
10577, 10586,
10598, 10610,
10641, 10660,
10674, 10744,
10814, 10887,

10896, 10897, 10898, 10899, 10900, 10918, 10919, 10920, 10921, 10922, 10923, 10924, 10925, 10926, 10927, 10951, 10952, 10953, 10954, 10955, 10956, 10957, 10958, 10959, 10960, 10961, 10968, 11024, 11051, 11054, 11055, 11087, 11090, 11091, 11173, 11174, 11176, 11177, 11180, 11181, 11210, 11212, 11214, 11224, 11225, 11226, 11232, 11236, 11239, 11242, 11244, 11247, 11248, 11382, 11410, 11436, 11437, 11546, 11560, 11574, 11600, 11601, 11602, 11603, 11637, 11719, 11725, 11730, 11865, 11866, 11867, 11868, 11920, 11923, 11924, 11969, 11972, 11973, 12109, 12124, 12125, 12126, 12127, 12128, 12222, 12256, 12258, 12286, 12288, 12293, 12295, 12299, 12301, 12632, 12633, 12634, 12675, 12676, 12677, 12719, 12720, 12721, 12734, 12735, 12736, 12749, 12750, 12751, 12757, 12759, 12760, 12761, 12762, 12763, 12764, 12765, 12774, 12810, 12848, 12881, 12912, 12943, 12949, 12951, 12952, 12953, 12954, 12955, 12956, 12957, 12958, 12970, 12973, 12976, 12979, 13146, 13147, 13148, 13149, 13164, 13175, 13254, 13271, 13320, 13364, 13400, 13410, 13415, 13623, 13635, 13946, 13947, 13948, 13950, 13952, 13956, 13958, 13960, 13961, 13963, 13964, 13965, 13969, 13975, 13987, 14023, 14024, 14025, 14074, 14075, 14111, 14112, 14113, 14114, 14115, 14123, 14170, 14171, 14172, 14759, 14760, 14761, 14762, 14763, 14764, 14765, 14766, 14767, 14823, 14826, 14827, 14829, 14830, 14927, 14930, 14931, 15027, 15030, 15031, 15263, 15266, 15293, 15294, 15298, 15299, 15303, 15304, 15505, 15506, 15507, 15615, 15616, 15617, 15618, 15619, 15621, 15665, 15670, 15684, 15716, 15905, 15909, 15954, 15955, 15956, 15957, 15960, 15961, 15963, 15968, 15991, 15992, 15993, 15994, 15995, 16057, 16061, 16063, 16074, 16076, 16087, 16089, 16099, 16100, 16111, 16112, 16113, 16114, 16115, 16128, 16134, 16146, 16154, 16155, 16171, 16274, 16296, 16297, 16298, 16299, 16300, 16338, 16339, 16340, 16341, 16342, 16343, 16344, 16345, 16346, 16347, 16382, 16383, 16384, 16385, 16386, 16387, 16388, 16389, 16390, 16391, 16392, 16399, 16426, 16433, 16434, 16435, 16436, 16437, 16438, 16439, 16477, 16478, 16479, 16480, 16481, 16482, 16483, 16484, 16485, 16486, 16487, 16488, 16523, 16524, 16525, 16526, 16527, 16528, 16529, 16530, 16531, 16532, 16533, 16534, 16535, 16543, 16544, 16545, 16668, 16693, 16694, 16695, 16696,

16697, 16698, 16699, 16727, 16728, 16729, 16730, 16731, 16732, 16733, 16734, 16735, 16736, 16737, 16738, 16767, 16768, 16769, 16770, 16771, 16772, 16773, 16774, 16775, 16776, 16777, 16778, 16779, 16785, 16786, 16787, 16862, 16886, 16890, 16891, 16892, 16893, 16894, 16895, 16896, 16914, 16915, 16916, 16917, 16918, 16919, 16920, 16921, 16922, 16923, 16924, 16925, 16949, 16950, 16951, 16952, 16953, 16954, 16955, 16956, 16957, 16958, 16959, 16960, 16961, 16968, 16969, 16970, 17065, 17090, 17117, 17118, 17135, 17207, 17208, 17209, 17268, 17269, 17270, 17271, 17272, 17273, 17274, 17276, 17340, 17357, 17358, 17359, 17360, 17361, 17362, 17363, 17364, 17365, 17366, 17367, 17368, 17369, 17370, 17371, 17372, 17373, 17374, 17375, 17376, 17377, 17378, 17379, 17380, 17381, 17382, 17383, 17384, 17388, 17389, 17390, 17475, 17500, 17501, 17525, 17526, 17527, 17528, 17529, 17530, 17536, 17537, 17538, 17539, 17540, 17541, 17635, 17637, 17643, 17645, 17756, 17757, 17758, 17817, 17818, 17819, 17820, 17821, 17822, 17823, 17825, 17889, 17906, 17907, 17908, 17909, 17910, 17911, 17912, 17913, 17914, 17915, 17916, 17917, 17918, 17919, 17920, 17921, 17922, 17923, 17924, 17925, 17926, 17927, 17928, 17929, 17930, 17931, 17932, 17933, 17937, 17938, 17939, 18055, 18080, 18081, 18105, 18106, 18107, 18108, 18109, 18110, 18116, 18117, 18118, 18119, 18120, 18121, 18215, 18217, 18223, 18225, 18455, 18456, 18457, 18516, 18517, 18518, 18519, 18520, 18521, 18522, 18524, 18588, 18605, 18606, 18607, 18608, 18609, 18610, 18611, 18612, 18613, 18614, 18615, 18616, 18617, 18618, 18619, 18620, 18621, 18622, 18623, 18624, 18625, 18626, 18627, 18628, 18629, 18630, 18631, 18632, 18636, 18637, 18638, 18738, 18763, 18764, 18788, 18789, 18790, 18791, 18792, 18793, 18799, 18800, 18801, 18802, 18803, 18804, 18898, 18900, 18906, 18908, 19036, 19037, 19038, 19041, 19097, 19098, 19099, 19102, 19113, 19114, 19115, 19122, 19123, 19128, 19137, 19138, 19139, 19141, 19144, 19148, 19151, 19153, 19156, 19165, 19168, 19181, 19182, 19183, 19198, 19199, 19200, 19201, 19202, 19203, 19205, 19206, 19209, 19210, 19284, 19285, 19288, 19290, 19291, 19292, 19307, 19336, 19365, 19370, 19376, 19379, 19397, 19459, 19463, 19492, 19493, 19494, 19523, 19524, 19525, 19546, 19547, 19548, 19563, 19564, 19565,

19580, 19581, 19582, 19597, 19598, 19599, 19614, 19615, 19616, 19631, 19632, 19633, 19649, 19650, 19651, 19668, 19669, 19670, 19688, 19689, 19690, 19723, 19724, 19725, 19788, 19943, 20080, 20161, 20164, 20194, 20427, 20643, 20651, 20656, 20663, 20680, 20683, 20743, 20801, 20805, 20883, 20888, 20898, 20902, 20931, 20941, 20945, 20985, 20989, 21054, 21055, 21056, 21057, 21060, 21061, 21063, 21068, 21070, 21072, 21084, 21085, 21086, 21087, 21091, 21092, 21098, 21099, 21100, 21112, 21134, 21196, 21237, 21240, 21241, 21255, 21256, 21274, 21278, 21279, 21280, 21283, 21295, 21296, 21297, 21298, 21304, 21305, 21306, 21344, 21396, 21399, 21400, 21443, 21446, 21447, 21677, 21679, 21682, 21694, 21696, 21698, 21700, 21702, 21704, 21707, 21708, 21710, 21711, 21717, 21718, 21719, 21724, 21736, 21739, 21741, 21748, 21752, 21754, 21757, 21758, 21771, 21772, 21780, 21781, 21782, 21933, 21935

\LetLtxMacro 11650, 11651

\Letter 2420

\lettergroup 6008

\LettrineDepth . . . 13422

\LettrineHeight . . . 13421, 13429, 13434

\LettrineSecondString 13380

\LettrineTextFont . 13380, 13388, 13433

\LettrineWidth 13413, 13420

\lftside 15835, 15837, 15840, 15842, 15856, 15858

\Line 8437, 8440, 8445, 8448, 8453, 8454, 8457, 8458, 8462, 8463, 8466, 8467, 8471, 8472, 8475, 8476, 8480, 8481, 8484, 8485

\line 7431, 7432, 7434, 7435, 7441, 7442, 7444, 7445, 7454, 7455, 7457, 7458, 7464, 7465, 7467, 7468, 7477, 7478, 7480, 7481, 7487, 7488, 7490, 7491, 7500, 7501, 7503, 7504, 7510, 7511, 7513, 7514, 15998, 15999, 16000

\LineNumber . . . 13506, 13508, 13510, 13515, 13518, 13520

\linenumberwidth . . 13508, 13515, 13520

\lineskip 401, 426, 497, 759, 844, 1011, 1096, 1261, 1347, 1356, 2404, 6773, 6950, 7046, 7117, 8807, 8872, 8902, 8973, 10907, 10972, 11228, 13988, 14120, 16125, 16318, 16403, 16457, 16549, 16558, 16716, 16792, 16903, 16974, 17298, 17412, 17847, 17961, 18546, 18660, 19117, 19156, 21300, 21720

\lineskiplimit 11229, 21720

\linespacing . . 24, 13292

\linespread 3160

\linewidth 2528, 4886, 11123, 11138, 11142, 11877, 11885, 11886, 11888, 11889, 12322, 13463, 13466, 13488, 13490, 14117, 14831, 14837, 15572, 15574, 15592, 15594, 15793, 15799, 15885, 15894, 15895, 15948, 15950, 16118, 17621, 18201, 18884, 21032, 21042, 21140, 21141, 21168, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234, 21666, 21669

\link 2534

\list 89, 292, 574, 709, 945, 972, 1222, 5939, 5957, 5966, 5974, 6714, 6902, 7211, 8773, 9044, 10881, 13257, 15497, 16268, 16662,

16856, 17059, 17459, 18039, 18722, 19391, 21123
\listdoubleitemmaincolumnwidth 2474, 2487, 2488, 2489, 2516, 2520
\listfigurename 5861, 5862
\listitemmaincolumnwidth 2473, 2481, 2482, 2514
\listitemsymbol 2415, 2472, 2513, 2515, 8015, 8113
\listitemsymbolwidth 2471, 2472, 2482, 2488
\listoffigures 5859
\listoftables 5867
\listparindent 945, 5959, 5966, 5967, 21130, 21139
\listtablename 5869, 5870
\llap . 5946, 8569, 9270, 9282, 9294, 11030, 11036, 11680, 11692, 11704, 12131, 12267, 12269, 12271, 12273, 12276, 12278, 12281, 12283, 13494, 19063, 19325, 19343
\LoadClass ... 6193, 6217
\long 34, 48, 64, 237, 251, 266, 455, 742, 807, 994, 1057, 1244, 1309, 1992, 2210, 2213, 2216, 2221, 2224, 2227, 2693, 2694, 2703, 2706, 2717, 2896, 2900, 2933, 3176, 3180, 3290, 3309, 3384, 3400, 3412, 3421, 3453, 3481, 3493, 3494, 3868, 3870, 3875, 3876, 3893, 3894, 3901, 3910, 3913, 3920, 3938, 4556, 4820, 4969, 5229, 5233, 5237, 5273, 5277, 5281, 5317, 5321, 5325, 5536, 5623, 5652, 5681, 6492, 6495, 6498, 6502, 6505, 6508, 6756, 6933, 7075, 7368, 8213, 8234, 8834, 8931, 10934, 11484, 11501, 11517, 11545, 11559, 11573, 12129, 12143, 12152, 12198, 12239, 12246, 12678, 12689, 12700, 12711, 12726, 12741, 12784, 12801, 12822, 12839, 12855, 12872, 12886, 12903, 12917, 12934, 13159, 13575, 14773, 14823, 14873, 14895, 15307, 15311, 15315, 15774, 15983, 16301, 16366, 16440, 16507, 16703, 16746, 16932, 17223, 17772, 18346, 18446, 18471, 19035, 19221, 19225, 19228, 19232, 20877, 21074, 21170, 21547, 21551, 21555, 21591, 21595, 21599, 21658, 21761
\longindentation .. 9078
\longthickrule 16784, 16790
\loop 1787, 1788, 1789, 3951, 3961, 7524, 7734, 10433, 10442, 13450, 15791, 15827, 15854, 15865, 15892, 19176
\looprepeat 3968, 3972, 4016, 4087, 4094, 4099, 4105, 4108, 4110, 4114, 4115, 4120
\lower 1641, 1920, 15989, 16023, 16031, 20871, 21080, 21082
\lowercase 2763, 2771, 2779, 2787
\lowertitleback 17381, 17930, 18629
\LR 13147, 15956, 15989, 21056, 21080, 21082
\lrb 2062, 2071
\LRE 1604, 1648, 1891, 1925, 13146, 15956, 15959, 20683, 21056, 21059
\Lreset@listparshape 13497
\LRfootnoterule 8208, 9134, 11410
\LS@rot 14066
\lsb 2061, 2069
\lst@@caption . 13596, 13602, 13609, 13614
\lst@alloverstyle 2050, 2056
\lst@HRefStepCounter 13596, 13602
\lst@ifnumberbychapter 13635, 13636
\lst@Key ... 13539, 13546
\lst@MakeCaption 13594, 13607
\lst@makecaption 13591, 13624
\lst@maketitle 13592, 13625, 13629, 13631
\lst@title@dropdelim 13592
\lstKV@SwitchCases 13540, 13547
\lstset 2020
\LT@@hl 13948, 13950
\LT@@tabarray 13947, 13951
\LT@array 13155, 13937, 17635, 17636, 18215, 18216, 18898, 18899
\LT@bchunk 13978, 13985, 13989
\LT@caption ... 13956, 17637, 17643, 17645, 18217, 18223, 18225, 18900, 18906, 18908
\LT@cols 13991, 17620, 18200, 18883

\LT@end@pen 14039
\LT@endpbox 13958
\LT@err 14040
\LT@foot 13170, 13174, 14043, 14047, 14056, 14059
\LT@head . . . 14050, 14063
\LT@hline 13956
\LT@kill 13956
\LT@lastfoot 14043, 14045, 14056
\LT@LL@FM@cr 13965, 13969
\LT@make@row 13986
\LT@makecaption 13990, 14001, 17612, 18192, 18875
\LT@mcol 13946, 13991, 17620, 18200, 18883
\LT@no@pgbk . 13954, 13955
\LT@nofcols 13985
\LT@output 14037
\LT@p@ftn 12779, 12782, 12786, 12796, 12817, 12820, 12824, 12834, 14030, 14031, 14033, 14034
\LT@p@ftntext 14023
\LT@p@LTRftntext 12777, 12784, 14024, 14029
\LT@p@RTLftntext 12815, 12822, 14025, 14032
\LT@rows . . . 13980, 14010
\LT@setprevdepth . 13981
\LT@start . . 13172, 13182
\LT@startpbox 13962, 13969, 14021
\LT@tabularcr 13952
\LTcaptype 14003, 14012, 14013
\LTcapwidth 13991, 14004, 14005
\LTleft 13940, 13942, 13944, 13982
\LTR . . 15948, 21032, 21034
\LTR@column@boxes . . 15223, 15267, 15269
\LTR@outputdblcol 7624, 11075, 11903, 15014, 21430, 21474, 21476
\LTRbidituftesidenotemarginpar . . . 5256, 5582, 5732
\LTRcite 5526, 5646, 5675, 5704, 5726, 5735, 5744
\LTRcolumnfootnotes 9253
\LTRdblcol 21476
\LTRdfnmakecol 8366
\LTRfootfootmark 9155, 9280, 9494, 9600, 9706, 9815, 9924, 10033, 10142, 10251, 10360, 10628, 11690
\LTRfootmarkstyle 9266, 9305
\LTRfootnote . . . 418, 492, 2148, 2156, 5715, 6065, 7038, 7112, 8894, 8968, 11465, 11650, 11653, 16438, 16544, 16698, 16786, 16895, 16969, 17273, 17389, 17822, 17938, 18521, 18637
\LTRfootnotetext 2214, 2225, 6496, 6506, 11621, 11623, 12780, 14030, 19222, 19226
\LTRfootscript . 9266, 9283, 9287, 9289, 11693, 11697, 11699
\LTRfoottextfont 9156, 9192, 9217, 9345, 9466, 9494, 9514, 9574, 9600, 9619, 9678, 9706, 9726, 9787, 9815, 9835, 9896, 9924, 9944, 10005, 10033, 10053, 10114, 10142, 10162, 10223, 10251, 10271, 10332, 10360, 10380, 10600, 10628, 10663
\LTright 13940, 13942, 13944, 13983
\LTRmarginnote 5729
\LTRmarginpar 21530
\LTRmulticolcolumns 15265
\LTRsidenote . . 5451, 5711
\LTRthanks . 418, 438, 473, 492, 6065, 6073, 6090, 6106, 6117, 7038, 7058, 7093, 7112, 8894, 8914, 8949, 8968, 11619, 14760, 16438, 16478, 16524, 16544, 16698, 16728, 16768, 16786, 16895, 16915, 16950, 16969, 17273, 17358, 17389, 17822, 17907, 17938, 18521, 18606, 18637
\ltx@firstofthree 11335, 11359
\ltx@ifundefined 11329, 11353
\ltx@secondofthree 11338, 11362
\ltx@thirdofthree . . 11331, 11348, 11355

M

\m@addvipersep 14956, 15056
\m@m@float@spacing 9257
\m@m@footnote@spacing 9162, 9176, 9190, 9204, 9215, 9226, 9256, 9455, 9465, 9475, 9501, 9513, 9526, 9537, 9542, 9564, 9573, 9582, 9607, 9618, 9630, 9640, 9645, 9667, 9677, 9687, 9713, 9725, 9738, 9749, 9754, 9776, 9786, 9796, 9822, 9834, 9847, 9858, 9863, 9885, 9895, 9905, 9931, 9943, 9956, 9967, 9972, 9994, 10004, 10014, 10040, 10052, 10065, 10076, 10081, 10103,

10113, 10123, 10149, 10161, 10174, 10185, 10190, 10212, 10222, 10232, 10258, 10270, 10283, 10294, 10299, 10321, 10331, 10341, 10367, 10379, 10392, 10403, 10408, 10490, 10552, 10587, 10599, 10611, 10642, 10661, 10675, 10693, 10703, 10712, 10721
\m@m@h 9420, 9422, 9424, 9427, 9428, 9433
\m@m@k 9420, 9422, 9427, 9430, 9431, 9433
\m@m@makecolfloats . 10742, 10795, 10801
\m@m@makecolintro . . 10757, 10786, 10799
\m@m@makecoltext . . 10746, 10796, 10809
\m@m@singlespace . . 9255
\m@make@eightcol@footgroup 10092, 10183
\m@make@fivecol@footgroup 9765, 9856
\m@make@footstart 9401, 9413
\m@make@fourcol@footgroup 9656, 9747
\m@make@mpeightcol@footgroup 10098, 10188
\m@make@mpfivecol@footgroup 9771, 9861
\m@make@mpfourcol@footgroup 9662, 9752
\m@make@mpninecol@footgroup 10207, 10297
\m@make@mppara@footgroup . 10485, 10547, 10706
\m@make@mpsevencol@footgroup 9989, 10079
\m@make@mpsixcol@footgroup 9880, 9970
\m@make@mptencol@footgroup 10316, 10406
\m@make@mpthreecol@footgroup 9559, 9643
\m@make@mptwocol@footgroup 9450, 9540
\m@make@ninecol@footgroup 10201, 10292
\m@make@para@footgroup . 10469, 10527, 10686
\m@make@para@footstart . . 10470, 10476, 10528, 10534, 10724
\m@make@sevencol@footgroup 9983, 10074
\m@make@sixcol@footgroup 9874, 9965
\m@make@tencol@footgroup 10310, 10401
\m@make@threecol@footgroup 9553, 9638
\m@make@twocol@footgroup 9444, 9535
\m@mdoextrafeet 9314, 10794, 10808
\m@mdoextrafeetendmini 9383, 9396
\m@mdoextrafeetmini 9355
\m@mdosplits . . . 9425, 9429, 9430, 9431
\m@minterparanoteglue 10426, 10428
\m@mipn@skip 10418, 10425, 10427
\m@mmakehboxofhboxes 10430, 10440, 10690, 10700, 10710, 10719
\m@mmf@prepare 9172, 9186, 9200, 9261, 9463, 9473, 9483, 9509, 9522, 9534, 9571, 9580, 9589, 9614, 9626, 9637, 9675, 9685, 9695, 9721, 9734, 9746, 9784, 9794, 9804, 9830, 9843, 9855, 9893, 9903, 9913, 9939, 9952, 9964, 10002, 10012, 10022, 10048, 10061, 10073, 10111, 10121, 10131, 10157, 10170, 10182, 10220, 10230, 10240, 10266, 10279, 10291, 10329, 10339, 10349, 10375, 10388, 10400, 10596, 10608, 10620, 10657, 10671, 10685
\m@mold@footnotetext . . 9234, 9242, 10519
\m@mold@LTRfootnotetext 9235, 9243
\m@mold@mpfootnotetext . . 9237, 9245, 10540
\m@mold@mpLTRfootnotetext 9238, 9246
\m@mold@mpRTLfootnotetext . . 9239, 9247, 10545
\m@mold@RTLfootnotetext . . 9236, 9244, 10524
\m@mopfootnote 10758, 10792
\m@mremovehboxes 10448, 10449, 10691, 10701, 10711, 10720
\m@mrigidbalance 9422, 9427, 9539, 9544, 9642, 9647, 9751, 9756, 9860, 9865, 9969, 9974, 10078, 10083, 10187, 10192, 10296, 10301, 10405, 10410
\m@msplitoff . . 9430, 9432
\m@mungebox 10419, 10596, 10608, 10620, 10657, 10671, 10685
\m@munvxh . . 10411, 10420
\m@ne 304, 551, 560, 2747, 2936, 3688, 3695, 3947, 3952, 3962, 4043, 5224, 5268, 5312, 6985, 7143, 7180, 7524, 8742, 8751, 9012, 10834, 10851, 13002, 15197, 16049, 16815, 17000, 17037, 17699, 18277, 18280, 18960, 18963, 19471, 19513, 20452, 21542,

21586, 21621, 21624
\m@th 403, 8558, 8563, 8569, 11123, 11138, 13987, 20524, 20633, 21104, 21198, 21270, 21272, 21331
\maincolumnwidth . . 2469, 2478, 2479, 2480, 2481, 2483, 2487, 2502, 2506, 2531
\mainmatter 6244
\makeatletter . 3356, 3375
\makebox 8557, 8562, 8631, 8634, 8637, 8644, 8652, 8659, 8700, 8704, 15609, 15627
\makefooter 8080, 8081, 8097
\MakeFramed 11743
\makelabel . . 5946, 21134
\MakeLineNo 13500
\makeLineNumber 13501, 13503
\makeLineNumberLeft 13506
\makeLineNumberRight 13514
\maketag@@@ 336, 8555, 8568, 14095
\makethanksmark . . 14773
\maketitle . 110, 313, 320, 412, 440, 451, 475, 735, 780, 802, 824, 987, 1032, 1054, 1076, 1237, 1282, 1304, 1326, 1988, 2000, 2495, 6041, 6145, 6169, 6749, 6794, 6926, 6971, 7032, 7060, 7071, 7095, 8062, 8176, 8795, 8819, 8830, 8852, 8888, 8916, 8927, 8951, 10895, 10919, 10930, 10952, 12949, 12950, 13315, 14768, 16294, 16339, 16361, 16383, 16431, 16480, 16502, 16526, 16692, 16730, 16741, 16770, 16889, 16917, 16928, 16952, 17262, 17333, 17360, 17811, 17882, 17909, 18510, 18581, 18608
\maketitledetailsnewline 8171, 8186, 8188, 8189, 8190, 8191, 8192
\maketitledetailswidth 8163, 8165, 8166, 8167, 8168, 8183
\maketitlehookb . . 14818
\maketitlehookc . . 14820
\maketitlenamefullwidth . . . 8157, 8158, 8160
\maketitlenamemaxwidth . . . 8155, 8156, 8160
\maketitlenamewidth 8159, 8160, 8166, 8178
\maketitlepage 6127, 6169
\maketitlepicturewidth 8161, 8162, 8168, 8197
\MakeUppercase . 125, 571, 599, 600, 615, 706, 864, 969, 1116, 1219, 6637, 6711, 6814, 6899, 7024, 7025, 7208, 8770, 9041, 10878, 13330, 16168, 16265, 16423, 16659, 16882, 16883, 17056
\marginline 17518, 18098, 18781
\marginnote 5720
\marginpar 4790, 5498, 17519, 18099, 18782, 20719
\marginparpush 4723, 21640
\marginparsep 1978, 2380, 4764, 4767, 4771, 4923, 4930, 12266, 12268, 12272, 12277, 12280, 12282, 21651, 21653
\marginparwidth 1977, 2381, 4763, 4768, 4780, 4878, 5148, 5241, 5285, 5329, 12266, 12268, 12280, 12282, 21559, 21603, 21653
\markboth 124, 565, 6249, 8756, 13329
\math@cr@@@align . . 338
\mathindent . 11124, 11140
\mathsurround 7258
\max@poem@no 6444, 6546, 6547
\maxdepth 10797, 10810, 12115, 12122
\maxdimen 7565, 7566, 7568, 7628, 7629, 7631, 10592, 10604, 10616, 10653, 10667, 10681, 10995, 11043, 11044, 11045, 11079, 11080, 11081, 11750, 11911, 11912, 11914, 11960, 11961, 11963, 14918, 14919, 14921, 15018, 15019, 15021, 19169, 19208, 20584, 20587, 20592, 20596, 20600, 20604, 20608, 20612, 20616, 20620, 20805, 21387, 21388, 21390, 21434, 21435, 21437
\mbox . 12227, 13494, 18449
\mc@col@status@write 15227, 15248
\mc@gridwarn 15217
\mc@lastcol@status@write 15233, 15256
\mdf@footenotedistance@length 14158
\mdf@footnoteinput 14166
\mdf@footnoteoutput 14155
\mdf@frametitleaboveskip@length 14150
\mdf@frametitlealignment 14131

\mdf@frametitlebelowskip 14151
\mdf@frametitlebox . . 14130, 14143, 14144, 14145, 14146, 14148, 14149
\mdf@frametitlefont 14133
\mdf@frametitlefontcolor 14132
\mdf@horizontalmargin 14108
\mdf@ignorevbadness 14142
\mdf@lrbox . 14101, 14130
\mdf@par@local . . . 14124
\mdf@patchamsthm . 14102
\mdfframedtitleenv 14129
\mdfframetitleboxdepth 14146
\mdfframetitleboxheight 14145
\mdfframetitleboxtotalheight 14147
\mdfframetitleboxwidth 14144
\mdseries 307, 8056, 8058, 8060, 8061, 8148, 8149, 8150, 8153, 8154
\meaning 2656, 2659, 2902, 3346, 3373, 3388, 3406, 3414, 3423, 3487
\mediabutton 14693, 14753, 14754
\medskip 6351
\medskipamount 9080
\mem@makecol 10785, 10811
\memRTLleftskip . . 14791
\memRTLraggedleft 14796
\memRTLraggedright 14795
\memRTLrightskip . 14792
\memRTLvleftskip . 14793
\memRTLvrightskip 14794
\message . . 1863, 1865, 11751, 11759, 11763, 11768, 11776, 11782, 11792, 11797, 11799, 11806, 11814, 11827, 11835, 11840, 11845, 11858, 11869, 11877, 11889
\MessageBreak 148, 3605, 3619, 3631, 3643, 4320, 4331, 4338, 4350, 4356, 4454, 4507, 4508, 4509, 4523, 4524, 4526, 4804, 4900, 5127, 5128, 5196, 5800, 5801, 5802, 5804, 5805, 5809, 5810, 5811, 5813, 5814, 13385, 13427, 13428, 13431, 14869, 14870, 15200, 15219, 15288, 15368, 15375, 17334, 17485, 17492, 17883, 18065, 18072, 18582, 18748, 18755, 20096, 20098, 20101
\MH 8567, 8571, 8576, 8577, 8581, 8585, 8586, 8590, 8598, 8600, 8605, 8617, 8625, 8630, 8633, 8636, 8638, 8639, 8641, 8642, 8645, 8646, 8648, 8649, 8651, 8653, 8654, 8656, 8657, 8660, 8661, 8663, 8664, 8666, 8671, 8672, 8673, 8674, 8675, 8676, 8677, 8678, 8679, 8688, 8690, 8694, 8695, 8697
\MHInternalSyntaxOff 8712, 14098
\MHInternalSyntaxOn 8552, 14092
\MidFrameCommand . . . 11739, 11783, 11851
\minrowclearance 1460, 1494, 7363
\mintagvsep 8572
\missingfigure 20763, 20793
\mix 14187, 14188, 14195, 14196, 14222, 14239, 14262, 14265, 14267, 14290, 14322, 14330, 14339, 14350, 14361, 14363, 14368, 14369, 14371, 14372, 14374, 14386, 14395, 14398, 14399, 14400, 14410, 14420, 14421, 14423, 14424, 14429, 14430, 14446, 14448, 14450, 14455, 14494, 14501, 14502, 14505, 14523, 14525, 14528, 14530, 14533, 14540, 14548, 14550, 14603, 14608, 14619, 14620, 14623, 14654, 14659, 14661, 14668, 14669, 14672, 14687, 14691, 14694, 14696, 14705, 14708, 14718, 14719, 14721, 14744, 14750, 14754
\mkern 20525, 20526, 20634, 21332
\mobile 2457
\Mobilefone 2417
\mobilesymbol 2417, 8090, 8188
\mode 14364, 14697
\modernpoem 6599
\modernpoem@obeylines 6346, 6599
\modernpoem@par 6346, 6347, 6563
\morefloats . . . 5030, 5127
\moreLRE 1605, 1892, 15910, 20990
\moreRLE 1607, 1894, 15911, 20991
\moveleft . . . 5180, 15112
\moveright 11230, 15210, 21723
\mp@footgroupv@r . .

. . . . 9374, 9419, 9451, 9560, 9663, 9772, 9881, 9990, 10099, 10208, 10317, 10487, 10549
\mp@LTRfootgroupv@l 9366, 9378, 10488, 10550
\mpfootnoterule 11437, 11441
\msg 14242, 14245, 14293, 14296, 14311, 14314, 14356
\MT . 8591, 8597, 8599, 14093
\mult@cols 15306
\mult@firstbox 15224, 15238, 15244
\mult@footnotetext 151, 153, 15291, 15294, 15307
\mult@info 15198
\mult@LTRfootnotetext 155, 157, 15296, 15299, 15311
\mult@rightbox 15191, 15231, 15232, 15234, 15253, 15254, 15257
\mult@RTLfootnotetext 159, 161, 15301, 15304, 15315
\multfootsep . . 5540, 5558
\multi@column@out 15360, 15403
\multicol@leftmargin 15201, 15210
\multicols 15276
\multicolumn 13946, 19143
\multiplefootnotemarker 5539, 5555, 5649, 5650, 5678, 5679, 5707, 5708, 9260, 9262, 9263
\multiply 1962, 1967, 2305, 10507, 10569, 15340, 15341, 15344, 15345, 15810, 15814
\myrefname 18400

N

\n@xt 1603, 1605, 1607, 1608, 1890, 1892, 1894, 1895
\na 15813, 15815, 15817, 15826, 15828, 15853, 15854
\narrower 21263
\NAT@bibitem@first@sw 15505
\nb 15813, 15816, 15817, 15826, 15827, 15848, 15864, 15865
\NC@find 19175
\NC@rewrite@X 19174
\NeedsTeXFormat 1501, 1955, 2011, 2144, 2336, 2585, 2653, 4639, 5205, 5747, 5893, 6009, 6036, 6185, 6209, 6274, 8000, 8098
\new@command . . 2938, 2940
\new@poem@width . . . 6361, 6362, 6363, 6364, 6449, 6483, 6486
\newblock . 2583, 6461, 6561, 15499, 15501
\newboolean 4647, 4650, 4652, 4654, 4655, 4667, 4731, 4741, 4808, 4831, 5132, 5756, 6015, 6042
\newbox 6416, 6417
\newcommand 1538, 1539, 1545, 1551, 1568, 1569, 1573, 1574, 1585, 1588, 1591, 1614, 1615, 1630, 1646, 1662, 1791, 2049, 2055, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2361, 2447, 2452, 2453, 2454, 2456, 2457, 2458, 2460, 2461, 2463, 2464, 2475, 2476, 2496, 2503, 2505, 2509, 2513, 2515, 2521, 2530, 2532, 2534, 2538, 2542, 2547, 2559, 2583, 2589, 2762, 2770, 2778, 2786, 2803, 2809, 2815, 2821, 2827, 2833, 2839, 2845, 2852, 2855, 2858, 2864, 2876, 2882, 2894, 2897, 2899, 2906, 2910, 2916, 2923, 2926, 2929, 2932, 2951, 2980, 3005, 3034, 3059, 3097, 3131, 3148, 3159, 3165, 3209, 3214, 3336, 3360, 3411, 3420, 3497, 3502, 3505, 3508, 3511, 3514, 3517, 3521, 3524, 3538, 3550, 3563, 3578, 4142, 4143, 4159, 4174, 4178, 4184, 4187, 4190, 4193, 4198, 4201, 4204, 4208, 4212, 4215, 4216, 4217, 4219, 4227, 4236, 4238, 4248, 4250, 4262, 4264, 4271, 4279, 4281, 4290, 4292, 4303, 4305, 4306, 4310, 4314, 4384, 4394, 4398, 4403, 4437, 4475, 4498, 4499, 4500, 4532, 4533, 4534, 4535, 4546, 4643, 4644, 4645, 4646, 4668, 4671, 4698, 4725, 4726, 4727, 4728, 4743, 4762, 4798, 4800, 4801, 4806, 4807, 4809, 4810, 4817, 4818, 4819, 4827, 4830, 4918, 4936, 5146, 5154, 5164, 5167, 5175, 5344, 5345, 5346, 5347, 5348, 5349, 5350, 5351, 5352, 5353, 5354, 5355, 5356, 5357, 5358, 5359, 5360, 5361, 5362, 5363, 5364, 5365, 5366, 5367, 5368, 5369, 5378, 5428, 5447, 5466, 5488, 5494, 5519, 5520, 5554, 5710, 5711,

5712, 5720, 5729, 5738, 5751, 5752, 5875, 5928, 6008, 6021, 6055, 6056, 6057, 6058, 6059, 6060, 6061, 6062, 6113, 6127, 6303, 6310, 6319, 6323, 6333, 6352, 6549, 6550, 8171, 8365, 8366, 8375, 8382, 8398, 8404, 8420, 8427, 9096, 9110, 9137, 9141, 9147, 9153, 9307, 9310, 10450, 10515, 10772, 10811, 10812, 10813, 10814, 11253, 11256, 11315, 11320, 11322, 11328, 11344, 11368, 11380, 11434, 11480, 11481, 11482, 11535, 11537, 11664, 11667, 11670, 11673, 12310, 13553, 13564, 15262, 15265, 15268, 17205, 17206, 17754, 17755, 18453, 18454, 20674, 20676, 20981, 20982, 21030, 21031, 21122, 21244, 21245, 21347, 21475, 21476, 21673

\newcount . 1781, 1958, 1959, 2587, 2597, 2601, 2949, 3681, 3784, 3944, 4005, 4085, 9420, 21339

\newcounter 5427, 6545, 11149, 11313, 19700, 19704, 19705

\newdimen . 6307, 6308, 6358, 9420, 12039

\newenvironment ... 2096, 2107, 2116, 2125, 2560, 4777, 4792, 4795, 4833, 4960, 6534, 6598, 13251, 21034, 21044, 21200, 21209, 21218, 21227

\newfloat@@setwithin 15532, 15538, 15546, 15548

\newfloat@Error .. 15551

\newfloat@setwithin 15518

\newif 1566, 1567, 1571, 1572, 1575, 1576, 1577, 1578, 1579, 1580, 1581, 1583, 1584, 1876, 1877, 1878, 1879, 1880, 1881, 2338, 2367, 2546, 2594, 3362, 3850, 6230, 6418, 8003, 8005, 8007, 8009, 8074, 8101, 8103, 8105, 8107, 8170, 9094, 9095, 11311, 11319, 14100, 20672, 20673

\newinsert 1610, 1897, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5043, 5044, 5045, 5046, 5047, 5048, 5049, 5050, 5051, 5052, 5053, 5054, 5055, 5056, 5057, 5058, 5059, 5060, 5061, 5062, 5063, 5064, 5065, 5066, 5082, 5083, 5084, 5085, 5086, 5087, 5088, 5089, 5090, 5091, 5092, 5093, 5094, 5095, 5096, 5097, 5098, 5099, 5100, 5101, 5102, 5103, 5104, 5105, 5106, 5107, 9409, 9414, 9417, 9418

\newlength 2465, 2466, 2467, 2469, 2470, 2471, 2473, 2474, 2557, 4759, 4760, 4761, 4815, 4832, 5620, 8155, 8157, 8159, 8161, 8163, 19732, 19734, 19735, 20362

\newline 2528, 4994

\newlinechar 1833

\newlinetospace ... 4991, 5011, 5012, 5013, 6250, 6251, 6252

\newlistentry 19697, 19764

\newpage 465, 487, 816, 836, 1068, 1088, 1318, 1338, 4501, 4503, 4507, 4512, 4513, 4516, 4520, 4522, 4525, 6146, 6183, 6184, 7085, 7107, 7997, 8844, 8864, 8941, 8963, 10944, 10964, 13953, 14782, 16375, 16395, 16516, 16538, 16760, 16782, 16942, 16964, 17349, 17898, 18597

\newpoem@tabcr 6562, 6571, 6572

\newsavebox 2095, 4776, 4811, 4812

\newskip 2133, 2134, 2135, 2941, 10425, 11901

\newthought 5949

\NewTokenList 3891

\newtoks 2146, 2667, 2668, 3682, 3683, 3853, 3866, 3891, 3944, 6359, 11321, 15906, 20986

\newXeTeXintercharclass 1783, 1784

\next 21370, 21373

\next@tpage 17279, 17311, 17321, 17324, 17392, 17828, 17860, 17870, 17873, 17941, 18527, 18559, 18569, 18572, 18640

\ninecolumnfootnotes 10193

\no@bib@break 17471, 18051, 18734

\noalign 1374, 6472, 9430, 13953, 13954, 13955, 17613, 17638, 17640, 18193, 18218, 18220, 18876, 18901, 18903
\nobibliography . . . 5424
\nobidilogo 1926
\nobreak 14, 16, 209, 211, 517, 535, 562, 566, 654, 655, 669, 695, 882, 883, 897, 913, 1137, 1138, 1152, 1179, 4563, 5547, 5887, 5888, 6372, 6374, 6380, 6658, 6659, 6673, 6697, 6835, 6836, 6850, 6874, 6988, 6996, 7008, 7137, 7153, 7183, 7188, 7196, 7414, 8725, 8738, 8753, 8757, 8765, 8992, 9015, 9020, 9029, 9073, 9074, 10828, 10844, 10853, 10857, 10865, 13306, 13308, 13353, 14063, 14157, 15161, 15172, 15173, 15184, 15185, 16052, 16054, 16207, 16208, 16222, 16246, 16579, 16580, 16594, 16618, 16809, 16825, 16994, 17010, 17039, 17043, 17051, 17446, 18446, 19330, 19347, 19354, 19495, 19498, 19526, 19527, 19549, 19550, 19566, 19567, 19583, 19584, 19600, 19601, 19617, 19618, 19634, 19635, 19652, 19653, 19671, 19672, 19691, 19692, 19726, 19727, 19762, 19920, 19921, 20027, 20029, 20077, 20109, 20114, 20117, 20517, 20522, 20530, 20631, 20632, 20636, 21329, 21330, 21334
\nobreakspace 561
\node . 20717, 20747, 20753
\noexpand . 393, 2168, 2169, 2183, 2184, 2211, 2214, 2217, 2622, 2663, 2672, 2676, 2696, 2700, 2799, 2901, 2902, 2904, 2955, 2983, 3009, 3037, 3063, 3066, 3100, 3103, 3341, 3342, 3343, 3345, 3346, 3371, 3373, 3391, 3392, 3393, 3396, 3403, 3404, 3405, 3407, 3413, 3414, 3416, 3422, 3423, 3425, 3484, 3486, 3487, 3701, 3847, 3852, 3858, 3906, 3934, 3937, 3940, 3941, 4025, 4032, 4035, 4036, 4053, 4057, 4059, 4060, 4061, 4069, 4070, 4071, 4074, 4075, 4076, 4111, 4168, 4329, 4330, 4332, 4468, 4573, 4607, 4608, 5396, 5398, 5406, 5799, 5802, 5808, 5811, 6493, 6496, 6499, 6551, 7955, 8307, 8359, 11151, 11152, 11157, 11158, 11210, 12052, 12062, 12770, 12780, 12788, 12789, 12790, 12792, 12818, 12826, 12827, 12828, 12830, 12859, 12860, 12861, 12863, 12890, 12891, 12892, 12894, 12921, 12922, 12923, 12925, 13982, 14030, 14033, 14621, 14886, 17468, 17469, 18048, 18049, 18731, 18732, 19039, 19111, 19148, 19149, 19222, 19229, 19707, 20179, 20212, 20219, 20224, 20225, 20285, 20656, 20657, 20658, 20659, 20660, 20661, 20662, 20663, 20664, 20906, 20921, 20949, 20955, 20968, 21293, 21677
\noindent 455, 630, 639, 937, 1189, 1198, 1992, 4786, 4979, 5570, 5588, 5606, 5723, 5732, 5741, 5951, 5971, 6132, 6134, 6136, 6327, 6707, 6895, 7075, 7271, 8834, 8931, 9076, 9139, 10594, 10606, 10618, 10655, 10669, 10683, 10695, 10705, 10714, 10723, 10934, 12130, 13492, 14846, 16183, 16192, 16633, 16642, 16708, 16751, 16932, 17242, 17279, 17392, 17446, 17560, 17565, 17791, 17828, 17941, 18140, 18145, 18361, 18390, 18396, 18402, 18408,

18414, 18420, 18426, 18432, 18438, 18447, 18490, 18527, 18640, 18823, 18828, 20695, 20698, 20700, 20702, 20705, 20709, 20711, 20767, 20829, 21262
\nointerlineskip 8224, 8245, 11722, 14140, 15208, 21648, 21656
\nopagebreak 6426, 6436, 13955
\nopagenumbers 2547
\normalbaselines . 21104
\normalbaselineskip 311, 4684, 10495, 10506, 10557, 10568, 14121, 16126
\normalcolor 2313, 7375, 7586, 7651, 7883, 7902, 8686, 9338, 9362, 9370, 9378, 9392, 10766, 10779, 11611, 11731, 11936, 11983, 12084, 12094, 12101, 13339, 14159, 15186, 20415, 20637, 20883, 21335, 21408, 21457, 21487, 21503, 21514, 21522, 21729, 21745, 21776
\normalfont 25, 38, 52, 68, 85, 241, 255, 270, 288, 454, 457, 559, 806, 808, 1060, 1308, 1310, 1991, 1994, 2058, 2063, 2064, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 4725, 5344, 5345, 5346, 5434, 5453, 5472, 5538, 5773, 5780, 5787, 5979, 6984, 7004, 7074, 7077, 7179, 7194, 8558, 8563, 8569, 8750, 8763, 8833, 8836, 8930, 8933, 9011, 9027, 9271, 9275, 9277, 9283, 9287, 9289, 9295, 9299, 9301, 10850, 10863, 10933, 10936, 11681, 11685, 11687, 11693, 11697, 11699, 11705, 11709, 11711, 13253, 13288, 13293, 13339, 14133, 14772, 15186, 15611, 15624, 16365, 16367, 16506, 16508, 16702, 16709, 16745, 16752, 16931, 16934, 17036, 17049, 19752, 19757, 19758, 20116, 20415, 20637, 21335, 21776
\normalfootnotes 9240, 9251
\normallineskip 2405, 14120, 16125
\normalparindent 42, 56, 72, 245, 259, 274
\normalRTLparaLTRfootnotes 10515
\normalsfcodes 11223, 21716
\normalsize 307, 4677, 4678, 4685, 5252, 5296, 5340, 5434, 5453, 5472, 5850, 8058, 8150, 11221, 14904, 16791, 17249, 17256, 17798, 17805, 18497, 18504, 20116, 21570, 21614, 21714
\NOT . . 4879, 4880, 4919, 4939, 4943, 5626, 5655, 5684, 5766, 5770
\null . . . 420, 434, 488, 628, 631, 747, 776, 837, 935, 938, 999, 1028, 1089, 1187, 1190, 1249, 1278, 1339, 5887, 6461, 6705, 6708, 6761, 6790, 6893, 6896, 6938, 6967, 7040, 7054, 7108, 8801, 8815, 8865, 8896, 8910, 8964, 10901, 10915, 10965, 13220, 13237, 15162, 15172, 15173, 15184, 15185, 16181, 16184, 16306, 16335, 16396, 16445, 16474, 16539, 16631, 16634, 16710, 16724, 16783, 16897, 16911, 16965, 17288, 17310, 17321, 17392, 17400, 17837, 17859, 17870, 17941, 17949, 18536, 18558, 18569, 18640, 18648, 19064, 19070, 19092, 19495, 19526, 19549, 19566, 19583, 19600, 19617, 19634, 19652, 19671, 19691, 19726, 20077, 20517, 20631, 21329
\number . . . 8, 139, 203, 2621, 2622, 2628, 2633, 2955, 2972, 2974, 2983, 2997, 2999, 3009, 3026, 3028, 3037, 3051, 3053, 3063, 3066, 3083, 3085, 3089, 3091, 3100, 3103, 3117, 3119, 3123, 3125, 3132, 3134, 3135, 3137, 3138, 3141, 3142, 3149, 3151, 3152, 3357, 3976, 4091, 4097, 4103, 4106, 4112,

4116, 6444, 6538, 7777, 7779, 7788, 7792, 7856, 7877, 8231, 8252, 8297, 8303, 8306, 8349, 8355, 8358, 8609, 8612, 13300, 15279
\numberline 4972, 13609, 13614, 14898, 19425, 20427, 20645, 20648, 20651
\numberline@box 20080, 20081
\numberline@tempa 20647
\numberwithin 329
\numexpr . . 3160, 4580, 19897, 20005, 20179
\nxLcs . . . 2074, 2075, 2076

O

\obeylines . . . 6462, 6563
\ocgbase . . . 14677, 14679
\oddpage 1959, 1963, 1964, 1965, 1968, 1969, 1970
\oddsidemargin 1981, 2376, 8529, 8533, 8539, 12286, 12295, 12299, 21698, 21702
\on@stripcols@break 7714
\onecolumn 604, 620, 869, 1121, 2414, 6642, 6819, 7029, 16173, 16428, 16887, 19460
\opening 9061, 13341
\OptArg 2075, 2141
\OptArg@i 2141, 2142
\OptArg@ii . . . 2141, 2143
\OptArgs 2140
\optparams 4853, 5710, 5711, 5712, 5714, 5715, 5716
\OR 4847, 4919, 4939, 4943, 5195
\or 1410, 1411, 1412, 1414, 1415, 1435, 1436, 1437, 1441, 1442, 1443, 1444, 1445, 1449, 1450, 1478, 1479, 1480, 1482, 1483, 1669, 1675, 1681, 1687, 1693, 1699, 1701, 1703, 1705, 1711, 1717, 1723, 1736, 1744, 1751, 1761, 7346, 7347, 7348, 7350, 7351, 12614, 12618, 19739, 19742, 19745, 20570, 20681, 20688, 20910, 20959, 21362, 21363, 21365
\orig@footnotetext . . 152, 15293, 15310
\orig@LTRfootnotetext . . 156, 15298, 15314
\orig@RTLfootnotetext . . 160, 15303, 15318
\origin@RaggedLeft . 16154, 16156, 16157
\origin@RaggedRight . 16155, 16156, 16157
\originalHbadness 20743, 20761
\othermargin 879
\outer 1952
\outer@nobreak 2331, 5246, 5290, 5334, 21564, 21608
\outputpenalty 7920, 7923, 7932, 7935, 7945, 7948, 14038, 14039
\overfullrule 2365, 2366, 16035
\OVP@calc 15606

P

\p@ . . . 27, 29, 30, 31, 99, 103, 219, 223, 231, 233, 234, 235, 311, 421, 510, 527, 539, 541, 543, 545, 597, 602, 613, 617, 646, 662, 680, 687, 723, 729, 748, 862, 866, 873, 889, 906, 924, 959, 961, 964, 966, 1000, 1114, 1118, 1129, 1145, 1163, 1171, 1203, 1209, 1250, 1611, 1898, 2404, 2405, 2409, 2410, 4679, 4680, 4681, 4688, 4689, 4690, 4692, 4693, 5898, 5899, 5900, 5902, 5903, 5969, 6635, 6639, 6650, 6666, 6682, 6689, 6728, 6734, 6762, 6812, 6816, 6827, 6843, 6859, 6866, 6881, 6887, 6939, 6983, 6989, 6994, 6998, 7000, 7003, 7006, 7010, 7012, 7022, 7027, 7041, 7130, 7145, 7158, 7160, 7162, 7164, 7178, 7184, 7189, 7192, 7197, 7429, 7439, 7452, 7462, 7475, 7485, 7498, 7508, 7805, 7812, 7971, 7991, 8209, 8210, 8717, 8731, 8787, 8789, 8791, 8793, 8802, 8897, 8986, 9010, 9016, 9021, 9025, 9030, 9086, 9088, 9090, 9092, 9135, 9136, 10821, 10836, 10849, 10854, 10858, 10861, 10866, 10869, 10871, 10873, 10875, 10902, 11003, 11400, 11402, 11403, 11404, 11405, 11406, 11438, 12157, 12164, 12203, 12210, 12255, 13268, 13272, 13281, 13283, 13284, 13285, 13337, 13355, 13357, 13359, 13361, 14824, 15154, 15166, 15178, 15272, 15273, 15320, 15322, 15323, 15324, 16166, 16170,

16199, 16215, 16231, 16238, 16253, 16259, 16307, 16421, 16425, 16446, 16571, 16587, 16603, 16610, 16676, 16682, 16711, 16803, 16817, 16833, 16835, 16837, 16839, 16880, 16885, 16898, 16987, 17002, 17015, 17017, 17019, 17021, 17035, 17040, 17044, 17047, 17052, 17250, 17254, 17257, 17261, 17506, 17509, 17511, 17514, 17665, 17684, 17799, 17803, 17806, 17810, 18086, 18089, 18091, 18094, 18245, 18264, 18367, 18369, 18371, 18373, 18498, 18502, 18505, 18509, 18769, 18772, 18774, 18777, 18928, 18947, 19458, 19733, 19901, 19904, 19908, 20009, 20012, 20016, 20346, 20349, 20353, 20359, 20441, 20625, 21323, 21786

\p@enumiv 86, 289, 580, 715, 978, 1228, 2575, 6720, 6908, 7217, 8779, 9050, 10887, 13254, 16274, 16668, 16862, 17065, 17475, 18055, 18738, 19397

\p@subfigure 19122

\p@subtable 19123

\PackageError 144, 2733, 2765, 2768, 2773, 2776, 2781, 2784, 2789, 2792, 2943, 4517, 4644, 5752, 10452, 13544, 13551, 13719, 13722, 13725, 13728, 13731, 13734, 13737, 13740, 13744, 13747, 13750, 13753, 13756, 13759, 13762, 13765, 13768, 13771, 13774, 13777, 13780, 13783, 13786, 13789, 13792, 13795, 13798, 13801, 13804, 13807, 13810, 13813, 13816, 13819, 13822, 13825, 13828, 13831, 13834, 13837, 13840, 13843, 13846, 13849, 13852, 13855, 13858, 13861, 13864, 13867, 13870, 13873, 13876, 13879, 13882, 13885, 13888, 13891, 13894, 13897, 13900, 13903, 13906, 13909, 13912, 13915, 13918, 13921, 13924, 13927, 13930, 13933, 15284, 19358, 19711, 21349

\PackageInfo 2945, 4205, 4307, 4454, 4646, 13426, 16137, 20667

\PackageWarning 138, 2944, 3558, 3675, 4308, 4337, 6540, 8012, 8110, 11153, 11856, 13384, 13396, 15218, 15278, 15366, 15373, 15512, 19702, 20093

\PackageWarningNoLine 2608, 2973, 2998, 3027, 3052, 3084, 3090, 3118, 3124, 4504

\page@sofar . . . 164, 15190

\pagebreak 13954, 20813, 20822

\pagecontents 15970

\pagedepth 20807

\pagefillstretch . 20819

\pagefilstretch . . 20818

\pagefootnoterule 11436, 11444

\pagegoal 11750, 11752, 11757, 11764, 11805, 11807, 14044, 15124, 20810

\pageinwindow 7531

\pagenumbering 2412, 6234

\pageref 2551, 2553

\pageshrink 7767, 7770, 7796, 7820, 11766, 11770, 11786, 11812, 11824, 20813

\pagestretch 7821, 11765, 11786, 11824, 20817

\pagestyle 1957, 2403, 2411, 2554, 4999, 6235, 8096

\pagetotal . . . 11752, 11757, 11763, 14781, 15122, 15125, 15136, 20805, 20810, 20868

\paperheight 2340, 2343, 2346, 2349, 2352, 2355, 2358, 2359, 8492

\paperwidth 2341, 2344, 2347, 2350, 2353, 2356, 2359, 2360, 8492, 8499, 8509

\par . . . 5, 15, 46, 60, 76, 107, 108, 109, 110, 200, 210, 227, 228, 229, 249, 263, 278, 310, 313, 404, 423, 429, 431, 432, 451, 494, 500, 504, 516,

535, 562, 565, 631, 641, 655, 668, 695, 756, 766, 773, 774, 802, 841, 847, 851, 883, 897, 912, 938, 952, 1008, 1018, 1025, 1026, 1054, 1093, 1099, 1103, 1138, 1151, 1179, 1190, 1200, 1258, 1268, 1275, 1276, 1304, 1344, 1350, 1355, 1360, 1363, 1952, 1988, 2329, 4873, 4881, 4940, 4941, 4944, 4945, 4970, 4979, 4980, 5149, 5165, 5889, 6004, 6005, 6006, 6007, 6132, 6134, 6136, 6154, 6155, 6156, 6330, 6437, 6451, 6462, 6480, 6555, 6563, 6588, 6659, 6672, 6697, 6708, 6770, 6780, 6787, 6788, 6836, 6849, 6874, 6896, 6947, 6957, 6964, 6965, 6988, 6996, 7008, 7043, 7049, 7051, 7052, 7071, 7114, 7120, 7124, 7136, 7153, 7183, 7188, 7196, 7273, 7414, 8217, 8238, 8725, 8737, 8753, 8756, 8764, 8804, 8810, 8812, 8813, 8830, 8869, 8875, 8879, 8899, 8905, 8907, 8908, 8927, 8970, 8976, 8980, 8991, 9015, 9020, 9029, 9063, 9068, 9071, 9073, 9074, 9084, 9385, 9491, 9494, 9497, 9597, 9600, 9603, 9703, 9706, 9709, 9812, 9815, 9818, 9921, 9924, 9927, 10030, 10033, 10036, 10139, 10142, 10145, 10248, 10251, 10254, 10357, 10360, 10363, 10695, 10705, 10714, 10723, 10827, 10844, 10853, 10857, 10865, 10904, 10910, 10912, 10913, 10930, 10969, 10975, 10979, 11147, 11607, 13276, 13277, 13278, 13297, 13307, 13315, 13343, 13348, 13351, 13353, 13443, 13585, 13987, 14113, 14136, 14140, 14768, 14840, 14846, 14852, 14856, 14862, 14877, 14896, 14905, 15162, 15174, 15187, 15425, 15437, 15499, 15777, 15948, 15949, 15950, 15951, 16044, 16045, 16052, 16053, 16113, 16184, 16194, 16208, 16221, 16246, 16315, 16325, 16332, 16333, 16361, 16400, 16406, 16410, 16454, 16464, 16471, 16472, 16502, 16546, 16552, 16557, 16562, 16565, 16580, 16593, 16618, 16634, 16644, 16708, 16713, 16719, 16721, 16722, 16741, 16751, 16789, 16794, 16797, 16808, 16825, 16900, 16906, 16908, 16909, 16928, 16971, 16977, 16981, 16993, 17010, 17039, 17043, 17051, 17241, 17286, 17291, 17294, 17296, 17301, 17304, 17306, 17308, 17314, 17322, 17328, 17398, 17404, 17407, 17409, 17415, 17418, 17420, 17423, 17426, 17446, 17555, 17559, 17560, 17564, 17565, 17569, 17790, 17835, 17840, 17843, 17845, 17850, 17853, 17855, 17857, 17863, 17871, 17877, 17947, 17953, 17956, 17958, 17964, 17967, 17969, 17972, 17975, 18135, 18139, 18140, 18144, 18145, 18149, 18360, 18390, 18396, 18402, 18408, 18414, 18420, 18426, 18432, 18438, 18440, 18443, 18446, 18450, 18489, 18534, 18539, 18542, 18544, 18549, 18552, 18554, 18556, 18562, 18570, 18576, 18646, 18652, 18655, 18657, 18663, 18666, 18668, 18671, 18674, 18818, 18822, 18823, 18827, 18828, 18832,

19153, 19763, 19769, 19922, 20028, 20109, 20536, 20638, 20695, 20696, 20702, 20703, 20705, 20713, 20766, 21032, 21033, 21042, 21043, 21201, 21210, 21219, 21228, 21297, 21336, 21765, 21786
\par@updaterelative 17282, 17394, 17831, 17943, 18530, 18642
\paragraph 5785
\paragraphfootnotes 10455, 10461
\parbox . . . 2500, 2502, 8084, 9079, 11028, 11029, 11030, 11034, 11035, 11036, 12415, 12417, 12421, 12423, 12454, 12455, 12458, 12459, 12516, 12517, 12520, 12521, 12545, 12547, 12551, 12553, 13991, 14834, 14863, 15423, 15425, 15426, 15428, 15430, 15431, 15433, 15435, 15437, 15438, 15440, 15442, 15443, 15444, 15445, 15446, 15447, 15449, 15450, 15451, 15452, 15453, 15454, 15455, 15456, 15457, 15458, 15460, 15461, 15462, 15463, 15465, 15466, 15467, 15468, 15470, 15471, 15472, 15473, 15474, 15475, 15477, 15478, 15479, 15480, 15481, 15482, 15484, 15485, 15486, 15487, 15488, 17621, 18201, 18390, 18396, 18402, 18408, 18414, 18420, 18426, 18432, 18438, 18449, 18884
\parfillskip . 13, 208, 514, 531, 650, 666, 691, 877, 893, 910, 1133, 1149, 1175, 5880, 6456, 6654, 6670, 6693, 6831, 6847, 6870, 7134, 7149, 7301, 7420, 8721, 8735, 8989, 10623, 10627, 10631, 10825, 10840, 13305, 14120, 15155, 15167, 15179, 16067, 16080, 16093, 16104, 16203, 16219, 16242, 16575, 16591, 16614, 16806, 16821, 16991, 17006, 19309, 19338, 19368, 19487, 19518, 19541, 19558, 19575, 19592, 19609, 19626, 19644, 19663, 19683, 19718, 19913, 20021, 20047, 20049, 20109, 20510, 20512, 20626, 21239, 21324
\parindent . . . 12, 42, 56, 72, 103, 207, 223, 245, 259, 274, 455, 513, 530, 557, 601, 616, 652, 665, 690, 742, 759, 865, 880, 892, 909, 946, 994, 1011, 1057, 1117, 1135, 1148, 1174, 1244, 1261, 1992, 2407, 4701, 5372, 5881, 5923, 5931, 5996, 6149, 6455, 6558, 6638, 6656, 6669, 6692, 6756, 6773, 6815, 6833, 6846, 6869, 6933, 6950, 6984, 7004, 7026, 7075, 7133, 7148, 7179, 7193, 7297, 7328, 7419, 8720, 8734, 8748, 8761, 8834, 8931, 8988, 9011, 9026, 9138, 9406, 9486, 9592, 9698, 9807, 9916, 10025, 10134, 10243, 10352, 10622, 10626, 10630, 10731, 10740, 10824, 10839, 10850, 10862, 10934, 12129, 13272, 13304, 14116, 15156, 15168, 15180, 15492, 16068, 16081, 16094, 16105, 16169, 16205, 16218, 16241, 16301, 16318, 16424, 16440, 16457, 16577, 16590, 16613, 16708, 16751, 16788, 16805, 16820, 16884, 16932, 16990, 17005, 17036, 17048, 17242, 17791, 18361, 18490, 19319, 19356, 19457, 19488, 19519, 19542, 19559, 19576, 19593, 19610, 19627, 19645, 19664, 19684, 19719, 19912, 20020, 20051, 20446, 20507,

20508, 20627, 21038, 21048, 21139, 21239, 21264, 21265, 21325
\parsep . . . 949, 4693, 4694, 5903, 5904, 5942, 5969, 21138
\parshape 7270, 11878, 11886, 13493, 15574, 15594, 15783, 15948, 15950, 16707, 16750, 17229, 17238, 17778, 17787, 18351, 18358, 18477, 18486, 21032, 21042, 21168, 21203, 21205, 21206, 21207, 21212, 21214, 21215, 21216, 21221, 21223, 21224, 21225, 21230, 21232, 21233, 21234
\parskip 103, 223, 602, 617, 866, 1118, 1985, 2408, 4702, 5373, 5924, 5932, 5995, 6150, 6454, 6557, 6592, 6639, 6816, 7027, 7921, 7933, 7946, 9067, 9070, 9072, 9074, 13272, 13347, 13350, 13352, 14116, 14125, 15783, 16116, 16170, 16425, 16788, 16885, 18383, 19458, 20446, 20804, 20808, 21138
\part 23, 13291
\partname 561, 8752
\partopsep 5945, 14819, 14821, 15568, 15588
\PassOptionsToClass 6187, 6188, 6189, 6190, 6191, 6211, 6212, 6213, 6214, 6215
\PassOptionsToPackage 5204, 6034
\pbs 15632, 15650
\pdfencryptsetup 1662, 1663, 1771
\pdflastxpos . . . 2955, 2983, 3063, 3100
\pdflastypos . . . 3009, 3037, 3066, 3103
\pdfm@box 13221, 13229, 13238, 13246
\pdfsavepos 2965, 2967, 2990, 2992, 3019, 3021, 3044, 3046, 3076, 3078, 3110, 3112
\pdfstringdefDisableCommands 13145
\penalty 751, 1003, 1253, 6376, 6698, 6765, 6875, 6942, 7154, 7258, 7264, 7917, 7929, 7942, 10424, 10624, 10628, 10632, 10845, 11787, 16247, 16310, 16449, 16619, 16826, 17011, 19923, 20434, 20542, 20809
\pgf@baseline 15738
\pgf@insertlayers 15760
\pgf@nodecallback 15716
\pgf@oldpicture . . 15723
\pgf@picmaxx . . 15717, 15729, 15731, 15749
\pgf@picmaxy 15719, 15733
\pgf@picminx 15718, 15732, 15742
\pgf@picminy 15720, 15734
\pgf@picture 15723
\pgf@picture@serial@count 15714, 15715
\pgf@process 15738, 15741, 15748
\pgf@relevantforpicturesizefalse 15737
\pgf@relevantforpicturesizetrue 15721
\pgf@remember@layerlist@globally 15755
\pgf@resetpathsizes 15722
\pgf@restore@layerlist@from@global 15759
\pgf@shift@baseline 15739
\pgf@trimleft 15741
\pgf@trimleft@final . 15743, 15744, 15746
\pgf@trimright . . . 15748
\pgf@trimright@final . 15750, 15751, 15753
\pgf@x 15742, 15746, 15749, 15753
\pgf@y 15739
\pgfpic 15769
\pgfpicture 15710
\pgfpictureid 15715, 15726
\pgfpicturetrue . . 15713
\pgfsys@discardpath 15762
\pgfsys@endpicture 15765
\pgfsys@endscope . 15764
\pgfsys@markposition 15726
\pgfsys@typesetpicturebox 15769
\pgfutil@gobble . . 15716
\pgfutil@ifnextchar 15723
\phantom . . . 14367, 15213
\phantomsection . . . 2498
\phone 2458
\phonesymbol 2418, 8091, 8189
\photo 2463
\picbox 15888
\picinwindow 7551
\picwd 15776, 15779, 15887, 15889
\place@tag . 338, 339, 341
\plainauthor 5011, 6054, 6056, 6095, 6096, 6099
\plainfootnotes . . . 9251
\plainpublisher 6057, 6122, 6123
\plaintitle 5012, 5013, 6054, 6055, 6078, 6079, 6082, 6250, 6252
\plitemsep 5943
\plparsep 5942
\plpartopsep 5945
\pLRE 1604, 1605, 1891, 1892
\PLS@Rotate 15654, 15656, 15658
\plsep 5944
\poem@finish 6487, 6537, 6544
\poem@line 6414, 6420, 6471

\poem@linebegin 6371, 6429
\poem@lineend . 6372, 6435
\poem@lineparsebegin
. . . 6383, 6440, 6467
\poem@lineparseend
. . . 6409, 6421, 6478
\poem@lineversesep
. . . . . 6373, 6432
\poem@needrun . . 6365,
6484, 6539, 6541
\poem@obeylines 6466,
6535, 6575, 6599
\poem@prop . . . 6447, 6549
\poem@startedfalse
. . . 6464, 6573, 6579
\poem@startedtrue .
. 6422,
6423, 6463, 6565,
6567, 6572, 6580, 6582
\poem@verse . . . . . .
. . . 6360, 6430, 6433
\poem@width . . . . . .
6363, 6364, 6368,
6445, 6447, 6450, 6483
\poem@write@aux . . .
. . . 6486, 6538, 6550
\poemblocksep . . . . .
. . . 6357, 6461, 6561
\poemcolsepskip 6348, 6377
\poemextrabaselineskip
. . . 6350, 6438, 6473
\poemmarginskip . . .
. . . 6349, 6371, 6372
\poemskip 6351, 6451, 6482
\postbibhook 14912
\postCutedStrip . . . 7943
\postdisplaypenalty
. . . . . 11121, 11135
\postmath 7264
\PotEndMark . . . . . .
. . . 8561, 8566, 8569
\preCutedStrip 7919, 7931
\predisplaydirection
. 15996,
15997, 21773, 21774
\predisplaypenalty
. . . . . 11120, 11134
\premath 7260
\prepare@bidi@copyins
. 11895,
11928, 11977, 12135
\prepare@multicols 15351
\preparefootins . . .
. . . . . 11927, 11976
\PrependToTokenList 3894
\prepnext@tok . . . . .
. . . . 1407, 1417,
1465, 1497, 7338, 7366
\presetkeys 20795
\presig@skip 18449
\prevdepth 4873,
4881, 7838, 8287,
8341, 14824, 15215
\pRLE 1606, 1607, 1893, 1894
\process@cols . 15191,
15224, 15238, 15244
\ProcessOptions . . .
. . . . 2370, 4669,
5760, 6019, 6051,
6192, 6216, 8014, 8112
\ProcessOptionsX . . 1769
\protect 400,
1604, 1605, 1606,
1607, 1832, 1891,
1892, 1893, 1894,
2150, 2156, 2162,
2168, 2177, 2183,
3218, 3219, 3852,
3858, 4559, 4972,
11210, 11621,
11635, 13609,
13614, 13975,
14898, 19143,
19144, 19148,
19156, 19425,
19769, 20975, 21677
\protected 1891,
1893, 2943, 2944,
2945, 3166, 3174,
3176, 3182, 3368,
3384, 3400, 3423,
3425, 3475, 3530,
3545, 15912,
15922, 15932,
15940, 20992,
21002, 21012, 21021
\protected@edef . . .
. . 43, 57, 73, 246,
260, 275, 5571,
5589, 5607, 9167,
9181, 9195, 9207,
9218, 9229, 9458,
9468, 9478, 9504,
9517, 9529, 9567,
9576, 9585, 9610,
9622, 9633, 9670,
9680, 9690, 9716,
9729, 9741, 9779,
9789, 9799, 9825,
9838, 9850, 9888,
9898, 9908, 9934,
9947, 9959, 9997,
10007, 10017,
10043, 10056,
10068, 10106,
10116, 10126,
10152, 10165,
10177, 10215,
10225, 10235,
10261, 10274,
10286, 10324,
10334, 10344,
10370, 10383,
10395, 10590,
10602, 10614,
10651, 10665,
10679, 11492,
11509, 11525,
11553, 11567, 11581
\protected@write 1730,
1734, 4539, 4550
\protected@xdef . . .
. . . . 5634, 5663,
5692, 6075, 6092,
6108, 6119, 11457,
11466, 11620,
11625, 11634,
11640, 12789,
12827, 12860,
12891, 12922, 12985
\providecommand . . .
2415, 2416, 2417,
2418, 2419, 2420,
2431, 2432, 2433,
2434, 2435, 2436,
2437, 2438, 2439,
2440, 2441, 2442,
2443, 2444, 2445,
2446, 2655, 5532,
5539, 5540, 5949,
8075, 8080, 11343
\ProvidesClass . . . .
. . . 2337, 6186, 6210
\ProvidesExplPackage
. 14174
\ProvidesFile . 1, 131,
165, 196, 326, 344,
349, 351, 410, 605,
854, 1106, 1366,
6627, 6804, 6981,
7014, 7227, 7282,
7324, 7326, 7329,

7367, 7410, 7425, 7521, 7559, 8203, 8368, 8487, 8490, 8551, 8713, 8886, 9060, 9093, 10817, 10993, 11022, 11038, 11115, 11145, 11154, 11159, 11309, 11649, 11716, 11893, 12136, 12263, 12305, 12606, 13250, 13336, 13340, 13362, 13499, 13538, 13642, 13936, 14065, 14091, 14099, 14756, 14913, 15151, 15189, 15422, 15489, 15517, 15555, 15576, 15596, 15630, 15653, 15661, 15709, 15773, 16001, 16042, 16058, 16158, 16413, 16690, 16872, 17075, 17204, 17753, 18344, 18452, 19027, 19034, 19094, 19120, 19125, 19159, 19234, 19264, 19283, 19303, 19332, 19381, 19462, 19770, 20425, 20671, 20800, 20876, 20980, 21932

\ProvidesPackage 1504, 1956, 2012, 2145, 2586, 2654, 4640, 5206, 5748, 5894, 6010, 6037, 6275, 8001, 8099

\prune 15793, 15831, 15835, 15840, 15844, 15856, 15867, 15894

\prw@mkboth . . . 19431, 19436, 19448, 19453

\psgrid 16005

\pspicture 16002

\psset 16040

\pst@dima 16017

\pst@dimb 16015, 16020, 16022, 16027, 16030

\pst@dimc 16033

\pst@dimd 16014, 16020, 16021, 16022, 16023, 16027, 16028, 16029, 16030, 16031

\pst@hbox 16010, 16014, 16015, 16016, 16032, 16034, 16035, 16037

\pst@ifstar 16002

\pst@killglue 16006

\pst@picture 16002

\pst@shift 16007, 16029, 16037

\pst@tempa . 16019, 16021

\publisher . . . 6112, 6113

\publishers 17379, 17928, 18627

\put 7430, 7431, 7432, 7433, 7434, 7435, 7440, 7441, 7442, 7443, 7444, 7445, 7453, 7454, 7455, 7456, 7457, 7458, 7463, 7464, 7465, 7466, 7467, 7468, 7476, 7477, 7478, 7479, 7480, 7481, 7486, 7487, 7488, 7489, 7490, 7491, 7499, 7500, 7501, 7502, 7503, 7504, 7509, 7510, 7511, 7512, 7513, 7514, 8492, 8516, 8546, 15609, 15611, 15624, 15627

Q

\Q 5389, 5411

\q 14262, 14265, 14494, 14548

\qauthor 16043

\qquad 5825, 5832, 5839, 5846, 5853, 5888, 16045

\quad 1649, 1925, 5011, 5012, 5013, 6250, 6251, 6252, 6357, 21105, 21114

\quote 2464

\quotecolour 2426, 8019, 8117

\quotefont 2435, 2443, 8059, 8152

\quotestyle 2443, 8072, 8201

\quotewidth 2465, 2477, 8072, 8201

R

\R@@page 17080, 17081, 17090, 17092, 17123, 17124, 17135, 17137

\raggedbottom 2413

\raggeddictum 17515, 18095, 18778

\raggeddictumauthor . 17517, 18097, 18780

\raggeddictumtext . . 17516, 18096, 18779

\RaggedLeft . . . 16072, 16121, 16137, 16141, 16154, 16156, 19032, 19033, 21891, 21895, 21899, 21907

\raggedleft 25, 104, 224, 557, 6984, 7179, 7193, 8748, 8761, 9011, 9026, 9063, 9066, 9071, 9079, 10850, 10862, 13273, 13293, 13343, 13346, 13351, 14795, 14796, 16045, 16047, 16053, 17036, 17048, 17429, 17430, 17515, 17516, 17517, 17519, 17978, 18095, 18096, 18097, 18099, 18443, 18449, 18677, 18778, 18779, 18780, 18782, 21240, 21242, 21244, 21245

\RaggedLeftLeftskip 16077
\RaggedLeftParfillskip 16080
\RaggedLeftParindent 16081
\RaggedLeftRightskip 16078
\raggedpart 17430
\RaggedRight . . 16085, 16123, 16138, 16143, 16155, 16157, 19032, 19033, 21891, 21895, 21901, 21905
\raggedright 25, 104, 224, 557, 6984, 7004, 7179, 7193, 8748, 8761, 9011, 9026, 9063, 9066, 9071, 9079, 10850, 10862, 13273, 13293, 13343, 13346, 13351, 14795, 14796, 16045, 16047, 16053, 17036, 17048, 17429, 17430, 17515, 17516, 17517, 17519, 17978, 18095, 18096, 18097, 18099, 18443, 18449, 18677, 18778, 18779, 18780, 18782, 20054, 20057, 20061, 20162, 21236, 21241, 21243, 21244, 21245
\RaggedRightLeftskip 16090
\RaggedRightParfillskip 16093
\RaggedRightParindent 4699, 5370, 5929, 16094
\RaggedRightRightskip 5926, 16091
\raggedsection 17429, 17978, 18677
\raise 11016, 13288
\raisebox . 4924, 4929, 4940, 4941, 4944, 4945, 8559, 8564, 8580, 8583, 8699, 12428, 12430, 12434, 12436, 12463, 12464, 12467, 12468, 12525, 12526, 12529, 12530, 12558, 12560, 12564, 12566, 13494
\rangle 2059
\rawtext 15783, 15789, 15811, 15812, 15893, 15897
\rbrace 21094, 21103
\rcb . 2060, 2063, 2064, 2068
\rcol@footinsskip 11908, 11957
\realfootnote 12982
\recomputelengths 2476, 2493
\recomputethemelengths 2475, 2491, 8164, 8169
\reflectbox 12197
\refname 570, 571, 705, 706, 968, 969, 1218, 1219, 2562, 5984, 8769, 8770
\refstepcounter 552, 8743, 11136, 11654, 11660, 13159, 13597, 13603, 13938, 14889, 15565, 15586, 19422
\refvskip 18384
\regex 14202, 14207, 14210, 14213, 14216, 14217, 14253, 14258, 14260, 14304, 14305, 14317
\reinsert@footnotes 15352, 15354, 15382, 15384, 15389, 15391, 15396, 15398
\relax 2, 8, 10, 12, 14, 28, 85, 103, 132, 166, 197, 203, 205, 207, 209, 223, 232, 288, 301, 319, 400, 414, 415, 416, 437, 438, 439, 440, 445, 446, 447, 448, 472, 473, 474, 475, 476, 481, 482, 483, 484, 508, 602, 617, 624, 654, 660, 678, 731, 738, 739, 740, 744, 753, 762, 779, 780, 785, 786, 787, 788, 791, 794, 798, 823, 824, 825, 830, 831, 832, 833, 866, 882, 904, 922, 931, 965, 990, 991, 992, 996, 1005, 1014, 1031, 1032, 1037, 1038, 1039, 1040, 1043, 1046, 1050, 1075, 1076, 1077, 1082, 1083, 1084, 1085, 1118, 1125, 1137, 1143, 1161, 1211, 1240, 1241, 1242, 1246, 1255, 1264, 1281, 1282, 1287, 1288, 1289, 1290, 1293, 1296, 1300, 1325, 1326, 1327, 1332, 1333, 1334, 1335, 1422, 1423, 1440, 1441, 1442, 1667, 1673, 1679, 1685, 1691, 1697, 1709, 1715, 1721, 1728, 1737, 1738, 1742, 1749, 1759, 1832, 1867, 1999, 2000, 2001, 2006, 2007, 2008, 2009, 2233, 2241, 2249, 2300, 2370, 2629, 2634, 2640, 2655, 2853, 2856, 2866, 2884, 2938, 3139, 3143, 3153, 3160, 3173, 3357, 3361, 3692, 3693, 3697, 3736, 3737, 3779, 3802, 3929, 3943, 4006, 4008, 4017, 4018, 4034, 4042, 4059, 4070, 4075, 4124,

4148, 4163, 4180,
4195, 4211, 4228,
4240, 4272, 4283,
4362, 4570, 4571,
4580, 4608, 4673,
5171, 5380, 5488,
5551, 5555, 5559,
5639, 5650, 5668,
5679, 5697, 5708,
5766, 5963, 5971,
5976, 6007, 6192,
6216, 6312, 6317,
6320, 6327, 6365,
6371, 6466, 6484,
6513, 6520, 6527,
6539, 6575, 6639,
6646, 6658, 6664,
6680, 6736, 6752,
6753, 6754, 6758,
6767, 6776, 6793,
6794, 6799, 6800,
6801, 6802, 6816,
6823, 6835, 6841,
6857, 6889, 6929,
6930, 6931, 6935,
6944, 6953, 6970,
6971, 6976, 6977,
6978, 6979, 7027,
7034, 7035, 7036,
7057, 7058, 7059,
7060, 7065, 7066,
7067, 7068, 7092,
7093, 7094, 7095,
7096, 7101, 7102,
7103, 7104, 7128,
7270, 7284, 7285,
7286, 7291, 7292,
7293, 7294, 7297,
7301, 7302, 7303,
7304, 7305, 7306,
7406, 7424, 7574,
7637, 7768, 7770,
7805, 7831, 7861,
8014, 8112, 8204,
8205, 8206, 8207,
8208, 8220, 8241,
8295, 8307, 8310,
8347, 8359, 8362,
8523, 8541, 8602,
8681, 8729, 8797,
8798, 8799, 8818,
8819, 8824, 8825,
8826, 8827, 8851,
8852, 8853, 8858,
8859, 8860, 8861,
8890, 8891, 8892,
8913, 8914, 8915,
8916, 8921, 8922,
8923, 8924, 8948,
8949, 8950, 8951,
8952, 8957, 8958,
8959, 8960, 8984,
9130, 9131, 9132,
9133, 9134, 9263,
9443, 9487, 9552,
9593, 9655, 9699,
9764, 9808, 9873,
9917, 9982, 10026,
10091, 10135,
10200, 10244,
10309, 10353,
10427, 10458,
10468, 10474,
10497, 10526,
10532, 10559,
10577, 10813,
10814, 10819,
10897, 10898,
10899, 10918,
10919, 10924,
10925, 10926,
10927, 10951,
10952, 10953,
10958, 10959,
10960, 10961,
10998, 11000,
11004, 11051,
11087, 11116,
11126, 11169,
11189, 11190,
11205, 11307,
11439, 11461,
11470, 11629,
11644, 11749,
11771, 11809,
11920, 11969,
12368, 12370,
12373, 12386,
12388, 12391,
12637, 12648,
12659, 12670,
12684, 12695,
12706, 12717,
12732, 12747,
12788, 12807,
12826, 12845,
12859, 12878,
12890, 12909,
12921, 12940,
13022, 13056,
13087, 13116,
13253, 13272,
13282, 13294,
13300, 13302,
13304, 13306,
13391, 13403,
13410, 13411,
13415, 13416,
13425, 13493,
13975, 14138,
14141, 14144,
14145, 14146,
14152, 14759,
14760, 14761,
14762, 14763,
14823, 14927,
15027, 15153,
15155, 15156,
15159, 15165,
15167, 15168,
15171, 15177,
15179, 15180,
15183, 15276,
15321, 15615,
15616, 15617,
15665, 15670,
15675, 15684,
15692, 15714,
15717, 15718,
15719, 15720,
15729, 15731,
15732, 15733,
15734, 15903,
15967, 16057,
16128, 16134,
16146, 16170,
16177, 16207,
16213, 16229,
16261, 16297,
16298, 16299,
16303, 16312,
16321, 16338,
16339, 16344,
16345, 16346,
16347, 16350,
16353, 16357,
16382, 16383,
16384, 16389,
16390, 16391,
16392, 16425,
16434, 16435,
16436, 16442,

16451, 16460,
16477, 16478,
16479, 16480,
16485, 16486,
16487, 16488,
16491, 16494,
16498, 16523,
16524, 16525,
16526, 16527,
16532, 16533,
16534, 16535,
16579, 16585,
16601, 16627,
16684, 16689,
16694, 16695,
16696, 16727,
16728, 16729,
16730, 16735,
16736, 16737,
16738, 16767,
16768, 16769,
16770, 16771,
16776, 16777,
16778, 16779,
16801, 16885,
16891, 16892,
16893, 16914,
16915, 16916,
16917, 16922,
16923, 16924,
16925, 16949,
16950, 16951,
16952, 16953,
16958, 16959,
16960, 16961,
16985, 17250,
17251, 17257,
17258, 17260,
17269, 17270,
17271, 17331,
17357, 17358,
17359, 17360,
17361, 17374,
17375, 17376,
17377, 17378,
17379, 17380,
17381, 17382,
17383, 17384,
17445, 17507,
17512, 17673,
17690, 17799,
17800, 17806,
17807, 17809,
17818, 17819,
17820, 17880,
17906, 17907,
17908, 17909,
17910, 17923,
17924, 17925,
17926, 17927,
17928, 17929,
17930, 17931,
17932, 17933,
17981, 17997,
18005, 18013,
18024, 18087,
18092, 18253,
18270, 18498,
18499, 18505,
18506, 18508,
18517, 18518,
18519, 18579,
18605, 18606,
18607, 18608,
18609, 18622,
18623, 18624,
18625, 18626,
18627, 18628,
18629, 18630,
18631, 18632,
18707, 18770,
18775, 18936,
18953, 19041,
19078, 19141,
19156, 19166,
19168, 19197,
19355, 19373,
19374, 19458,
19467, 19485,
19488, 19491,
19516, 19519,
19522, 19539,
19542, 19545,
19556, 19559,
19562, 19573,
19576, 19579,
19588, 19590,
19593, 19596,
19605, 19607,
19610, 19613,
19624, 19627,
19630, 19642,
19645, 19648,
19661, 19664,
19667, 19681,
19684, 19687,
19699, 19714,
19716, 19719,
19722, 19736,
19766, 19767,
19768, 19897,
19918, 20005,
20031, 20043,
20045, 20051,
20068, 20072,
20084, 20086,
20092, 20101,
20103, 20165,
20179, 20213,
20220, 20226,
20287, 20346,
20349, 20353,
20359, 20404,
20440, 20448,
20449, 20451,
20452, 20465,
20476, 20480,
20485, 20490,
20498, 20502,
20511, 20512,
20523, 20531,
20542, 20548,
20552, 20556,
20573, 20577,
20626, 20627,
20630, 20678,
20686, 20827,
20910, 20959,
20974, 21067,
21124, 21136,
21187, 21267,
21270, 21272,
21324, 21325,
21328, 21348,
21357, 21361,
21396, 21443,
21780, 21781, 21782
\remainx 15425
\remainxox . 15460, 15467
\remainxoxx . . . . . .
. 15470, 15479, 15488
\remainxx . . 15428, 15430
\remainxxx . . . . . .
. . 15433, 15435,
15437, 15462, 15465
\remainxxxx . . . 15440,
15442, 15444,
15446, 15472,
15474, 15477,
15481, 15484, 15486
\remainxxxxx . . . . . .
. . 15449, 15451,

15453, 15455, 15457
\remove@strip . 14935, 14965, 15035, 15065
\renewcommand . . . 19, 20, 21, 22, 86, 168, 214, 215, 216, 217, 289, 329, 412, 451, 453, 507, 524, 538, 542, 546, 547, 548, 549, 581, 621, 643, 659, 677, 685, 698, 700, 701, 702, 703, 716, 722, 728, 734, 735, 745, 802, 804, 870, 887, 900, 903, 921, 928, 954, 955, 956, 957, 958, 963, 979, 986, 987, 997, 1054, 1056, 1122, 1126, 1142, 1160, 1169, 1182, 1202, 1208, 1213, 1214, 1215, 1216, 1229, 1236, 1237, 1247, 1304, 1306, 1988, 1990, 2362, 2363, 2364, 2400, 2401, 2406, 2455, 2459, 2490, 2495, 2576, 4122, 4146, 4478, 4483, 4503, 4516, 4538, 4549, 4677, 4686, 4727, 4845, 4848, 4849, 4853, 4854, 5006, 5007, 5356, 5357, 5358, 5359, 5360, 5361, 5362, 5363, 5364, 5418, 5533, 5542, 5563, 5581, 5599, 5714, 5715, 5716, 5798, 5807, 5859, 5867, 5891, 5896, 5907, 5908, 5909, 5910, 5911, 5912, 5913, 5979, 5984, 5986, 5987, 6004, 6005, 6006, 6007, 6064, 6065, 6066, 6068, 6072, 6073, 6074, 6078, 6079, 6085, 6089, 6090, 6091, 6095, 6096, 6101, 6105, 6106, 6107, 6116, 6117, 6118, 6122, 6123, 6145, 6169, 6231, 6244, 6249, 6257, 6643, 6647, 6663, 6679, 6687, 6701, 6721, 6727, 6733, 6738, 6739, 6740, 6741, 6742, 6743, 6745, 6747, 6749, 6759, 6820, 6824, 6840, 6856, 6864, 6878, 6880, 6886, 6909, 6915, 6916, 6917, 6918, 6919, 6920, 6922, 6924, 6926, 6936, 7032, 7071, 7073, 7127, 7142, 7157, 7161, 7165, 7167, 7169, 7171, 7172, 7173, 7174, 7175, 7176, 7199, 7218, 7283, 7288, 7310, 7317, 7327, 7411, 7416, 7426, 7449, 7472, 7495, 7522, 7538, 8015, 8055, 8056, 8057, 8058, 8059, 8060, 8061, 8062, 8076, 8081, 8113, 8147, 8148, 8149, 8150, 8151, 8152, 8153, 8154, 8164, 8176, 8364, 8365, 8366, 8488, 8491, 8495, 8521, 8686, 8687, 8714, 8728, 8780, 8786, 8790, 8795, 8830, 8832, 8882, 8883, 8884, 8885, 8888, 8927, 8929, 8983, 8997, 8999, 9001, 9003, 9004, 9005, 9006, 9007, 9008, 9032, 9051, 9061, 9074, 9085, 9089, 9159, 9173, 9187, 9201, 9212, 9223, 10818, 10833, 10868, 10872, 10888, 10895, 10930, 10932, 10982, 10983, 10984, 10985, 10986, 10987, 10989, 10991, 11116, 11126, 11146, 11155, 11260, 11279, 11281, 11283, 11285, 11286, 11287, 11288, 11289, 11290, 11292, 11294, 11296, 11298, 11299, 11300, 11301, 11302, 11303, 11304, 11314, 11383, 11653, 11659, 11678, 11690, 11702, 11717, 12264, 12274, 13254, 13311, 13312, 13313, 13314, 13337, 13341, 13354, 13358, 13367, 13368, 13369, 13370, 14001, 14757, 14768, 14791, 14792, 14793, 14794, 14795, 14796, 14797, 14798, 14800, 14802, 14804, 14806, 14807, 14809, 14810, 14817, 14818, 14820, 14826, 14827, 15423, 15426, 15431, 15438, 15447, 15458, 15463, 15468, 15475, 15482, 15499, 15501, 15518, 15560, 15581, 15662, 15671, 16043, 16046, 16055, 16059, 16072, 16085, 16098, 16110, 16174, 16196, 16212, 16228, 16236,

16250, 16252, 16258, 16275, 16281, 16282, 16283, 16284, 16285, 16286, 16288, 16290, 16293, 16294, 16304, 16361, 16363, 16430, 16431, 16443, 16502, 16504, 16568, 16584, 16600, 16608, 16622, 16624, 16646, 16647, 16648, 16649, 16650, 16651, 16653, 16655, 16669, 16675, 16681, 16686, 16692, 16700, 16741, 16743, 16800, 16814, 16829, 16832, 16836, 16840, 16842, 16844, 16846, 16847, 16848, 16849, 16850, 16863, 16889, 16928, 16930, 16984, 16999, 17014, 17018, 17022, 17024, 17026, 17028, 17029, 17030, 17031, 17032, 17033, 17066, 17210, 17214, 17218, 17222, 17248, 17255, 17262, 17275, 17277, 17339, 17341, 17386, 17431, 17432, 17433, 17436, 17437, 17451, 17476, 17505, 17510, 17515, 17516, 17517, 17518, 17521, 17594, 17612, 17634, 17636, 17657, 17659, 17661, 17664, 17670, 17679, 17681, 17683, 17689, 17759, 17763, 17767, 17771, 17797, 17804, 17811, 17824, 17826, 17888, 17890, 17935, 17979, 17980, 17988, 17989, 17992, 17993, 17996, 18004, 18012, 18031, 18056, 18085, 18090, 18095, 18096, 18097, 18098, 18101, 18174, 18192, 18214, 18216, 18237, 18239, 18241, 18244, 18250, 18258, 18260, 18263, 18269, 18345, 18458, 18462, 18466, 18470, 18496, 18503, 18510, 18523, 18525, 18587, 18589, 18634, 18678, 18679, 18683, 18684, 18687, 18688, 18691, 18695, 18699, 18714, 18739, 18768, 18773, 18778, 18779, 18780, 18781, 18784, 18857, 18875, 18897, 18899, 18920, 18922, 18924, 18927, 18933, 18941, 18943, 18946, 18952, 19028, 19031, 19304, 19333, 19339, 19371, 19384, 19398, 19409, 19465, 19512, 19531, 19553, 19570, 19587, 19604, 19621, 19639, 19657, 19658, 19677, 19678, 19697, 19765, 20039, 20061, 20338, 20340, 20342, 20358, 20365, 20367, 20369, 20372, 20376, 20381, 20385, 20389, 20403, 20408, 20410, 20413, 20417, 20420, 20426, 20546, 20653, 20675, 20693, 20715, 20727, 20763, 21242, 21243, 21474, 21475, 21476, 21786, 21829, 21831, 21832, 21833, 21888, 21890, 21892, 21894, 21898, 21900, 21904, 21906

\RenewDocumentCommand 14360, 14693

\renewenvironment 83, 286, 569, 590, 606, 626, 633, 704, 855, 933, 940, 967, 1107, 1185, 1192, 1217, 4948, 4951, 4954, 4957, 5955, 5965, 5973, 5989, 6200, 6628, 6703, 6709, 6805, 6891, 6897, 7015, 7206, 7268, 7289, 7423, 8768, 9039, 10876, 11133, 11734, 14908, 15490, 15597, 16159, 16179, 16186, 16263, 16414, 16629, 16636, 16657, 16851, 16873, 17054, 17440, 18020, 18703, 19385, 19388, 19414, 21106

\renewrobustcmd . . .

. 14129, 14155, 14166
\renewtagform 14097
\repeat 1787, 1788, 1789, 3956, 3963, 7537, 7813, 10438, 10447, 13453, 15801, 15848, 15859, 15870, 15898, 19180
\RequirePackage ... 1557, 1559, 1560, 1561, 1562, 1563, 1794, 2013, 2014, 2372, 2373, 2374, 2375, 2382, 2383, 2398, 2451, 4325, 4326, 4342, 4386, 4387, 4390, 4642, 4704, 4706, 4713, 4734, 4738, 4774, 4775, 4998, 5208, 5209, 5210, 5211, 5415, 5416, 5531, 5750, 5925, 5936, 5988, 6014, 6022, 6039, 6194, 6195, 6196, 6197, 6198, 6199, 6218, 6219, 6220, 6221, 6222, 6223, 21820, 21823, 21824, 21825, 21826, 21880
\RequireXeTeX . 1558, 1875
\reserved@a 2279, 2283, 2289, 2292, 2295, 2298, 2719, 2723, 3205, 3206, 3207, 4327, 4335, 4345, 4347, 4354, 4356, 4361, 4363, 4364, 4367, 4370, 4406, 4407, 4408, 4410, 4417, 4420, 4445, 4446, 4466, 4468, 4472, 4479, 4481, 4560, 4561, 20057, 20058, 20061, 20062, 20542, 20543
\reserved@b 2259, 2260, 2719, 2723, 2724, 4317, 4318, 4346, 4404, 4406, 4423, 4440, 4441, 4446, 4451, 4453, 4454, 4456, 4459, 4479, 4481
\reserved@c 4419, 4422, 4423, 4427, 4438, 4451, 4465, 4469
\reserved@d 2718, 2723, 4439, 4458, 4471
\reset@dir . 15967, 21067
\reset@font 37, 51, 67, 240, 254, 269, 5251, 5295, 5339, 5567, 5568, 5585, 5586, 5603, 5604, 9163, 9177, 9191, 9205, 9216, 9227, 9456, 9466, 9476, 9502, 9514, 9527, 9565, 9574, 9583, 9608, 9619, 9631, 9668, 9678, 9688, 9714, 9726, 9739, 9777, 9787, 9797, 9823, 9835, 9848, 9886, 9896, 9906, 9932, 9944, 9957, 9995, 10005, 10015, 10041, 10053, 10066, 10104, 10114, 10124, 10150, 10162, 10175, 10213, 10223, 10233, 10259, 10271, 10284, 10322, 10332, 10342, 10368, 10380, 10393, 10588, 10600, 10612, 10649, 10663, 10677, 11221, 11486, 11487, 11503, 11504, 11519, 11520, 11549, 11550, 11563, 11564, 11577, 11578, 21569, 21613, 21713
\ResetCounterPerPage 1795, 2589
\resizebox 12218
\restore@protect .. 3220
\restoreCaptionSkip 12399
\restorecounters@ . 8613
\restylefloat 5198
\resumename 2452
\righskip 19767
\right 21094, 21103, 21105
\right@cor ... 14937, 14938, 15037, 15038
\right@footnoterule 26, 230, 414, 542, 728, 738, 963, 990, 1208, 1240, 6733, 6752, 6886, 6929, 7034, 7161, 8790, 8797, 8890, 9089, 10872, 10897, 11399, 11413, 11423, 11546, 11574, 13280, 13358, 14075, 14083, 15319, 16258, 16297, 16434, 16681, 16694, 16836, 16891, 17018, 17255, 17269, 17510, 17804, 17818, 18090, 18370, 18503, 18517, 18773
\rightfootnoterule 1702, 8205, 9131, 11411, 12125, 21782
\rightline ... 16000, 21252, 21256, 21258
\rightlinenumbers 13526, 13534
\rightmargin 948, 5941, 5960, 5968, 5974, 11871, 11875, 16053, 21129, 21140, 21146, 21152, 21160, 21164
\rightskip 12, 13, 207, 208, 305, 309, 513, 530, 533, 534, 624, 637, 648, 649, 654, 665, 690, 693, 694, 875, 876, 882, 892, 895, 896, 909, 931, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 5879, 5886, 5887, 6457, 6646, 6652, 6653, 6658, 6669,

6692, 6695, 6696, 6823, 6829, 6830, 6835, 6846, 6869, 6872, 6873, 7133, 7148, 7151, 7152, 7284, 7285, 7286, 7412, 7413, 7419, 8720, 8723, 8724, 8734, 8988, 9405, 10730, 10739, 10824, 10839, 10842, 10843, 13304, 13305, 14119, 14791, 14792, 15155, 15159, 15160, 15167, 15172, 15179, 15184, 16064, 16066, 16077, 16079, 16090, 16092, 16101, 16103, 16177, 16190, 16201, 16202, 16207, 16218, 16241, 16244, 16245, 16573, 16574, 16579, 16590, 16613, 16616, 16617, 16627, 16640, 16689, 16805, 16820, 16823, 16824, 16829, 16830, 16990, 17005, 17008, 17009, 19308, 19313, 19324, 19337, 19341, 19361, 19364, 19369, 19373, 19374, 19485, 19486, 19487, 19495, 19516, 19517, 19518, 19526, 19539, 19540, 19541, 19549, 19556, 19557, 19558, 19566, 19573, 19574, 19575, 19583, 19590, 19591, 19592, 19600, 19607, 19608, 19609, 19617, 19624, 19625, 19626, 19634, 19642, 19643, 19644, 19652, 19661, 19662, 19663, 19671, 19681, 19682, 19683, 19691, 19716, 19717, 19718, 19726, 19766, 19768, 20446, 20508, 20509, 20510, 20516, 20519, 20566, 20626, 20631, 20654, 20661, 21030, 21031, 21237, 21264, 21265, 21324, 21329

\RL . . . 13149, 15957, 21057

\rlap . . . 306, 454, 805, 1307, 1991, 7074, 8833, 8930, 10933, 11028, 11034, 11723, 12156, 12202, 12268, 12269, 12282, 12283, 13338, 15213, 15986, 16364, 16505, 16702, 16745, 16931, 17277, 17341, 17826, 17890, 18525, 18589, 19069, 21077

\RLE . 1606, 1893, 13148, 15957, 15958, 15962, 20680, 21057, 21058, 21062

\rmfamily 734, 986, 1236, 5769, 5822, 5825, 5829, 5832, 5836, 5839, 5843, 5846, 5850, 5853, 16293, 16430

\romannumeral . . 4002, 4003, 6486, 6549, 8621, 8624, 8670, 11262, 11263, 11264, 11265, 11267, 11268, 11269, 11270, 11271, 11274, 11275, 11276, 21132

\rot@float@box 17083, 17084, 17085, 17099, 17108, 17126, 17127, 17128, 17129, 17130, 17146, 17157

\rot@label . 17079, 17122

\rot@LR 17090, 17135

\rot@mess@toks 17082, 17094, 17104, 17113, 17125, 17140, 17152, 17162

\rot@message 17113, 17162

\rot@pageref 17080, 17123

\rotate 17176

\rotatebox . . . 11305, 12331, 12380, 12593, 14066, 14068, 14070, 14186, 14194, 14716, 17099, 17108, 17146, 17157

\rotateframe 11267, 11304

\rotFPbot 17100, 17107, 17147, 17156

\rotFPtop 17098, 17109, 17145, 17158

\rrb 2062, 2072

\rsb 2061, 2070

\RTL . . 15950, 21042, 21044

\RTL@column@boxes . . 15237, 15264, 15269

\RTL@outputdblcol 7561, 11039, 11952, 14914, 21383, 21474, 21475

\RTLbidituftesidenotemarginpar . . . 5300, 5600, 5741

\RTLcases . . 21104, 21107

\RTLcite 5527, 5647, 5676, 5705, 5727, 5736, 5745

\RTLcolumnfootnotes 9252

\RTLdblcol 21475

\RTLdfnmakecol 8365

\RTLfootfootmark 9149, 9292, 9497, 9603, 9709, 9818, 9927, 10036, 10145, 10254, 10363, 10632, 11702

\RTLfootmarkstyle 9267, 9306
\RTLfootnote . . . 419, 493, 2149, 2162, 5716, 6066, 7039, 7113, 8895, 8969, 11456, 11651, 11659, 16439, 16545, 16699, 16787, 16896, 16970, 17274, 17390, 17823, 17939, 18522, 18638
\RTLfootnotetext 2217, 2228, 6499, 6509, 11635, 11638, 12818, 14033, 19229, 19233
\RTLfootscript . 9267, 9295, 9299, 9301, 11705, 11709, 11711
\RTLfoottextfont 9150, 9178, 9228, 9346, 9476, 9497, 9527, 9583, 9603, 9631, 9688, 9709, 9739, 9797, 9818, 9848, 9906, 9927, 9957, 10015, 10036, 10066, 10124, 10145, 10175, 10233, 10254, 10284, 10342, 10363, 10393, 10612, 10632, 10677
\RTLmarginnote 5738
\RTLmarginpar 21574
\RTLmulticolcolumns 15262
\RTLsidenote . . 5470, 5712
\RTLthanks . 419, 439, 474, 493, 6066, 6074, 6091, 6107, 6118, 7039, 7059, 7094, 7113, 8895, 8915, 8950, 8969, 11633, 14761, 16439, 16479, 16525, 16545, 16699, 16729, 16769, 16787, 16896, 16916, 16951, 16970, 17274, 17359, 17390, 17823, 17908, 17939, 18522, 18607, 18638
\rtside 15831, 15833, 15844, 15846, 15867, 15869
\rule 46, 60, 76, 249, 263, 278, 2500, 8069, 8702, 8706, 8709, 9144, 9150, 9156, 11497, 11514, 11530, 11557, 11571, 11585, 14367, 16037

S

\s 14216, 14217
\save@dir . . 15966, 21066
\savebox 8627, 12328, 12330, 12410
\saveCaptionSkip . 12360
\savecounters@ 8610
\saved@@dir . . . 15966, 15967, 21066, 21067
\saved@tempdimb 7735, 7818, 7827
\sbox 8693, 12362, 12379, 13380, 13388, 13433, 13579, 13992, 14185, 14193, 14385, 14672, 14711, 14716, 14828, 14843, 14875, 15598, 17531, 17545, 17585, 18111, 18125, 18165, 18794, 18808, 18848, 19323, 19340, 20082, 21763
\sc@@temp 18389, 18390, 18395, 18396, 18401, 18402, 18407, 18408, 18413, 18414, 18419, 18420, 18425, 18426, 18431, 18432, 18437, 18438
\SC@FLOAT 19028, 21888, 21892, 21898, 21900, 21904, 21906
\SC@justify@caption . . 19031, 21890, 21894, 21899, 21901, 21905, 21907
\sc@temp 18387, 18389, 18393, 18395, 18399, 18401, 18405, 18407, 18411, 18413, 18417, 18419, 18423, 18425, 18429, 18431, 18435, 18437, 18447, 18449
\sc@wm@text 8489
\scalebox 12216
\scantokens . . . 3356, 3376
\scr@caption 17637, 17639, 17641, 18217, 18219, 18221, 18900, 18902, 18904
\scr@caption@before@longtable@warning . 17609, 18189, 18872
\scr@compatibility 17981, 17997, 18005, 18013
\scr@dte@current 20161, 20164
\scr@dte@def@l@largetocline 19928
\scr@dte@def@l@tocline 20130
\scr@dte@def@l@undottedtocline 19771
\scr@dte@donumwidth 20365, 20366
\scr@dte@largetocline@init 19929
\scr@dte@nosub 20177, 20179, 20209, 20210, 20212, 20217, 20219, 20224, 20225, 20283, 20285
\scr@dte@numberline@box 20080, 20107
\scr@dte@tocline 20039, 20422
\scr@dte@tocline@init 20131
\scr@dte@tocline@numberwidth 20083, 20085, 20087, 20090

\scr@dte@tocline@numbox . 20082, 20084, 20098
\scr@dte@undottedtocline@init 19772
\scr@ifundefinedorrelax . . 19806, 19854, 19899, 19961, 20007, 20031, 20070, 20175, 20177, 20206, 20209, 20210, 20217, 20240, 20280, 20281, 20283, 20299, 20352, 20379, 20398
\scr@LT@array . 13158, 17634, 17635, 17647, 18214, 18215, 18227, 18897, 18898, 18910
\scr@parindent 17746, 18335, 19018
\scr@saved@footnotetext 17207, 17211, 17756, 17760, 18455, 18459
\scr@saved@LTRfootnotetext . . 17205, 17208, 17215, 17754, 17757, 17764, 18453, 18456, 18463
\scr@saved@RTLfootnotetext . . 17206, 17209, 17219, 17755, 17758, 17768, 18454, 18457, 18467
\scr@smashdp . . 17553, 17567, 17568, 17586, 18133, 18147, 18148, 18166, 18816, 18830, 18831, 18849
\scr@tmp@footnotetext . . 17525, 17536, 17537, 18105, 18116, 18117, 18788, 18799, 18800
\scr@tmp@LTRfootnotetext . . 17527, 17538, 17539, 18107, 18118, 18119, 18790, 18801, 18802
\scr@tmp@RTLfootnotetext . . 17529, 17540, 17541, 18109, 18120, 18121, 18792, 18803, 18804
\scriptsize 5907, 18388, 18394, 18400, 18406, 18412, 18418, 18424, 18430, 18436
\scshape 6987
\secshape . . 16788, 16829
\SectFont 629, 638, 936, 944, 1188, 1197, 6706, 6894, 16182, 16191, 16632, 16641
\sectfont 16047
\section 570, 598, 614, 629, 635, 638, 705, 863, 936, 942, 944, 968, 1115, 1188, 1194, 1197, 1218, 2496, 2562, 5771, 5793, 5861, 5869, 5984, 5987, 5991, 6706, 6894, 8769, 16182, 16188, 16191, 16632, 16638, 16641
\sectionbib 19409
\sectionfont . . . 2436, 2444, 8060, 8153
\sectionstyle . 2444, 2502
\sectiontitlecolour 2427, 8022, 8030, 8037, 8044, 8051, 8121, 8127, 8133, 8139, 8145
\selectfont 347, 3161, 6132, 6134, 6136, 15611, 15624
\separatorcolumnwidth 2467, 2468, 2479, 2485, 2501, 2506, 2512, 2570, 8167, 8197
\SepMark . . . 21116, 21117
\seq 14448, 14449, 15642, 15645
\set@color 7370, 7375, 7383, 7389, 7397, 7404, 7409, 11730, 20879, 20883, 20979
\set@split@topskip@to 7733, 7991
\set@typeset@protect 11216, 11220, 19116, 21299, 21685, 21687
\SetatBoolean 2778
\setbaselineskip . . 3159
\SetBoolean 2762
\setboolean 4648, 4649, 4651, 4653, 4658, 4659, 4663, 4664, 4735, 4739, 4742, 4747, 4749, 4753, 4755, 5133, 5757, 5758, 5759, 6016, 6017, 6018, 6043, 6044
\setbox . . . 387, 1413, 1415, 1416, 1472, 1632, 1911, 2311, 5179, 5235, 5238, 5279, 5282, 5323, 5326, 6385, 6396, 6602, 6616, 7242, 7269, 7274, 7306, 7341, 7370, 7525, 7526, 7530, 7533, 7543, 7547, 7550, 7554, 7564, 7567, 7568, 7582, 7599, 7615, 7627, 7630, 7631, 7645, 7658, 7674, 7699, 7700, 7704, 7736, 7737, 7739, 7740, 7743, 7744, 7772, 7778, 7781, 7789, 7827, 7828, 7858, 7878, 7915, 7926, 7939, 7989, 8213, 8221, 8222, 8226, 8234, 8242, 8243, 8247, 8262, 8265, 8270, 8274, 8282, 8319, 8322, 8327, 8331, 8336, 9202, 9213, 9224, 9316, 9422, 9427, 9434, 9499, 9511, 9524, 9605, 9616, 9628, 9711, 9723, 9736, 9820, 9832, 9845, 9929, 9941, 9954, 10038, 10050, 10063, 10147, 10159, 10172, 10256, 10268, 10281, 10365, 10377,

10390, 10412, 10413, 10420, 10432, 10435, 10437, 10441, 10444, 10446, 10448, 10592, 10604, 10616, 10634, 10653, 10659, 10667, 10673, 10681, 10691, 10701, 10711, 10720, 10750, 10758, 10773, 10789, 10800, 11012, 11042, 11045, 11058, 11078, 11081, 11095, 11146, 11186, 11191, 11547, 11561, 11575, 11594, 11785, 11794, 11798, 11822, 11836, 11906, 11913, 11914, 11930, 11955, 11962, 11963, 11979, 12030, 12042, 12076, 12078, 12089, 12114, 12139, 12148, 12155, 12156, 12201, 12202, 13971, 13980, 14042, 14047, 14050, 14059, 14105, 14137, 14143, 14917, 14920, 14921, 14943, 14948, 14958, 14976, 14981, 15017, 15020, 15021, 15043, 15048, 15058, 15076, 15081, 15112, 15193, 15209, 15775, 15789, 15792, 15811, 15812, 15818, 15819, 15830, 15832, 15834, 15836, 15839, 15841, 15843, 15845, 15855, 15857, 15866, 15868, 15883, 15885, 15893, 15895, 15904, 15985, 15986, 16016, 16034, 17168, 17178, 17189, 17196, 17551, 18131, 18388, 18394, 18400, 18406, 18412, 18418, 18424, 18430, 18436, 18814, 19057, 19105, 19146, 19196, 19266, 20584, 20587, 20592, 20596, 20600, 20604, 20608, 20612, 20616, 20620, 20871, 20879, 20984, 21036, 21046, 21076, 21077, 21261, 21287, 21386, 21389, 21390, 21404, 21433, 21436, 21437, 21451, 21480, 21482, 21496, 21498, 21509, 21553, 21556, 21597, 21600, 21628, 21642, 21660, 21726

\setcaptionfont . . . 4727

\setcaptionwidth . 14005

\setchapterpreamble 18025, 18708

\setcitationfont . . 5362

\setcounter . 436, 471, 746, 778, 822, 998, 1030, 1074, 1248, 1280, 1324, 1998, 5435, 5454, 5473, 5505, 5755, 6267, 6545, 6760, 6792, 6937, 6969, 7056, 7091, 8817, 8850, 8912, 8947, 10917, 10950, 11246, 13365, 13366, 14789, 15563, 15584, 16305, 16337, 16381, 16444, 16476, 16522, 16726, 16766, 16913, 16948, 17265, 17356, 17469, 17542, 17543, 17814, 17905, 18049, 18122, 18123, 18513, 18604, 18732, 18805, 18806, 19709

\setdefaultbibitems 21121

\setdefaultmarginpar 21664

\setDefaults 12317

\setfloatalignment 4807

\setfootnoteLR . . . 11478

\setfootnoteRL . . . 11476

\setkeys 1662, 7233, 7250, 8591, 8597, 8599, 12147, 12191, 12319, 13379, 13417, 15604, 15668, 17087, 17132, 20764

\setlatin 1568

\setlength 511, 528, 664, 688, 890, 908, 945, 946, 947, 948, 949, 1147, 1172, 2136, 2137, 2138, 2340, 2341, 2343, 2344, 2346, 2347, 2349, 2350, 2352, 2353, 2355, 2356, 2358, 2359, 2360, 2365, 2366, 2404, 2405, 2407, 2408, 2409, 2410, 2468, 2477, 2478, 2481, 2483, 2486, 2487, 2489, 2492, 2558, 2568, 2569, 2570, 4672, 4699, 4700, 4701, 4702, 4723, 4729, 4730, 4763, 4766, 4770, 4816, 4868, 4869, 5370, 5371,

5372, 5373, 5379, 5621, 5914, 5915, 5916, 5917, 5918, 5919, 5920, 5921, 5923, 5924, 5926, 5929, 5930, 5931, 5932, 6149, 6150, 6668, 6690, 6845, 6867, 7131, 7146, 7417, 8156, 8160, 8162, 8165, 8573, 8718, 8733, 9308, 9311, 9348, 10823, 10837, 11592, 12133, 12241, 12242, 12248, 12249, 12251, 12252, 12321, 12322, 12334, 12338, 12340, 12342, 12346, 12348, 13371, 13372, 13373, 13374, 13413, 13420, 13421, 13422, 13434, 13435, 13458, 13463, 13466, 14026, 15603, 16217, 16239, 16589, 16611, 16818, 16988, 17003, 17224, 17548, 17574, 17773, 18128, 18154, 18472, 18811, 18837, 19312, 19313, 19361, 19362, 19364, 19733, 19737, 19738, 19740, 19741, 19743, 19744, 19746, 19747, 19749, 19750, 19910, 20018, 20363, 21185, 21188

\setLR 15992, 21085

\setLTR 15953, 15954, 15967, 15992, 15993, 21053, 21054, 21067, 21085, 21086

\setLTRbibitems .. 21120

\setLTRcitationfont 5363

\setLTRmarginnotefont 5360

\setLTRmarginpar . 21663

\setLTRsidenotefont 5357

\setLTRtable 1574

\setmarginnotefont 5359

\setnonlatin 1569

\setparsizes .. 17282, 17394, 17831, 17943, 18530, 18642

\setRL 15991, 21084

\setRTL . 15952, 15955, 15967, 15991, 20706, 20746, 20780, 21052, 21055, 21067, 21084

\setRTLbibitems .. 21119

\setRTLcitationfont 5364

\setRTLmain 1883

\setRTLmarginnotefont 5361

\setRTLmarginpar . 21662

\setRTLsidenotefont 5358

\setRTLtable 1573

\setsidenotefont .. 5356

\setSingleSpace 9254, 9259

\setspace@singlespace ... 5566, 5584, 5602

\setthesection ... 14806

\settodepth 15599

\settoheight . 8570, 15600

\settowidth 89, 292, 575, 710, 973, 1223, 2472, 6715, 6903, 7212, 8158, 8615, 8774, 9045, 10882, 13257, 13460, 15602, 16269, 16663, 16857, 17060, 17462, 18042, 18387, 18393, 18399, 18405, 18411, 18417, 18423, 18429, 18435, 18725, 19392, 20549, 20551

\setupL@lbox 13412, 13419

\Setversedim 6280, 6284, 6310

\SetWatermarkText . 8488

\sevencolumnfootnotes 9975

\sf 18388, 18394, 18400, 18406, 18412, 18418, 18424, 18430, 18436

\sf@size 13288

\sfcode 93, 296, 586, 718, 981, 1231, 6723, 6911, 7223, 8782, 9056, 10890, 13261, 15504, 16277, 16671, 16868, 17071, 17479, 18059, 18742, 19403

\sh@wgridXunit ... 16005

\sh@wgridYunit ... 16005

\shadowbox 8687

\shadowsize 8697, 8701, 8702, 8705, 8706, 8709

\shipout 11216, 12053, 12063, 21684

\shortauthors 115, 116, 121, 13320, 13321, 13326

\shortcite 15506

\shorttitle 114, 115, 121, 13319, 13320, 13326

\showbox 11859

\showgridp@s 16004

\showoutput 11859

\sidecaptionsep 19029, 19030, 21889, 21893, 21898, 21900, 21904, 21906

\sidenote 5432, 5486, 5524, 5619, 5710

\sidenotes 5529

\sideways 17194

\sigindent 18448

\sixcolumnfootnotes 9866

\sixt@@n 2278, 2300

\size@chapter 16047

\skip . 1611, 1898, 6473, 6474, 8267, 8324, 9336, 9361, 9369, 9377, 9391, 9407, 9410, 9415, 10498, 10500, 10502, 10504, 10560, 10562, 10564, 10566, 10732, 10741, 10764, 10777, 11610,

11896, 11897, 11908, 11910, 11957, 11959, 12013, 12018, 12081, 12092, 12099, 12133, 15326, 15332, 15336, 15341, 15345, 15407, 15411, 15973, 15979, 21485, 21501, 21512, 21520
\skip@ 311, 312
\sloppy 42, 56, 72, 92, 245, 259, 274, 295, 582, 717, 980, 1230, 2577, 6722, 6910, 7219, 8781, 9052, 10889, 11891, 13260, 14122, 15503, 16127, 16276, 16670, 16864, 17067, 17478, 18058, 18741, 19399
\slshape . . . 655, 883, 1138, 2524, 6659, 6836, 8058, 8059, 8149, 8150, 8152, 16208, 16580, 16794
\small . . 413, 638, 737, 944, 989, 1197, 1239, 2023, 2438, 2528, 2533, 2563, 5896, 5897, 5962, 5970, 5975, 5994, 6751, 6928, 7033, 8796, 8889, 10896, 16191, 16296, 16433, 16641, 16693, 16890, 17268, 17817, 18516
\smallcaps 6250, 6251, 6252
\smallskip 15425, 15430, 15437, 15446, 15457, 15462, 15467, 15474, 15481, 15488, 16044
\smash 4924, 4929, 4940, 4941, 4944, 4945, 5152, 8216, 8237, 11723, 13494, 15989, 21080, 21082
\SOUL@apo 19051
\SOUL@comma 19050
\SOUL@do 19053
\SOUL@eventuallyexhyphen 19040
\SOUL@grave 19052
\SOUL@ignorespacesfalse 19044
\SOUL@lasttoken . . 19047
\SOUL@lowerthan . . 19037
\SOUL@minus 19049
\SOUL@postamble . . 19054
\SOUL@preamble . . . 19046
\SOUL@soeventuallyskip 19041
\SOUL@spaceskip . . 19042
\SOUL@start 19035
\SOUL@ulcolor . 19066, 19072, 19078, 19086
\SOUL@uldp 19078
\SOUL@uleveryspace 19080
\SOUL@ulht 19078
\SOUL@ulleaders . . . 19066, 19072, 19088
\SOUL@uloverlap . . 19059
\SOUL@ulunderline 19056
\SOUL@word 19048
\soulomit 19039
\space 1504, 3342, 3485, 3599, 3613, 3627, 3637, 4320, 4507, 4509, 4520, 4522, 4525, 4988, 4993, 4994, 5127, 5128, 6987, 7182, 7753, 7755, 7777, 7779, 9014, 10852, 11759, 11767, 11768, 11792, 11800, 13397, 13429, 13430, 14493, 15199, 15201, 15202, 15203, 15204, 15370, 15377, 16012, 17038, 17081, 17124, 17333, 17484, 17882, 18064, 18581, 18747, 19216, 19218, 19275, 20100, 20102, 20668, 21351, 21633
\spacefactor . . . 5545, 5550, 5556, 5559
\spaceskip . 19084, 19089
\speci@ls . . 15388, 15395
\special 1633, 1807, 1816, 1912, 1938, 1987, 15986, 19272, 19273, 19277, 19278, 19280, 21077
\spinemargin . . . 8501, 8503, 8507, 8511
\split@prev 11435, 11443, 11448
\splitbotmark 11796
\splitfirstmark 7571, 7634, 11048, 11084, 11795, 11917, 11966, 14924, 15024, 21393, 21440
\SplitFootnoteRule 1704, 11434
\splitfootnoterule 11438, 11446
\splitmaxdepth 40, 54, 70, 243, 257, 272, 7565, 7628, 9353, 11043, 11079, 11490, 11507, 11523, 11911, 11960, 14918, 15018, 21387, 21434
\splittopskip . 40, 54, 70, 243, 257, 272, 9352, 9424, 9428, 9538, 9539, 9543, 9544, 9641, 9642, 9646, 9647, 9750, 9751, 9755, 9756, 9859, 9860, 9864, 9865, 9968, 9969, 9973, 9974, 10077, 10078, 10082, 10083, 10186, 10187, 10191, 10192, 10295, 10296, 10300, 10301, 10404, 10405, 10409, 10410, 11489, 11506, 11522, 11790, 11791, 15785
\stepcounter . . . 3655,

3661, 3669, 3675, 5443, 5462, 5481, 5513, 5633, 5662, 5691, 6443, 11245, 11316, 11386, 11456, 11465, 12984, 13938, 15558, 15562, 15579, 15583, 17078, 17121, 21756
\stopbreaks . . 9075, 18447
\str 14205, 14256, 14328, 14346, 14408, 14432, 14437, 14511, 14542, 14555, 14577, 14631, 14663
\stretch 1474, 1477, 7343, 7346
\string 359, 1384, 1731, 1735, 2620, 2656, 2662, 2734, 2736, 2754, 2755, 2758, 2759, 2936, 2955, 2983, 3009, 3037, 3063, 3066, 3100, 3103, 3187, 3188, 3194, 3342, 3372, 3393, 3396, 3423, 3425, 3485, 3558, 3605, 3606, 3619, 3620, 3631, 3632, 3643, 3644, 3675, 3689, 3690, 3691, 3692, 3696, 4320, 4329, 4333, 4339, 4350, 4507, 4509, 4520, 4522, 4523, 4524, 4525, 4527, 5127, 5128, 7379, 7382, 7400, 7403, 10453, 10455, 11763, 11764, 11765, 11766, 11767, 11889, 12223, 12224, 16137, 16138, 17333, 17484, 17486, 17492, 17882, 18064, 18066, 18072, 18581, 18747, 18749, 18755, 19242, 20667, 20924, 20971, 21351, 21371
\strip@prefix . 3393, 3406
\strip@pt . 2853, 3160, 8437, 8440, 8445, 8448, 10511, 10573
\stripsep . 7616, 7675, 7691, 7698, 7918, 7930, 7944, 14952, 14954, 14961, 15052, 15054, 15061, 15123, 15126, 15128, 15135
\strut 46, 60, 76, 249, 263, 278, 2053, 9083, 9491, 9494, 9497, 9597, 9600, 9603, 9703, 9706, 9709, 9812, 9815, 9818, 9921, 9924, 9927, 10030, 10033, 10036, 10139, 10142, 10145, 10248, 10251, 10254, 10357, 10360, 10363, 10624, 10628, 10632, 14136, 17532, 17534, 17553, 17555, 17558, 17560, 17563, 17567, 17569, 17579, 17581, 17586, 17590, 18112, 18114, 18133, 18135, 18138, 18140, 18143, 18147, 18149, 18159, 18161, 18166, 18170, 18450, 18795, 18797, 18816, 18818, 18821, 18823, 18826, 18830, 18832, 18842, 18844, 18849, 18853, 19323, 19328
\strutbox 40, 54, 70, 243, 257, 272, 385, 389, 7834, 9145, 9151, 9157, 9353, 9538, 9543, 9641, 9646, 9750, 9755, 9859, 9864, 9968, 9973, 10077, 10082, 10186, 10191, 10295, 10300, 10404, 10409, 10493, 10555, 11490, 11497, 11507, 11514, 11523, 11530, 11557, 11571, 11585, 13957, 13973, 14015, 14138, 17576, 17577, 18156, 18157, 18839, 18840, 19106, 19107, 19142, 21288, 21289
\subfig@oldlabel 4858, 4860
\subfigure . . . 4857, 4864
\subitem 108, 228, 6005, 13277
\subjclass 324
\subject 17378, 17927, 18626
\subject@font . 17291, 17404, 17840, 17953, 18539, 18652
\subparagraph 5807, 5808, 5811
\subsection 2503, 5778, 5794
\subsectioncolour 2429, 8023, 8031, 8038, 8045, 8052, 8122, 8128, 8134, 8140, 8146
\subsectionfont 2437, 2445, 8061, 8154
\subsectionstyle 2445, 2504
\subsubitem 109, 229, 6006, 13278
\subsubsection 5798, 5799, 5802
\subtable 4864
\supereject 1952
\symbol 2066, 2076
\sys 14426

T

\t@cb@bchapsec . . . 19384

\tabcaption . 12370, 12388
\tabcolsep 379, 1356, 13968, 16558, 21091
\tablinesep 19139
\tabskip . . 395, 6453, 13982, 13983, 19112, 19150, 21294
\tabular 19211
\tabularnewline 404, 13952, 19114, 21296
\tabularx 19202
\tabularxcolumn . . 19164
\tagform@ 336
\tamark 14772
\tcb@@icolorbox . . 19300
\tcb@vbox 19287
\tcd . . 15782, 15789, 15790
\tcdsav 15782
\tcl . . 15806, 15807, 15813
\tcn 15790, 15791, 15813, 15814, 15815, 15816
\Telefon 2418
\tencolumnfootnotes 10302
\TeX 13150, 15968, 15969, 15990, 21068, 21069, 21081
\textbf 2531, 5951, 11736, 11738, 11740, 11742
\textbullet 2415, 8015, 8079, 8113
\textcolor 8686, 8701, 8705, 8708, 11726, 13401
\textdef@ 345
\textdir 14671
\textendash . 743, 995, 1058, 1245, 6757, 6934, 16302, 16441
\textheight 1972, 2379, 7599, 7658, 11899, 12321, 17086, 17131, 21755
\textit 19769
\textsf 1648
\textsl . . 5011, 5012, 5013
\textsuperscript 5558, 9304, 9305, 9306, 17247, 17796, 18366, 18495
\texttt 2076, 2140, 2142, 2143, 3678
\textwidth 1620, 1626, 1971, 2377, 2468, 2477, 2478, 2490, 2492, 4766, 4770, 4869, 5170, 5171, 6311, 7583, 7591, 7646, 7839, 7879, 7889, 8069, 8084, 8156, 8165, 8279, 8500, 8510, 8516, 8546, 9423, 10431, 11058, 11064, 11096, 11186, 11191, 11597, 11931, 11980, 11988, 12269, 12272, 12277, 12283, 14110, 14982, 14990, 15082, 15113, 15273, 15308, 15309, 15312, 15313, 15316, 15317, 15321, 15324, 17284, 17312, 17316, 17396, 17833, 17861, 17865, 17945, 18447, 18532, 18560, 18564, 18644, 21405, 21413, 21452, 21730, 21746
\textwidth@footnoterule . . 416, 740, 992, 1242, 6754, 6931, 7036, 8799, 8892, 10899, 11405, 11416, 15323, 16299, 16436, 16696, 16893, 17271, 17820, 18519
\textwidthfootnoterule 1706, 8207, 9133, 11414, 12126, 21783
\TeXXeTOff . 15901, 20982
\TeXXeTOn 15900, 15902, 20981, 20983
\TeXXeTstate . . 15900, 15901, 20981, 20982
\TF@conlab 11719, 11721, 11728
\TF@savecolor 11725, 11730
\TF@Title 11728
\thanklessauthor 6059, 6092, 6095, 6132
\thanklesspublisher 6060, 6119, 6122, 6136
\thanklesstitle 6058, 6075, 6078, 6134
\thanks 323, 417, 437, 472, 491, 741, 753, 779, 790, 791, 800, 823, 840, 993, 1005, 1031, 1042, 1043, 1052, 1075, 1092, 1243, 1255, 1281, 1292, 1293, 1302, 1325, 1343, 1999, 6058, 6059, 6060, 6061, 6064, 6071, 6072, 6088, 6089, 6104, 6105, 6116, 6755, 6767, 6793, 6932, 6944, 6970, 7037, 7057, 7092, 7111, 8800, 8818, 8851, 8868, 8893, 8913, 8948, 8967, 10900, 10918, 10951, 10968, 14759, 16300, 16312, 16338, 16349, 16350, 16359, 16382, 16399, 16437, 16451, 16477, 16490, 16491, 16500, 16523, 16543, 16697, 16727, 16767, 16785, 16894, 16914, 16949, 16968, 17272, 17357, 17388, 17821, 17906, 17937, 18520, 18605, 18636
\thankses 323
\the 124, 125, 1372, 1466, 1467, 1469, 1470, 1536, 1644, 1864, 1923, 1963, 1965, 1968, 1970, 2209, 2211, 2214, 2217, 2222, 2225, 2228, 2333,

2669, 2671, 2672, 2693, 2695, 2696, 3357, 3691, 3786, 3841, 3869, 3871, 3878, 3880, 3882, 3884, 3885, 3886, 3897, 3904, 3906, 3911, 3915, 3916, 3921, 3926, 3934, 3937, 3941, 3947, 4031, 4032, 4033, 4058, 4573, 4580, 4609, 5400, 5410, 5545, 5556, 6362, 6369, 6493, 6496, 6499, 6503, 6506, 6509, 6614, 7229, 7234, 7278, 7339, 7570, 7572, 7633, 7635, 7715, 7735, 7741, 7745, 7752, 7753, 7754, 7755, 7756, 7757, 7777, 7779, 7788, 7792, 7815, 7816, 7817, 7819, 7820, 7821, 7822, 7855, 7919, 7931, 7943, 10497, 10559, 11047, 11049, 11083, 11085, 11314, 11329, 11330, 11333, 11334, 11337, 11390, 11394, 11448, 11621, 11635, 11752, 11759, 11763, 11764, 11765, 11766, 11767, 11768, 11776, 11782, 11789, 11790, 11792, 11797, 11799, 11800, 11814, 11840, 11870, 11871, 11872, 11877, 11878, 11879, 11889, 11916, 11918, 11965, 11967, 12193, 12238, 12771, 12779, 12780, 12786, 12788, 12817, 12818, 12824, 12826, 12857, 12859, 12888, 12890, 12919, 12921, 13329, 13330, 13427, 13429, 13473, 13475, 13480, 13482, 13488, 13490, 13495, 14030, 14033, 14621, 14923, 14925, 14936, 14953, 14960, 14966, 15023, 15025, 15036, 15053, 15060, 15066, 15136, 15199, 15201, 15202, 15203, 15204, 15205, 15497, 15667, 15683, 15687, 15690, 15715, 15739, 15746, 15753, 15907, 15908, 17094, 17104, 17113, 17140, 17152, 17162, 17469, 18049, 18732, 19135, 19136, 19166, 19185, 19187, 19211, 19216, 19218, 19219, 19222, 19223, 19226, 19229, 19230, 19233, 19341, 20098, 20101, 20103, 20179, 20450, 20453, 20454, 20456, 20458, 20462, 20467, 20471, 20482, 20483, 20486, 20492, 20496, 20504, 20505, 20542, 20558, 20562, 20661, 20824, 20836, 20841, 20862, 20863, 20865, 20987, 20988, 21132, 21189, 21357, 21359, 21371, 21392, 21394, 21439, 21441

\the@cornersize 11004, 11005

\thealgocf 168

\theAlgoLine 21829

\theBackrefHyperFootnoteCounter 11655, 11661

\thechapter 308, 5767, 6738, 6744, 6746, 6748, 6915, 6921, 6923, 6925, 6987, 7166, 7168, 7170, 7171, 7172, 7182, 8998, 9000, 9002, 9003, 9004, 9014, 10852, 10982, 10988, 10990, 10992, 11280, 11282, 11284, 11285, 11286, 11293, 11295, 11297, 11298, 11299, 13638, 14797, 14806, 14808, 14809, 14810, 15538, 16050, 16281, 16287, 16289, 16291, 16646, 16652, 16654, 16656, 16841, 16843, 16845, 16846, 17023, 17025, 17027, 17028, 17029, 17038, 17982, 17984, 17998, 18000, 18006, 18008, 18014, 18016, 18680, 18692, 18696, 18700, 19425

\thecontentspage 5825, 5832, 5839, 5846, 5853

\thedate . 6054, 6062, 6108

\theenumiv 86, 89, 289, 292, 581, 716, 979, 1229, 2576, 6721, 6909, 7218, 8780, 9051,

10888, 13254, 13257, 16275, 16669, 16863, 17066, 17476, 18056, 18739, 19398
\theequation 6743, 6920, 7165, 8997, 10987, 11279, 11292, 13339, 14807, 16286, 16655, 16840, 17022, 18012, 18699, 21776
\thefigure 6745, 6922, 7167, 8999, 10989, 11281, 11294, 14809, 16288, 16651, 16842, 17024, 17996, 18691, 19122
\thefootdir@label . . 11314, 11317, 11346, 11351, 11369, 11372, 11392
\thefootnote . . . 453, 745, 804, 997, 1056, 1247, 1306, 1990, 6759, 6936, 7073, 8832, 8929, 10932, 12671, 16304, 16363, 16443, 16504, 16700, 16743, 16930, 17275, 17339, 17824, 17888, 18523, 18587
\thefootnotemark 17247, 17796, 18366, 18495
\theHchapter 15538
\theHsection 15546, 15548
\theindex . 98, 218, 13267
\thelstlisting 13609, 13614, 13637, 13640
\thempfn 2234, 2242, 2250, 5634, 5640, 5663, 5669, 5692, 5698, 6514, 6521, 6528, 11457, 11462, 11466, 11471, 11599, 11625, 11630, 11640, 11645, 12638, 12649, 12660, 12790, 12828, 12861, 12892, 12923, 12985, 14168
\thempfootnote 11599, 14168
\theorem@indent 15572, 15573, 15592, 15593
\theorem@prework . 15566
\theorempostskipamount 15567, 15587
\theorempreskipamount 15570, 15590
\thepage . . 1961, 1966, 2553, 4899, 5011, 5012, 5013, 5022, 5023, 6238, 6239, 6250, 6251, 6252, 7956, 7974, 15370, 15377, 20868, 21633
\theparagraph . . . 21, 22, 216, 217, 548, 549, 702, 703, 956, 957, 1215, 1216, 5788, 6741, 6742, 6918, 6919, 7175, 7176, 8884, 8885, 9007, 9008, 10985, 10986, 11289, 11290, 11302, 11303, 13313, 13314, 14802, 14805, 16284, 16285, 16649, 16650, 16849, 16850, 17032, 17033, 17436, 17438, 17992, 17994, 18687, 18689
\thepart 553, 561, 8744, 8752
\ther@tfl@t . . . 17079, 17080, 17122, 17123
\thesection 19, 214, 546, 700, 954, 1213, 5774, 6738, 6739, 6915, 6916, 7172, 7173, 8882, 9004, 9005, 10982, 10983, 11286, 11287, 11299, 11300, 13311, 14797, 14799, 15546, 15548, 16281, 16282, 16646, 16647, 16846, 16847, 17029, 17030, 17432, 17980, 17988, 18679, 18683
\thesubparagraph 22, 217, 549, 703, 957, 1216, 6742, 6919, 7176, 8885, 9008, 10986, 11290, 11303, 13314, 14804, 16285, 16650, 16850, 17033, 17437, 17993, 18688
\thesubsection . . 19, 20, 214, 215, 546, 547, 700, 701, 954, 955, 1213, 1214, 5781, 6739, 6740, 6916, 6917, 7173, 7174, 8882, 8883, 9005, 9006, 10983, 10984, 11287, 11288, 11300, 11301, 13311, 13312, 14798, 14801, 16282, 16283, 16647, 16648, 16847, 16848, 17030, 17031, 17432, 17434, 17988, 17990, 18683, 18685
\thesubsubsection 20, 21, 215, 216, 547, 548, 701, 702, 955, 956, 1214, 1215, 6740, 6741, 6917, 6918, 7174, 7175, 8883, 8884, 9006, 9007, 10984, 10985, 11288, 11289, 11301, 11302, 13312, 13313, 14800, 14803, 16283, 16284, 16648, 16649, 16848, 16849, 17031, 17032, 17433, 17436, 17989, 17992, 18684, 18687

\thetable 6747, 6924, 7169, 9001, 10991, 11283, 11296, 14810, 16290, 16653, 16844, 17026, 18004, 18695, 19123
\TheTokenList 3895
\thinlines 7429, 7439, 7452, 7462, 7475, 7485, 7498, 7508
\thispagestyle . 101, 113, 221, 469, 601, 616, 820, 865, 1072, 1117, 1322, 6139, 6161, 6182, 6638, 6815, 7026, 7089, 8848, 8945, 9062, 9065, 10948, 13270, 13318, 13342, 13345, 14787, 16169, 16379, 16424, 16520, 16764, 16884, 16946, 17280, 17353, 17829, 17902, 18528, 18601, 19457
\thm@topsepadd 15567, 15568, 15571, 15587, 15588, 15591
\thr@@ 356, 372, 1381, 1399, 1423, 1432, 9642, 9647, 15361, 15379, 19042, 19239, 19259
\threecolumnfootnotes 9545
\tiny 2036, 5536, 5908
\title 320, 445, 481, 785, 830, 1037, 1082, 1287, 1332, 2006, 2455, 2494, 6053, 6068, 6799, 6976, 7065, 7101, 8824, 8858, 8921, 8957, 10924, 10958, 16344, 16389, 16485, 16532, 16735, 16776, 16922, 16958, 17375, 17924, 18623
\TitleBarFrame 11717, 11736, 11738, 11740, 11742
\titlecolour . . 2424, 8116
\titlecontents . 5820, 5827, 5834, 5841, 5848
\TitleFont 734, 750, 841, 843, 849, 986, 1002, 1093, 1095, 1101, 1236, 1252, 1344, 1346, 1352, 1355, 1356, 1361, 6764, 6941, 16293, 16309, 16400, 16402, 16408, 16430, 16448, 16546, 16548, 16554, 16557, 16558, 16563
\titlefont 2433, 2441, 8149, 17294, 17407, 17843, 17956, 18542, 18655
\titleformat . . . 5764, 5771, 5778, 5785
\titlehead 17377, 17926, 18625
\titlepage 627, 934, 1186, 6704, 6892, 16180, 16630
\titlepagestyle . . . 17353, 17902, 18601
\titlespacing 5792, 5793, 5794
\titlestyle . . . 2441, 8180
\tl 14188, 14196, 14201, 14203, 14204, 14205, 14206, 14208, 14209, 14211, 14214, 14218, 14227, 14231, 14234, 14239, 14244, 14252, 14254, 14255, 14256, 14257, 14259, 14261, 14263, 14264, 14266, 14272, 14276, 14279, 14280, 14283, 14290, 14295, 14303, 14306, 14307, 14308, 14309, 14310, 14313, 14319, 14320, 14321, 14326, 14328, 14335, 14339, 14344, 14346, 14348, 14350, 14369, 14375, 14376, 14377, 14378, 14379, 14391, 14394, 14397, 14399, 14423, 14424, 14426, 14435, 14438, 14439, 14440, 14441, 14442, 14443, 14445, 14451, 14456, 14459, 14460, 14473, 14475, 14476, 14477, 14478, 14479, 14480, 14481, 14490, 14493, 14497, 14498, 14499, 14502, 14516, 14522, 14535, 14540, 14544, 14565, 14573, 14574, 14599, 14603, 14604, 14605, 14618, 14690, 14691, 14699, 14700, 14701, 14702, 14712, 14713, 14714, 14719, 14724, 14726, 14729, 14730, 14735, 14736, 14741, 14753, 14754
\tmpcount 4085, 4111
\toaddress . . 9071, 13351
\toc@headstar 19447, 19452
\tocbasic@DependOnPenaltyAndTOCLevel 20042
\tocbasic@SetPenaltyByTOCLevel 20126
\TOCEntryStyleStartInitCode . . 17656, 17669, 17688, 18236, 18249, 18268, 18919, 18932, 18951
\toclevel@subfigure 19659

\toclevel@subtable 19679
\TOCLineLeaderFill 17673, 17690, 18253, 18270, 18936, 18953, 20143, 20404
\tocstyle@@numberline 20549, 20551, 20569, 20571, 20574, 20576
\tocstyle@activate@all@l 20662
\tocstyle@activate@features 20439
\tocstyle@dottedtocline 20426
\tocstyle@feature@dothook 20525
\tocstyle@feature@entryhook 20521
\tocstyle@feature@entryvskip 20440, 20443
\tocstyle@feature@leaders 20523, 20528
\tocstyle@feature@pagenumberbox 20531, 20534
\tocstyle@feature@pagenumberhook 20532, 20534
\tocstyle@feature@parfillskip 20511, 20512
\tocstyle@feature@raggedhook 20447
\tocstyle@feature@spaceafternumber 20548, 20552, 20573, 20577
\tocstyle@indentstyle 20498, 20568
\tocstyle@l@define . . 20585, 20588, 20593, 20597, 20601, 20605, 20609, 20613, 20617, 20621, 20653
\tocstyle@macrochangewarning 20641, 20648
\tocstyle@numberline 20427, 20546
\tocstyle@saved@dottedtocline 20643
\tocstyle@saved@numberline 20651
\tocstyledepth 20438, 20450, 20462, 20482, 20483, 20486, 20504, 20505, 20554, 20556, 20558, 20562
\tocstyleTOC 20450, 20453, 20454, 20456, 20458, 20462, 20463, 20465, 20466, 20470, 20474, 20475, 20478, 20479, 20482, 20483, 20486, 20488, 20490, 20491, 20495, 20500, 20501, 20504, 20505, 20554, 20556, 20557, 20561
\today 6062
\toks 122, 124, 1466, 1467, 1469, 1470, 5393, 5394, 5400, 7339, 11795, 11796, 11797, 13327, 13329
\toks@ 121, 125, 1631, 1644, 1910, 1923, 4605, 4609, 7569, 7570, 7571, 7572, 7632, 7633, 7634, 7635, 11046, 11047, 11048, 11049, 11082, 11083, 11084, 11085, 11915, 11916, 11917, 11918, 11964, 11965, 11966, 11967, 12190, 12193, 12227, 12229, 12233, 12235, 12238, 12768, 12771, 13326, 13330, 14922, 14923, 14924, 14925, 15022, 15023, 15024, 15025, 19185, 19205, 19211, 21391, 21392, 21393, 21394, 21438, 21439, 21440, 21441
\tolerance 9487, 9593, 9699, 9808, 9917, 10026, 10135, 10244, 10353
\toname 9071, 13351
\topheight 15794, 15796, 15797, 15798, 15800, 15806, 15808, 15810, 15811, 15812, 15875, 15876, 15877, 15878, 15882, 15883, 15887
\topins 15970
\topmargin 1976, 2378, 8542, 11230, 21722
\topmark . . 7569, 7578, 7632, 7641, 11046, 11055, 11082, 11091, 11915, 11924, 11964, 11973, 14922, 14931, 15022, 15031, 21391, 21400, 21438, 21447
\topsep . . . 2118, 2127, 2568, 4692, 5902, 5944, 14819, 14821
\topskip 301, 1984, 7733, 11801, 11803, 11808, 14825, 15116, 19423, 19429, 19434, 19441, 19446, 19451
\TOTALHEIGHT 19271, 19275
\totalheight 12220
\tovalue 3969, 4056, 4064, 4095, 4108, 4114, 4115
\tracingmacros 4084
\traditionalconnverses . . . 6300, 6323, 6339
\traditionalhalfverses 6289, 6293, 6300, 6333
\traditionalpoem . . 6535
\traditionalpoem@cr . . . 6413, 6462, 6463
\traditionalpoem@obeylines 6343, 6535
\traditionalpoem@par . . . 6343, 6344, 6462
\trimb 5395, 5402
\trimc 5404

\trivlist 11137, 15569, 15589
\ttdefault . . . 8055, 8147
\ttfamily 2023, 2063, 2064, 2066, 2067, 2068, 2069, 2070, 2071, 2072
\ttl@a 19346, 19348
\ttl@b 19341, 19342, 19346, 19348
\ttl@beginlongest 19316
\ttl@calc . . 19311, 19323
\ttl@changecentercr 19315
\ttl@contentsstretch 19353
\ttl@corr 19368, 19369, 19372
\ttl@endlongest . . 19331
\ttl@filleft 19305, 19334
\ttl@filright 19306, 19335
\ttl@glcmds 19318
\ttl@hmode@error . 19317
\ttl@leaders 19370
\ttl@lselect 19377, 19380
\ttl@makeline 19311, 19366
\ttl@margin . 19365, 19371
\ttl@midlongest . . 19330
\ttl@outnoblock . . 19344
\ttl@savel@chapter 19379
\ttl@savel@part . . 19376
\ttlh@hang 19310
\turn 17166
\turnbox 17187
\tw@ 355, 363, 1380, 1388, 1422, 1426, 1431, 2290, 3188, 9539, 9544, 11009, 11010, 11794, 11798, 11799, 11813, 11817, 11822, 11825, 11836, 11840, 11841, 11842, 11843, 11846, 12145, 12146, 12156, 12158, 12159, 12161, 12162, 12165, 12167, 12168, 12202, 12204, 12205, 12207, 12208, 12211, 12213, 12214, 13477, 15209, 15216, 15217, 15225, 15226, 15231, 15232, 15245, 15246, 15253, 15254, 15277, 15282, 15986, 15987, 17238, 17787, 18358, 18486, 19042, 19140, 19238, 19246, 19571, 21077, 21078, 21307, 21311, 21313
\twocolumn 462, 598, 614, 813, 863, 1065, 1115, 1315, 1960, 6636, 6813, 7023, 7082, 7955, 8841, 8938, 10941, 14778, 16167, 16372, 16422, 16513, 16757, 16881, 16939, 17346, 17895, 18594, 19423, 19429, 19434, 19441, 19446, 19451
\twocolumnfootnotes 9436
\TX@ 19162, 19163, 19191, 19192
\TX@align . . 19215, 19217
\TX@arith 19177
\TX@ckpt . . . 19167, 19213
\TX@col@width . 19164, 19170, 19175, 19218
\TX@cols 19171, 19175, 19219
\TX@endtabularx 12757, 12768, 12774, 19160
\TX@find@endtabularxa 19162, 19163
\TX@find@endtabularxb 19192
\TX@find@endtabularxbb 19190
\TX@ftn . 19187, 19222, 19224, 19226, 19229, 19231, 19233
\TX@ftntext 19181
\TX@LTRftntext 19182, 19221
\TX@newcol 19164
\TX@old@table 19169
\TX@RTLftntext 19183, 19228
\TX@target . 19170, 19184
\TX@trial 19174, 19179, 19195
\TX@trial@ftn 19198, 19199, 19200
\TX@typeout@ 19172, 19214
\TX@verb 19165
\TX@vwarn 19201
\TX@xftntext 19181
\TX@xLTRftntext 19182, 19225
\TX@xRTLftntext 19183, 19232
\typeout 1535, 1537, 4895, 4897, 4898, 4899, 4901, 4903, 4904, 4905, 11324, 16026, 20450, 20462, 20482, 20483, 20486, 20504, 20505

U

\uc@authornothanks . . 762, 791, 796, 1014, 1043, 1048, 1264, 1293, 1298, 6776, 6953, 16321, 16350, 16355, 16460, 16491, 16496
\uc@ax 792, 793, 1044, 1045, 1294, 1295, 16351, 16352, 16492, 16493
\uc@nothanks 753, 790, 791, 800, 1005, 1042, 1043, 1052, 1255, 1292, 1293, 1302, 6767, 6944, 16312, 16349, 16350, 16359, 16451, 16490, 16491, 16500
\uc@tx 790, 798, 1042, 1050, 1292, 1300, 16349, 16357, 16490, 16498
\uc@ty 799, 800, 1051, 1052, 1301, 1302, 16358, 16359, 16499, 16500

\undefined 4411, 6487, 6541, 6544, 6546, 17537, 17539, 17541, 18117, 18119, 18121, 18800, 18802, 18804
\underline . 21266, 21274
\undertext 21274
\unexpanded 3215, 3224, 3225, 3232, 3233, 3246, 3247, 3254, 3255, 3356, 3477
\unhbox 1496, 6368, 6626, 7365, 10414, 10437, 10446, 10449, 10691, 10695, 10701, 10705, 10711, 10714, 10720, 10723, 13193, 13198, 13226, 13231, 13243, 13248, 21196, 21317, 21318, 21319, 21320
\unhcopy 13209, 13214, 19062, 19074, 19150
\unhskip 3888
\unitindent 637, 648, 649, 651, 725, 731, 875, 876, 878, 944, 945, 947, 948, 960, 965, 1059, 1131, 1132, 1134, 1196, 1205, 1211, 6652, 6653, 6655, 6730, 6736, 6829, 6830, 6832, 6883, 6889, 16190, 16201, 16202, 16204, 16255, 16261, 16573, 16574, 16576, 16640, 16678, 16684
\unitlength 7429, 7439, 7452, 7462, 7475, 7485, 7498, 7508, 15603
\unkern . . 5557, 7703, 7713
\unpenalty 7264, 7703, 7713, 10417, 10434, 10443, 11825
\unrestored@protected@xdef 2234, 2242, 2250, 5640, 5669, 5698, 6514, 6521, 6528, 11462, 11471, 11630, 11645, 12638, 12649, 12660, 12671
\unsetfootnoteRL 11477, 11478
\unsetLTR . . 15955, 21055
\unsetRL . . . 15993, 21086
\unsetRTL . . 15954, 21054
\unskip 46, 60, 76, 249, 263, 278, 336, 1448, 1449, 1450, 4949, 4952, 4955, 4958, 5648, 5677, 5706, 6395, 6406, 7261, 7567, 7630, 7703, 7713, 9386, 10415, 10416, 11608, 11913, 11962, 14095, 14137, 14140, 14920, 15020, 17171, 17181, 17199, 17534, 17555, 17560, 17569, 18114, 18135, 18140, 18149, 18797, 18818, 18823, 18832, 21389, 21436, 21665
\untilcondition 3970, 3984, 4068, 4111
\unvbox 7275, 7276, 7530, 7533, 7550, 7554, 7567, 7617, 7630, 7676, 7701, 7716, 7739, 7743, 7833, 7862, 7916, 7927, 7940, 7990, 8221, 8224, 8225, 8242, 8245, 8246, 8271, 8278, 8283, 8288, 8328, 8333, 8337, 8342, 9203, 9214, 9225, 9318, 9339, 9394, 9400, 9435, 9500, 9512, 9525, 9606, 9617, 9629, 9712, 9724, 9737, 9821, 9833, 9846, 9930, 9942, 9955, 10039, 10051, 10064, 10148, 10160, 10173, 10257, 10269, 10282, 10366, 10378, 10391, 10412, 10643, 10662, 10676, 10688, 10698, 10708, 10717, 10753, 10761, 10768, 10775, 10781, 11548, 11562, 11576, 11613, 11618, 11788, 11798, 11825, 11913, 11962, 12034, 12036, 12080, 12085, 12091, 12095, 12102, 12118, 14042, 14047, 14056, 14059, 14143, 14161, 14920, 14949, 14951, 14959, 14977, 14979, 15020, 15049, 15051, 15059, 15077, 15079, 15134, 15832, 15836, 15841, 15845, 15857, 15868, 15888, 15891, 15896, 15970, 15971, 15975, 15980, 21196, 21389, 21436, 21484, 21489, 21500, 21504, 21511, 21516, 21523
\unvcopy . . 7702, 7740, 7744, 7772, 7778, 7782, 7790, 8265, 8322
\uppercase 308, 770, 790, 1022, 1042, 1272, 1292, 6784, 6961, 16329, 16349, 16468, 16490
\uppercasenonmath 114, 13319
\uppermargin 8514
\uppertitleback . . .

. 17380, 17929, 18628
\upshape 5825, 5832, 5839, 5846, 5853, 8056, 8060, 8061, 8148, 8153, 8154, 16045
\urlstyle 2397
\use 14319
\usebox . . . 2103, 2113, 4790, 4922, 4924, 4929, 4931, 4940, 4941, 4944, 4945, 5152, 8632, 8635, 8643, 8650, 8658, 8665, 8708, 12328, 12332, 12415, 12417, 12421, 12423, 12428, 12430, 12434, 12436, 12440, 12442, 12446, 12448, 12454, 12455, 12458, 12459, 12463, 12464, 12467, 12468, 12471, 12472, 12475, 12476, 12490, 12491, 12493, 12494, 12506, 12507, 12509, 12510, 12516, 12517, 12520, 12521, 12525, 12526, 12529, 12530, 12533, 12534, 12537, 12538, 12545, 12547, 12551, 12553, 12558, 12560, 12564, 12566, 12570, 12572, 12576, 12578, 12591, 12593, 13494, 13496, 15599, 15600, 15602, 15609, 15627, 15903, 15904, 20984
\usecounter 91, 294, 579, 714, 977, 1227, 2574, 5940, 6719, 6907, 7216, 8778, 9049, 10886, 13259, 16273, 16667, 16861, 17064, 17468, 17473, 18048, 18053, 18731, 18736, 19396
\usekomafont . . 17252, 17259, 17296, 17409, 17660, 17663, 17680, 17682, 17801, 17808, 17845, 17958, 18240, 18243, 18259, 18262, 18500, 18507, 18544, 18657, 18923, 18926, 18942, 18945
\usepackage 4329, 4330, 4335, 4336, 4339, 4342, 4387, 4388
\usetocbasicnumberline 20079

V

\vadjust . 6371, 6372, 6379
\valign 9425, 9429
\value 5438, 5457, 5476, 5508, 11314, 11329, 11330, 11333, 11334, 11337, 13365, 13366, 13437, 13471, 17524, 18104, 18787, 19166
\var@@leftcolumn@badness . . . 7741, 7753, 7759
\var@@rightcolumn@badness . . . 7745, 7755, 7760
\var@@thecol@num 7685, 7687, 7956, 7974
\varcustomer . . 18378, 18404, 18405, 18408
\varinvoice . . . 18379, 18410, 18411, 18414
\varmyref 18377, 18398, 18399, 18402
\varrefitemi . . 18380, 18416, 18417, 18420
\varrefitemii . 18381, 18422, 18423, 18426
\varrefitemiii 18382, 18428, 18429, 18432
\varrefitemnamei . 18418
\varrefitemnameii 18424
\varrefitemnameiii 18430
\varyourmail . . 18376, 18392, 18393, 18396
\varyourref . . . 18375, 18386, 18387, 18390
\vbadness . 7566, 7629, 9424, 9428, 11044, 11080, 11185, 11912, 11961, 14919, 15019, 15784, 21388, 21435
\vbox 306, 398, 404, 1416, 1483, 2314, 5179, 5180, 5182, 6355, 7269, 7274, 7352, 7530, 7533, 7550, 7554, 7567, 7582, 7599, 7615, 7630, 7645, 7658, 7674, 7699, 7700, 7739, 7740, 7743, 7744, 7772, 7778, 7781, 7789, 7828, 7858, 7878, 7886, 7891, 7898, 7905, 7915, 7926, 7939, 7989, 7995, 8213, 8221, 8222, 8230, 8234, 8242, 8243, 8251, 8265, 8270, 8274, 8277, 8281, 8282, 8299, 8306, 8322, 8327, 8331, 8332, 8335, 8336, 8351, 8358, 9202, 9213, 9224, 9316, 9499, 9511, 9524, 9605, 9616, 9628, 9711, 9723, 9736, 9820, 9832, 9845, 9929, 9941, 9954, 10038, 10050, 10063, 10147, 10159, 10172, 10256, 10268, 10281, 10365, 10377, 10390, 10412, 10592, 10604, 10616, 10640, 10653, 10659, 10667, 10673, 10681, 10750, 10758, 10773,

11058, 11095, 11186, 11191, 11216, 11231, 11256, 11547, 11561, 11575, 11594, 11785, 11798, 11822, 11913, 11930, 11962, 11979, 12078, 12089, 12114, 13980, 14042, 14047, 14050, 14055, 14056, 14059, 14105, 14143, 14675, 14825, 14920, 14943, 14948, 14950, 14958, 14976, 14981, 15020, 15043, 15048, 15050, 15058, 15076, 15081, 15112, 15648, 15818, 15819, 15832, 15836, 15841, 15845, 15857, 15868, 15883, 15885, 15887, 15890, 15895, 15932, 15939, 15940, 15947, 16056, 17551, 18131, 18814, 19118, 19152, 19157, 20584, 20587, 20592, 20596, 20600, 20604, 20608, 20612, 20616, 20620, 21012, 21020, 21021, 21029, 21186, 21191, 21285, 21302, 21389, 21404, 21436, 21451, 21482, 21498, 21509, 21643, 21684, 21723, 21726

\vboxL 15940, 17086, 17131, 21021

\vboxR 15932, 21012

\vcenter 398, 1480, 7349, 19152, 21104, 21193, 21194, 21285

\veqno 327, 328

\verb 19165

\VerbBox 8689, 8691

\verse@i 6385, 6416, 6422, 6430, 6471

\verse@ii 6396, 6417, 6423, 6425, 6431, 6433, 6471

\versewidth 6348, 6358, 6450

\vfil 420, 434, 628, 631, 747, 776, 935, 938, 999, 1028, 1187, 1190, 1249, 1278, 6355, 6705, 6708, 6761, 6790, 6893, 6896, 6938, 6967, 7040, 7054, 8221, 8242, 8801, 8815, 8896, 8910, 10901, 10915, 15976, 16181, 16184, 16306, 16335, 16445, 16474, 16631, 16634, 16710, 16724, 16897, 16911, 21727

\vfill 1952, 6135, 9425, 9429, 10813, 15883, 15888, 15889, 17096, 17111, 17143, 17160, 17288, 17310, 17315, 17321, 17837, 17859, 17864, 17870, 18536, 18558, 18563, 18569

\vfuzz . . . 5406, 5409, 5410

\vleftskip . 14793, 14794

\voffset 1980

\voidb@x 7242, 7306

\vphantom 20747

\vpic . 15808, 15818, 15819

\vrightskip . 14793, 14794

\vrule 387, 1495, 5181, 5182, 6354, 6356, 7364, 7586, 7651, 7883, 7902, 11060, 11101, 11936, 11983, 13971, 14028, 14403, 14665, 14746, 14953, 14960, 14985, 15053, 15060, 15087, 15116, 15229, 15240, 19078, 19106, 19147, 21288, 21408, 21457, 21657

\vsize 7964, 11206, 11750, 11801, 14054, 14062

\vskip 309, 312, 421, 424, 430, 489, 495, 501, 505, 567, 646, 748, 757, 767, 838, 842, 848, 852, 873, 1000, 1009, 1019, 1090, 1094, 1100, 1104, 1129, 1250, 1259, 1269, 1340, 1345, 1351, 1355, 1361, 1364, 2329, 6411, 6438, 6474, 6475, 6481, 6591, 6593, 6650, 6689, 6762, 6771, 6781, 6827, 6866, 6939, 6948, 6958, 6989, 6994, 6998, 7000, 7006, 7010, 7012, 7041, 7044, 7050, 7109, 7115, 7121, 7125, 7145, 7184, 7189, 7197, 7616, 7675, 7836, 7840, 7918, 7921, 7930, 7933, 7944, 7946, 8286, 8340, 8758, 8766, 8802, 8805, 8811, 8866, 8870, 8876, 8880, 8897, 8900, 8906, 8965, 8971, 8977, 8981, 9016, 9021, 9030, 9336, 9361, 9369, 9377, 9391, 9407, 10732, 10741, 10754, 10762, 10764, 10777, 10836, 10854, 10858, 10866, 10902, 10905, 10911,

10966, 10970, 10976, 10980, 11230, 11234, 11235, 11610, 11786, 11824, 11829, 12081, 12092, 12099, 12119, 13456, 13577, 13590, 13998, 14015, 14016, 14018, 14158, 14819, 14821, 14824, 14865, 14874, 14882, 14951, 14952, 14954, 14961, 14978, 15051, 15052, 15054, 15061, 15078, 15123, 15135, 15154, 15166, 15178, 15783, 15800, 15821, 15887, 15973, 15979, 16199, 16238, 16307, 16316, 16326, 16397, 16401, 16407, 16411, 16446, 16455, 16465, 16540, 16547, 16553, 16557, 16563, 16566, 16571, 16610, 16711, 16714, 16720, 16784, 16790, 16795, 16798, 16817, 16898, 16901, 16907, 16966, 16972, 16978, 16982, 17002, 17040, 17044, 17052, 17251, 17258, 17292, 17295, 17297, 17303, 17305, 17307, 17323, 17401, 17405, 17408, 17410, 17417, 17419, 17422, 17427, 17507, 17512, 17596, 17598, 17602, 17604, 17615, 17617, 17625, 17627, 17800, 17807, 17841, 17844, 17846, 17852, 17854, 17856, 17872, 17950, 17954, 17957, 17959, 17966, 17968, 17971, 17976, 18087, 18092, 18176, 18178, 18182, 18184, 18195, 18197, 18205, 18207, 18383, 18384, 18499, 18506, 18540, 18543, 18545, 18551, 18553, 18555, 18571, 18649, 18653, 18656, 18658, 18665, 18667, 18670, 18675, 18770, 18775, 18859, 18861, 18865, 18867, 18878, 18880, 18888, 18890, 19515, 19534, 19555, 19572, 19589, 19606, 19623, 19641, 19660, 19680, 19715, 19904, 20441, 20625, 20804, 20808, 20827, 21208, 21217, 21226, 21235, 21323, 21485, 21501, 21512, 21520, 21643, 21722, 21735, 21762, 21770

\vspace 2497, 4783, 4873, 4881, 5499, 5503, 5565, 5570, 5583, 5588, 5601, 5606, 5723, 5732, 5741, 5822, 5829, 5836, 5843, 5850, 6133, 6177, 6181, 6983, 7003, 7178, 7192, 9010, 9025, 9070, 9072, 9074, 10849, 10861, 13350, 13352, 14125, 14138, 17035, 17047, 18441, 18444, 18446, 18451, 19423, 19429, 19434, 19441, 19446, 19451

\vsplit . . . 7525, 7526, 7543, 7547, 7568, 7631, 7737, 7827, 7992, 9434, 11045, 11081, 11794, 11914, 11963, 14921, 15021, 15789, 15792, 15811, 15812, 15830, 15834, 15839, 15843, 15855, 15866, 15893, 21390, 21437

\vss 306, 7602, 7661, 7844, 7850, 7866, 7872, 7886, 7891, 7898, 7905, 7993, 8278, 8288, 8333, 8342, 11257, 14047, 14059, 14676, 15818, 15819, 15890, 16056, 21196

\vtop . . 398, 404, 1415, 1482, 5240, 5284, 5328, 7275, 7351, 13962, 19118, 19152, 19157, 21192, 21285, 21302, 21558, 21602

W

\waslice 15818, 15836, 15841, 15857, 15876, 15877, 15886

\wbslice 15819, 15832, 15845, 15868, 15875, 15877, 15878, 15882, 15883, 15890, 15895, 15896

\wd . . . 1639, 1918, 6361,

6362, 6422, 6423, 6425, 6431, 6471, 6565, 6567, 6580, 6582, 7373, 7705, 8702, 8706, 10422, 11020, 11147, 11723, 11841, 11842, 12165, 12167, 12211, 12213, 12334, 12415, 12417, 12421, 12423, 12454, 12455, 12458, 12459, 12483, 12484, 12486, 12499, 12500, 12502, 12516, 12517, 12520, 12521, 12545, 12547, 12551, 12553, 13221, 13229, 13238, 13246, 13413, 13420, 13458, 13459, 13584, 13993, 14144, 14831, 14835, 14837, 14845, 14876, 15195, 15776, 15987, 16010, 16037, 17083, 17128, 17184, 17191, 17549, 18129, 18389, 18395, 18401, 18407, 18413, 18419, 18425, 18431, 18437, 18812, 19058, 19216, 19267, 19324, 19341, 20084, 20098, 20838, 20882, 21078, 21262, 21764
\WF@@everypar 20801
\WF@adjlw .. 20841, 20866
\WF@adjtlm . 20863, 20866
\WF@box 20838, 20871, 20872
\WF@floatfalse 20804, 20812, 20822, 20825
\WF@fltmes 20831
\WF@info 20811, 20821, 20824, 20833, 20868, 20870
\WF@ovh 20838
\WF@place .. 20836, 20842
\WF@putfigmaybe .. 20802
\WF@size ... 20815, 20869
\WF@startwrapping 20874
\WF@wfname 20833, 20868, 20870
\WF@wrapil . 20862, 20865
\whilecondition 3970, 3984, 4073, 4105
\whiledo 11190
\widowpenalty ... 92, 295, 585, 717, 980, 1230, 2577, 6459, 6722, 6910, 7222, 8781, 9055, 10889, 13260, 15503, 16276, 16670, 16867, 17070, 17478, 18058, 18741, 19402
\WIDTH 19267, 19275
\width .. 11744, 12145, 12233, 12235, 14712, 14721, 14745
\widthof 8557, 8562
\windowbox . 15885, 15891
\wlog 7814, 7855, 7877
\write 2619, 2954, 2982, 3008, 3036, 3062, 3065, 3099, 3102, 4560, 6344, 6347, 6551, 19204, 21370
\WriteEndXPostoaux 2980
\WriteEndXYPostoaux 3097
\WriteEndYPostoaux 3034
\WriteStartXPostoaux 2951
\WriteStartXYPostoaux 3059
\WriteStartYPostoaux 3005
\wstrutbox . 15795, 15797

X

\x 4105, 4106, 4572, 4575, 8453, 8454, 8457, 8458, 8463, 8467, 8471, 8472, 8475, 8476, 8481, 8485, 13159, 13168, 13170, 13182
\XC@@tmp 20909, 20910, 20924, 20958, 20959, 20967, 20971
\XC@@tstfalse 20909, 20958
\XC@@tsttrue .. 20910, 20911, 20912, 20959, 20960, 20961
\XC@bidideclaredc@lor 20965, 20970
\XC@bidideclaredcolor 20964, 20966
\XC@bidiundeclaredcolor 20949, 20951
\XC@coremodel 20893, 20936
\XC@current@color 20921, 20924, 20925, 20955, 20971, 20972
\XC@declaredc@lor 20916, 20923
\XC@declaredcolor 20915
\XC@display ... 20922, 20926, 20956, 20973
\XC@edef ... 20909, 20958
\XC@fbox 20977
\XC@getmodclr 20889, 20932
\XC@inflate . 20903, 20946
\XC@let@Nc . 20924, 20971
\XC@mclr ... 20903, 20946
\XC@mmod 20901, 20902, 20944, 20945
\XC@mul 20904, 20947
\XC@split 20967
\XC@tgt@mod . 20897, 20940
\XC@type ... 20910, 20959
\XC@undeclaredcolor 20906, 20917
\xcolor@ ... 20921, 20955
\xdef 333, 393, 2056, 2801, 2936, 3232, 3233, 3236, 3237, 3254, 3255, 3258, 3259, 3649, 4451, 4606, 6362, 6364, 6445, 6447, 6449, 7570, 7572, 7633, 7635, 7735, 7741, 7745, 8231, 8252, 8297, 8303, 8304, 8349, 8355, 8356, 10497, 10511, 10559, 10573, 10743, 11047, 11049,

11083, 11085, 11448, 11916, 11918, 11965, 11967, 12108, 12769, 13406, 13978, 14923, 14925, 15023, 15025, 15739, 15746, 15753, 19341, 20466, 20470, 20491, 20495, 20557, 20561, 20836, 20841, 20862, 20863, 20865, 20866, 21392, 21394, 21439, 21441
\XeLaTeX 13151, 21082, 21935, 21936
\XeTeX .. 13150, 15989, 21080, 21933, 21934
\XeTeXcharclass 1785, 1786, 1787, 1788, 1789
\XeTeXinterchartokenstate 1782
\XeTeXinterchartoks 1790
\xm .. 8454, 8458, 8472, 8476
\xxm . 8462, 8466, 8480, 8484
\xyzzy 5387

Y

\y ... 8454, 8458, 8462, 8466, 8471, 8472, 8475, 8476, 8480, 8481, 8484, 8485, 13155, 13157, 13158, 13161, 13168
\ym .. 8471, 8475, 8481, 8485
\yourmailname 18394
\yourrefname 18388
\yym . 8453, 8457, 8463, 8467

Z

\z@ ... 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 357, 361, 364, 375, 390, 395, 401, 402, 466, 513, 525, 530, 557, 596, 601, 602, 612, 616, 617, 646, 647, 650, 652, 665, 690, 742, 759, 817, 861, 865, 866, 873, 874, 877, 880, 892, 909, 946, 949, 994, 1011, 1057, 1069, 1113, 1117, 1118, 1129, 1130, 1133, 1135, 1148, 1174, 1244, 1261, 1319, 1356, 1382, 1386, 1389, 1402, 1424, 1432, 1450, 1460, 1462, 1472, 1474, 1479, 1493, 1495, 1496, 1632, 1637, 1638, 1639, 1641, 1911, 1916, 1917, 1918, 1920, 2274, 2329, 2589, 2599, 2604, 3132, 3149, 3950, 3960, 4680, 4689, 4988, 5221, 5225, 5265, 5269, 5309, 5313, 5899, 5926, 5957, 5969, 6147, 6375, 6378, 6381, 6422, 6423, 6425, 6431, 6445, 6449, 6453, 6454, 6455, 6456, 6457, 6458, 6471, 6545, 6557, 6558, 6565, 6567, 6580, 6582, 6590, 6634, 6638, 6639, 6650, 6651, 6654, 6656, 6669, 6692, 6744, 6746, 6748, 6756, 6773, 6811, 6815, 6816, 6827, 6828, 6831, 6833, 6846, 6869, 6921, 6923, 6925, 6933, 6950, 6984, 7004, 7021, 7026, 7027, 7086, 7133, 7148, 7166, 7168, 7170, 7179, 7193, 7244, 7245, 7256, 7258, 7341, 7343, 7348, 7362, 7364, 7365, 7370, 7371, 7372, 7373, 7374, 7408, 7419, 7537, 7705, 7728, 7761, 7764, 7767, 7775, 7786, 7796, 7799, 7804, 7807, 7811, 7838, 7841, 7847, 7863, 7869, 7923, 7935, 7948, 7967, 7970, 7991, 8219, 8240, 8257, 8258, 8260, 8261, 8269, 8291, 8293, 8296, 8314, 8315, 8317, 8318, 8326, 8343, 8345, 8348, 8671, 8693, 8695, 8697, 8700, 8702, 8704, 8706, 8708, 8709, 8715, 8720, 8734, 8748, 8761, 8845, 8942, 8988, 8998, 9000, 9002, 9011, 9026, 9144, 9150, 9156, 9269, 9274, 9281, 9286, 9293, 9298, 9404, 9405, 9406, 9486, 9592, 9698, 9807, 9916, 10025, 10134, 10243, 10352, 10421, 10494, 10556, 10622, 10626, 10630, 10729, 10730, 10731, 10738, 10739, 10740, 10824, 10839, 10850, 10862, 10945, 10988, 10990, 10992, 11021, 11172, 11229, 11257, 11280, 11282, 11284, 11293, 11295, 11297, 11443, 11497, 11514, 11530, 11557, 11571, 11585, 11599, 11603, 11679, 11684, 11691, 11696, 11703, 11708, 11791, 11841, 11848, 11874, 11875, 11876, 11897,

11898, 12064,
12139, 12140,
12141, 12148,
12155, 12156,
12157, 12158,
12159, 12161,
12162, 12164,
12165, 12167,
12201, 12202,
12203, 12204,
12205, 12207,
12208, 12210,
12211, 12213,
12285, 12291,
13268, 13272,
13288, 13292,
13304, 13316,
13333, 13430,
13473, 13480,
13488, 13501,
13503, 13543,
13550, 13555,
13566, 13638,
13940, 13942,
13974, 13980,
13983, 13988,
13991, 14028,
14042, 14046,
14047, 14050,
14056, 14095,
14116, 14118,
14140, 14169,
14781, 14784,
14808, 14933,
14937, 14947,
15008, 15033,
15037, 15047,
15105, 15122,
15131, 15133,
15154, 15166,
15178, 15198,
15209, 15215,
15492, 15497,
15538, 15548,
15598, 15599,
15600, 15602,
15604, 15609,
15627, 15904,
15948, 15950,
15985, 15986,
15987, 15996,
15997, 16010,
16034, 16035,
16056, 16101,
16102, 16119,
16165, 16169,
16170, 16199,
16200, 16203,
16205, 16218,
16241, 16287,
16289, 16291,
16301, 16318,
16376, 16420,
16424, 16425,
16440, 16457,
16517, 16558,
16571, 16572,
16575, 16577,
16590, 16613,
16652, 16654,
16656, 16709,
16752, 16761,
16788, 16805,
16820, 16841,
16843, 16845,
16879, 16884,
16885, 16943,
16990, 17005,
17023, 17025,
17027, 17036,
17048, 17083,
17084, 17085,
17128, 17129,
17130, 17168,
17172, 17173,
17178, 17182,
17183, 17184,
17189, 17190,
17191, 17196,
17200, 17201,
17243, 17251,
17258, 17260,
17282, 17305,
17323, 17350,
17394, 17419,
17507, 17512,
17557, 17621,
17697, 17700,
17706, 17716,
17726, 17736,
17792, 17800,
17807, 17809,
17831, 17854,
17872, 17899,
17943, 17968,
18087, 18092,
18137, 18201,
18281, 18286,
18289, 18295,
18305, 18315,
18325, 18362,
18491, 18499,
18506, 18508,
18530, 18553,
18571, 18598,
18642, 18667,
18770, 18775,
18820, 18884,
18964, 18969,
18972, 18978,
18988, 18998,
19008, 19049,
19050, 19051,
19052, 19057,
19058, 19062,
19074, 19108,
19131, 19143,
19147, 19240,
19244, 19251,
19262, 19308,
19309, 19319,
19323, 19324,
19325, 19328,
19337, 19338,
19340, 19341,
19343, 19351,
19356, 19371,
19457, 19458,
19532, 19622,
19640, 19733,
19912, 20020,
20049, 20359,
20363, 20441,
20446, 20451,
20499, 20625,
20811, 20818,
20819, 20837,
20853, 20856,
20865, 20866,
20868, 20872,
20879, 20880,
20881, 20882,
20977, 20982,
20984, 21032,
21036, 21037,
21042, 21046,
21047, 21076,
21077, 21078,
21129, 21130,
21131, 21208,
21217, 21226,
21235, 21239,

21259, 21260, 21290, 21301, 21309, 21314, 21323, 21539, 21543, 21583, 21587, 21628, 21632, 21635, 21645, 21646, 21650, 21657, 21694, 21720, 21733, 21773, 21774
\z@skip . . 2329, 11227, 11228, 14116, 14119, 16116, 19112, 19117, 19150, 19156, 21238, 21239, 21294, 21300, 21720
\zap@space 4317, 4404, 4440
\zifrefundefined 11346, 11369
\zref@extractdefault 11351, 11372
\zref@labelbyprops 11317, 11392
□
\ 1788
\ 1788
□
\ 1789
\ 1789