

# LAPORAN UTS

## MEMBUAT WEBSITE DAN GITHUB PAGES

### DIBUAT OLEH:


Nama : Melodi Aurellia Permata Siswanto

NIM : 162012133049


Tanggal Praktikum : 30 Oktober 2021

### LAPORAN PRAKTIKUM:


- Buat repository baru




- karena ingin membuat github pages maka nama repositorynya harus username/github.io lalu create repository



- pilih folder yang berisi html,css website untuk git bash here



- kita harus membuat folder tersebut menjadi repository lokal menggunakan perintah git init, setelah muncul tulisan master maka folder telah menjadi repository lokal



```


MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2
$ git init
Initialized empty Git repository in E:/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2/.git/

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git remote add origin https://github.com/melodiaurellia/melodiaurellia.github.io.git

```

- selanjutnya untuk menghubungkan repository lokal kita dengan repository github pages menggunakan git remote add origin <https://github.com/username/username.github.io.git>
- cek menggunakan git remote jika sudah muncul origin maka sudah terconnect



```


MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git remote add origin https://github.com/melodiaurellia/melodiaurellia.github.io.git

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git remote
origin

```

- kita cek statusnya untuk mencari apakah ada kesalahan, ternyata masih ada files yang tidak terdeteksi yang berwarna merah



```

MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git status
On branch master


No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      assets/
      index.html
      project.mobirise

nothing added to commit but untracked files present (use "git add" to track)

```


- kita lakukan commant git add . agar semua files yang ada di dalam repo lokal kita dapat terdeteksi

 MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS\_alpro2

```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git add .
warning: LF will be replaced by CRLF in assets/bootstrap/css/bootstrap-grid.min.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/bootstrap/css/bootstrap-reboot.min.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/bootstrap/css/bootstrap.min.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/bootstrap/js/bootstrap.bundle.min.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/dropdown/css/style.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/dropdown/js/navbar-dropdown.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/mbr-switch-arrow/mbr-switch-arrow.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/mobirise/css/mbr-additional.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/parallax/jarallax.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/parallax/jarallax.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/player/vimeo/vimeo_player.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/smoothscroll/smooth-scroll.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/socicon/css/styles.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/socicon/fonts/socicon.svg.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/theme/css/style.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/theme/js/script.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/web/assets/mobirise-icons/mobirise-icons.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/web/assets/mobirise-icons/mobirise-icons.svg.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/web/assets/mobirise-icons2/mobirise2.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/web/assets/mobirise-icons2/mobirise2.svg.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in assets/ytplayer/index.js.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in project.mobirise.
The file will have its original line endings in your working directory
```

-

- setelah itu kita lakukan git status lagi untuk mengecek kembali, ternyata semua file telah tertrack sehingga berwarna hijau

 MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS\_alpro2

```


No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   assets/bootstrap/css/bootstrap-grid.min.css
    new file:   assets/bootstrap/css/bootstrap-reboot.min.css
    new file:   assets/bootstrap/css/bootstrap.min.css
    new file:   assets/bootstrap/js/bootstrap.bundle.min.js
    new file:   assets/dropdown/css/style.css
    new file:   assets/dropdown/js/navbar-dropdown.js
    new file:   assets/images/ava-980x1309.jpg
    new file:   assets/images/background-800x480.jpg
    new file:   assets/images/background1-626x368.jpg
    new file:   assets/images/background7.jpg
    new file:   assets/images/hashe.json
    new file:   assets/images/mbr-1076x694.jpg
    new file:   assets/images/mbr-1076x718.jpg
    new file:   assets/images/mbr-1920x1188.jpg
    new file:   assets/mbr-switch-arrow/mbr-switch-arrow.js
    new file:   assets/mobirise/css/mbr-additional.css
    new file:   assets/parallax/jarallax.css
    new file:   assets/parallax/jarallax.js
    new file:   assets/playervimeo/vimeo_player.js
    new file:   assets/smoothscroll/smooth-scroll.js
    new file:   assets/socicon/css/styles.css
    new file:   assets/socicon/fonts/socicon.eot
    new file:   assets/socicon/fonts/socicon.svg
    new file:   assets/socicon/fonts/socicon.ttf
    new file:   assets/socicon/fonts/socicon.woff
    new file:   assets/socicon/fonts/socicon.woff2
    new file:   assets/theme/css/style.css
    new file:   assets/theme/js/script.js
    new file:   assets/web/assets/mobirise-icons/mobirise-icons.css
    new file:   assets/web/assets/mobirise-icons/mobirise-icons.eot
    new file:   assets/web/assets/mobirise-icons/mobirise-icons.svg
    new file:   assets/web/assets/mobirise-icons/mobirise-icons.ttf
    new file:   assets/web/assets/mobirise-icons/mobirise-icons.woff
    new file:   assets/web/assets/mobirise-icons2/mobirise2.css
    new file:   assets/web/assets/mobirise-icons2/mobirise2.eot
    new file:   assets/web/assets/mobirise-icons2/mobirise2.svg
    new file:   assets/web/assets/mobirise-icons2/mobirise2.ttf
    new file:   assets/web/assets/mobirise-icons2/mobirise2.woff
    new file:   assets/ytpayer/index.js
    new file:   index.html
    new file:   project.mobirise

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ |

```

- Setelah itu kita melakukan commit menggunakan `git commit -m` yang diberi tanda first commit


 MINGW64:/e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS\_alpro2

```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git commit -m "first commit"
[master (root-commit) 26803e0] first commit
41 files changed, 7233 insertions(+)
create mode 100644 assets/bootstrap/css/bootstrap-grid.min.css
create mode 100644 assets/bootstrap/css/bootstrap-reboot.min.css
create mode 100644 assets/bootstrap/css/bootstrap.min.css
create mode 100644 assets/bootstrap/js/bootstrap.bundle.min.js
create mode 100644 assets/dropdown/css/style.css
create mode 100644 assets/dropdown/js/navbar-dropdown.js
create mode 100644 assets/images/ava-980x1309.jpg
create mode 100644 assets/images/background-800x480.jpg
create mode 100644 assets/images/background1-626x368.jpg
create mode 100644 assets/images/background7.jpg
create mode 100644 assets/images/hashe.json
create mode 100644 assets/images/mbr-1076x694.jpg
create mode 100644 assets/images/mbr-1076x718.jpg
create mode 100644 assets/images/mbr-1920x1188.jpg
create mode 100644 assets/mbr-switch-arrow/mbr-switch-arrow.js
create mode 100644 assets/mobirise/css/mbr-additional.css
create mode 100644 assets/parallax/jarallax.css
create mode 100644 assets/parallax/jarallax.js
create mode 100644 assets/playervimeo/vimeo_player.js
create mode 100644 assets/smoothscroll/smooth-scroll.js
create mode 100644 assets/socicon/css/styles.css
create mode 100644 assets/socicon/fonts/socicon.eot
create mode 100644 assets/socicon/fonts/socicon.svg
create mode 100644 assets/socicon/fonts/socicon.ttf
create mode 100644 assets/socicon/fonts/socicon.woff
create mode 100644 assets/socicon/fonts/socicon.woff2
create mode 100644 assets/theme/css/style.css
create mode 100644 assets/theme/js/script.js
create mode 100644 assets/web/assets/mobirise-icons/mobirise-icons.css
create mode 100644 assets/web/assets/mobirise-icons/mobirise-icons.eot
create mode 100644 assets/web/assets/mobirise-icons/mobirise-icons.svg
create mode 100644 assets/web/assets/mobirise-icons/mobirise-icons.ttf
create mode 100644 assets/web/assets/mobirise-icons/mobirise-icons.woff
create mode 100644 assets/web/assets/mobirise-icons2/mobirise2.css
create mode 100644 assets/web/assets/mobirise-icons2/mobirise2.eot
create mode 100644 assets/web/assets/mobirise-icons2/mobirise2.svg
create mode 100644 assets/web/assets/mobirise-icons2/mobirise2.ttf
create mode 100644 assets/web/assets/mobirise-icons2/mobirise2.woff
create mode 100644 assets/ytplayer/index.js
create mode 100644 index.html
create mode 100644 project.mobirise

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$
```



- cek menggunakan git status, jika sudah berada di branch master maka kita tinggal lakukan git push -u origin master




```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git status
On branch master
nothing to commit, working tree clean

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git push -u origin master
Enumerating objects: 68, done.
Counting objects: 100% (68/68), done.
Delta compression using up to 4 threads
Compressing objects: 100% (55/55), done.
Writing objects: 100% (68/68), 1.50 MiB | 1.63 MiB/s, done.
Total 68 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/melodiaurellia/melodiaurellia.github.io.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ |
```

- Cek menggunakan git status dan branchnya sudah up to date




```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.


nothing to commit, working tree clean

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ |
```

- seperti yang kita lihat files website kita sudah berada di repo github pages



- cek halaman website kita dan jika sudah nampak seperti apa yang kita buat maka sudah aman





- jika ingin mengupdate github pages maka hal yang harus kita lakukan adalah git add .

```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html
```

- lalu lakukan git commit dan git push, nanti secara otomatis github pages kita akan ter update

```
lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git commit -m "second commit"
[master 112aeff] second commit
1 file changed, 1 deletion(-)

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 351 bytes | 351.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/melodiaurellia/melodiaurellia.github.io.git
26803e0..112aeff master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

lenovo@Melody MINGW64 /e/Kuliah TSD/Sem 3/Alpro 2/Tugas/webUTS_alpro2 (master)
```

## - beberapa part kode html

```

"index - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="generator" content="Mobirise v5.5.0, mobirise.com">
<meta name="viewport" content="width=device-width, initial-scale=1, minimum-scale=1">
<link rel="shortcut icon" href="assets/images/background7.jpg" type="image/x-icon">
<meta name="description" content="">

<title>Home</title>
<link rel="stylesheet" href="assets/web/assets/mobirise-icons2/mobirise2.css">
<link rel="stylesheet" href="assets/web/assets/mobirise-icons/mobirise-icons.css">
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap-grid.min.css">
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap-reboot.min.css">
<link rel="stylesheet" href="assets/parallax/jarallax.css">
<link rel="stylesheet" href="assets/dropdown/css/style.css">
<link rel="stylesheet" href="assets/socicon/css/styles.css">
<link rel="stylesheet" href="assets/theme/css/style.css">
<link rel="preload" href="https://fonts.googleapis.com/css?family=Jost:100,200,300,400,500,600,700,800,900,100i,200i,300i,400i,500i,600i,700i,800i,900i&display=swap"
noscript><link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Jost:100,200,300,400,500,600,700,800,900,100i,200i,300i,400i,500i,600i,700i,800i,900i&
<link rel="preload" as="style" href="assets/mobirise/css/mbr-additional.css"><link rel="stylesheet" href="assets/mobirise/css/mbr-additional.css" type="text/css">

</head>
<body>

<section data-bs-version="5.1" class="menu cid-s480LK6784" once="menu" id="menu1-h">

<nav class="navbar navbar-dropdown navbar-fixed-top navbar-expand-lg">
<div class="container-fluid">
<div class="navbar-brand">

<span class="navbar-caption-wrap"><a class="navbar-caption text-black text-primary display-7" href="index.html#top">Melodi Aurellia Permeta Siswanto</a>
</div>

<div class="row row-links">
<ul class="foot-menu">

<li class="foot-menu-item mbr-fonts-style display-7">
<div><span style="font-size: 1.2rem;"><a href="assets/files/LaporanUTS_alpro2.pdf" class="text-white">PDF Midterm Exam Project Report</a></span><br></div></li></ul>
</div>
<div class="row social-row">
<div class="social-list align-right pb-2">

<div class="soc-item">
<a href="https://instagram.com/melodiaurellia" target="_blank">
<span class="mbr-iconfont mbr-iconfont-social socicon-instagram socicon"></span>
</a>
</div><div class="soc-item">
<a href="https://github.com/melodiaurellia" target="_blank">
<span class="mbr-iconfont mbr-iconfont-social socicon-github socicon"></span>
</a>
</div></div>
</div>
<div class="row row-copyright">
<p class="mbr-text mb-0 mbr-fonts-style mbr-white align-center display-7">
© Copyright 2025 Mobirise. All Rights Reserved.
</p>
</div>
</div>
</div>
</section><section style="background-color: #fff; font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto', 'Helvetica Neue', Arial, sans-serif; color:#aaa;
</body>
</html>

```