







Comment	Description	Designator	Footprint	LibRef	Quantity
Ceramic capacitor,					
0.1μF, X7R, ±10%,		C1	CAP: 0805	Ceramic_0805	1
16V, 0805, -			CAP. 0003	Ceramic_0005	'
55+125°C					
Part Number:	No Description Available	C2, C3	CAP_J-V_10X10P00	35TZV330M10X10.5	2
35TZV330M10X10.5					
	Board-To-Board				
2x1	Connector, Straight,	In, Out, Vcc	2x1 SMD	2x1	
	AMPMODU Mod II				3
	Series, Through Hole,				
	Header, 2, 2.54 mm				
Resistor film, 10K,					
±5%, 0805, 0.125W, -		R1, R7, R8, R12	RES: 0805	Resistor_0805	4
55+125°C					
Resistor film, 15K,					
±5%, 0805, 0.125W, -		R2, R11	RES: 0805	Resistor_0805	2
55+125°C					
Resistor film, 130K,					
±5%, 0805, 0.125W, -		R4	RES: 0805	Resistor_0805	1
55+125°C					
Resistor film, 33, ±5%,					
0805, 0.125W, -		R9, R10	RES: 0805	Resistor_0805	2
55+125°C					
LM311DR	Differential	U1	D8	LM311DR	1
	Comparator With				
	Strobes				
NPN transistor, 45V,					
100mA, 100MHz,	VT1, VT3	SOT23	BJT_NPN_132	2	
300mW, 0.6V, 420,				2	
SOT-23, -55+125°C					
PNP transistor, 45V,					
100mA, 100MHz,		VT2	SOT23	BJT_PNP_123	1
300mW, 0.65V, 220,		VIZ			'
SOT-23, -55+125°C					