

# git cheat sheet

## Viewing and Staging Changes

List changed files in your working directory

```
$ git status
```

List changes to tracked files

```
$ git diff
```

List changes between staging and last version of tracked files (--staged is a synonym of --cached)

```
$ git diff --staged
```

View the changes in the last commit

```
$ git diff HEAD HEAD^
```

Add a file to the next commit

```
$ git add <file>
```

Add some of the changes (hunks) in <file> to the next commit

```
$ git add -p <file>
```

Add all current changes to the next commit

```
$ git add . / $ git add -all
```

Permanently mark a local file as unchanged

```
$ git update-index --assume-unchanged -- file
```

See all changes in a branch that came in with the last pull operation

```
$ git diff <branch>@{1} <branch>
```

## Create

Clone an existing repository to your machine

```
$ git clone <url>
```

Create a new local repository

```
$ git init
```

## Commit

Commit staged changes

```
$ git commit
```

Commit all local changes in tracked files

```
$ git commit -a
```

Change the last commit (Don't amend published commits!)

```
$ git commit --amend
```

Commit with an inline message

```
$ git commit -m "<message>"
```

## Basic Commit History

Show all commits, starting with newest

```
$ git log
```

Show changes over time for a specific file

```
$ git log -p <file>
```

Who changed what and when in a file

```
$ git blame <file>
```

## Branches & Tags

List local branches

```
$ git branch
```

List all branches (including remote)

```
$ git branch -a
```

Switch to branch (automatically tracks remote)

```
$ git checkout <branch>
```

Create a new branch based on your current HEAD

```
$ git branch <new-branch>
```

Create a new branch based on your current HEAD and switch to it

```
$ git checkout -b <new-branch>
```

Delete a local branch

```
$ git branch -d <branch>
```

Rename a local branch

```
$ git branch -m <old-name> <new-name>
```

Mark the current commit with a tag

```
$ git tag <tag-name>
```

## Remotes

List all currently configured remotes

```
$ git remote -v
```

Show detailed information about a remote (local and remote branch listing, reference status)

```
$ git remote show <remote>
```

Add new remote repository

```
$ git remote add <shortname> <url>
```

Change a remote's URL

```
$ git remote set-url <remote>  
<url>
```

## Rebase

Rebase your current HEAD onto a branch (Don't rebase published commits!)

```
$ git rebase <branch>
```

Abort a rebase

```
$ git rebase --abort
```

Continue a rebase after resolving conflicts

```
$ git rebase -continue
```

Rebase by altering individual commits in the process / rewrite history

```
$ git rebase -i <base>
```

Apply an existing from to the HEAD

```
$ git cherry-pick <sha1>
```

Apply a range of commits to the HEAD

```
$ git cherry-pick <sha1>..<sha1>
```

## Network Operations

Download all changes from <remote>, but don't integrate into HEAD

```
$ git fetch <remote>
```

Download changes and directly merge/integrate into HEAD

```
$ git pull <remote> <branch>
```

Publish local changes on a remote

```
$ git push <remote> <branch>
```

Push local changes to the tracked remote branch of the current branch

```
$ git push
```

Delete a branch on the remote

```
$ git branch -dr <remote/branch>
```

...or

```
$ git push <remote> :<branch>
```

...or

```
$ git push <remote> --delete  
<branch>
```

Publish your tags

```
$ git push -tags
```

Publish a newly created, local branch to a remote

```
$ git push -u <remote> <branch>
```

## Merge

Merge a branch into your current HEAD

```
$ git merge <branch>
```

Merge a branch into your current HEAD, avoiding fast forward

```
$ git merge --no-ff <branch>
```

Use your editor to manually solve conflicts and (after resolving) mark file as resolved

```
$ git add <resolved-file>
```

...or if the conflicted file is no longer required

```
$ git rm <resolved-file>
```

## Patching

Create a patch against a specified base

```
$ git format-patch <base> --stdout  
> <patch-name>.patch
```

Take a look at the change set in a patch

```
$ git apply --stat <patch-file>
```

Test if a patch is going to cause collisions

```
$ git apply --check <patch-file>
```

Apply a patch as the original sequence of commits that are packaged in it

```
$ git am <patch-file>
```

Apply a patch as the original sequence of commits that are packaged in it and keep the original timestamps

```
$ git am --committer-date-is-  
author-date <patch-file>
```

## Undo

Discard all local changes in your working directory

```
$ git reset --hard HEAD
```

Discard local changes in a specific file

```
$ git checkout HEAD <file>
```

Revert a commit (by producing a new commit with contrary changes)

```
$ git revert <commit>
```

Reset to a previous commit...

...and discard all changes since then

```
$ git reset --hard <commit>
```

...and preserve all changes as unstaged changes

```
$ git reset <commit>
```

...and preserve uncommitted local changes

```
$ git reset --keep <commit>
```

Access the local action history (and potentially save lost work)

```
$ git reflog
```

Remove all untracked local files

```
$ git clean -f
```

Check which local files would be removed

```
$ git clean -n
```

## Logging

Limit number of commits to be shown

```
$ git log -<limit>
```

Condense each commit to a single line

```
$ git log --oneline
```

Include which files were altered and the relative number of lines that were added or deleted from each of them

```
$ git log --stat
```

Display the full diff of each commit

```
$ git log -p
```

Search for commits by a particular author

```
$ git log --author="<pattern>"
```

Search for commits with a commit message that matches a pattern

```
$ git log --grep="<pattern>"
```

Show commits that occur between <since> and <until>. Arguments can be a commit ID, branch name, HEAD, or any other kind of revision reference

```
$ git log <since>..<until>
```

Only display commits that have the specified file

```
$ git log -- <file>
```

Draw a text-based graph of commits on left side of commit messages.

```
$ git log --graph
```

Add names of branches or tags of commits shown next to the graph

```
$ git log --graph --decorate
```

## Stashing

Temporarily store all modified tracked files

```
$ git stash
```

Restore the most recently stashed files and throw away the stashed change set

```
$ git stash pop
```

Restore the most recently stashed files and keep the stashed change set

```
$ git stash apply
```

List all stashed change sets

```
$ git stash list
```

View contents of a stash change set

```
git stash show -p stash@{<stash id>}
```

Discard the most recently stashed change set

```
$ git stash drop
```

## Miscellaneous

List all ignored files in this project

```
$ git ls-files --other --ignored --exclude-standard
```

Find the hash of the common ancestor of two commits

```
git merge-base --octopus <sha1> <sha1>
```

Show the contents of a commit or tag

```
$ git show <identifier>
```



[goo.gl/VaDaHw](https://goo.gl/VaDaHw)