

user_logins
<u>id</u> [bigint, not null]
email [varchar, not null, uniq]
password [varchar, not null, uniq]
created_at [datetime, not null]
updated_at [datetime, not null]

user_profiles
<u>id</u> [bigint, not null]
user_id [bigint, not null, FK(user_logins)]
tell [varchar, null, uniq]
name [varchar, null]
self_introduction [varchar, null]
place [varchar, null]
website [varchar, null]
birth [date, null]
profile_img [varchar, null]
avatar_img [varchar, null]
created_at [datetime, not null]
updated_at [datetime, not null]

tweets
<u>id</u> [bigint, not null]
tweet [varchar, not null]
user_profile_id [bigint, not null, FK(user_profiles)]
created_at [datetime, not null]
updated_at [datetime, not null]

retweets
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_profile_id [bigint, not null, FK(user_profiles)]
created_at [datetime, not null]
updated_at [datetime, not null]

goods
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_profile_id [bigint, not null, FK(user_profiles)]
created_at [datetime, not null]
updated_at [datetime, not null]

user_follows
<u>id</u> [bigint, not null]
follow_user_profile_id [bigint, not null, FK(user_profiles)]
user_profile_id [bigint, not null, FK(user_profiles)]
created_at [datetime, not null]
updated_at [datetime, not null]

chat_rooms
<u>id</u> [bigint, not null]
created_at [datetime, not null]
updated_at [datetime, not null]

bookmarks
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_id [bigint, not null, FK(user_profiles)]
created_at [datetime, not null]
updated_at [datetime, not null]

chats
<u>id</u> [bigint, not null]
chat_room_id [bigint, not null, FK(chat_rooms)]
message [varchar, not null]
user_profile_id [bigint, not null, FK(user_profiles)]
send_datetime [datetime, not null]
created_at [datetime, not null]
updated_at [datetime, not null]

