

Task1

Positive test

1. Test 1 purchase.js

Use case: User buy labs backpack

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Click cart
- Click checkout
- Insert name
- Insert surname
- Insert zip code
- Click continue
- Click finish

Results: OK. 6 assertions passed. (3.376s) **PASSED**

2. Test 2 purchaseMore.js

Use case: User buy labs backpack and AlltheThings() t-shirt

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Adding AlltheThings() t-shirt
- Click cart
- Click checkout
- Insert name
- Insert surname
- Insert zip code
- Click continue
- Click finish

Results: OK. 7 assertions passed. (3.93s) **PASSED**

3. Test 2 missingName.js

Use case: User buy labs backpack missing the name during the order

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Click cart
- Click checkout
- Leaving null the name
- Insert surname
- Insert zip code
- Click continue

Results: OK. 6 assertions passed. (4.01s) **PASSED**

4. Test 2 missingSurname.js

Use case: User buy labs backpack missing the surname during the order

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Click cart
- Click checkout
- insert name
- Leaving null the surname
- Insert zip code
- Click continue

OK. 6 assertions passed. (2.932s) **PASSED**

5. Test 2 missingZip.js

Use case: User buy labs backpack missing the zipcode during the order

- Connection
- Insert name
- Insert password
- Click login button

- Adding labs backpack
- Click cart
- Click checkout
- insert name
- insert surname
- leaving null zip code
- Click continue

OK. 6 assertions passed. (5.726s) **PASSED**

Negative tests

1. wrongZip.js

Use case: User buy labs backpack missing the name during the order

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Click cart
- Click checkout
- insert name
- insert surname
- insert zip code with letters
- Click continue
- Click finish

OK. 6 assertions passed. (4.935s) **FAILED***

*The system allows you to create an order without a product

2. removeFromBasket.js

Use case: User buy labs backpack missing the name during the order

- Connection
- Insert name
- Insert password
- Click login button
- Adding labs backpack
- Click cart
- Click remove labs backpack
- Click checkout

- insert name
- insert surname
- insert zip code with letters
- Click continue
- Click finish

OK. 6 assertions passed. (3.101s) **FAILED***

*The system allows you to create an order with a wrong zip code made by letters.

Antonio Melpignano