
XAMPP Control Panel v3.3.0 [Compiled: Apr 6th 2021]
XAMPP Control Panel v3.3.0
Modules
Service
Module
PID(s)
Port(s)
Actions
Apache
MySQL
FileZilla
Mercury
Tomcat
Start
Admin
Config
Logs
Config
Netstat
Shell
Explorer
Services
Help
Quit
4:09:12 p. m. [main] there will be a security dialogue or things will break! So think
4:09:12 p. m. [main] about running this application with administrator rights!
4:09:12 p. m. [main] XAMPP Installation Directory: "c:\xampp\"
4:09:12 p. m. [main] Checking for prerequisites
4:09:12 p. m. [main] All prerequisites found
4:09:12 p. m. [main] Initializing Modules
4:09:12 p. m. [main] Starting Check-Timer
4:09:12 p. m. [main] Control Panel Ready


XAMPP Control Panel v3.3.0 [Compiled: Apr 6th 2021]
XAMPP Control Panel v3.3.0
Modules
Service
Module
PID(s)
Port(s)
Actions
Apache
MySQL
FileZilla
Mercury
Tomcat
Start
Config
Netstat
Shell
Apache (httpd.conf)
Apache (httpd-ssl.conf)
Apache (httpd-xampp.conf)
PHP (php.ini)
phpMyAdmin (config.inc.php)
<Browse> [Apache]
<Browse> [PHP]
<Browse> [phpMyAdmin]
4:09:12 p. m. [main] there will be a security dialogue or things will break! S
4:09:12 p. m. [main] about running this application with administrator rights
4:09:12 p. m. [main] XAMPP Installation Directory: "c:\xampp\"
4:09:12 p. m. [main] Checking for prerequisites
4:09:12 p. m. [main] All prerequisites found
4:09:12 p. m. [main] Initializing Modules
4:09:12 p. m. [main] Starting Check-Timer
4:09:12 p. m. [main] Control Panel Ready



Reemplazar todos los 3306 por el Puerto actual.




XAMPP Control Panel v3.3.0
Config
Netstat
Shell
Service Settings
Use this form to set service-specific and default port settings. You can set the name and default ports the XAMPP Control Panel will check. Do not include spaces or quotes in names. This does NOT change the ports that the services and programs use. You still need to change those in the services' configuration files.
Apache
MySQL
FileZilla
Mercury
Tomcat
Apache Settings
Service Name
Main Port
SSL Port
Apache2.4
80
443
Abort
Save
[main] All prerequisites found
[main] Initializing Modules
[main] Starting Check-Timer
[main] Control Panel Ready
FileZilla
Tomcat
Mercury
Selected modules will be started on next launch of the Control Panel.
Start Control Panel Minimized
Enable Tomcat output window
Check default ports on startup
Show debug information
Change Language
Service and Port Settings
User Defined Files
Log Options
Abort
Save
with the "--help" option.
The following options will be passed to all
[client]
# password = your_password
port=3306
socket="C:/xampp/mysql/mysql.sock"


Service Settings
Use this form to set service-specific and default port settings. You can set the name and default ports the XAMPP Control Panel will check. Do not include spaces or quotes in names. This does NOT change the ports that the services and programs use. You still need to change those in the services' configuration files.
Apache
MySQL
FileZilla
Mercury
Tomcat
MySQL Settings
Service Name
Main Port
mysql
3306
Abort
Save


equipo › Disco local (C:) › xampp › mysql › bin
Nombre
Fecha de modificación
Tipo
Tamaño
my.ini
16/12/2023 8:03 a. m.
Opciones de confi...
6 KB
my_print_defaults.exe
2/11/2022 8:23 a. m.
Aplicación
3.337 KB
myisam_ftdump.exe
2/11/2022 8:24 a. m.
Aplicación
3.516 KB


my.ini: Bloc de notas
Archivo Edición Formato Ver Ayuda
installation this directory is C:/xampp/mysql/data) or
~/.my.cnf to set user-specific options.
#
In this file, you can use all long options that a program supports.
If you want to know which options a program supports, run the program
with the "--help" option.
The following options will be passed to all MySQL clients
[client]
# password = your_password
port=3306
socket="C:/xampp/mysql/mysql.sock"
# Here follows entries for some specific programs
# The MySQL server
default-character-set=utf8mb4
[mysqld]
port=3306
socket="C:/xampp/mysql/mysql.sock"
basedir="C:/xampp/mysql"
tmpdir="C:/xampp/tmp"
datadir="C:/xampp/mysql/data"