Test Specification Report CoDeAs Team 2

11-Feb-2021 19:57:36

Table of Contents

1. controllerTest	2
1.1. No Charge	2
	2
	5
 1.2.1. Scenario9	5
	9
	9
	11
	14
	16
	18
	18
	20
	23
	27
<u>1.5.1. Scenario i i</u>	

1. controllerTest

Test File Options

Close open figures	true
Store MATLAB figures	false
Generate report	false


1.1. No Charge

1.1.1. **Scenario 10**

Description	State = no charge
	AccPedal = exponential growth and decay over time
	BrakePedal = 0
	SOC = between 0 and 0.1

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts10.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs10.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			

Name	Source	Port In dex	Plot In dex
• ICreq	controllerModel/TrqDemController	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Logical and Temporal Assessments

Assessments

Enabled	Name	Definition	Requirements
True	Assessment1	At any point of time, ICreq <= AccPedal ICreq <= 1 must be true	

Symbols

Symbol	Scope	Metadata	
ICreq	Signal		
		Name	ICreq
		Path	controllerModel/TrqDemController
		Port Index	1
		Field/Element	
AccPedal	Signal		
		Name	AccPedal

1. controllerTest

Symbol	Scope		Metadata
		Path	controllerModel/AccPedal
		Port Index	1
		Field/Element	

1.2. **Dead**

Test Details


Description D	Pead case suite of tests
---------------	--------------------------

1.2.1. Scenario 9

Description	Scenario 9:
	State = dead
	AccPedal = exp growth and decay
	BrakePedal = 0
	SOC = from 0.1 to 0

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts9.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs9.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			

Name	Source	Port In dex	Plot In dex
• ICreq	controllerModel/TrqDemController	1	
• MGUreq	controllerModel/TrqDemController	2	
• IC_MGU	controllerModel/Sum	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Dead_baseline.mat (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
IC_MGU (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
• ICreq (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 95e- 07	0	0

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
MGUreq (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
• ICreq (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
• IC (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
• MGU (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
MGUreq (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
MGUbrk (Active)	9.99 9999 9999 9999	9.99 9999 9999 9999	0	0

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
	95e- 07	95e- 07		
FrontBrake (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0
MGUbrk+Brake (Active)	9.99 9999 9999 9999 95e- 07	9.99 9999 9999 9999 95e- 07	0	0

1.3. Combined

Test Details


Description	Combined case suite of tests

1.3.1. **Scenario 1**

Description	Scenario 1:
	State = combined
	AccPedal = pulse signal of amplitude 0.5, width 0.5 and period 10 seconds
	BrakePedal = 0

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts1.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs1.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
• IC_MGU	controllerModel/Sum	1	

Configuration Settings Overrides


Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Combined_Baseline1.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
• IC_MGU (Active)	1.00 0000 0000 0000 01e- 05	0.00	0.001	0.001


1.3.2. **Scenario 2**

Description	Scenario 2:
-------------	-------------



System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts2.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Univer- sità\Compliance\hybrid-controller\Hybrid-	Successfully mapped in- puts.

1. controllerTest

Name	File Path	Status
	controller\Test\ControllerTest\testScenar- ios\controllerInputs2.mat	

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
• IC_MGU	controllerModel/Sum	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Combined_Baseline2.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
• IC_MGU (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001


1.3.3. **Scenario 3**

Test Details

Description	Scenario 3:
	State = combined
	AccPedal = pulse signal of amplitude 0.9, width 0.5 and period 10 seconds
	BrakePedal = 0
	SOC = 50%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts3.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs3.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
• IC_MGU	controllerModel/Sum	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Combined_Baseline3.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
IC_MGU (Active)	1.00 0000 0000 0000	0	0.001	0.001

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
	01e- 05			


1.3.4. **Scenario4**

Test Details

Scenario 4:
State = combined
AccPedal = exponential growth and decay over time
BrakePedal = 0
SOC = 50%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts4.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs4.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
• IC_MGU	controllerModel/Sum	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Combined_Baseline4.mat (Active)	1.00 0000 0000 0000	0	0.001	0.001

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
	01e- 05			
IC_MGU (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001

1.4. Regenerative Braking

Test Details


Description	Regenerative Braking case suite of tests
-------------	--

1.4.1. **Scenario 5**

Description	Scenario 5:
	State = regenerative braking
	AccPedal = 0
	BrakePedal = pulse signal of amplitude 0.5, width 0.5 and period 10 seconds.
	SOC = 50%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts5.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs5.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			

Name	Source	Port In dex	Plot In dex
MGUbrk+Brake	controllerModel/Sum1	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Regen_Baseline1.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
MGUbrk+Brake (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001

1.4.2. **Scenario6**


Description	Scenario 6:
	State = regenerative braking
	AccPedal = 0

BrakePedal = pulse signal of amplitude 0.1, width 0.5 and period 10 seconds.

SOC = 50%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts6.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs6.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
MGUbrk+Brake	controllerModel/Sum1	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Regen_Baseline2.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
MGUbrk+Brake (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001

1.4.3. **Scenario 7**

Description	Scenario 7:
-------------	-------------

State = regenerative braking


AccPedal = 0

BrakePedal = pulse signal of amplitude 0.9, width 0.5 and period 10 seconds.

SOC = 100%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts7.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Univer- sità\Compliance\hybrid-controller\Hybrid-	Successfully mapped in- puts.

1. controllerTest

Name	File Path	Status
	controller\Test\ControllerTest\testScenar- ios\controllerInputs7.mat	

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
MGUbrk+Brake	controllerModel/Sum1	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Regen_Baseline3.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
MGUbrk+Brake (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001


1.4.4. **Scenario8**

Test Details

Description	Scenario 8:
	State = regenerative braking
	AccPedal = 0
	BrakePedal = exponential growth and decay over time
	SOC = 50%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts8.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs8.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			
MGUbrk+Brake	controllerModel/Sum1	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings
------------------------	--------------------------------

Baseline Criteria

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
Regen_Baseline4.mat (Active)	1.00 0000 0000 0000 01e- 05	0	0.001	0.001
MGUbrk+Brake (Active)	1.00 0000 0000 0000	0	0.001	0.001

Signal Name	Abs Tol	Rel Tol	Leading Tol	Lagging Tol
	01e- 05			

1.5. Electrical Drive

Test Details


Description	Electrical Drive case suite of tests
-------------	--------------------------------------

1.5.1. **Scenario 11**

Scenario 11:
state = electrical drive
AccPedal = exponential growth and decay
BrakePedal = 0
SOC = from 70% to 15%

System Under Test

Model Name: controllerModel



Simulation Settings Overrides

Simulation Mode	Model Settings
Releases	Current

External Inputs

Name	File Path	Status
controllerIn- puts11.mat (Ac- tive)	C:\Users\mordi\Desktop\Materiale Università\Compliance\hybrid-controller\Hybrid-controller\Test\ControllerTest\testScenarios\controllerInputs11.mat	Successfully mapped in- puts.

Logged Signals

Name	Source	Port In dex	Plot In dex
Signal Set 1			

Name	Source	Port In dex	Plot In dex
• MGUreq	controllerModel/TrqDemController	2	
• ICreq	controllerModel/TrqDemController	1	
MGUbrk+Brake	controllerModel/Sum1	1	
• SOC	controllerModel/SOC	1	

Configuration Settings Overrides

Configuration settings	Do not override model settings

Logical and Temporal Assessments

Assessments

Enabled	Name	Definition	Requirement s
True	Assess- ment1	At any point of time, SOC >= 15 & Brake- Pedal == 0 & (MGUreq <= AccPedal MGUreq <= 1) must be true	

Symbols

Symbol	Scope	Metadata		
SOC	Signal	-		
	3	Name	SOC	
		Path	controllerModel/SOC	

1. controllerTest

Symbol	Scope	Metadata			
		Port Index		1	
		Field/Element			
BrakePedal Signal					
		Name		BrakePedal	
		Path controllerModel/BrakePedal		controllerModel/BrakePedal	
		Port Index		1	
		Field/Element			
MGUreq	Signal				
		Name MGUreq		GUreq	
		Path	cor	controllerModel/TrqDemController	
		Port Index	2		
		Field/Element	ld/Element		
AccPedal	Signal				
		Name		AccPedal	
		Path		controllerModel/AccPedal	

1. controllerTest

Symbol	Scope	Metadata		
		Port Index	1	
		Field/Element		