



PRELIMINARY TASK 7

Linux Games

Submitted By :

Melvina Jose

1st Year CYS

Over The Wire Bandit

Level 0 :

Password : **bandit0**

Level 1 :

Password : **boJ9jbbUNNfktd780OpsqOltutMc3MY1**

```
bandit0@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  .profile  readme
bandit0@bandit:~$ cat readme
boJ9jbbUNNfktd780OpsqOltutMc3MY1
bandit0@bandit:~$
```

Level 2 :

Password : **CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9**

```
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ cat ./-
CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9
bandit1@bandit:~$
```

Level 3 :

Password : **UmHadQclWmgdLOKQ3YNgjWxGoRMb5luK**

```
bandit2@bandit:~$ ls
spaces in this filename
bandit2@bandit:~$ cat spaces in this filename
cat: spaces: No such file or directory
cat: in: No such file or directory
cat: this: No such file or directory
cat: filename: No such file or directory
bandit2@bandit:~$ cat "spaces in this filename"
UmHadQclWmgdLOKQ3YNgjWxGoRMb5luK
bandit2@bandit:~$
```

Level 4 :

Password : **pIwrPrtPN36QITSp3EQaw936yaFoFgAB**

```
bandit3@bandit:~$ ls
inhere
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls
bandit3@bandit:~/inhere$ ls -a
.  ..  .hidden
bandit3@bandit:~/inhere$ cat .hidden
pIwrPrtPN36QITSp3EQaw936yaFoFgAB
bandit3@bandit:~/inhere$
```

Level 5 :

Password : **koReBOKuIDDepwhWk7jZC0RTdopnAYKh**

```
bandit4@bandit:~$ cat ./inhere/-file07
koReBOKuIDDepwhWk7jZC0RTdopnAYKh
bandit4@bandit:~$
```

Level 6 :

Password : **DXjZPULLxYr17uwoI01bNLQbtFemEgo7**

```
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
DXjZPULLxYr17uwoI01bNLQbtFemEgo7
```

Level 7 :

Password : **HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs**

```
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs
bandit6@bandit:~$
```

Level 8 :

Password : **cvX2JJJa4CFALtqS87jk27qwqGhBM9plV**

```
bandit7@bandit:~$ cat data.txt | grep "millionth"
millionth      cvX2JJJa4CFALtqS87jk27qwqGhBM9plV
bandit7@bandit:~$
```

Level 9 :

Password : **UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhR**

```
bandit8@bandit:~$ cat data.txt | sort | uniq -u
UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhR
bandit8@bandit:~$
```

Level 10 :

Password : **truKLdjsbJ5g7yyJ2X2R0o3a5HqJFuLk**

```
bandit9@bandit:~$ strings data.txt | grep ==
===== the*2i"4
===== password
Z)===== is
&===== truKLdjsbJ5g7yyJ2X2R0o3a5HqJFuLk
bandit9@bandit:~$
```

Level 11 :

Password : **IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR**

```
bandit10@bandit:~$ cat data.txt | base64 -d
The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
bandit10@bandit:~$
```

Level 12 :

Password : **5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu**

```
Applications Places Terminal Mar 5 11:40
bandit11@bandit: ~
bandit11@bandit:~$ ls
data.txt
bandit11@bandit:~$ cat data.txt | tr 'a-zA-Z' '[n-za-m][N-ZA-M]'
The password is 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu
bandit11@bandit:~$
```

Level 13 :

Password : **8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL**

```
bandit12@bandit:/tmp/level12$ cat file5
The password is 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL
bandit12@bandit:/tmp/level12$
```

Level 14 :

Password : **4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e**

```
bandit14@bandit: ~
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e
bandit14@bandit:~$
```

Level 15 :

Password : **BfMYroe26WYalil77FoDi9qh59eK5xNr**

```
bandit14@bandit:~$ netcat localhost 30000
4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e
Correct!
BfMYroe26WYalil77FoDi9qh59eK5xNr
bandit14@bandit:~$
```

X-----X