Mathematics

Senior 3 Part I

MELVIN CHIA

Started on 10 April 2023

Finished on XX XX 2023

Actual time spent: XX days

Introduction

Why this book?

Disclaimer

Acknowledgements

Contents

Int	ntroduction 1					
22	Func	tion	4			
	22.1	Definition of a Function	4			
		22.1.1 Practice 1	4			
		22.1.2 Practice 2	6			
		22.1.3 Exercise 22.1	6			
	22.2	Domain and Range	6			
	22.3	Graphs of Functions and Their Transformations	7			
	22.4	Composite Functions	7			
	22.5	One to One Function, Onto Function and One to One Onto Function	7			
	22.6	Inverse Functions	7			
23	Expo	onents and Logarithms	8			
	_	Exponents	8			
		Logarithms				
		Arithmetic Properties of Logarithms and Base Changing Formula				
		Exponential Equations				
		Logarithmic Equations				
		Compound Interest and Annuity	8			
24	Limi	ts	9			
	24.1	Concept of Limits	9			
	24.2	Limits of Functions	9			
	24.3	Arithmetic Properties of Limits of Functions	9			
25	Diffe	rentiation	10			
	25.1	Gradient of Tangent Line on a Curve	10			
	25.2	Gradient of Tangent Line and Derivative	10			
	25.3	Law of Differentiation	10			


25.4 Chain Rule - Differentiation of Composite Functions	10
25.5 Higher Order Derivatives	10
25.6 Implicit Differentiation	10
25.7 Two Basic Limits	10
25.8 Derivatives of Trigonometric Functions	10
25.9 Derivatives of Exponential Functions	10
25.10 Derivatives of Logarithmic Functions	10

Function

22.1 Definition of a Function

Mapping, Preimage and Image


For two non-empty sets A and B, If an element a inside set A has a corresponding element b inside set B, denoted as $a \to b$, then we say that a is mapped to b or a and b are paired. The mapping between two sets is normally denoted as f, g, h, etc. The mapping shown in the diagram below can be denoted as $f: 1 \to x, 2 \to y, 4 \to z$.



Let $f:A\to B$ is a mapping, a is an element in A. If a is mapped to b under the mapping f, then b is said to be the image of a under the mapping f, denoted as b=f(a); a is said to be the preimage of b under the mapping f. In the diagram above, under the mapping f, the image of f, and f are f, f, and f respectively, while the preimage of f, f, and f are f, f, and f respectively.


Let A and B be two non-empty sets, f is a mapping from A to B such that for all elements in A, there is a unique corresponding element in B, then f is a function or a mapping from A to B, denoted as $f: A \rightarrow B$.


The mapping shown in the diagram below is a function.





22.1.1 Practice 1

1. For the following mappings, list the image of each element in *A* and the preimage of each element in *B*, and determine whether the mapping is a function or not:













2. Given a mapping $g: x \to x + 3, x \in \{-2, -1, 0, 1, 2, 3\}$, find the image of each x.


3. Determine whether the following mappings are functions.















The function $f: A \to B$ can be written as y = f(x), x is the element of A and y is the element of B. When x changes, y changes as well. x is called independent variable, while y is called dependent variable.

Keep in mind that f(x) is NOT the product of f and x.

Representation of Functions

Generally speaking, there are a few ways to represent a function:


- 1. Narrative Form: express the function of two sets in words. For example, Let $A = \{1,2,3\}$ and $B = \{1,4,9\}$, f is a function from A to B, its definition is that for any element x in A, its corresponding element is x^2 in B.
- 2. **Arrow Method**: draw an arrow to connect the preimage and image of a function such that the preimage is corresponding to the image. To express the example above, we express it as $f: 1 \rightarrow 1, 2 \rightarrow 4, 3 \rightarrow 9$.
- 3. **Analytical Method**: express the function in the form of mathematical expression to represent the relationship between the independent variable and the dependent variable. For example, $f(x) = x^2, x \in A$.
- 4. Venn Diagram: draw arrows between the venn diagram of two sets to represent the function, as shown below:



5. **Table Method**: express the function in the form of table, showing the relationship of the chosen value between independent variable *x* and the value of its corresponding dependent variable *y*, as shown below:

x	1	2	3
у	1	4	9

6. **Graphical Method**: draw a graph to represent the function of the two variables, as shown below:



22.1.2 Practice 2

Express the following functions using analytical method, venn diagram, table method and graphical method.

- (a) f mapping each integers from -3 to 3 to its squares plus 4.
- (b) g mapping each natural numbers from 1 to 4 to its cubes.

22.1.3 Exercise 22.1

1. Express the mapping from set *A* to set *B*, and determine which of the following mappings are functions.


	Set A	Set B	Mapping
(a)	{0, 3, 9, 12}	{0, 1, 2, 3}	Divide by 3
(b)	{-2, -1, 0, 1, 2}	{0, 1, 4, 9, 16}	Power of 4
(c)	{-2, -1, 0, 1, 2}	{0, 1, 4}	Square
(d)	{30°, 45°, 60°}	$\left\{\frac{1}{2},\frac{\sqrt{2}}{2},\frac{\sqrt{3}}{2}\right\}$	Sine
(e)	{-1, 0, 1, 2}	{-1, 0, 1}	Cube

- 2. Let function $f(x) = 3x^2 + 1$.
 - (a) Find the image of the following elements:
 - i. -3
 - ii. -2
 - iii. 0
 - iv. 2
 - v. 5
 - (b) Find the preimage of the following elements:
 - i. 13
 - ii. 28
 - iii. 1
 - iv. 0
 - v. 4
- 3. Let function g(x) = 5x 2. Find:
 - (a) g(-2)
 - (b) g(-1)
 - (c) g(0)
- 4. Let function $f(x) = \begin{cases} 2x, & x \le -1 \\ x 1, & -1 \le x < 3 \end{cases}$, find $4x + 2, & x \ge 3$
 - (a) f(-5)
 - (b) f(-2)
 - (c) f(0)

- (d) f(2)
- (e) f(10)
- 5. Let $f : \mathbb{R} \to \mathbb{R}$, $f(x) = x^4$. Find the image of -1, 0, 1, and 2 under f.
- 6. Let $f : \mathbb{R} \to \mathbb{R}$, $f(x) = x^4$. Find the preimage of 0, 1, and 4 under f.

In \mathbb{R} , which element does not have a preimage?

In the diagram below, given that function g: A → B is defined as g: x → 2x - 8. Find the value of a and b.




8. Using narrative form, arrow method, venn diagram, table method and graphical method, express the function $f(x) = 2x, x \in \{-2, -1, 0, 1, 2\}.$

22.2 Domain and Range

Let f is a function from set A to set B, then set A is called the domain of f, denoted by D_f ; set B is called the codomain of f; the set of the images of all elements of A under f is called the range of f, denoted by R_f .

If the domain A and range B of function $f:A \to B$ are both subsets of real number set \mathbb{R} , then this function is called real valued function / real function. This book primarily discusses about real valued functions. When the domain of a real function is not mentioned and only the mapping rule is given, its domain is assumed to be the set of all real numbers that yield defined values f(x). After the domain and the mapping rule are determined, the range of a function will then be determined.



22.3 Graphs of Functions and Their Transformations

22.4 Composite Functions

22.5 One to One Function, Onto Function and One to One Onto Function

22.6 Inverse Functions

Exponents and Logarithms

- 23.1 Exponents
- 23.2 Logarithms
- 23.3 Arithmetic Properties of Logarithms and Base Changing Formula
- 23.4 Exponential Equations
- 23.5 Logarithmic Equations
- 23.6 Compound Interest and Annuity

Limits

- **24.1** Concept of Limits
- **24.2** Limits of Functions
- 24.3 Arithmetic Properties of Limits of Functions

Differentiation

- 25.1 Gradient of Tangent Line on a Curve
- 25.2 Gradient of Tangent Line and Derivative
- 25.3 Law of Differentiation
- 25.4 Chain Rule Differentiation of Composite Functions
- 25.5 Higher Order Derivatives
- 25.6 Implicit Differentiation
- 25.7 Two Basic Limits
- 25.8 Derivatives of Trigonometric Functions
- **25.9 Derivatives of Exponential Functions**
- 25.10 Derivatives of Logarithmic Functions