# **Solution Book of Mathematic**

Ssnior 2 Part I

**MELVIN CHIA** 

Written on 9 October 2022

## **Contents**

| 15 | Solid Geometry, Longitude and Latitude          | 2 |
|----|-------------------------------------------------|---|
|    | 15.1 Solid Geometry                             | 2 |
|    | 15.2 Angles Formed by Planes and Straight Lines | 4 |
|    | 15.2.1 Practice 1                               | 4 |
|    | 15.2.2 Exercise 17.2                            | 4 |
|    | 15.3 Angle Formed by Two Planes                 | 6 |
|    | 15.3.1 Practice 2                               | 6 |
|    | 15.3.2 Exercise 17.3                            | 7 |

### **Chapter 15**


## Solid Geometry, Longitude and Latitude

#### 15.1 Solid Geometry

#### **Polyhedron**

A polyhedron is a solid bounded by a finite amount of flat polygon, and each side of the polygons must be the common edge of two polygons. Polyhedron can be classified into tetrahedron, pentahedron, hexahedron, etc. based on the number of flat surfaces, aka the *faces* of the polyhedron. The common side of two faces of a polyhedron is called an edge, and the common vertex of three edges is called an *apex*.


Besides, the angles formed by the faces intersecting at the same apex are called *polyhedral angles* or *solid angles*. The line segment connecting two apexes at different faces is called a *diagonal*.




#### **Regular Polyhedron**

A regular polyhedron is a polyhedron with all faces being regular polygons, and all polyhedral angles being equal. The regular polyhedron can be classified into 5 types: regular


tetrahedron, regular octahedron, regular hexahedron, regular dodecahedron and regular icosahedron.




Regular Tetrahedron




Regular Hexahedron



Regular Octahedron



Regular Dodecahedron




Regular Icosahedron


#### **Prism**

If two faces of a polyhedron are parallel, while the other faces intersect in sequence to form parallel lines, then the polyhedron is called a *prism*. The two faces which are parallel to each other are called the *bases of the prism*, and the other faces are called the *lateral faces of the prism*. The common sides that two adjacent lateral faces share is called the *lateral edges of the prism*. The distance between two bases is called the *height of the prism*.

Prism with lateral edges that aren't parallel to each other are called *oblique prism*; prism with lateral edges that are parallel to each other are called *right prism*; regular prism with regular bases are called *regular prism*.




Prism with bases of parallelogram are called *parallelepiped*. Parallelepiped with lateral edges that are parallel to each other are called *right parallelepiped*. Right parallelepiped with regular bases are called *cuboid*, and a cuboid with equal width, height, and depth is called a *cube*.



#### **Pyramid**


If a polyhedron has a polygonal base and all its lateral faces are triangles that shares a common apex, then the polyhedron is called a *pyramid*.

If the foot point of a pyramid is the centre of its base, then the pyramid is called a *right pyramid*. If the base of a right pyramid is a regular polygon, then the pyramid is called a *regular pyramid*.




#### Right Circular Cylinder

A *right circular cylinder* is the solid of revolution generated by rotating a rectangle about one of its sides.




#### **Right Circular Cone**

A *right circular cone* is the solid of revolution generated by rotating a right-angled triangle about one of its sides.



#### **Sphere**


The surface of revolution generated by rotating a semicircle about its diameter is called a *spherical surface*, and the solid covered by it is called a *sphere*.



If the circle is cut with a plane, the plane has the following properties:

- 1. The line joining the centre of the sphere to the centre of the plane are perpendicular to the plane.
- 2. The distance of the plane from the centre of the sphere *d*, the radius of the sphere *R* and the radius of the plane *r* has the following relation:

$$r = \sqrt{R^2 - d^2}$$




The circle cut by a plane passing through the centre of the sphere is called a *great circle*; the circle cut by a plane that does not pass through the centre of the sphere is called a *small circle*.


## 15.2 Angles Formed by Planes and Straight Lines

There are three types of positional relationship between a plane and a straight line:

1. The line is on the plane



2. The line only intersects the plane at one point




3. The line does not intersect the plane




The angle formed by a line and the orthoprojection of the line on the plane is called *the angle formed by the line and the plane*. This angle represents the inclination of the line with respect to the plane, thus it is called *the tilt angle of the line with respect to the plane*.

#### **15.2.1** Practice 1

- 1. In the diagram below, AB = 9cm, BC = 7cm, CG = 5cm. Find:
  - (a) The angle formed by line CF and plane GHDC.
  - (b) The angle formed by line DF and plane EFGH.




2. The diagram below shows a right prism, its base KQL is a right-angled triangle, JKLM is a square. Given that JK = 12cm, LQ = 5cm, find the angle formed by line JQ and plane PQLM.




#### 15.2.2 Exercise 17.2


- 1. The diagram below shows a cube with side length of 8.5cm. Find:
  - (a) The angle formed by line QS and plane MNRQ.
  - (b) The angle formed by line KQ and plane PQML.




- 2. THe diagram below shows a cuboid, AB = 8cm, BC = 6cm, AP = 10cm. Find:
  - (a) The length of PR.
  - (b) The angle formed by line SB and plane AQQB.




- 3. The diagram below shows a pyramid. Given that its base PQRS is a square, TR is perpendicular to the base, TS = 15cm, TR = 9cm. Find:
  - (a) The length of RS.
  - (b) The angle formed by line PT and plane PQRS.



- 4. The diagram below shows a right pyramid with height of 8cm, its base is a rectangle, E is the foot point from V to the base. Given that CD = 5cm, BC = 6cm. Find:
  - (a) The angle formed by line VA and line VE.
  - (b) The angle formed by line VC and plane ABCD.




- 5. The diagram below shows a right pyramid, its base PQRS is a regtangle. Given that SR = 6cm, QR = 8cm, VS = 13cm. Find:
  - (a) The length of PR.
  - (b) The height of the pyramid.
  - (c) The angle of the line VP and plane PQRS.




6. The diagram below shows a regular pyramid, the length of its lateral edge is 12cm, its base ABCD is a square with side length of 8cm, M is the midpoint of BC. Find:


- (a) The angle formed by the lateral edge and the base of the pyramid.
- (b) The angle formed by line VM and the base of the pyramid.




- 7. In the pyramid shown below,  $\triangle ABC$  is a right-angled triangle, CD is perpendicular to plane ABC, CE is perpendicular to AB. Given that AC = 15cm, BC = 20cm and CD = 9cm. Find:
  - (a) The length of CE.
  - (b)  $\angle CDE$ .
  - (c) The angle formed by line AD and plane ABC.




- 8. The diagram below shows a right prism, its base CDF is a right-angled triangle. Given that BC = 16.5cm and AB = 12cm. Assume that CF = 2DF, find:
  - (a) The angle formed by line AB and plane BCFE.
  - (b) The angle formed by line AC and plan BCFE.




9. The diagram below shows a cuboid with volume of  $300cm^3$ . Given that AD = 2DC and DN = 9cm. Find the angle formed by line AM and plane KLMN.




- 10. The diagram below shows a cuboid. Given that AB = 13cm, BC = 6cm, CG = 4cm. M is a point on AB, AM = 9cm. Find:
  - (a) The angle formed by line HM and plane ABCG.
  - (b) The angle formed by line HM and plane HDAE.
  - (c) The angle formed by line AG and plane CDHG.




- 11. The diagram below shows a regular prism, its bases ADS and BCR are equiliteral triangles. Given that AB = 16cm, BC = 7cm, SP = 5cm. Find:
  - (a) The length of BP.
  - (b) The angle formed by line BP and plane ABCD.




- 12. The diagram below shows a roof, HK is the ridge of the roof, its edges HA, HD, KB, KC are euqal in length. Both of the planes HAD and KBC form a  $44^o$  angle with plane ABCD. Given that S and T are the midpoints of BC and AD respectively. Find:
  - (a) The distance from line HK to plane ABCD.
  - (b) The length of HK.
  - (c) The angle formed by line HA and plane ABCD.



- 13. The length, width and height of a hall are 20*m*, 15*m*, and 4*m* respectively. Find:
  - (a) The length of the diagonal of the hall.
  - (b) The angle formed by the diagonal and the floor of the hall.



14. In the diagram below, ABCD represents a rectangular plank with length and width of 60cm and 36cm respectively, its base BC is on the ground and the top of it lies on the wall. Assume that the distance between BC and the corner of the wall is 12cm, find the angle formed by the diagonal BD of the plank and the ground.



#### 15.3 Angle Formed by Two Planes


There are three types positional relationship between two planes:

- 1. Two planes coincide with each other.
- 2. Two planes intersect with each other at a line.
- 3. Two planes are parallel to each other and do not intersect with each other.


Two non-parallel planes intersect with each other at a line, the line is called the *common edge*. At any point on the common edge, draw a line perpendicular to the common edge on each plane, the acute angles formed by these two perpendicular lines are called *the angle formed by the two planes*.

#### **15.3.1** Practice 2

- 1. The diagram below shows a cuboid with length of 12cm, width of 10cm and height of 6cm.
  - (a) Find the angle formed by plane EBCH and plane ABCD.
  - (b) Assume that M is a point on HG, find the angle formed by plane MAB and plane ABCD.




- 2. The diagram below shows a regular prism, its bases *ABC* and *DEF* are equilateral triangles with side length of 5cm. Given that the height of the prism is 10cm, find:
  - (a) The length of BF.
  - (b) The angle formed by plane ABF and plane ABC.




#### 15.3.2 Exercise 17.3


1. The diagram below shows a cuboid with length of 8*cm*, width of 6*cm* and height of 4*cm*. Find the angle formed by plane *ABMN* and *KLMN*.




2. In the right prism shown below, ABCD is a rectangle with length of 20cm and width of 12cm, BCRQ is a trapezoid,  $\angle QBC$  and  $\angle RCB$  are both right angles, BQ = 5cm, CR = 10cm. Find the angle formed by plane PQRS and plane ABCD.




- 3. The diagram below shows a cuboid, AB = 8cm, BC = 6cm, CT = 5cm, X is the midpoint of TU. Find:
  - (a) The angle formed by plane XAB and plane ABCD.
  - (b) The angle formed by plane BCUR and plane ADUR.
  - (c) The angle formed by plane ABTU and plane ABCD.




4. The diagram below shows a right pyramid, its bases ABE and DCF are right-angled triangles. Given that AE = 4cm,  $BE = \frac{2}{3}EF$ , EF = 4DF, find the angle formed by plane ABCD and plane BCFE.




- 5. In the pyramid shown below, PQT, SPT, and SRT are all right-angled triangles, PQRS is a triangle. Given that PQ = 5cm, RT = 13cm, PT = 20cm. Find:
  - (a) The height of the prism.
  - (b) The angle formed by line TQ and plane QST.
  - (c) The angle formed by plane RST and PQT.




- 6. The diagram below shows a right prism, its base BCGF is a trapezoid, BC = BF = 12cm, FG = 16cm. The lateral face EFGH is a square, and is perependicular to another lateral face ABFE. Find:
  - (a) The angle formed by plane CDHG and plane EFGH.
  - (b) The angle formed by plane ABH and plane ABFE.



- 7. In the rectangle shown below, BC = 8cm, CD = 6cm, BQ = 10cm. Given that M is the midpoint of PQ. Find:
  - (a) The angle formed by line MD and plane PQBA.
  - (b) The angle formed by plane AMD and plane ABCD.




- 8. The diagram below shows a pyramid with an isoceles triangle base. Given that CD = CE = 5cm, ED = 6cm, ACD is a right-angled triangle, B is a point on AC, AD = 2cm, BC = 4cm. Find:
  - (a) The angle formed by plane BDE and plane CDE.
  - (b) The angle formed by the plane ADE and CDE.




9. The diagram below shows a regular pyramid with a square base. Given that PQ = 15cm, PV = 20cm. Find:


- (a) The angle formed by linee PV and plane PQRS.
- (b) The angle formed by the lateral faces and the base of the pyramid.



- 10. The diagram below shows a right pyramid with lateral edges of 13cm. Its base ABCD is a rectangle with length of 12cm and width of 10cm. Find:
  - (a) The angle formed by plane VBC and plane ABCD.
  - (b) The angle formed by plane VCD and plane ABCD.



- 11. The diagram below shows a right pyramid with lateral edges of 18cm, its base ABCD is a rectangle with length of 15cm and width of 10cm. Find:
  - (a) The height of the pyramid.
  - (b) The angle formed by plane VAB and plane ABCD.
  - (c) The angle formed by plane VBC and plane VAD.



12. The diagram below shows a right prism with isoceles triangle bases. The side length and base length of the triangle base are 10cm and 16cm respectively, the height of the prism is 20cm. Given that *P* is the midpoint of *AB*. Find:

- (a) The length of PC.
- (b) The angle formed by line EC and plane ABCD.
- (c) The angle formed by plane DCE and plane ABCD.

