



API SECURITY TEST

EVIDENCE APPENDIX

Target: jsonplaceholder.typicode.com (public demo API)
Tool: Postman (Web)
Method: GET, read-only, unauthenticated
Analyst: Melvin
Date: August 2026

GET Get data GET https://jsonplaceholder.typicode.com/users

https://jsonplaceholder.typicode.com/users

GET https://jsonplaceholder.typicode.com/users

Docs Params Authorization Headers 7 Body Scripts Tests Settings

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers 26 Test Results

200 OK · 850 ms · 2.94 KB

```
{
  "id": 1,
  "name": "Leanne Graham",
  "username": "Bret",
  "email": "Sincere@april.biz",
  "address": {
    "street": "Kulas Light",
    "suite": "Apt. 556",
    "city": "Gwenborough",
    "zipcode": "92998-3874",
  }
}
```

GET request to /users returns full data for all 10 sample users with no authentication. Status: 200 OK.

GET Get data GET https://jsonplaceholder.typicode.com/ + No environment

https://jsonplaceholder.typicode.com/users Save Share

GET https://jsonplaceholder.typicode.com/users Send

Docs Params Authorization Headers 7 Body Scripts Tests Settings Cookies

Headers 7 hidden

Key	Value	Descripti...	Bulk Edit	Presets	...
Key	Value	Description			

Body 200 OK • 850 ms • 2.94 KB

{ } JSON Preview Visualize

```
1  [
2    {
3      "id": 1,
4      "name": "Leanne Graham",
5      "username": "Bret",
6      "email": "Sincere@april.biz",
7      "address": {
8        "street": "Kulas Light",
9        "suite": "Apt. 556",
10       "city": "Gwenborough",
11       "zipcode": "92998-3874",
```

Request Headers tab shows no Authorization, API-Key, or Bearer token was sent or required.

GET Get data GET https://jsonplaceholder.typicode.com/ + No environment

https://jsonplaceholder.typicode.com/users Save Share

GET https://jsonplaceholder.typicode.com/users Send

Docs Params Authorization Headers 7 Body Scripts Tests Settings Cookies


Key	Value	Description	Bulk Edit	Presets
✓ Cache-Control	no-cache			Go to settings
✓ Postman-Token	<calculated when request is sent>			
✓ Host	<calculated when request is sent>			
✓ User-Agent	PostmanRuntime/7.56.0			
✓ Accept	*/*			
✓ Accept-Encoding	gzip, deflate, br			
✓ Connection	keep-alive			

Body JSON Preview Visualize

200 OK • 850 ms • 2.94 KB

```
[{"id": 1, "name": "Leanne Graham", "username": "Bret", "email": "Sincere@april.biz", "address": {"street": "Kulas Light", "suite": "Apt. 556", "city": "Gwenborough", "zipcode": "92998-3874",
```

Hidden headers revealed: only standard Postman auto-generated headers (Cache-Control, Host, User-Agent, Accept, Accept-Encoding, Connection). No auth credentials present.



https://jsonplaceholder.typicode.com/users/1

GET https://jsonplaceholder.typicode.com/users/1

Docs Params Authorization Headers 7 Body Scripts Tests Settings Cookies

Key	Value	Description
✓ Cache-Control	no-cache	
✓ Postman-Token	<calculated when request is sent>	
✓ Host	<calculated when request is sent>	
✓ User-Agent	PostmanRuntime/7.56.0	
✓ Accept	*/*	
✓ Accept-Encoding	gzip, deflate, br	
✓ Connection	keep-alive	

Body

200 OK • 1.24 s • 1.62 KB

{ JSON Preview Visualize

```
1 {
2   "id": 1,
3   "name": "Leanne Graham",
4   "username": "Bret",
5   "email": "Sincere@april.biz",
6   "address": {
7     "street": "Kulas Light",
8     "suite": "Apt. 556",
9     "city": "Gwenborough",
10    "zipcode": "92998-3874",
11    "geo": {
```

Connect Git Terminal Console Globals Vault Tools

GET request to /users/1 returns a single user's full record without any ownership or session check. Status: 200 OK, 1.62 KB.

GET Get data | GET https://jsonplaceholder | GET https://jsonplaceholder | + | No environment |

HTTP **https://jsonplaceholder.typicode.com/users/1** Save | Share

GET | **https://jsonplaceholder.typicode.com/users/1** | Send

Docs | Params | Authorization | **Headers 7** | Body | Scripts | Tests | Settings | Cookies

Key	Value	Descripti...	Bulk Edit	Presets	...
✓ Cache-Control	no-cache				
✓ Postman-Token	<calculated when request is sent>				
✓ Host	<calculated when request is sent>				
✓ User-Agent	PostmanRuntime/7.56.0				
✓ Accept	*/*				
✓ Accept-Encoding	gzip, deflate, br				
✓ Connection	keep-alive				

Body | 200 OK | 1.24 s | 1.62 KB |

{ } JSON | Preview | Visualize |

```
1 {
2   "id": 1,
3   "name": "Leanne Graham",
4   "username": "Bret",
5   "email": "Sincere@april.biz",
6   "address": {
7     "street": "Kulas Light",
8     "suite": "Apt. 556",
9     "city": "Gwenborough",
10    "zipcode": "92998-3874",
11    "geo": {
```

Connect Git | Terminal | Console | Globals | Vault | Tools |

Baseline request before rapid-fire burst test. Status: 200 OK, 1.24s, 1.62 KB.

Melvin's Workspace

GET Get data | GET https://jsonplaceholder | GET https://jsonplaceholder | + | No environment

https://jsonplaceholder.typicode.com/users/1

GET | https://jsonplaceholder.typicode.com/users/1 | Send

Docs | Params | Authorization | Headers 7 | Body | Scripts | Tests | Settings | Cookies

Key	Value	Description	Bulk Edit	Presets
✓ Cache-Control	no-cache			
✓ Postman-Token	<calculated when request is sent>			
✓ Host	<calculated when request is sent>			
✓ User-Agent	PostmanRuntime/7.56.0			
✓ Accept	*/*			
✓ Accept-Encoding	gzip, deflate, br			
✓ Connection	keep-alive			

Body

200 OK • 359 ms • 1.62 KB

{ } JSON | Preview | Visualize

```
1 {
2   "id": 1,
3   "name": "Leanne Graham",
4   "username": "Bret",
5   "email": "Sincere@april.biz",
6   "address": {
7     "street": "Kulas Light",
8     "suite": "Apt. 556",
9     "city": "Gwenborough",
10    "zipcode": "92998-3874",
11    "geo": {
```

Same endpoint after 15-20 rapid consecutive requests. Still 200 OK, 359ms — no throttling, blocking, or 429 response observed.

EVIDENCE 07GET /users/abc — invalid ID format

https://jsonplaceholder.typicode.com/users/abc

GEThttps://jsonplaceholder.typicode.com/users/abc

Send

DocsParamsAuthorizationHeaders7BodyScriptsTestsSettingsCookies

Key	Value	Descripti...	Bulk Edit	Presets	...
✓ Cache-Control	no-cache				
✓ Postman-Token	<calculated when request is sent>				
✓ Host	<calculated when request is sent>				
✓ User-Agent	PostmanRuntime/7.56.0				
✓ Accept	*/*				
✓ Accept-Encoding	gzip, deflate, br				
✓ Connection	keep-alive				
Key	Value	Description			

Body

404 Not Found • 438 ms • 1.09 KB

JSON

Preview

Debug with AI

1 {}

Non-numeric ID submitted. Returns clean 404 Not Found with empty body — no crash or leaked internal error detail.

HTTP

https://jsonplaceholder.typicode.com/users/9999

Save

Share

GET

https://jsonplaceholder.typicode.com/users/9999

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Tests

Settings

Cookies

Key	Value	Descripti...	Bulk Edit	Presets	...
✓ Cache-Control	no-cache				
✓ Postman-Token	<calculated when request is sent>				
✓ Host	<calculated when request is sent>				
✓ User-Agent	PostmanRuntime/7.56.0				
✓ Accept	*/*				
✓ Accept-Encoding	gzip, deflate, br				
✓ Connection	keep-alive				
Key	Value	Description			

Body

404 Not Found • 307 ms • 1.1 KB •

{ } JSON

Preview

Debug with AI

1 { }

Valid-format but nonexistent ID submitted. Also returns clean 404 Not Found, consistent with Evidence 07.