

Please hand in only the pages 7 and 8 with all the answers. Do not submit the instruction pages!

IT IS ONLY NECESSARY TO HAND IN THE FOLLOWING PAGES .

Student Name	Melvin Viado
Performed Date	Nov 6, 2025

Output Section

Output#1: Monitor Summary Screen

Question 1:

Scroll through the Monitor Summary screen. What can be learned from this screen?

From the monitor summary screen, you can learn the details about the controller, access points, clients, rogues, top WLANs, and most recent traps.

Is the WLC connected to an AP?

The WLC is connected to an AP. Under the access point summary, it shows that there is one AP that is up on the All APs row.

Click Detail next to the All APs entry in the Access Point Summary section of the page. What information can you find about APs on the All APs screen?

On the All APs screen, you can see the number of APs, the AP Names, IP Addresses, and AP Models. You can also filter the APs to change the view of them if there are many APs listed.

Output#2: WLAN Screen

Question 2:


What information about the new WLAN is available on this screen?

Information about the security policies is available on the WLANs screen. Specifically, the security protocol used at the layer 2 security (WPA2) and the authentication key management used (PSK).

Output#3: {Put appropriate caption/title here}

Question 3:

g. From Wireless Host, ping the WLAN default gateway and the Server to verify that the laptop has full connectivity. Take the screenshot of successful ping command and attached here.



The screenshot shows the Cisco Packet Tracer PC Command Line interface for a device named 'Wireless Host'. The interface has tabs for Physical, Config, Desktop, Programming, and Attributes, with 'Desktop' currently selected. Below the tabs is a blue header for the 'Command Prompt'. The command prompt shows the following text:

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.5.1

Pinging 192.168.5.1 with 32 bytes of data:

Reply from 192.168.5.1: bytes=32 time=60ms TTL=255
Reply from 192.168.5.1: bytes=32 time=43ms TTL=255
Reply from 192.168.5.1: bytes=32 time=30ms TTL=255
Reply from 192.168.5.1: bytes=32 time=33ms TTL=255

Ping statistics for 192.168.5.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 30ms, Maximum = 60ms, Average = 41ms

C:\>ping 172.31.1.254

Pinging 172.31.1.254 with 32 bytes of data:

Request timed out.
Reply from 172.31.1.254: bytes=32 time=18ms TTL=127
Reply from 172.31.1.254: bytes=32 time=33ms TTL=127
Reply from 172.31.1.254: bytes=32 time=16ms TTL=127

Ping statistics for 172.31.1.254:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 16ms, Maximum = 33ms, Average = 22ms

C:\>
```

Marking Scheme

Output 1	3	2	1	0
Output 2	3	2	1	0
Output 3	3	2	1	0
Output Titles			1	0
<u>Total:</u>				/10