```
INSERT INTO production.brands(brand id,brand name) VALUES(1,'Electra'); INSERT INTO
production.brands(brand id,brand name) VALUES(2,'Haro'); INSERT INTO
production.brands(brand_id,brand_name) VALUES(3,'Heller'); INSERT INTO
production.brands(brand_id,brand_name) VALUES(4,'Pure Cycles'); INSERT INTO
production.brands(brand id,brand name) VALUES(5,'Ritchey'); INSERT INTO
production.brands(brand id,brand name) VALUES(6,'Strider'); INSERT INTO
production.brands(brand_id,brand_name) VALUES(7,'Sun Bicycles'); INSERT INTO
production.brands(brand_id,brand_name) VALUES(8,'Surly'); INSERT INTO
production.brands(brand_id,brand_name) VALUES(9,'Trek'); INSERT INTO
production.categories(category id,category name) VALUES(1,'Children Bicycles'); INSERT INTO
production.categories(category id,category name) VALUES(2,'Comfort Bicycles'); INSERT INTO
production.categories(category_id,category_name) VALUES(3,'Cruisers Bicycles'); INSERT INTO
production.categories(category_id,category_name) VALUES(4,'Cyclocross Bicycles'); INSERT INTO
production.categories(category_id,category_name) VALUES(5,'Electric Bikes'); INSERT INTO
production.categories(category_id,category_name) VALUES(6,'Mountain Bikes'); INSERT INTO
production.categories(category_id,category_name) VALUES(7,'Road Bikes'); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(1, 'Trek 820 - 2016', 9, 6, 2016, 379.99); INSERT INTO production.products(product id, product name,
brand id, category id, model year, list price) VALUES(2, 'Ritchey Timberwolf Frameset -
2016',5,6,2016,749.99); INSERT INTO production.products(product id, product name, brand id, category id,
model year, list price) VALUES(3, 'Surly Wednesday Frameset - 2016', 8, 6, 2016, 999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(4, 'Trek Fuel EX 8 29 - 2016', 9, 6, 2016, 2899.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(5,'Heller Shagamaw Frame -
2016',3,6,2016,1320.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(6,'Surly Ice Cream Truck Frameset - 2016',8,6,2016,469.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(7, Trek Slash 8 27.5 - 2016', 9.6, 2016, 3999.99); INSERT INTO production.products(product id.
product_name, brand_id, category_id, model_year, list_price) VALUES(8, Trek Remedy 29 Carbon Frameset
- 2016',9,6,2016,1799.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(9, 'Trek Conduit+ - 2016', 9,5,2016,2999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(10, Surly Straggler - 2016, 8,4,2016, 1549); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(12, 'Electra Townie Original 21D -
2016',1,3,2016,549.99); INSERT INTO production.products(product id, product name, brand id, category id,
model year, list price) VALUES(13, 'Electra Cruiser 1 (24-Inch) - 2016', 1, 3, 2016, 269.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(14, 'Electra Girl''s Hawaii 1 (16-inch) - 2015/2016', 1, 3, 2016, 269.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(15, 'Electra Moto 1 - 2016', 1, 3, 2016, 529, 99); INSERT INTO production products (product id.
product_name, brand_id, category_id, model_year, list_price) VALUES(16, 'Electra Townie Original 7D EQ -
2016',1,3,2016,599.99); INSERT INTO production.products(product_id, product_name, brand_id, category_id,
model_year, list_price) VALUES(17,'Pure Cycles Vine 8-Speed - 2016',4,3,2016,429); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(18, 'Pure Cycles Western 3-Speed - Women''s - 2015/2016', 4, 3, 2016, 449); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(19, 'Pure Cycles William 3-Speed - 2016', 4, 3, 2016, 449); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(20, 'Electra Townie Original 7D EQ - Women's - 2016', 1, 3, 2016, 599. 99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(21, 'Electra Cruiser 1 (24-Inch) - 2016',1,1,2016,269.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(22, 'Electra Girl''s Hawaii 1 (16-inch) - 2015/2016', 1, 1, 2016, 269, 99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(23, 'Electra Girl''s Hawaii 1 (20-inch) - 2015/2016', 1, 1, 2016, 299.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(24, 'Electra Townie Original 21D - 2016', 1, 2, 2016, 549.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(25, 'Electra Townie Original 7D - 2015/2016', 1, 2, 2016, 499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(26, 'Electra Townie Original 7D EQ - 2016', 1, 2, 2016, 599.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(27, 'Surly Big Dummy Frameset - 2017', 8, 6, 2017, 999.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
```

```
VALUES(28, 'Surly Karate Monkey 27.5+ Frameset - 2017', 8, 6, 2017, 2499, 99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(29, 'Trek X-Caliber 8 - 2017', 9,6,2017,999.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(30, 'Surly Ice Cream Truck Frameset -
2017',8,6,2017,999.99); INSERT INTO production.products(product id, product name, brand id, category id,
model_year, list_price) VALUES(31,'Surly Wednesday - 2017',8,6,2017,1632.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(32, 'Trek Farley Alloy Frameset - 2017', 9, 6, 2017, 469.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(33, Surly Wednesday Frameset - 2017, 8,6,2017,469.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(34, 'Trek Session DH 27.5 Carbon Frameset - 2017', 9, 6, 2017, 469.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(35, 'Sun Bicycles Spider 3i - 2017', 7,6,2017,832.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(36,'Surly Troll Frameset -
2017',8,6,2017,832.99); INSERT INTO production.products(product_id, product_name, brand_id, category_id,
model_year, list_price) VALUES(37,'Haro Flightline One ST - 2017',2,6,2017,379.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(38, 'Haro Flightline Two 26 Plus - 2017', 2, 6, 2017, 549.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(39, Trek Stache 5 - 2017', 9, 6, 2017, 1499.99); INSERT INTO production.products(product id,
product name, brand id, category id, model year, list price) VALUES(40, Trek Fuel EX 9.8 29 -
2017',9,6,2017,4999.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(41, 'Haro Shift R3 - 2017', 2,6,2017, 1469.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(42, 'Trek Fuel EX 5 27.5 Plus - 2017', 9, 6, 2017, 2299.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(43, Trek Fuel EX 9.8 27.5 Plus - 2017', 9, 6, 2017, 5299.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(44, 'Haro SR 1.1 - 2017', 2,6,2017,539.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(45,'Haro SR 1.2 -
2017',2,6,2017,869.99); INSERT INTO production.products(product_id, product_name, brand_id, category_id,
model year, list price) VALUES(46, 'Haro SR 1.3 - 2017', 2, 6, 2017, 1409.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(47, Trek Remedy 9.8 - 2017, 9.6, 2017, 5299, 99); INSERT INTO production products (product id.
product name, brand id, category id, model year, list price) VALUES(48, Trek Emonda S 4 -
2017',9,7,2017,1499.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(49, Trek Domane SL 6 - 2017', 9, 7, 2017, 3499.99); INSERT
INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(50, 'Trek Silque SLR 7 Women''s - 2017', 9, 7, 2017, 5999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(51, 'Trek Silque SLR 8 Women''s - 2017', 9, 7, 2017, 6499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(52, Surly Steamroller - 2017', 8,7,2017,875.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(53,'Surly Ogre Frameset -
2017',8,7,2017,749.99); INSERT INTO production.products(product id, product name, brand id, category id,
model year, list price) VALUES(54, 'Trek Domane SL Disc Frameset - 2017', 9, 7, 2017, 3199.99); INSERT
INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(55, 'Trek Domane S 6 - 2017', 9, 7, 2017, 2699.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(56, 'Trek Domane SLR 6 Disc -
2017',9,7,2017,5499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(57, Trek Emonda S 5 - 2017', 9,7,2017,1999.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(58, 'Trek Madone 9.2 - 2017', 9, 7, 2017, 4999.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(59, 'Trek Domane S 5 Disc -
2017',9,7,2017,2599.99); INSERT INTO production products (product id, product name, brand id,
category_id, model_year, list_price) VALUES(60, 'Sun Bicycles ElectroLite - 2017', 7,5,2017,1559.99); INSERT
INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(61, 'Trek Powerfly' 8 FS Plus - 2017', 9, 5, 2017, 4999.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(62, Trek Boone 7 - 2017', 9, 4, 2017, 3499.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(63,'Trek Boone Race Shop Limited -
2017',9,4,2017,3499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(64, 'Electra Townie Original 7D - 2017', 1,3,2017,489.99);
```

```
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(65, 'Sun Bicycles Lil Bolt Type-R - 2017', 7, 3, 2017, 346.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(66, Sun Bicycles Revolutions 24 - 2017, 7, 3, 2017, 250.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(67, 'Sun Bicycles Revolutions 24 - Girl''s - 2017', 7, 3, 2017, 250.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(68, 'Sun Bicycles Cruz 3 - 2017', 7, 3, 2017, 449.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(69,'Sun Bicycles Cruz 7 -
2017',7,3,2017,416.99); INSERT INTO production.products(product id, product name, brand id, category id,
model year, list price) VALUES(70, 'Electra Amsterdam Original 3i - 2015/2017', 1,3,2017,659.99); INSERT
INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(71, 'Sun Bicycles Atlas X-Type - 2017', 7, 3, 2017, 416.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price) VALUES(72,'Sun Bicycles Biscayne Tandem 7 - 2017',7,3,2017,619.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(73, 'Sun Bicycles Brickell Tandem 7 - 2017', 7, 3, 2017, 749.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(74, Electra Cruiser Lux 1 - 2017', 1, 3, 2017, 439.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(75, 'Electra Cruiser Lux Fat Tire 1
Ladies - 2017',1,3,2017,599.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(76, 'Electra Girl's Hawaii 1 16" - 2017', 1, 3, 2017, 299.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(77, 'Electra Glam Punk 3i Ladies" - 2017', 1, 3, 2017, 799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(78, Sun Bicycles Biscayne Tandem CB - 2017', 7, 3, 2017, 647.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(79, Sun Bicycles Boardwalk (24-inch Wheels) - 2017, 7,3,2017,402.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(80, 'Sun Bicycles Brickell Tandem CB - 2017', 7, 3, 2017, 761.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(81, 'Electra Amsterdam Fashion 7i Ladies'' - 2017', 1, 3, 2017, 1099.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(82, 'Electra Amsterdam Original 3i Ladies" - 2017', 1, 3, 2017, 659.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(83, 'Trek Boy"s Kickster - 2015/2017', 9,1,2017,149.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(84, 'Sun Bicycles Lil Kitt''n - 2017', 7, 1, 2017, 109.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(85, 'Haro Downtown 16 -
2017',2,1,2017,329.99); INSERT INTO production.products(product id, product name, brand id, category id,
model_year, list_price) VALUES(86, 'Trek Girl''s Kickster - 2017', 9, 1, 2017, 149.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(87, 'Trek Precaliber 12 Boys - 2017', 9, 1, 2017, 189.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model year, list price)
VALUES(88, 'Trek Precaliber 12 Girls - 2017', 9, 1, 2017, 189.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(89, 'Trek Precaliber 16 Boys - 2017', 9, 1, 2017, 209.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(90, 'Trek Precaliber 16 Girls - 2017', 9, 1, 2017, 209.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(91, 'Trek Precaliber 24 (21-Speed) - Girls - 2017', 9, 1, 2017, 349.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(92, 'Haro Shredder 20 - 2017', 2,1,2017,209.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(93,'Haro Shredder 20 Girls -
2017',2,1,2017,209.99); INSERT INTO production.products(product id, product name, brand id, category id,
model year, list price) VALUES(94, 'Haro Shredder Pro 20 - 2017', 2, 1, 2017, 249.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(95, 'Electra Girl's Hawaii 1 16" - 2017', 1, 1, 2017, 299.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(96, 'Electra Moto 3i (20-inch) - Boy"s - 2017', 1, 1, 2017, 349.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(97, 'Electra Savannah 3i (20-inch) - Girl"s - 2017', 1, 1, 2017, 349.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(98, 'Electra Straight 8 3i (20-inch) - Boy"s - 2017', 1, 1, 2017, 489.99); INSERT INTO
```

```
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(99, 'Electra Sugar Skulls 1 (20-inch) - Girl"s - 2017', 1, 1, 2017, 299.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(100, 'Electra Townie 3i EQ (20-inch) - Boys" - 2017', 1, 1, 2017, 489.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(101, 'Electra Townie 7D (20-inch) - Boys" - 2017', 1, 1, 2017, 339.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(102, 'Electra Townie Original 7D - 2017', 1, 2, 2017, 489.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(103, 'Sun Bicycles Streamway 3 - 2017', 7, 2, 2017, 551.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(104, 'Sun Bicycles Streamway - 2017', 7, 2, 2017, 481.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(105, 'Sun Bicycles Streamway 7 - 2017', 7, 2, 2017, 533.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(106, 'Sun Bicycles Cruz 3 - 2017', 7, 2, 2017, 449.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(107,'Sun Bicycles Cruz 7 -
2017',7,2,2017,416.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(108,'Sun Bicycles Cruz 3 - Women's - 2017',7,2,2017,449.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(109, 'Sun Bicycles Cruz 7 - Women''s - 2017', 7, 2, 2017, 416.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(110, 'Sun Bicycles Drifter 7 - 2017', 7,2,2017,470.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(111,'Sun Bicycles Drifter 7 - Women's
- 2017',7,2,2017,470.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(112, 'Trek 820 - 2018', 9, 6, 2018, 379.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(113, 'Trek Marlin 5 - 2018', 9, 6, 2018, 489.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(114,'Trek Marlin 6 -
2018',9,6,2018,579.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(115,'Trek Fuel EX 8 29 - 2018',9,6,2018,3199.99); INSERT
INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(116, 'Trek Marlin 7 - 2017/2018', 9, 6, 2018, 749.99); INSERT INTO production.products(product id,
product name, brand id, category id, model year, list price) VALUES(117, Trek Ticket S Frame -
2018',9,6,2018,1469,99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(118,'Trek X-Caliber 8 - 2018',9,6,2018,999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(119, 'Trek Kids' Neko - 2018', 9, 6, 2018, 469.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(120, 'Trek Fuel EX 7 29 -
2018',9,6,2018,2499.99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(121, Surly Krampus Frameset - 2018', 8, 6, 2018, 2499.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(122, 'Surly Troll Frameset - 2018', 8,6,2018,2499.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(123, Trek Farley Carbon Frameset -
2018',9,6,2018,999.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(124, Surly Krampus - 2018', 8, 6, 2018, 1499); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(125, 'Trek Kids' Dual Sport - 2018', 9,6,2018, 469.99); INSERT INTO production.products(product id.
product_name, brand_id, category_id, model_year, list_price) VALUES(126,'Surly Big Fat Dummy Frameset -
2018',8,6,2018,469.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(127, 'Surly Pack Rat Frameset - 2018', 8, 6, 2018, 469.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(128, 'Surly ECR 27.5 - 2018', 8, 6, 2018, 1899); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(129, 'Trek X-Caliber 7 -
2018',9,6,2018,919.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(130, Trek Stache Carbon Frameset - 2018, 9,6,2018, 919.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(131, 'Heller Bloodhound Trail - 2018', 3,6,2018,2599); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(132, 'Trek Procal AL Frameset -
2018',9,6,2018,1499.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(133, Trek Procaliber Frameset - 2018, 9,6,2018, 1499.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(134, 'Trek Remedy 27.5 C Frameset - 2018', 9, 6, 2018, 1499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
```

```
VALUES(135, 'Trek X-Caliber Frameset - 2018', 9, 6, 2018, 1499, 99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(136, 'Trek Procaliber 6 - 2018', 9, 6, 2018, 1799.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(137,'Heller Shagamaw GX1 -
2018',3,6,2018,2599); INSERT INTO production.products(product id, product name, brand id, category id,
model_year, list_price) VALUES(138, 'Trek Fuel EX 5 Plus - 2018', 9, 6, 2018, 2249.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(139, 'Trek Remedy 7 27.5 - 2018', 9,6,2018,2999.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(140, 'Trek Remedy 9.8 27.5 -
2018'.9.6.2018,4999.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(141, 'Trek Stache 5 - 2018', 9,6,2018, 1599.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(142, 'Trek Fuel EX 8 29 XT - 2018', 9, 6, 2018, 3199.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(143, Trek Domane ALR 3 - 2018, 9,7,2018, 1099.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(144, Trek Domane ALR 4 Disc -
2018',9,7,2018,1549.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(145, Trek Domane ALR 5 Disc - 2018, 9,7,2018, 1799.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(146, 'Trek Domane SLR 6 - 2018', 9, 7, 2018, 4999.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(147, 'Trek Domane ALR 5 Gravel -
2018',9,7,2018,1799.99); INSERT INTO production products (product id, product name, brand id,
category id, model year, list price) VALUES(148, Trek Domane SL 8 Disc - 2018, 9,7,2018,5499.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(149, 'Trek Domane SLR 8 Disc - 2018', 9, 7, 2018, 7499.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(150, Trek Emonda SL 7 - 2018, 9,7,2018, 4499.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(151,'Trek Domane ALR 4 Disc
Women's - 2018',9,7,2018,1549.99); INSERT INTO production.products(product_id, product_name,
brand_id, category_id, model_year, list_price) VALUES(152, 'Trek Domane SL 5 Disc Women's -
2018',9,7,2018,2499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(153,'Trek Domane SL 7 Women's - 2018',9,7,2018,4999.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(154, 'Trek Domane SLR 6 Disc Women''s - 2018', 9, 7, 2018, 5499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(155, 'Trek Domane SLR 9 Disc - 2018', 9, 7, 2018, 11999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(156, 'Trek Domane SL Frameset - 2018', 9, 7, 2018, 6499.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(157, 'Trek Domane SL Frameset Women's - 2018', 9, 7, 2018, 6499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(158, 'Trek CrossRip 1 - 2018',9,7,2018,959.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(159,'Trek Emonda ALR 6 -
2018',9,7,2018,2299.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(160, Trek Emonda SLR 6 - 2018, 9,7,2018,4499.99); INSERT
INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(161, 'Surly ECR - 2018', 8,7,2018, 1899); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(162, 'Trek Emonda SL 6 Disc -
2018',9,7,2018,2999.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(163,'Surly Pack Rat - 2018',8,7,2018,1349); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(164, Surly Straggler 650b - 2018, 8,7,2018, 1549); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(165,'Trek 1120 -
2018',9,7,2018,2499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(166, 'Trek Domane AL 2 Women's - 2018', 9, 7, 2018, 749.99);
INSERT INTO production products (product id, product name, brand id, category id, model year, list price)
VALUES(167, Surly ECR Frameset - 2018, 8,7,2018, 749.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(168, Surly Straggler -
2018',8,7,2018,1549); INSERT INTO production products (product_id, product_name, brand_id, category_id,
model year, list price) VALUES(169, 'Trek Emonda SLR 8 - 2018', 9, 7, 2018, 6499.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(170, Trek CrossRip 2 - 2018, 9,7,2018, 1299.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(171, 'Trek Domane SL 6 -
2018',9,7,2018,3199.99); INSERT INTO production.products(product_id, product_name, brand_id,
```

```
category id, model year, list price) VALUES(172, Trek Domane ALR Disc Frameset -
2018',9,7,2018,3199.99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(173,'Trek Domane ALR Frameset - 2018',9,7,2018,3199.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(174, 'Trek Domane SLR Disc Frameset - 2018', 9, 7, 2018, 3199.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(175, 'Trek Domane SLR Frameset - 2018', 9, 7, 2018, 3199.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(176, 'Trek Madone 9 Frameset - 2018', 9, 7, 2018, 3199.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(177, 'Trek Domane SLR 6 Disc - 2018', 9, 7, 2018, 5499.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(178, 'Trek Domane AL 2 - 2018', 9, 7, 2018, 749.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(179, 'Trek Domane AL 3 -
2018',9,7,2018,919.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(180, Trek Domane AL 3 Women"s - 2018', 9, 7, 2018, 919.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(181, Trek Domane SL 5 - 2018', 9, 7, 2018, 2199.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(182,'Trek Domane SL 5 Disc -
2018',9,7,2018,2499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(183, Trek Domane SL 5 Women's - 2018', 9, 7, 2018, 2199.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(184, 'Trek Domane SL 6 Disc - 2018', 9, 7, 2018, 3499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(185, 'Trek Conduit+ - 2018', 9, 5, 2018, 2799.99); INSERT INTO production.products(product id,
product name, brand id, category id, model year, list price) VALUES(186, 'Trek CrossRip+ -
2018',9,5,2018,4499.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(187,'Trek Neko+ - 2018',9,5,2018,2799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(188, 'Trek XM700+ Lowstep - 2018', 9, 5, 2018, 3499.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(189, 'Trek Lift+ Lowstep - 2018', 9,5,2018,2799.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(190, 'Trek Dual Sport+ -
2018',9,5,2018,2799.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(191, 'Electra Loft Go! 8i - 2018', 1,5,2018,2799,99); INSERT
INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(192, 'Electra Townie Go! 8i - 2017/2018', 1, 5, 2018, 2599.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(193, 'Trek Lift+ - 2018', 9, 5, 2018, 2799.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(194, 'Trek XM700+ -
2018',9,5,2018,3499.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(195, 'Electra Townie Go! 8i Ladies" - 2018', 1,5,2018,2599.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(196, 'Trek Verve+ - 2018', 9,5,2018,2299.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(197,'Trek Verve+ Lowstep -
2018',9,5,2018,2299.99); INSERT INTO production.products(product id, product name, brand id,
category id, model year, list price) VALUES(198, Electra Townie Commute Go! - 2018', 1,5,2018,2999.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(199, 'Electra Townie Commute Go! Ladies" - 2018', 1,5,2018,2999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(200, 'Trek Powerfly 5 - 2018', 9, 5, 2018, 3499.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(201, Trek Powerfly 5 FS -
2018',9,5,2018,4499.99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(202, Trek Powerfly 5 Women's - 2018', 9,5,2018,3499.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(203, 'Trek Powerfly 7 FS - 2018', 9, 5, 2018, 4999.99); INSERT INTO production.products (product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(204, 'Trek Super Commuter+ 7 -
2018',9,5,2018,3599.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(205, 'Trek Super Commuter+ 8S - 2018', 9,5,2018,4999.99);
INSERT INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(206, Trek Boone 5 Disc - 2018, 9,4,2018, 3299.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(207, Trek Boone 7 Disc -
2018',9,4,2018,3999.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(208,'Trek Crockett 5 Disc - 2018',9,4,2018,1799.99); INSERT
```

```
INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(209, 'Trek Crockett 7 Disc - 2018', 9, 4, 2018, 2999.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(210, 'Surly Straggler -
2018',8,4,2018,1549); INSERT INTO production.products(product_id, product_name, brand id, category id,
model year, list price) VALUES(211, 'Surly Straggler 650b - 2018', 8,4,2018, 1549); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(212, 'Electra Townie Original 21D - 2018', 1, 3, 2018, 559.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(213, 'Electra Cruiser 1 - 2016/2017/2018', 1, 3, 2018, 269.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(214, Electra Tiger Shark 3i - 2018', 1, 3, 2018, 899.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(215, 'Electra Queen of Hearts 3i -
2018',1,3,2018,749.99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(216, 'Electra Super Moto 8i - 2018', 1, 3, 2018, 899.99); INSERT
INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(217, 'Electra Straight 8 3i - 2018', 1, 3, 2018, 909.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(218, Electra Cruiser 7D -
2016/2017/2018',1,3,2018,319.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(219, 'Electra Moto 3i - 2018', 1, 3, 2018, 639.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(220, 'Electra Cruiser 1 Ladies" - 2018', 1, 3, 2018, 269.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(221, 'Electra Cruiser 7D Ladies" - 2016/2018', 1, 3, 2018, 319.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(222, 'Electra Cruiser 1 Tall - 2016/2018', 1, 3, 2018, 269.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(223, Electra Cruiser Lux 3i - 2018', 1, 3, 2018, 529.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(224, 'Electra Cruiser Lux 7D -
2018',1,3,2018,479.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(225, 'Electra Delivery 3i - 2016/2017/2018', 1, 3, 2018, 959.99);
INSERT INTO production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(226, 'Electra Townie Original 21D EQ - 2017/2018', 1, 3, 2018, 679.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(227, 'Electra Cruiser 7D (24-Inch) Ladies" - 2016/2018', 1, 3, 2018, 319.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(228, 'Electra Cruiser 7D Tall - 2016/2018', 1, 3, 2018, 319.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(229, 'Electra Cruiser Lux 1 - 2016/2018', 1, 3, 2018, 429.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(230, 'Electra Cruiser Lux 1 Ladies" - 2018', 1, 3, 2018, 429.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(231, 'Electra Cruiser Lux 3i Ladies" - 2018', 1, 3, 2018, 529.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(232, 'Electra Cruiser Lux 7D Ladies" - 2018', 1, 3, 2018, 479.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(233, 'Electra Cruiser Lux Fat Tire 7D - 2018', 1, 3, 2018, 639.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(234, 'Electra Daydreamer 3i Ladies" - 2018', 1, 3, 2018, 899.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(235, 'Electra Koa 3i Ladies'' - 2018',1,3,2018,899.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(236, 'Electra Morningstar 3i Ladies" -
2018',1,3,2018,749.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(237, Electra Relic 3i - 2018, 1,3,2018,849.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(238, 'Electra Townie Balloon 8D EQ - 2016/2017/2018', 1, 3, 2018, 749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(239, 'Electra Townie Balloon 8D EQ Ladies'' - 2016/2017/2018', 1, 3, 2018, 749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(240, 'Electra Townie Commute 27D Ladies - 2018', 1, 3, 2018, 899.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(241, 'Electra Townie Commute 8D - 2018', 1, 3, 2018, 749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(242, 'Electra Townie Commute 8D Ladies" - 2018', 1, 3, 2018, 699.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
```

```
VALUES(243, 'Electra Townie Original 21D EQ Ladies" - 2018', 1, 3, 2018, 679, 99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(244, 'Electra Townie Original 21D Ladies" - 2018', 1, 3, 2018, 559.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(245, 'Electra Townie Original 3i EQ - 2017/2018', 1, 3, 2018, 659.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(246, 'Electra Townie Original 3i EQ Ladies'' - 2018', 1, 3, 2018, 639.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(247, 'Electra Townie Original 7D EQ - 2018', 1, 3, 2018, 599.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(248, 'Electra Townie Original 7D EQ Ladies" - 2017/2018', 1, 3, 2018, 599.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(249, 'Electra White Water 3i - 2018', 1, 3, 2018, 749.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(250, 'Electra Townie Go! 8i - 2017/2018', 1, 3, 2018, 2599. 99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(251, 'Electra Townie Commute Go! - 2018', 1, 3, 2018, 2999.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(252, 'Electra Townie Commute Go! Ladies" - 2018',1,3,2018,2999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(253, 'Electra Townie Go! 8i Ladies" - 2018', 1, 3, 2018, 2599.99); INSERT INTO
production products (product id, product name, brand id, category id, model year, list price)
VALUES(254, 'Electra Townie Balloon 3i EQ - 2017/2018', 1,3,2018,749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(255, 'Electra Townie Balloon 7i EQ Ladies" - 2017/2018', 1, 3, 2018, 899.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(256, 'Electra Townie Commute 27D - 2018', 1, 3, 2018, 899. 99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(257, 'Electra Amsterdam Fashion 3i Ladies" - 2017/2018', 1, 3, 2018, 899.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(258, 'Electra Amsterdam Royal 8i - 2017/2018', 1, 3, 2018, 1259.9); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(259, 'Electra Amsterdam Royal 8i Ladies - 2018', 1, 3, 2018, 1199.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(260, 'Electra Townie Balloon 3i EQ Ladies" - 2018', 1,3,2018,799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(261, 'Electra Townie Balloon 7i EQ - 2018', 1, 3, 2018, 899.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(262, 'Trek MT 201 - 2018', 9, 1, 2018, 249.99); INSERT INTO production.products(product_id,
product_name, brand_id, category_id, model_year, list_price) VALUES(263,'Strider Classic 12 Balance Bike -
2018',6,1,2018,89.99); INSERT INTO production.products(product_id, product_name, brand_id, category_id,
model_year, list_price) VALUES(264, Strider Sport 16 - 2018', 6, 1, 2018, 249.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(265, 'Strider Strider 20 Sport - 2018', 6, 1, 2018, 289.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(266, 'Trek Superfly 20 - 2018', 9, 1, 2018, 399.99); INSERT INTO production.products(product id,
product_name, brand_id, category_id, model_year, list_price) VALUES(267,'Trek Precaliber 12 Girl"s -
2018',9,1,2018,199,99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(268, 'Trek Kickster - 2018', 9, 1, 2018, 159.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(269, 'Trek Precaliber 12 Boy"s - 2018', 9, 1, 2018, 199.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(270, 'Trek Precaliber 16 Boy"s - 2018', 9, 1, 2018, 209.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(271, 'Trek Precaliber 16 Girl''s - 2018', 9, 1, 2018, 209.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(272, 'Trek Precaliber 20 6-speed Boy''s - 2018', 9, 1, 2018, 289. 99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(273, 'Trek Precaliber 20 6-speed Girl"s - 2018, 9,1,2018, 289.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(274, 'Trek Precaliber 20 Boy"s - 2018', 9, 1, 2018, 229.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(275, 'Trek Precaliber 20 Girl''s - 2018', 9, 1, 2018, 229.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
```

```
VALUES(276, 'Trek Precaliber 24 (7-Speed) - Boys - 2018', 9, 1, 2018, 319, 99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(277, 'Trek Precaliber 24 21-speed Boy"s - 2018', 9, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(278, 'Trek Precaliber 24 21-speed Girl''s - 2018', 9, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(279, 'Trek Precaliber 24 7-speed Girl''s - 2018', 9, 1, 2018, 319.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(280, 'Trek Superfly 24 - 2017/2018', 9, 1, 2018, 489.99); INSERT INTO production.products(product_id,
product name, brand id, category id, model year, list price) VALUES(281, Electra Cruiser 7D (24-Inch)
Ladies" - 2016/2018',1,1,2018,319.99); INSERT INTO production.products(product id, product name,
brand id, category id, model year, list price) VALUES(282, Electra Cyclosaurus 1 (16-inch) - Boy"s -
2018',1,1,2018,279.99); INSERT INTO production.products(product id, product name, brand id,
category_id, model_year, list_price) VALUES(283, 'Electra Heartchya 1 (20-inch) - Girl's -
2018',1,1,2018,319.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(284, 'Electra Savannah 1 (20-inch) - Girl"s -
2018',1,1,2018,319.99); INSERT INTO production.products(product_id, product_name, brand_id,
category id, model year, list price) VALUES(285, 'Electra Soft Serve 1 (16-inch) - Girl"s -
2018',1,1,2018,279.99); INSERT INTO production.products(product_id, product_name, brand_id,
category_id, model_year, list_price) VALUES(286, 'Electra Starship 1 16" - 2018', 1, 1, 2018, 279.99); INSERT
INTO production.products(product id, product name, brand id, category id, model year, list price)
VALUES(287, 'Electra Straight 8 1 (16-inch) - Boy"s - 2018', 1, 1, 2018, 279.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(288, 'Electra Straight 8 1 (20-inch) - Boy"s - 2018',1,1,2018,389.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(289, 'Electra Superbolt 1 20" - 2018', 1, 1, 2018, 319.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(290, 'Electra Superbolt 3i 20" - 2018', 1, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(291, 'Electra Sweet Ride 1 (20-inch) - Girl''s - 2018', 1, 1, 2018, 319.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(292, 'Electra Sweet Ride 3i (20-inch) - Girls" - 2018', 1, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(293, 'Electra Tiger Shark 1 (20-inch) - Boys" - 2018',1,1,2018,319.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(294, 'Electra Tiger Shark 3i (20-inch) - Boys" - 2018', 1, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(295, 'Electra Treasure 1 20" - 2018', 1, 1, 2018, 319.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(296, 'Electra Treasure 3i 20" - 2018', 1, 1, 2018, 369.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(297, 'Electra Under-The-Sea 1 16" - 2018', 1, 1, 2018, 279.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(298, 'Electra Water Lily 1 (16-inch) - Girl"s - 2018',1,1,2018,279.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(299, 'Electra Townie Original 21D - 2018', 1, 2, 2018, 559.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(300, 'Electra Townie Balloon 3i EQ Ladies" - 2018', 1, 2, 2018, 799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(301, 'Electra Townie Balloon 7i EQ - 2018', 1, 2, 2018, 899.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(302, 'Electra Townie Original 1 - 2018', 1, 2, 2018, 449.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(303, 'Electra Townie Go! 8i - 2017/2018', 1, 2, 2018, 2599.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(304, 'Electra Townie Original 21D EQ - 2017/2018', 1,2,2018,679.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(305, 'Electra Townie Balloon 3i EQ - 2017/2018', 1, 2, 2018, 749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(306, 'Electra Townie Balloon 7i EQ Ladies" - 2017/2018', 1, 2, 2018, 899.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(307, 'Electra Townie Balloon 8D EQ - 2016/2017/2018', 1,2,2018,749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(308, 'Electra Townie Balloon 8D EQ Ladies" - 2016/2017/2018', 1, 2, 2018, 749.99); INSERT INTO
```

```
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(309, 'Electra Townie Commute 27D - 2018', 1,2,2018,899.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(310, 'Electra Townie Commute 27D Ladies - 2018', 1, 2, 2018, 899.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(311, 'Electra Townie Commute 8D - 2018', 1, 2, 2018, 749.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(312, 'Electra Townie Commute 8D Ladies'' - 2018', 1, 2, 2018, 699.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(313, 'Electra Townie Original 1 Ladies" - 2018', 1, 2, 2018, 449.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(314, 'Electra Townie Original 21D EQ Ladies" - 2018', 1, 2, 2018, 679.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(315, 'Electra Townie Original 21D Ladies" - 2018', 1, 2, 2018, 559.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(316, 'Trek Checkpoint ALR 4 Women''s - 2019', 9, 7, 2019, 1699.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(317, 'Trek Checkpoint ALR 5 - 2019', 9, 7, 2019, 1999.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(318, 'Trek Checkpoint ALR 5 Women''s - 2019', 9, 7, 2019, 1999.99); INSERT INTO
production.products(product id, product name, brand id, category id, model year, list price)
VALUES(319, 'Trek Checkpoint SL 5 Women''s - 2019', 9, 7, 2019, 2799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(320, 'Trek Checkpoint SL 6 - 2019', 9, 7, 2019, 3799.99); INSERT INTO
production.products(product_id, product_name, brand_id, category_id, model_year, list_price)
VALUES(321, 'Trek Checkpoint ALR Frameset - 2019', 9, 7, 2019, 3199.99); ; ; -- sales.customers table; INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Debra', 'Burks', NULL, 'debra.burks@yahoo.com', '9273 Thorne Ave. ', 'Orchard Park', 'NY', 14127);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kasha', 'Todd', NULL, 'kasha.todd@yahoo.com', '910 Vine Street', 'Campbell', 'CA', 95008); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tameka', 'Fisher', NULL, 'tameka.fisher@aol.com', '769C Honey Creek St. ', 'Redondo
Beach', 'CA', 90278); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Daryl', 'Spence', NULL, 'daryl.spence@aol.com', '988 Pearl Lane', 'Uniondale', 'NY', 11553);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Charolette', 'Rice', '(916) 381-6003', 'charolette.rice@msn.com', '107 River Dr.
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lyndsey', 'Bean', NULL, 'lyndsey.bean@hotmail.com', '769 West Road
','Fairport','NY',14450); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Latasha','Hays','(716) 986-3359', latasha.hays@hotmail.com','7014 Manor Station
Rd. ','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jacquline', 'Duncan', NULL, 'jacquline.duncan@yahoo.com', '15 Brown St. ', 'Jackson'
Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Genoveva', 'Baldwin', NULL, 'genoveva.baldwin@msn.com', '8550 Spruce Drive', 'Port
Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Pamelia', 'Newman', NULL, 'pamelia.newman@gmail.com', '476 Chestnut Ave.
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Deshawn', 'Mendoza', NULL, 'deshawn.mendoza@yahoo.com', '8790 Cobblestone Street
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Robby','Sykes','(516) 583-7761','robby.sykes@hotmail.com','486 Rock Maple
Street ','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Lashawn', 'Ortiz', NULL, 'lashawn.ortiz@msn.com', '27 Washington Rd.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Garry', 'Espinoza', NULL, 'garry.espinoza@hotmail.com', '7858 Rockaway Court
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Linnie', 'Branch', NULL, 'linnie.branch@gmail.com', '314 South Columbia Ave.
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Emmitt', 'Sanchez', '(212) 945-8823', 'emmitt.sanchez@hotmail.com', '461 Squaw
Creek Road ','New York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Caren', 'Stephens', NULL, 'caren. stephens@msn.com', '914 Brook St.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Georgetta', 'Hardin', NULL, 'georgetta.hardin@aol.com', '474 Chapel Dr.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lizzette', 'Stein', NULL, 'lizzette.stein@yahoo.com', '19 Green Hill Lane', 'Orchard
```

```
Park', 'NY', 14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Aleta','Shepard',NULL,'aleta.shepard@aol.com','684 Howard St. ','Sugar
Land','TX',77478); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tobie', 'Little', NULL, 'tobie.little@gmail.com', '10 Silver Spear Dr. ', 'Victoria', 'TX', 77904);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Adelle','Larsen',NULL,'adelle.larsen@gmail.com','683 West Kirkland Dr. ','East
Northport', 'NY', 11731); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Kaylee', 'English', NULL, 'kaylee.english@msn.com', '8786 Fulton Rd.
','Hollis','NY',11423); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Corene', 'Wall', NULL, 'corene.wall@msn.com', '9601 Ocean Rd. ', 'Atwater', 'CA', 95301);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Regenia','Vaughan',NULL,'regenia.vaughan@gmail.com','44 Stonybrook Street
','Mahopac','NY',10541); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Theo', 'Reese', '(562) 215-2907', 'theo.reese@gmail.com', '8755 W. Wild Horse St.
','Long Beach','NY',11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Santos', 'Valencia', NULL, 'santos. valencia@yahoo.com', '7479 Carpenter Street
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jeanice', 'Frost', NULL, 'jeanice.frost@hotmail.com', '76 Devon Lane
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Syreeta', 'Hendricks', NULL, 'syreeta.hendricks@msn.com', '193 Spruce Road
','Mahopac','NY',10541); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jamaal','Albert',NULL,'jamaal.albert@gmail.com','853 Stonybrook Street
','Torrance','CA',90505); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Williemae', 'Holloway', '(510) 246-8375', 'williemae.holloway@msn.com', '69 Cypress
St. ','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Araceli', 'Golden', NULL, 'araceli.golden@msn.com', '12 Ridgeview Ave.
','Fullerton','CA',92831); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Deloris', 'Burke', NULL, 'deloris.burke@hotmail.com', '895 Edgemont Drive', 'Palos
Verdes Peninsula', 'CA', 90274); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Brittney','Woodward',NULL,'brittney.woodward@aol.com','960 River St. ','East
Northport', 'NY', 11731); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Guillermina','Noble',NULL,'guillermina.noble@msn.com','6 Del Monte Lane
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Bernita', 'Mcdaniel', NULL, 'bernita.mcdaniel@hotmail.com', '2 Peg Shop Ave.
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Melia','Brady',NULL,'melia.brady@gmail.com','907 Shirley Rd.
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Zelma','Browning',NULL,'zelma.browning@aol.com','296 Second Street
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Janetta','Aguirre','(717) 670-2634','janetta.aguirre@aol.com','214 Second Court
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ronna', 'Butler', NULL, 'ronna.butler@gmail.com', '9438 Plymouth Court
','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kathie', 'Freeman', NULL, 'kathie.freeman@msn.com', '667 Temple Dr.
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tangela', 'Quinn', NULL, 'tangela.guinn@aol.com', '4 S. Purple Finch Road
','Richmond Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mozelle','Carter','(281) 489-9656','mozelle.carter@aol.com','895 Chestnut Ave.
','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Onita','Johns',NULL,'onita.johns@msn.com','32 Glen Creek Lane
','Elmont','NY',11003); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Bennett', 'Armstrong', NULL, 'bennett.armstrong@aol.com', '688 Walnut Street
','Bethpage','NY',11714); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Monika','Berg',NULL,'monika.berg@gmail.com','369 Vernon Dr.
','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bridgette', 'Guerra', NULL, 'bridgette.guerra@hotmail.com', '9982 Manor Drive', 'San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cesar','Jackson',NULL,'cesar.jackson@gmail.com','8068 N. Griffin Ave.
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Caroll', 'Hays', NULL, 'caroll.hays@yahoo.com', '9381 Wrangler St.
'.'Fairport','NY',14450); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cleotilde','Booth',NULL,'cleotilde.booth@gmail.com','17 Corona St. ','Sugar
Land','TX',77478); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gertrud','Rhodes',NULL,'gertrud.rhodes@aol.com','9961 Meadowbrook Street
```

```
'.'Merrick'.'NY'.11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Tu','Ramirez',NULL,'tu.ramirez@hotmail.com','24 W. Courtland Street ','East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Saturnina','Garner',NULL,'saturnina.garner@gmail.com','8538 Fairground St.
','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Fran','Yang',NULL,'fran.yang@hotmail.com','440 Pearl St. ','Utica','NY',13501);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Diana', 'Guerra', NULL, 'diana.guerra@hotmail.com', '45 Chapel Ave. ', 'Merrick', 'NY', 11566); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lolita', 'Mosley', '(281) 363-3309', 'lolita.mosley@hotmail.com', '376 S. High Ridge St.
','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Pamala', 'Henry', NULL, 'pamala.henry@aol.com', '197 Bridgeton Ave.
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Damien','Dorsey',NULL,'damien.dorsey@yahoo.com','161 Old York Street ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Latasha', 'Stanley', NULL, 'latasha.stanley@gmail.com', '8068 Fordham Drive', 'Rockville
Centre', 'NY', 11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Neil','Mccall',NULL,'neil.mccall@gmail.com','7476 Oakland Dr. ','San Carlos','CA',94070);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Elinore', 'Aguilar', NULL, 'elinore.aguilar@msn.com', '9766 Rockcrest Ave. ', 'San Angelo', 'TX', 76901);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alica', 'Hunter', NULL, 'alica_hunter@hotmail.com', '8 San Juan Drive', 'East Elmhurst', 'NY', 11369);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tenisha','Lyons',NULL,'tenisha.lyons@aol.com','78 E. Rock Creek Street ','Amityville','NY',11701);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Bobbie', 'Foster', NULL, 'bobbie.foster@yahoo.com', '988 Pineknoll Ave. ', 'Desoto', 'TX', 75115);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kanesha','Vega',NULL,'kanesha.vega@gmail.com','771 E. Oxford Drive ','Rome','NY',13440);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lorrie', 'Becker', NULL, 'lorrie.becker@yahoo.com', '19 North Court', 'Garland', 'TX', 75043); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tommie', 'Melton', '(916) 802-2952', 'tommie.melton@gmail.com', '8 West Old York St.
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jayne', 'Kirkland', NULL, 'jayne.kirkland@hotmail.com', '7800 Second Lane
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Katelin', 'Kennedy', NULL, 'katelin.kennedy@gmail.com', '286 Myrtle Lane
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tomasa','Carson',NULL,'tomasa.carson@aol.com','10 Clark Avenue ','East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Takako','Casey',NULL,'takako.casey@aol.com','7548 Court Lane ','Bronx','NY',10451);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Petronila','Norris',NULL,'petronila.norris@aol.com','72 South Marshall Lane ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Melanie', 'Hayes', NULL, 'melanie.hayes@msn.com', '5 N. Hall Dr. ', 'Liverpool', 'NY', 13090);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Georgeann', 'Waller', NULL, 'georgeann.waller@yahoo.com', '9797 Bald Hill Ave.', 'North
Tonawanda','NY',14120); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Abby','Gamble',NULL,'abby.gamble@aol.com','60 Myers Dr.
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Parker', 'Prince', NULL, 'parker.prince@hotmail.com', '21 Sulphur Springs Drive ', 'Port
Jefferson Station', 'NY', 11776); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Keri', 'Bridges', NULL, 'keri.bridges@gmail.com', '8504 Brickell Ave.
','Richardson','TX',75080); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chi','Goff',NULL,'chi.goff@aol.com','3 W. Glen Ridge Avenue ','Palos Verdes
Peninsula','CA',90274); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ashanti', 'Parks', NULL, 'ashanti parks@hotmail.com', '846 N. Helen St.
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sarai', 'Mckee', '(716) 912-8110', 'sarai.mckee@msn.com', '641 Glenwood Avenue
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Zina', 'Bonner', NULL, 'zina.bonner@hotmail.com', '9312 8th Street', 'San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lizzie', 'Joyner', NULL, 'lizzie.joyner@msn.com', '8541 Roberts St. ', 'Coachella', 'CA', 92236);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tiesha', 'Daniel', NULL, 'tiesha.daniel@yahoo.com', '6 West Bohemia Lane ', 'Scarsdale', 'NY', 10583);
```

```
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Armand', 'Whitehead', NULL, 'armand.whitehead@hotmail.com', '639 Harvey St.
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Teofila', 'Fischer', NULL, 'teofila.fischer@aol.com', '1 West Brickyard St. ', 'Huntington
Station', 'NY', 11746); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lissa','Vargas',NULL,'lissa.vargas@yahoo.com','517 Victoria Ave. ','Oswego','NY',13126);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Yan','Mcgowan',NULL,'yan.mcgowan@msn.com','8960 Newport Ave. ','Duarte','CA',91010);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Titus', 'Bullock', NULL, 'titus.bullock@gmail.com', '29 Oxford Avenue ', 'Hollis', 'NY', 11423); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Arvilla', 'Osborn', NULL, 'arvilla.osborn@gmail.com', '60 Acacia Lane', 'Upland', 'CA', 91784); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Marjorie', 'Logan', NULL, 'marjorie logan@msn.com', '95 Grandrose St. ', 'Franklin Square', 'NY', 11010);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Marvin','Mullins','(619) 635-2027','marvin.mullins@aol.com','7489 Redwood Drive ','San
Diego', 'CA', 92111); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Tena', 'Cruz', NULL, 'tena.cruz@yahoo.com', '1 South St. ', 'Farmingdale', 'NY', 11735);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Corrina', 'Sawyer', '(248) 370-1364', 'corrina.sawyer@yahoo.com', '95 Briarwood Lane
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sharyn','Hopkins',NULL,'sharyn.hopkins@hotmail.com','4 South Temple Ave.
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Letitia','Franco',NULL,'letitia.franco@aol.com','607 Lakeview Drive ','Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Floretta', 'Higgins', NULL, 'floretta.higgins@hotmail.com', '870 Lilac Dr.
','Bayside','NY',11361); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Louanne', 'Martin', NULL, 'louanne.martin@hotmail.com', '1 Campfire Ave. ', 'Yuba
City', 'CA', 95993); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Violet','Valenzuela',NULL,'violet.valenzuela@msn.com','8668 Piper Street
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carie', 'Kidd', NULL, 'carie.kidd@yahoo.com', '6 East Clinton Street
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kellie', 'Franco', NULL, 'kellie.franco@yahoo.com', '444 South Walnut Rd.
','Commack','NY',11725); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Nichelle', 'Howell', NULL, 'nichelle.howell@aol.com', '7670 Forest St.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Marisol','Goodman',NULL,'marisol.goodman@gmail.com','864 East Cherry St.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sylvie','Wilkerson',NULL,'sylvie.wilkerson@yahoo.com','750 Central Ave.
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Katharina','Bates',NULL,'katharina.bates@gmail.com','54 South Greenview Drive
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Marget', 'Hodge', NULL, 'marget.hodge@msn.com', '7199 Selby Lane
','Woodhaven','NY',11421); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Raul','Melendez',NULL,'raul.melendez@hotmail.com','9772 Manhattan St.
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Cecil','Hopper',NULL,'cecil.hopper@yahoo.com','471 Glenlake Ave. ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Shae', 'Hickman', NULL, 'shae.hickman@hotmail.com', '740 Pin Oak Street', 'Floral
Park','NY',11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Monica', 'Sears', '(408) 704-8863', 'monica.sears@aol.com', '57 Glenholme St.', 'San
Jose', 'CA', 95127); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Ollie','Zimmerman','(657) 648-2863','ollie.zimmerman@yahoo.com','69 Wood Rd.
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Shila','White', NULL,'shila.white@msn.com','94 Lakeshore Street','Orchard
Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Yuk','Vega',NULL,'yuk.vega@yahoo.com','413 Wood St. ','West Hempstead','NY',11552);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Eliana', 'Silva', NULL, 'eliana.silva@gmail.com', '7119 Summer Rd. ', 'Farmingdale', 'NY', 11735);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Thalia','Horne',NULL,'thalia.horne@yahoo.com','9312 Harvard Street ','Amityville','NY',11701);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rey','Lindsay',NULL,'rey.lindsay@gmail.com','16 Philmont St. ','Monroe','NY',10950); INSERT INTO
```

```
sales.customers(first name, last name, phone, email, street, city, state, zip code)
VALUES('Merlene', 'Vinson', NULL, 'merlene.vinson@gmail.com', '431 Vine Dr. ', 'Euless', 'TX', 76039); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dacia', 'William', NULL, 'dacia.william@msn.com', '62 Cypress Drive', 'Sugar Land', 'TX', 77478);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Le','Wood',NULL,'le.wood@yahoo.com','90 Primrose Dr. ','Pittsford','NY',14534); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Thalia', 'Dillard', NULL, 'thalia.dillard@yahoo.com', '987 NE. Gates Street', 'San Angelo', 'TX', 76901);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Luz', 'House', '(559) 114-2580', 'luz.house@gmail.com', '491 Railroad Street', 'Fresno', 'CA', 93706);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lucy', 'Woods', NULL, 'lucy.woods@gmail.com', '8437 West Rockaway St.', 'Palos Verdes
Peninsula', 'CA', 90274); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Shena', 'Carter', NULL, 'shena.carter@yahoo.com', '72 University Road', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Robena','Hill','(361) 598-4414','robena.hill@hotmail.com','263 Cross St. ','Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jeni','Booker',NULL,'jeni.booker@gmail.com','546 Railroad Dr. ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Herlinda', 'Stone', NULL, 'herlinda.stone@msn.com', '725 Gulf St.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lavina', 'Dejesus', NULL, 'lavina.dejesus@msn.com', '59 E. Valley Avenue
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Erlinda','Nielsen',NULL,'erlinda.nielsen@aol.com','728 Oxford Lane
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Terrance','Lynn',NULL,'terrance.lynn@yahoo.com','91 East Buckingham Drive
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Walton', 'Dejesus', NULL, 'walton.dejesus@yahoo.com', '15 Washington Rd.
','Lockport','NY',14094); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Wes', 'Stanton', '(248) 247-5074', 'wes.stanton@msn.com', '8662 Tunnel Street
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tanesha','Hampton',NULL,'tanesha.hampton@hotmail.com','19 Belmont Ave.
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Boyd','Irwin',NULL,'boyd.irwin@hotmail.com','221 Whitemarsh St.
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Delbert', 'Wilkins', NULL, 'delbert.wilkins@aol.com', '420 Greenview St.
','Coram','NY',11727); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Brianna','Moss','(516) 156-8031','brianna.moss@msn.com','4 Longfellow St.
','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Dorthey','Jackson','(281) 926-8010','dorthey.jackson@msn.com','9768 Brookside
St. ','Houston','TX',77016); INSERT INTO sales.customers(first name, last name, phone, email, street, city,
state, zip_code) VALUES('Sarita','Parks',NULL,'sarita.parks@msn.com','7809 Second Lane
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shonta', 'Mercer', NULL, 'shonta.mercer@aol.com', '319 NE. La Sierra Avenue
','Massapegua','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jone', 'Bernard', '(657) 536-5165', 'jone.bernard@hotmail.com', '99 Longbranch Court
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Wanita', 'Davenport', NULL, 'wanita.davenport@aol.com', '525 Dogwood Ave.
','Spring Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cleopatra','Tate',NULL,'cleopatra.tate@aol.com','97 N. Glenwood St. ','East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ramiro','Byers',NULL,'ramiro.byers@gmail.com','16 Pleasant St. ','Saint
Albans', 'NY', 11412); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Nicholas','Vazquez',NULL,'nicholas.vazquez@hotmail.com','9 Roosevelt Street ','West
Hempstead', 'NY', 11552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Janae', 'Doyle', NULL, 'janae.doyle@gmail.com', '760 Rose Ave.', 'Jackson
Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Hans','Price',NULL,'hans.price@hotmail.com','51 Glendale Road ','Port
Chester', 'NY', 10573); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Miquel', 'Neal', NULL, 'miquel.neal@hotmail.com', '9564 Deerfield Lane', 'Staten
Island', 'NY', 10301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Stefany', 'Potter', NULL, 'stefany.potter@gmail.com', '256 South Academy St. ', 'Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bernetta','Marquez',NULL,'bernetta.marquez@hotmail.com','626 E. Dunbar Street
```

```
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Julee', 'Woodard', NULL, 'julee. woodard@yahoo.com', '869 Summerhouse Dr.
','Richmond Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Meredith', 'Bryan', NULL, 'meredith.bryan@hotmail.com', '8935 E. Oxford St.', 'Spring
Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Weldon', 'Michael', NULL, 'weldon.michael@hotmail.com', '9952 Nut Swamp St.
','Huntington','NY',11743); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Joesph', 'Delacruz', NULL, 'joesph.delacruz@aol.com', '184 Cypress Street
','Atwater','CA',95301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Katherina','Odom',NULL,'katherina.odom@yahoo.com','897 N. Oak Drive
','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Laraine', 'Robbins', NULL, 'laraine.robbins@yahoo.com', '8214 E. Pin Oak Lane', 'San
Angelo', 'TX', 76901); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Jenise', 'Preston', NULL, 'jenise.preston@yahoo.com', '9 Littleton Drive
','Helotes','TX',78023); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lory', 'Page', NULL, 'lory.page@hotmail.com', '58 Summerhouse Street ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Charlyn', 'Cantrell', NULL, 'charlyn.cantrell@yahoo.com', '8756 Euclid St. ', 'West
Islip','NY',11795); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Carola','Rodriquez',NULL,'carola.rodriquez@hotmail.com','9433 Heritage Lane
','Banning','CA',92220); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alane','Kennedy',NULL,'alane.kennedy@yahoo.com','34 Green Lake Street
','Spring Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Regina', 'Burns', NULL, 'regina.burns@aol.com', '713 Buckingham St.
','Garland','TX',75043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Omer', 'Estrada', NULL, 'omer. estrada@gmail.com', '9 Honey Creek Street
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Crystle', 'Gilliam', NULL, 'crystle.gilliam@yahoo.com', '86 Edgewater Road
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kam','Wilder',NULL,'kam.wilder@hotmail.com','500 West Clay Ave.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Margert', 'Stevens', NULL, 'margert.stevens@aol.com', '502 North Poplar St.
','Rome','NY',13440); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Tomika','Larson',NULL,'tomika.larson@yahoo.com','254 Canal St.
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jeromy', 'Burch', '(408) 955-8238', 'jeromy.burch@msn.com', '889 Mulberry Street
','San Jose','CA',95127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lena', 'Mills', NULL, 'lena.mills@yahoo.com', '42 Homestead St.
','Woodhaven','NY',11421); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Loreta','Johnston',NULL,'loreta.johnston@yahoo.com','39 Lafayette Dr. ','Spring
Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Nettie','Mcdaniel',NULL,'nettie.mcdaniel@hotmail.com','7004 E. Wakehurst St. ','South
Ozone Park', 'NY', 11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Karla', 'Kirk', NULL, 'karla.kirk@yahoo.com', '9718 Harvard Rd.', 'Palos Verdes
Peninsula', 'CA', 90274); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Regine', 'Gonzales', '(805) 763-4045', 'regine.gonzales@gmail.com', '798 Court Drive
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Miriam', 'Baker', NULL, 'miriam.baker@hotmail.com', '90 Studebaker St.
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jeanie', 'Kirkland', NULL, 'jeanie.kirkland@aol.com', '7643 Old Theatre St. ', 'Santa
Clara', 'CA', 95050); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Marquerite', 'Dawson', NULL, 'marquerite.dawson@gmail.com', '37 Hamilton Court
','Garland','TX',75043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Babara','Ochoa',NULL,'babara.ochoa@aol.com','872 Smith Store St.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Nova','Hess',NULL,'nova.hess@msn.com','773 South Lafayette St.
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Carley','Reynolds',NULL,'carley.reynolds@gmail.com','2 Snake Hill Drive ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Carissa', 'Foreman', NULL, 'carissa.foreman@msn.com', '69C N. Ridge Rd.
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Genoveva', 'Tyler', '(212) 152-6381', 'genoveva.tyler@gmail.com', '8121 Windfall Ave.
','New York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Deane', 'Sears', NULL, 'deane.sears@hotmail.com', '3 Bradford Court
```

```
'.'Pittsford','NY',14534); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Karey', 'Steele', NULL, 'karey.steele@gmail.com', '8879 Kent Lane
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Olevia', 'Pitts', NULL, 'olevia.pitts@gmail.com', '39 Fieldstone Drive ', 'Redondo
Beach', 'CA', 90278); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Jenniffer', 'Bullock', NULL, 'jenniffer.bullock@msn.com', '38 Oxford Avenue ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jeniffer','Ratliff',NULL,'jeniffer.ratliff@gmail.com','510 Rocky River Court ','Floral
Park', 'NY', 11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Klara', 'Stanley', NULL, 'klara.stanley@aol.com', '603 Mechanic St.', 'Webster', 'NY', 14580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Morton','Lee',NULL,'morton.lee@yahoo.com','313 Ridge St. ','San Angelo','TX',76901); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ken','Charles',NULL,'ken.charles@msn.com','9124 W. Piper Lane ','Monsey','NY',10952); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hedwig', 'Paul', NULL, 'hedwig.paul@msn.com', '422 Manor Ave. ', 'Apple Valley', 'CA', 92307); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Sharla', 'Flynn', '(805) 478-7724', 'sharla.flynn@hotmail.com', '7 Brown Drive', 'Oxnard', 'CA', 93035);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Damian','Dawson',NULL,'damian.dawson@hotmail.com','528 St Margarets Street
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Toya', 'Pratt', '(562) 218-6405', 'toya.pratt@yahoo.com', '485 San Pablo Drive', 'Long
Beach','NY',11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Graciela', 'Barber', '(805) 656-6987', 'graciela.barber@hotmail.com', '1 E. Young St.
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Bong', 'Hebert', NULL, 'bong.hebert@gmail.com', '545 Brook St.', 'Torrance', 'CA', 90505);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ayanna', 'Rhodes', NULL, 'ayanna.rhodes@msn.com', '7425 Pheasant St.', 'Hicksville', 'NY', 11801);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dorine', 'Roberson', NULL, 'dorine.roberson@msn.com', '396 Meadowbrook Lane', 'Santa
Cruz', 'CA', 95060); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Addie','Hahn',NULL,'addie.hahn@hotmail.com','8165 Baker Ave. ','Franklin
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Edythe','Valencia',NULL,'edythe.valencia@yahoo.com','9346 Wall St. ','North
Tonawanda', 'NY', 14120); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Andy', 'O"neill', NULL, 'andy.o"neill@msn.com', '9544 Mulberry Drive ', 'Rego
Park','NY',11374); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Luis','Tyler',NULL,'luis.tyler@gmail.com','9568 Campfire Circle ','Amarillo','TX',79106);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Clelia','Workman',NULL,'clelia.workman@yahoo.com','620 North Somerset St. ','New
Windsor', 'NY', 12553); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Ashely','Holmes',NULL,'ashely.holmes@aol.com','45 High Ridge Ave.
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Candis', 'Harding', NULL, 'candis.harding@gmail.com', '33 NW. Cambridge Ave.
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Marni', 'Bolton', '(717) 670-6268', 'marni.bolton@msn.com', '7469 Plymouth Ave.
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Minerva','Decker','(281) 271-6390','minerva.decker@yahoo.com','794 Greenrose
Street ','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Alpha','King',NULL,'alpha.king@hotmail.com','14 Henry Smith St. ','Rockville
Centre', 'NY', 11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Harris','Pittman',NULL,'harris.pittman@yahoo.com','404 Cherry Hill Road
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Stephaine','Riddle',NULL,'stephaine.riddle@hotmail.com','199 Vermont Court
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Michel', 'Blankenship', NULL, 'michel. blankenship@msn.com', '382 West Hill Dr.
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Denis','Logan',NULL,'denis.logan@msn.com','121 Rockcrest Street
','Ridgecrest','CA',93555); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jutta', 'Everett', NULL, 'jutta.everett@gmail.com', '27 Taylor Ave.
'.'Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Priscilla','Wilkins','(229) 322-2269','priscilla.wilkins@aol.com','653 Pawnee Rd.
','Albany','NY',12203); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gilma','Dejesus',NULL,'gilma.dejesus@yahoo.com','777 Thompson Ave.
```

```
'.'Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Buford', 'Bridges', '(248) 604-7346', 'buford.bridges@msn.com', '239 Oak Valley Court
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Elenore', 'Hensley', NULL, 'elenore.hensley@hotmail.com', '7037 Aspen St.
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ross','Pugh',NULL,'ross.pugh@msn.com','8598 Saxon St. ','North
Tonawanda', 'NY', 14120); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Judith', 'Finley', NULL, 'judith.finley@hotmail.com', '474 West Bank Road
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Wai', 'Soto', NULL, 'wai.soto@msn.com', '30 Arch Drive', 'Bethpage', 'NY', 11714);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Carline', 'Collier', '(559) 810-6070', 'carline.collier@msn.com', '28 Trenton Lane ', 'Fresno', 'CA', 93706);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Casey', 'Gill', NULL, 'casey.gill@gmail.com', '636 Prospect Avenue ', 'Port Washington', 'NY', 11050);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Darcie', 'Morgan', '(442) 618-7068', 'darcie.morgan@aol.com', '476 East Adams Ave.
','Oceanside','NY',11572); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lucio', 'Sherman', NULL, 'lucio.sherman@gmail.com', '842 Corona Ave.
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Clementine','Mooney',NULL,'clementine.mooney@yahoo.com','678 Charles Court
','Mcallen','TX',78501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Anya', 'Contreras', NULL, 'anya.contreras@msn.com', '38 Old Fairground St.', 'East
Northport', 'NY', 11731); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Scarlet','Yates',NULL,'scarlet.yates@hotmail.com','687 Shirley St.
','Patchogue','NY',11772); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Moses', 'Pope', NULL, 'moses.pope@yahoo.com', '654 Theatre Street
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Barbera', 'Riggs', NULL, 'barbera.riggs@aol.com', '12 Gartner Drive
','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kiana','Rivera',NULL,'kiana.rivera@gmail.com','9 Sheffield Dr. ','Richmond
Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Danielle', 'Bond', NULL, 'danielle.bond@msn.com', '8589 Shub Farm Street
','Patchogue','NY',11772); INSERT INTO sales customers (first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Whitney', 'Estes', '(631) 315-4020', 'whitney.estes@gmail.com', '454 Bear Hill Street
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Molly','Langley',NULL,'molly.langley@aol.com','63 Bridgeton Street
','Holbrook','NY',11741); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chelsey','Hardin',NULL,'chelsey.hardin@hotmail.com','13 Brickyard Street ','Deer
Park','NY',11729); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jenee', 'Rasmussen', '(916) 219-1774', 'jenee.rasmussen@hotmail.com', '19 George Lane
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Freddie','Mathis',NULL,'freddie.mathis@hotmail.com','31 Shady St.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mariana', 'Strong', NULL, 'mariana.strong@msn.com', '972 Dunbar Dr. ', 'Santa
Clara', 'CA', 95050); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Winfred', 'Harris', NULL, 'winfred.harris@msn.com', '734 Glen Eagles St. ', 'East
Meadow','NY',11554); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jeromy', 'Elliott', NULL, 'jeromy.elliott@gmail.com', '7112 Laurel Street ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Verona','O"neill',NULL,'verona.o"neill@hotmail.com','8279 W. Sussex St.
','Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Elvera', 'Peck', NULL, 'elvera.peck@yahoo.com', '759 Lakewood Street
','Banning','CA',92220); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cindi','Larson',NULL,'cindi.larson@msn.com','896 Golden Star Rd. ','Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Felice', 'Guzman', NULL, 'felice .guzman@hotmail.com', '7 Creekside Lane', 'Canyon'
Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Le','Deleon',NULL,'le.deleon@msn.com','58 Clark Court ','Banning','CA',92220); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Manie', 'Sanchez', NULL, 'manie.sanchez@hotmail.com', '471 Illinois Ave. ', 'Queensbury', 'NY', 12804);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rutha', 'Howell', NULL, 'rutha.howell@gmail.com', '9247 Jones Street', 'Canyon Country', 'CA', 91387);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Natosha','Rowland',NULL,'natosha.rowland@aol.com','51 Elmwood St. ','Ballston Spa','NY',12020);
```

```
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jessika','Bray',NULL,'jessika.bray@yahoo.com','37 East Greystone St. ','San Pablo','CA',94806);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Delila', 'Hamilton', NULL, 'delila.hamilton@yahoo.com', '7451 East James Ave. ', 'Palos Verdes
Peninsula', 'CA', 90274); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Dionne','Norris',NULL,'dionne.norris@yahoo.com','9993 Greenview Circle
','Niagara Falls','NY',14304); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Muriel','Juarez',NULL,'muriel.juarez@gmail.com','8073 Cemetery Drive ','Palos
Verdes Peninsula', 'CA', 90274); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Cecelia', 'Gill', NULL, 'cecelia.gill@aol.com', '372 Silver Spear Dr.
','Mcallen','TX',78501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Magda', 'Eaton', NULL, 'magda.eaton@aol.com', '860 Middle River Street
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ivonne', 'Yang', '(915) 181-1950', 'ivonne.yang@gmail.com', '7359 North Lake View
St. ','El Paso','TX',79930); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kasie','Rodriquez',NULL,'kasie.rodriquez@aol.com','7 North Beech St. ','Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Eleni','Gordon',NULL,'eleni.gordon@hotmail.com','583 W. San Carlos Street ','Richmond
Hill','NY',11418); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Maurice','Norton',NULL,'maurice.norton@hotmail.com','32 Mayflower Dr.
','Atwater','CA',95301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cristobal', 'Hutchinson', NULL, 'cristobal. hutchinson@gmail.com', '58 Washington Avenue
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Flossie','Holder',NULL,'flossie.holder@msn.com','8459 W. Newport Court
','Massapequa Park','NY',11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Erma', 'Salinas', NULL, 'erma.salinas@gmail.com', '347 Sheffield St.
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Earl', 'Stanley', NULL, 'earl. stanley@gmail.com', '569 Lake Lane', 'Elmhurst', 'NY', 11373);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Maribel', 'William', NULL, 'maribel.william@aol.com', '65 Magnolia Ave. ', 'Torrance', 'CA', 90505);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Johnathan','Velazquez',NULL,'johnathan.velazquez@hotmail.com','9680 E. Somerset Street
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Rodrick', 'Shelton', NULL, 'rodrick.shelton@hotmail.com', '7157 Addison Street
','Canyon Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Ferne','Kline',NULL,'ferne.kline@hotmail.com','303 Shady St.
','Fullerton','CA',92831); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rubin','Decker','(716) 950-9835','rubin.decker@gmail.com','9875 Shady Ave.
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dortha','Jarvis','(442) 919-8256','dortha.jarvis@yahoo.com','76 Prince Drive
','Oceanside','NY',11572); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mariela','Huffman',NULL,'mariela.huffman@gmail.com','531 Fieldstone Road
','Garden City','NY',11530); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Mellisa', 'Farley', NULL, 'mellisa.farley@yahoo.com', '21 West Princess St.', 'Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Myung','Hooper',NULL,'myung.hooper@gmail.com','951 Mill Road ','Elmont','NY',11003);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Angelina','Lloyd',NULL,'angelina.lloyd@yahoo.com','9593 North Sherman Dr. ','Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Trinity','Riddle',NULL,'trinity.riddle@aol.com','23 Oakland Lane ','Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Barton', 'Crosby', NULL, 'barton.crosby@msn.com', '896 Edgewater St.
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Claudio','Wise',NULL,'claudio.wise@hotmail.com','810 Oxford Ave.
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Katheleen', 'Marks', NULL, 'katheleen.marks@yahoo.com', '69 North Tower St.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Deja','Chaney',NULL,'deja.chaney@hotmail.com','52 Woodside Ave.
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Queenie', 'Vance', NULL, 'queenie.vance@gmail.com', '172 Arcadia Ave. ', 'Ozone
Park', 'NY', 11417); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Josh','Shaw',NULL,'josh.shaw@gmail.com','212 North Leeton Ridge Street ','Hopewell
Junction', 'NY', 12533); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Pinkie','Kirkland',NULL,'pinkie.kirkland@yahoo.com','18 Myers St. ','San
```

```
Angelo', 'TX', 76901); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Lavette', 'Wright', NULL, 'lavette.wright@msn.com', '6 Windsor Street
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mark', 'Garrett', NULL, 'mark.garrett@msn.com', '285 Rosewood Dr.
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Myesha', 'Burgess', NULL, 'myesha.burgess@gmail.com', '306 Trenton Rd.
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Justina','Long',NULL,'justina.long@aol.com','39 Littleton Ave. ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Brenda', 'Tate', NULL, 'brenda.tate@msn.com', '36 Hilltop Street', 'San Angelo', 'TX', 76901);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rayna','Perry',NULL,'rayna.perry@hotmail.com','7238 Oakland St. ','Ozone Park','NY',11417);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Randolph', 'Chase', NULL, 'randolph.chase@yahoo.com', '828 Bridle Ave. ', 'San Lorenzo', 'CA', 94580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jaimee','Day',NULL,'jaimee.day@aol.com','7534 Whitemarsh Ave. ','Poughkeepsie','NY',12601);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Susann', 'Bass', NULL, 'susann.bass@msn.com', '21 Old Rock Maple Ave.', 'Commack', 'NY', 11725);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Leola', 'Gould', NULL, 'leola.gould@gmail.com', '8 Kirkland St. ', 'Astoria', 'NY', 11102); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Virgil', 'Frost', NULL, 'virgil.frost@gmail.com', '9798 Beacon St. ', 'Levittown', 'NY', 11756); INSERT INTO
sales.customers(first name, last name, phone, email, street, city, state, zip code)
VALUES('Mireille', 'Puckett', '(805) 961-9909', 'mireille.puckett@hotmail.com', '378 Purple Finch Drive
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Keturah', 'Massey', NULL, 'keturah.massey@msn.com', '189 Arnold Drive
','Banning','CA',92220); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Charmain', 'Webster', NULL, 'charmain.webster@hotmail.com', '36 East Stonybrook
Rd. ','Richardson','TX',75080); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Barry','Buckner',NULL,'barry.buckner@gmail.com','8779 High Noon Rd.
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Boyce', 'Burks', NULL, 'boyce.burks@gmail.com', '879 Harvey Dr.
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Monty', 'Frost', '(516) 460-5396', 'monty.frost@aol.com', '76 Foxrun Dr.
','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tiny', 'French', NULL, 'tiny, french@hotmail.com', '7163 Hall St.
','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Clementina', 'Sargent', NULL, 'clementina.sargent@hotmail.com', '9853 Catherine
Road ','Rome','NY',13440); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Danny','Kim',NULL,'danny.kim@msn.com','74 Essex Drive ','South Ozone
Park','NY',11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sophia','Mcmillan',NULL,'sophia.mcmillan@msn.com','8541 S. Pleasant Street
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Christia','Carson',NULL,'christia.carson@gmail.com','220 Orchard Street
','Helotes','TX',78023); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jennie','Middleton',NULL,'jennie.middleton@gmail.com','95 High Noon Dr.
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jame', 'Riggs', NULL, 'jame.riggs@hotmail.com', '9237 Hudson Drive', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Rayford', 'Simon', NULL, 'rayford.simon@msn.com', '998 Whitemarsh Road', 'Mountain
View','CA',94043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Annett', 'Garrett', NULL, 'annett.garrett@yahoo.com', '19 Euclid Lane
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Hayden','Cross',NULL,'hayden.cross@gmail.com','90 Pumpkin Hill St. ','Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Rolanda', 'Larsen', NULL, 'rolanda larsen@yahoo.com', '5 West University Court
','Woodhaven','NY',11421); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jayme', 'Zamora', NULL, 'jayme.zamora@gmail.com', '2 Ridge Lane ', 'Springfield
Gardens','NY',11413); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hope', 'Cotton', NULL, 'hope.cotton@aol.com', '9092 Blue Spring Dr. ', 'Redondo
Beach', 'CA', 90278); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Vikki','Erickson',NULL,'vikki.erickson@yahoo.com','24 Jones Street
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Fransisca','Nicholson',NULL,'fransisca.nicholson@aol.com','945 Schoolhouse
```

```
Street ','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Mazie', 'Fernandez', NULL, 'mazie.fernandez@hotmail.com', '583 Harvard Ave.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Anderson', 'Martin', NULL, 'anderson.martin@hotmail.com', '9051 Hillside Dr.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Gilberto','Parsons',NULL,'gilberto.parsons@gmail.com','8115 North Edgewater
Drive ','Middle Village','NY',11379); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Charise', 'Burt', '(559) 888-2229', 'charise.burt@aol.com', '582 Creek St.
','Fresno','CA',93706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cameron', 'Carroll', NULL, 'cameron.carroll@yahoo.com', '9133 South Halifax Ave.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Melani', 'Jarvis', NULL, 'melani.jarvis@hotmail.com', '8 Tunnel St.
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Javier','Nichols',NULL,'javier.nichols@msn.com','8944 Marconi St.
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Justina','Jenkins',NULL,'justina.jenkins@yahoo.com','8236 Creek St.
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hortencia', 'Graham', NULL, 'hortencia.graham@aol.com', '7764 Greenrose Street
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Christia','Wilkins',NULL,'christia.wilkins@msn.com','7062 Willow Court
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Eliz','Whitney',NULL,'eliz.whitney@msn.com','523 Crescent Court
','Fullerton','CA',92831); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Justin','Newton',NULL,'justin.newton@hotmail.com','93 Shore Rd. ','Apple
Valley','CA',92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Aron','Wiggins','(442) 497-3353','aron.wiggins@aol.com','6 Bradford St.
','Oceanside','NY',11572); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Chere', 'Hardin', NULL, 'chere.hardin@yahoo.com', '763 Fulton Road
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Merideth','Preston',NULL,'merideth.preston@yahoo.com','794 Rockaway St.
','Poughkeepsie','NY',12601); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Jeniffer', 'Slater', NULL, 'jeniffer.slater@aol.com', '30 Old Orange Lane
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Laureen', 'Paul', NULL, 'laureen.paul@yahoo.com', '617 Squaw Creek Rd.
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Berna', 'Moore', NULL, 'berna.moore@hotmail.com', '7230 Lafayette Drive
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shiela', 'Calderon', NULL, 'shiela.calderon@msn.com', '844 Albany St.
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sharie','Alvarez','(212) 211-7621','sharie.alvarez@msn.com','987 West Leatherwood Dr.
','New York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bettie', 'Glover', NULL, 'bettie.glover@gmail.com', '9083 Addison Dr.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Marilyn', 'Frank', NULL, 'marilyn.frank@aol.com', '8878 Branch Street', 'Port
Chester','NY',10573); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sheba', 'Knapp', NULL, 'sheba.knapp@aol.com', '86 Gates Street', 'Woodside', 'NY', 11377);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Aleta', 'Mack', NULL, 'aleta.mack@yahoo.com', '8869 W. Edgemont Lane ', 'Bay Shore', 'NY', 11706);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Reena','Higgins',NULL,'reena.higgins@gmail.com','900 South Columbia Street ','Canyon
Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ami', 'Mcmahon', NULL, 'ami.mcmahon@aol.com', '566 Hilldale Drive
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Somer','Jordan',NULL,'somer.jordan@msn.com','7046 Helen Avenue ','Huntington
Station', 'NY', 11746); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Scarlet', 'Reed', NULL, 'scarlet.reed@hotmail.com', '151 S. Myers Court
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Trisha','Johnson','(717) 126-8787','trisha.johnson@msn.com','59 Wild Horse St.
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Majorie', 'Wyatt', NULL, 'majorie.wyatt@yahoo.com', '8507 Miller St.', 'South Ozone
Park', 'NY', 11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Abbey','Pugh',NULL,'abbey.pugh@gmail.com','26 Market Drive ','Forest
Hills','NY',11375); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tamela', 'Harrell', NULL, 'tamela.harrell@aol.com', '7316 Cypress Rd. ', 'Central
```

```
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Yanira', 'Bradshaw', NULL, 'yanira.bradshaw@gmail.com', '7484 Ann Court
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Delana', 'Scott', NULL, 'delana.scott@yahoo.com', '7372 Ridgeview St.', 'Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cassondra', 'Pruitt', NULL, 'cassondra.pruitt@aol.com', '4 Alderwood Circle
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jesica','Fields',NULL,'jesica.fields@yahoo.com','318 Country Dr.
','Commack','NY',11725); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Herta','Rollins',NULL,'herta.rollins@msn.com','287 1st Drive ','Mountain
View', 'CA', 94043); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Mi', 'Gray', '(229) 813-2130', 'mi.gray@aol.com', '27 Roehampton Dr. ', 'Albany', 'NY', 12203);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jacalyn', 'Barnett', NULL, 'jacalyn.barnett@gmail.com', '7537 Swanson Street', 'Maspeth', 'NY', 11378);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kanesha', 'Hudson', '(510) 788-7298', 'kanesha.hudson@gmail.com', '8293 Gartner Drive
','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Darren', 'Witt', NULL, 'darren. witt@aol.com', '916 Hillcrest Ave.
','Coachella','CA',92236); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mable', 'Pratt', NULL, 'mable.pratt@gmail.com', '254 SW. Temple Street
','Coachella','CA',92236); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Christoper', 'Mccall', NULL, 'christoper.mccall@msn.com', '72 Summit St. ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Margorie','Wynn',NULL,'margorie.wynn@gmail.com','707 Schoolhouse St.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Josef', 'Greer', NULL, 'josef.greer@gmail.com', '92 Summer Court
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tisa','Whitney',NULL,'tisa.whitney@yahoo.com','549 Newbridge Dr.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tonda','Armstrong',NULL,'tonda.armstrong@aol.com','19 Forest Rd.
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Arvilla', 'Weiss', NULL, 'arvilla.weiss@msn.com', '477 Blue Spring St. ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Vashti', 'Rosario', NULL, 'vashti.rosario@yahoo.com', '623 Johnson Circle
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sheri', 'Cole', '(408) 658-2285', 'sheri.cole@aol.com', '479 Chapel Court', 'San
Jose', 'CA', 95127); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kandace', 'Giles', NULL, 'kandace.giles@msn.com', '30 NE. Walt Whitman Drive
','Wantagh','NY',11793); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Angie','Powers',NULL,'angie.powers@aol.com','6 Rockland Dr.
','Pomona','CA',91768); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Van','Peters','(281) 658-7772','van.peters@yahoo.com','45 Fifth Dr.
','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Virgina', 'Berg', NULL, 'virgina.berg@yahoo.com', '804 South Purple Finch Drive
','Valley Stream','NY',11580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Olevia','Noel',NULL,'olevia.noel@yahoo.com','39 N. Rosewood Dr.
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Kaci', 'Gallegos', NULL, 'kaci.gallegos@gmail.com', '8573 Halifax St. ', 'Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bev','Chang',NULL,'bev.chang@yahoo.com','104 Rockville St. ','Ithaca','NY',14850);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rodger', 'Rojas', NULL, 'rodger.rojas@yahoo.com', '8442 Cooper Ave. ', 'Bayside', 'NY', 11361); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lavonne', 'Anderson', NULL, 'lavonne.anderson@aol.com', '9420 Wintergreen Court', 'Floral
Park','NY',11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Blanca', 'Hooper', NULL, 'blanca.hooper@msn.com', '340 Bald Hill St.', 'Ozone
Park', 'NY', 11417); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Alysha', 'Powers', NULL, 'alysha.powers@msn.com', '39 West Marshall Ave. ', 'Forest
Hills','NY',11375); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mary', 'Singleton', NULL, 'mary.singleton@hotmail.com', '474 Amerige Ave.
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jina','Cooper',NULL,'jina.cooper@aol.com','8947 W. Lexington Rd. ','Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Loni','Duncan',NULL,'Ioni.duncan@gmail.com','80 Saxton Lane ','Rosedale','NY',11422);
```

```
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Collene', 'Roman', NULL, 'collene.roman@aol.com', '30 North Argyle Dr. ', 'Wappingers
Falls', 'NY', 12590); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Mariette','Trevino',NULL,'mariette.trevino@aol.com','4 Border Court ','Utica','NY',13501);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Candelaria', 'Coffey', NULL, 'candelaria.coffey@aol.com', '45 Newport Lane ', 'Merrick', 'NY', 11566);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Yan', 'Trevino', NULL, 'yan.trevino@gmail.com', '796 Jefferson Rd. ', 'Uniondale', 'NY', 11553); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Elanor', 'Patrick', NULL, 'elanor.patrick@aol.com', '51 Howard Ave. ', 'Victoria', 'TX', 77904); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Klara', 'Mosley', NULL, 'klara.mosley@gmail.com', '518 Devon Court', 'Port Chester', 'NY', 10573);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code) VALUES('Ros
Pennsylvania St. ','Mount Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Mina','Carrillo',NULL,'mina.carrillo@aol.com','8659 Trenton Lane
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alesia','Horne',NULL,'alesia.horne@aol.com','9229 Amherst Lane
','Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kristen','Alvarez',NULL,'kristen.alvarez@aol.com','9778 North River St.
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Collin', 'Webster', NULL, 'collin.webster@aol.com', '475 Cottage Rd. ', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ashlee', 'Pena', NULL, 'ashlee.pena@aol.com', '966 Highland St. ', 'Whitestone', 'NY', 11357);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Aimee', 'Merritt', NULL, 'aimee.merritt@yahoo.com', '537 East Meadowbrook St.
','Flushing','NY',11354); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Rochelle', 'Ward', NULL, 'rochelle.ward@yahoo.com', '7855 La Sierra Street
','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Nelle','Beck',NULL,'nelle.beck@aol.com','8998 Wakehurst Drive
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kaila','Walters',NULL,'kaila.walters@msn.com','57 Gates Drive ','Elmhurst','NY',11373);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Aleta', 'Stone', NULL, 'aleta.stone@aol.com', '8 Elm Dr. ', 'Whitestone', 'NY', 11357); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Leif', 'Short', NULL, 'leif.short@gmail.com', '962 Carpenter Ave. ', 'San Angelo', 'TX', 76901); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lorrie', 'Pollard', NULL, 'lorrie.pollard@yahoo.com', '7834 Shore Ave. ', 'Ronkonkoma', 'NY', 11779);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Vernita', 'Ball', NULL, 'vernita.ball@gmail.com', '126 Arnold Dr. ', 'Los Banos', 'CA', 93635); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Cyndi', 'Bush', NULL, 'cyndi.bush@gmail.com', '18 Smoky Hollow Drive', 'Elmhurst', 'NY', 11373);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Gertrude', 'Terry', NULL, 'gertrude.terry@hotmail.com', '34 Airport Dr. ', 'Upland', 'CA', 91784); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Virgen', 'Clemons', NULL, 'virgen.clemons@gmail.com', '354 Cactus Drive', 'South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Fairy', 'Robinson', NULL, 'fairy.robinson@msn.com', '8837 Joy Ridge St.
'.'Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Laverna','Hernandez',NULL,'laverna.hernandez@hotmail.com','34 South
Longfellow St. ','Niagara Falls','NY',14304); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Jeannie', 'Wilcox', NULL, 'jeannie.wilcox@yahoo.com', '7744 Miles
Dr. ','Franklin Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Suellen', 'Mercado', NULL, 'suellen.mercado@yahoo.com', '3 Taylor Drive
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Bart', 'Hess', NULL, 'bart.hess@aol.com', '799 N. Maiden Street
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alfredo', 'Dodson', NULL, 'alfredo.dodson@hotmail.com', '8960 Glenholme Dr.
','Depew','NY',14043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shaunda', 'Barnett', NULL, 'shaunda.barnett@gmail.com', '9366 San Carlos Lane
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kerrie', 'Morton', NULL, 'kerrie, morton@hotmail.com', '8772 State St.
','Pittsford','NY',14534); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Elouise','Fry',NULL,'elouise.fry@aol.com','49 Bohemia Street ','Canyon
Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Augustus', 'Steele', NULL, 'augustus. steele@aol.com', '7474 N. Orchard St. ', 'Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Greta','Page',NULL,'greta.page@hotmail.com','8316 Augusta Drive
','Commack','NY',11725); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kerrie','O"neill',NULL,'kerrie.o"neill@gmail.com','69 Wellington Ave.
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dannette', 'Guerrero', NULL, 'dannette.guerrero@gmail.com', '68 Carriage Street', 'San
Pablo', 'CA', 94806); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Edra','Fitzgerald',NULL,'edra.fitzgerald@msn.com','8892 Birchwood St. ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jerome', 'Bolton', NULL, 'jerome.bolton@msn.com', '9921 Argyle Street
','Carmel','NY',10512); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Conception', 'Slater', NULL, 'conception.slater@gmail.com', '5 Sunset Street
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Octavia','Case','(212) 171-1335','octavia.case@aol.com','40 Charles Road ','New
York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dexter', 'Roberts', NULL, 'dexter.roberts@gmail.com', '84 Thatcher Court
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ginette', 'Edwards', NULL, 'ginette.edwards@hotmail.com', '9262 NW. Center Ave.
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Romaine', 'Haley', NULL, 'romaine.haley@aol.com', '737 Edgefield Drive
','Ithaca','NY',14850); INSERT INTO sales customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gwendolyn','Miller',NULL,'gwendolyn.miller@msn.com','90 Fordham Ave.
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Luke', 'Fuller', '(516) 363-2253', 'luke.fuller@hotmail.com', '576 Cleveland Lane
','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Zoraida','Patton',NULL,'zoraida.patton@aol.com','95 Grand Dr. ','Huntington
Station', 'NY', 11746); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Georgeanna', 'Webster', '(805) 885-8830', 'georgeanna.webster@msn.com', '40 Creekside
Circle ','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Krystin','Marshall',NULL,'krystin.marshall@hotmail.com','10 Old Proctor Lane
','Poughkeepsie','NY',12601); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Vince', 'Schneider', NULL, 'vince.schneider@hotmail.com', '473 Corona Ave.
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('lola', 'Rasmussen', NULL, 'iola.rasmussen@yahoo.com', '283 N. Manor Station Dr.
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Valery','Saunders',NULL,'valery.saunders@msn.com','42 Marlborough St.
','Victoria','TX',77904); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Johna', 'Powers', NULL, 'johna.powers@hotmail.com', '379 Central Ave. ', 'Deer
Park', 'NY', 11729); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Charleen','Hurst',NULL,'charleen.hurst@yahoo.com','87 Country Avenue
','Utica','NY',13501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Augustina','Joyner',NULL,'augustina.joyner@aol.com','7931 Honey Creek Court ','Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Daisy', 'Ward', NULL, 'daisy.ward@msn.com', '45 Silver Spear Ave. ', 'Pomona', 'CA', 91768);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Latonya', 'Dixon', NULL, 'latonya.dixon@hotmail.com', '9399 Evergreen Street', 'Garland', 'TX', 75043);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hipolito', 'Padilla', NULL, 'hipolito.padilla@hotmail.com', '311 E. Rose Avenue ', 'New
Rochelle', 'NY', 10801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Emmett', 'Casey', NULL, 'emmett.casey@yahoo.com', '893 Logan St. ', 'Valley
Stream','NY',11580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kandi', 'Mcneil', NULL, 'kandi.mcneil@msn.com', '402 Border Street', 'Massapequa
Park','NY',11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Luciano', 'Marsh', NULL, 'luciano.marsh@aol.com', '7685 South Willow Drive
','Bellmore','NY',11710); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Julius','Holt',NULL,'julius.holt@aol.com','386 Lower River Street ','East
Meadow', 'NY', 11554); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Holly', 'Nieves', NULL, 'holly.nieves@aol.com', '60 Cleveland St. ','Longview', 'TX', 75604);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Douglass', 'Little', NULL, 'douglass.little@hotmail.com', '294 Harvey Drive', 'Duarte', 'CA', 91010);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Izola', 'Hobbs', NULL, 'izola.hobbs@gmail.com', '685 Beacon Dr. ', 'Woodhaven', 'NY', 11421); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Honey', 'Camacho', NULL, 'honey.camacho@qmail.com', '934 2nd St. ', 'Bayside', 'NY', 11361); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Laureen', 'Barry', NULL, 'laureen.barry@yahoo.com', '909 Ridge St. ', 'Orchard Park', 'NY', 14127);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Katharine','Herrera',NULL,'katharine.herrera@hotmail.com','395 SE. Branch St.
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sunshine','Rosario',NULL,'sunshine.rosario@aol.com','1 Chestnut Lane
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Yevette', 'Todd', NULL, 'yevette.todd@aol.com', '119 Lakewood Rd. ', 'Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Dorthea', 'Walker', NULL, 'dorthea.walker@aol.com', '11 Third St. ', 'Port
Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Alane', 'Munoz', '(914) 706-7576', 'alane.munoz@gmail.com', '8 Strawberry Dr.
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ayana','Keith','(805) 230-2101','ayana.keith@hotmail.com','182 Thorne Road
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Caridad','Compton',NULL,'caridad.compton@aol.com','9575 SW. Kingston Court ','San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Earline', 'Ballard', NULL, 'earline.ballard@hotmail.com', '939 Lyme Road', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nathanael', 'Bradley', NULL, 'nathanael.bradley@aol.com', '58 Third St.
','Amsterdam','NY',12010); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chasidy','Tran',NULL,'chasidy.tran@msn.com','9286 Anderson Street
','Vista','CA',92083); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Janella', 'Bright', '(507) 616-2958', 'janella.bright@aol.com', '7317 Tower Dr.
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Josie', 'Schultz', NULL, 'josie.schultz@hotmail.com', '225 Mammoth Street', 'Canyon
Country', 'CA', 91387); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Ellsworth', 'Michael', NULL, 'ellsworth.michael@yahoo.com', '9982 White St.
','Carmel','NY',10512); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jennette','Wooten',NULL,'jennette.wooten@msn.com','8221 Bow Ridge Lane
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cassandra', 'Nichols', NULL, 'cassandra.nichols@yahoo.com', '4 Glenwood Circle
','Hicksville','NY',11801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Courtney', 'Wyatt', NULL, 'courtney, wyatt@gmail.com', '369 Arrowhead St. ', 'Garden
City', 'NY', 11530); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Terese', 'Palmer', NULL, 'terese.palmer@hotmail.com', '8 Sugar Drive', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Sherita','Cherry',NULL,'sherita.cherry@gmail.com','9636 Old Cedarwood Street
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Serina', 'Hensley', NULL, 'serina.hensley@yahoo.com', '53 Proctor Drive
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jeni', 'Farley', NULL, 'jeni.farley@aol.com', '4 Mill Lane ', 'Richmond Hill', 'NY', 11418);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Everett', 'Vega', NULL, 'everett.vega@yahoo.com', '7859 James Ave. ', 'Holbrook', 'NY', 11741); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Latosha', 'Dalton', '(661) 529-4501', 'latosha.dalton@yahoo.com', '59 E. Wintergreen Ave.
'.'Bakersfield','CA',93306); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Romelia', 'Myers', NULL, 'romelia.myers@msn.com', '8630 Brook St. ', 'Garden
City', 'NY', 11530); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Effie','Jenkins','(631) 477-1277','effie.jenkins@msn.com','75 South Glen Eagles Court
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Efren','Oliver',NULL,'efren.oliver@gmail.com','9343 1st Rd. ','Nanuet','NY',10954);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jerlene', 'Rios', NULL, 'jerlene.rios@yahoo.com', '32 Griffin St. ', 'Plainview', 'NY', 11803); INSERT INTO
sales.customers(first name, last name, phone, email, street, city, state, zip code)
VALUES('Bess', 'Mcbride', NULL, 'bess.mcbride@yahoo.com', '9832 Winchester St. ', 'Garden City', 'NY', 11530);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Birdie', 'Kramer', '(248) 725-2174', 'birdie.kramer@hotmail.com', '311 Newcastle Dr.
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Collen','Hayes',NULL,'collen.hayes@yahoo.com','117 Eagle St. ','Smithtown','NY',11787);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Clare','Neal',NULL,'clare.neal@msn.com','8922 Shady Ave. ','Mahopac','NY',10541); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Jeanett','Herman',NULL,'ieanett.herman@hotmail.com','839 East Arch Street
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Micki','Rutledge',NULL,'micki.rutledge@aol.com','9868 Marvon Street ','Richmond
Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALÚES('Loise','Walker',NULL,'loise.walker@aol.com','201 Glen Eagles St. ','Shirley','NY',11967);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Burma', 'Summers', NULL, 'burma.summers@yahoo.com', '890 East Elmwood Street
','Freeport','NY',11520); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Myron', 'Ruiz', NULL, 'myron.ruiz@gmail.com', '45 Shadow Brook Lane
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lashawna', 'Richardson', NULL, 'lashawna.richardson@hotmail.com', '9920 Purple
Finch St. ','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Lavern', 'Orr', NULL, 'lavern.orr@hotmail.com', '913 N. Young Street
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alec','Peck',NULL,'alec.peck@hotmail.com','4 W. Belmont St.
','Victoria','TX',77904); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Christopher', 'Richardson', NULL, 'christopher.richardson@gmail.com', '7846 Windfall Dr.
','Santa Cruz','CA',95060); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Arminda','Weber',NULL,'arminda.weber@yahoo.com','6 Hill Field St.
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Emmett', 'Hahn', NULL, 'emmett.hahn@hotmail.com', '7727 6th St.
','Freeport','NY',11520); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Gertha','Mejia',NULL,'gertha.mejia@yahoo.com','518 Orchard St.
','Flushing','NY',11354); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Garland','Weaver',NULL,'garland.weaver@gmail.com','7161 Goldfield Court
','Amsterdam','NY',12010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jayson', 'Rutledge', NULL, 'jayson.rutledge@yahoo.com', '8672 Coffee St. ', 'Lake
Jackson', 'TX', 77566); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Narcisa', 'Knapp', NULL, 'narcisa.knapp@aol.com', '435 Dogwood Dr.
','Amarillo','TX',79106); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Gayla','Sims',NULL,'gayla.sims@gmail.com', '98 Hall Street
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chelsey','Boyd',NULL,'chelsey.boyd@yahoo.com','9569 Birchpond Ave.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Catherine', 'Miles', NULL, 'catherine.miles@msn.com', '7189 Elm Dr. ', 'East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Valeri', 'Marshall', NULL, 'valeri.marshall@hotmail.com', '494 East Brewery Dr. ', 'East
Meadow','NY',11554); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Grace','Madden',NULL,'grace.madden@gmail.com','606 East Rocky River St. ','San
Pablo', 'CA', 94806); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Joaquin','Hawkins','(657) 557-1746','joaquin.hawkins@aol.com','3 Oklahoma Lane
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kirstie','Vazquez',NULL,'kirstie.vazquez@gmail.com','8006 Rockland Ave.
','Saratoga Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Yu','Mcdonald',NULL,'yu.mcdonald@aol.com','784 Pheasant Rd.
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Celestine', 'Jacobs', NULL, 'celestine.jacobs@gmail.com', '87 Hanover Rd.
','Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Justa', 'Thompson', NULL, 'justa.thompson@aol.com', '43 Manor Ave.
','Corona','NY',11368); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lise','Alvarado',NULL,'lise.alvarado@gmail.com','9816 Newcastle Dr.
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Pearl','Fox',NULL,'pearl.fox@yahoo.com','9415 Honey Creek Dr.
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Travis', 'Goodman', NULL, 'travis.goodman@yahoo.com', '65 Rockcrest Dr. ', 'Los
Banos', 'CA', 93635); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Shu','Mays',NULL,'shu.mays@gmail.com','996 St Margarets Lane ','Astoria','NY',11102);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ezra','Fowler',NULL,'ezra.fowler@hotmail.com','16 Pearl St. ','Nanuet','NY',10954); INSERT INTO
sales.customers(first name, last name, phone, email, street, city, state, zip code)
VALUES('Edda','Young',NULL,'edda.young@gmail.com','50 S. Airport Street ','North Tonawanda','NY',14120);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lidia', 'Ashley', NULL, 'lidia.ashley@hotmail.com', '8436 Meadow St.', 'Baldwinsville', 'NY', 13027);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Moira', 'Lester', NULL, 'moira.lester@msn.com', '496 Greystone Court', 'Jackson Heights', 'NY', 11372);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tony', 'Hicks', '(657) 260-6783', 'tony.hicks@gmail.com', '226 Carriage Street', 'Anaheim', 'CA', 92806);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Malinda', 'Baxter', NULL, 'malinda.baxter@yahoo.com', '7698 Briarwood Ave.
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Marlo','Jefferson',NULL,'marlo.jefferson@gmail.com','39 Trenton Rd. ','Niagara
Falls', 'NY', 14304); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Tiana','Henderson',NULL,'tiana.henderson@aol.com','62 Orange St. ','Franklin
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Wilda','Petersen',NULL,'wilda.petersen@aol.com','899 Helen St. ','Jamaica','NY',11432);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Irving', 'Pitts', NULL, 'irving.pitts@msn.com', '346 College Court', 'Torrance', 'CA', 90505); INSERT INTO
sales.customers(first name, last name, phone, email, street, city, state, zip code)
VALUES('Sheree', 'Pena', NULL, 'sheree.pena@yahoo.com', '822 Virginia Court', 'Staten Island', 'NY', 10301);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Vance','Taylor','(717) 218-5607','vance.taylor@msn.com','8279 Military Dr. ','Lancaster','NY',14086);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Terra','Pickett',NULL,'terra.pickett@aol.com','7822 Depot Avenue ','Amsterdam','NY',12010);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Faustino', 'Delacruz', NULL, 'faustino.delacruz@msn.com', '88 West Greenview Street', 'South
Richmond Hill', 'NY', 11419); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Julienne', 'Moody', '(682) 841-4643', 'julienne.moody@hotmail.com', '35 South Oxford
Rd. ','Fort Worth','TX',76110); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Hee', 'Greer', NULL, 'hee.greer@hotmail.com', '41 North Garfield Ave.
','Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Whitney','Cash',NULL,'whitney.cash@gmail.com','8 Surrey Street
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Clarita','Curry',NULL,'clarita.curry@hotmail.com','661 Tanglewood Street
','Hollis','NY',11423); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Reita', 'Dickson', NULL, 'reita.dickson@hotmail.com', '7506 Mechanic Dr.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Rosa', 'Kinney', NULL, 'rosa.kinney@yahoo.com', '330 Highland Drive
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Buford', 'Gilbert', NULL, 'buford, gilbert@yahoo.com', '9 East Ketch Harbour Street
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Homer', 'Powers', NULL, 'homer.powers@msn.com', '8207 East El Dorado Ave.
','Palos Verdes Peninsula','CA',90274); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Rudolf', 'Gilliam', NULL, 'rudolf.gilliam@aol.com', '17 Marlborough Circle
','Palos Verdes Peninsula','CA',90274); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Andreas','Herman',NULL,'andreas.herman@msn.com','456 Rock Creek
Street ','Mount Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Max','Charles',NULL,'max.charles@gmail.com','695 St Paul Street
','Glen Cove','NY',11542); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tammera', 'Fischer', '(510) 534-8845', 'tammera.fischer@hotmail.com', '405 Olive St.
','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Joshua', 'Robertson', NULL, 'joshua.robertson@gmail.com', '81 Campfire Court
','Patchoque','NY',11772); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Larraine','Horn',NULL,'larraine.horn@msn.com','368 South Summerhouse Dr.
','Utica','NY',13501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Andreas','Mayer',NULL,'andreas.mayer@hotmail.com','8577 Galvin Circle ','New
Rochelle', 'NY', 10801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lazaro','Moran',NULL,'lazaro.moran@gmail.com','83 E. Buttonwood Street ','Sugar
Land', 'TX', 77478); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Afton','Juarez',NULL,'afton.juarez@gmail.com','8330 Riverview Drive
','Coram','NY',11727); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Angele', 'Schroeder', '(845) 804-6312', 'angele.schroeder@yahoo.com', '33 S. Shadow
Brook Street ','New City','NY',10956); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Ellena', 'Clements', NULL, 'ellena.clements@aol.com', '7918 Mulberry
Street ','Santa Monica','CA',90403); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Selene', 'Austin', NULL, 'selene.austin@msn.com', '9042 Linda Circle
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kimberely', 'Bowen', '(248) 199-2582', 'kimberely.bowen@hotmail.com', '88 Belmont Street
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Mia','Delgado',NULL,'mia.delgado@yahoo.com','850 Wakehurst Drive
','Coachella','CA',92236); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Garret','Clay','(361) 687-9477','garret.clay@yahoo.com','9516 College Drive
','Corpus Christi','TX',78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Alejandro', 'Haney', NULL, 'alejandro.haney@msn.com', '3 Griffin Street
','Wantagh','NY',11793); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Inge','Olsen','(562) 719-5041','inge.olsen@msn.com','295 Iroquois Rd. ','Long
Beach', 'NY', 11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Christiane', 'Bradford', NULL, 'christiane.bradford@gmail.com', '9043 Woodland Ave.
','Orchard Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Carter', 'Bentley', NULL, 'carter.bentley@yahoo.com', '145 North Bridle Ave.
','Carmel','NY',10512); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sherie', 'Ayala', NULL, 'sherie.ayala@msn.com', '5 Beech Ave. ', 'South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jamika','Acevedo',NULL,'jamika.acevedo@yahoo.com','8027 NW. Poplar St. ','Ozone
Park','NY',11417); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Shery', 'Randolph', NULL, 'shery.randolph@hotmail.com', '602 Laurel Street
','Ontario','CA',91762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lanita', 'Burton', NULL, 'lanita.burton@msn.com', '8980 Aspen Avenue
','Coachella','CA',92236); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Timothy', 'Byers', NULL, 'timothy.byers@msn.com', '8645 Devonshire Lane
','Ronkonkoma','NY',11779); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Jasmin','Young',NULL,'jasmin.young@gmail.com','337 Beach Street
','Helotes','TX',78023); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Catarina', 'Mendez', NULL, 'catarina.mendez@hotmail.com', '444 Hanover Court', 'West
Islip','NY',11795); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Tajuana', 'Rollins', NULL, 'tajuana.rollins@msn.com', '724 N. Glen Creek Street
','Oswego','NY',13126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Thad','Castro','(631) 943-1407','thad.castro@msn.com','71 Surrey Ave.
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tena','Huber',NULL,'tena.huber@gmail.com','185 East Littleton St.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Dori','Alvarez',NULL,'dori.alvarez@msn.com','8208 Brandywine St.
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Elmo', 'Arnold', '(562) 841-9339', 'elmo.arnold@aol.com', '7616 Lyme Rd.', 'Long
Beach', 'NY', 11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Felicidad','Golden',NULL,'felicidad.golden@yahoo.com','9712 Coffee Ave.
','Lockport','NY',14094); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jenine','Crane','(682) 183-6555','jenine.crane@msn.com','7381 Alderwood Drive
','Fort Worth','TX',76110); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lea', 'Key', NULL, 'lea.key@yahoo.com', '7 Ocean St. ', 'Banning', 'CA', 92220);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rory', 'Cooper', NULL, 'rory.cooper@gmail.com', '459 West Street', 'Rocklin', 'CA', 95677); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hilde', 'Nieves', NULL, 'hilde.nieves@gmail.com', '9437 Fordham Lane', 'Campbell', 'CA', 95008);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Marry', 'Benjamin', NULL, 'marry.benjamin@yahoo.com', '33 Amerige Street', 'Forney', 'TX', 75126);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Vernell', 'Goff', NULL, 'vernell.goff@msn.com', '77 Cobblestone St. ', 'Monroe', 'NY', 10950); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Erlene','Cook',NULL,'erlene.cook@gmail.com','89 Blue Spring Street ','Mount Vernon','NY',10550);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Carroll','Kelly',NULL,'carroll.kelly@yahoo.com','346 Grant Circle ','Monroe','NY',10950); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Basilia','Thornton','(631) 592-9548','basilia.thornton@hotmail.com','9033 Pine Dr.
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tricia','Daniels',NULL,'tricia.daniels@gmail.com','8628 Crescent Court
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kandace','Hughes',NULL,'kandace.hughes@hotmail.com','482 Ryan Ave. ','San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Alejandro', 'Norman', NULL, 'alejandro.norman@yahoo.com', '8918 Marsh Lane
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Rodney','Odom',NULL,'rodney.odom@yahoo.com','7782 North Deerfield Lane
','Richmond Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Bettie', 'Pierce', NULL, 'bettie, pierce@gmail.com', '787 North Vernon Lane
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Dagny','Owen',NULL,'dagny.owen@hotmail.com','8028 Thompson Drive ','San
Angelo','TX',76901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cinthia', 'Poole', NULL, 'cinthia.poole@aol.com', '7 Central Ave. ', 'Lake
Jackson', 'TX', 77566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sheila','Travis',NULL,'sheila.travis@yahoo.com','9285 Front St. ','Longview','TX',75604);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Arcelia', 'Vinson', NULL, 'arcelia.vinson@gmail.com', '40 Dogwood St. ', 'West Islip', 'NY', 11795);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lucas', 'Estes', NULL, 'lucas.estes@yahoo.com', '99 Old Church St.', 'Santa Monica', 'CA', 90403);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Marissa', 'Summers', NULL, 'marissa.summers@msn.com', '81 Carpenter St. ', 'Saint
Albans', 'NY', 11412); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kaley','Blanchard',NULL,'kaley.blanchard@msn.com','74 Evergreen Court ','Palos Verdes
Peninsula','CA',90274); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Wm', 'Pope', NULL, 'wm.pope@msn.com', '212 Marsh Court', 'Auburn', 'NY', 13021);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rubye','Mccall','(248) 764-3359','rubye.mccall@hotmail.com','71 Sherwood Dr. ','Troy','NY',12180);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Adriene', 'Rivera', NULL, 'adriene.rivera@hotmail.com', '973 Yukon Avenue', 'Encino', 'CA', 91316);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Laurence', 'Christian', NULL, 'laurence.christian@gmail.com', '2 Maple St. ', 'Jamaica', 'NY', 11432);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shirely', 'Stanley', '(915) 437-6113', 'shirely.stanley@gmail.com', '73 White Avenue ', 'El
Paso','TX',79930); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Danille','Mcfarland',NULL,'danille.mcfarland@msn.com','14 Tailwater St.
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Salena','Day',NULL,'salena.day@msn.com','8067 Park Court ','San Lorenzo','CA',94580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Matilda','Larson',NULL,'matilda.larson@hotmail.com','336 Saxon Court ','Harlingen','TX',78552);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Mellisa', 'Kim', '(424) 151-6481', 'mellisa.kim@aol.com', '17 Lyme Dr. ', 'Los Angeles', 'CA', 90008);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Vonda', 'Berger', NULL, 'vonda.berger@yahoo.com', '615 S. Proctor Ave. ', 'Santa Clara', 'CA', 95050);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Soledad','Moses',NULL,'soledad.moses@yahoo.com','85 Hickory Ave. ','Jackson
Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lashandra','Turner','(562) 327-9469','lashandra.turner@hotmail.com','11 Marlborough
Rd. ','Long Beach','NY',11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Lynne','Anderson','(915) 789-6666','lynne.anderson@msn.com','325 Inverness
St. ','El Paso','TX',79930); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chasidy','Webster',NULL,'chasidy.webster@msn.com','8296 S. Lookout Lane
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ulysses', 'Gaines', NULL, 'ulysses.gaines@aol.com', '22 Gregory Lane
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Euna', 'Lopez', NULL, 'euna.lopez@gmail.com', '7979 South Mountainview Ave.
','Carmel','NY',10512); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cherelle','Key',NULL,'cherelle.key@msn.com','7739 Snake Hill Lane ','Valley
Stream','NY',11580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jeffry','Church',NULL,'jeffry.church@msn.com','426 Grandrose Ave.
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cyndi','Dyer',NULL,'cyndi.dyer@msn.com','313 West Argyle Ave.
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Danilo','Holmes',NULL,'danilo.holmes@gmail.com','657 Manor Station Dr.
','Hicksville','NY',11801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Joni','Lee',NULL,'joni.lee@gmail.com','8573 Proctor Street
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Antony','Atkinson',NULL,'antony.atkinson@msn.com','680 East Birchwood Lane
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Deanne', 'Parsons', NULL, 'deanne.parsons@aol.com', '76 Amherst Drive
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Frederica', 'Rojas', NULL, 'frederica.rojas@yahoo.com', '7835 West Jockey Hollow
Rd. ','Ithaca','NY',14850); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Emelda','Dickerson',NULL,'emelda.dickerson@aol.com','7457 6th St.
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rudolf','Moran',NULL,'rudolf.moran@gmail.com','5 Birchwood Rd.
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Benito', 'Hendrix', NULL, 'benito.hendrix@gmail.com', '676 S. Bowman Lane
','Depew','NY',14043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jonell', 'Rivas', NULL, 'jonell.rivas@msn.com', '8415 East High Point St.
','Amarillo','TX',79106); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Joi', 'Reeves', '(619) 952-9613', 'joi.reeves@msn.com', '9101 Williams Court ', 'San
Diego', 'CA', 92111); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Leland','Mcdowell',NULL,'leland.mcdowell@gmail.com','8034 E. Washington Lane
','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Delaine', 'Estes', NULL, 'delaine.estes@yahoo.com', '8916 Hartford Rd.
','Amarillo','TX',79106); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Genevieve', 'Juarez', NULL, 'genevieve.juarez@gmail.com', '93 Goldfield Drive', 'New
Hyde Park', 'NY', 11040); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kylee','Dickson',NULL,'kylee.dickson@gmail.com','7908 Sherwood Street
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Renita','Henry',NULL,'renita.henry@msn.com','474 Woodland Ave. ','New
Rochelle','NY',10801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sarah', 'Kirkland', NULL, 'sarah.kirkland@aol.com', '42 N. Glendale Avenue', 'Wappingers
Falls', 'NY', 12590); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Paul','Lester',NULL,'paul.lester@gmail.com','275 Clay St. ','Vista','CA',92083); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Taisha','Vang',NULL,'taisha.vang@yahoo.com','660 East Foster Lane ','Shirley','NY',11967);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Eliana', 'Reese', NULL, 'eliana.reese@hotmail.com', '7079 NE. Cross Drive ', 'Woodhaven', 'NY', 11421);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Leonore', 'Dorsey', NULL, 'leonore.dorsey@yahoo.com', '8213 South Branch Avenue', 'Jackson'
Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ashleigh','Frank',NULL,'ashleigh.frank@gmail.com','9008 Plymouth Street
','Levittown','NY',11756); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Gabriel', 'Wagner', NULL, 'gabriel.wagner@msn.com', '7921 Manhattan Ave.
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Margene', 'Eaton', NULL, 'margene.eaton@yahoo.com', '43 Sugar Street
','Wantagh','NY',11793); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Toshia','Cardenas',NULL,'toshia.cardenas@gmail.com','878 Bayberry Street
','Amsterdam','NY',12010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jamika', 'Blanchard', NULL, 'jamika.blanchard@gmail.com', '420 Cambridge Street
','Fresh Meadows','NY',11365); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Shery','Acosta',NULL,'shery.acosta@yahoo.com','17 Canal Ave. ','Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jenna', 'Saunders', NULL, 'jenna.saunders@aol.com', '4 Young St. ', 'Yorktown
Heights','NY',10598); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Skye', 'Pope', NULL, 'skye.pope@yahoo.com', '121 S. Bay Meadows Ave. ', 'Richmond
Hill','NY',11418); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Ana', 'Palmer', '(657) 323-8684', 'ana.palmer@yahoo.com', '7 Buckingham St.
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Eric','Hardin',NULL,'eric.hardin@gmail.com','39 S. Parker Drive
','Jamaica','NY',11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Basil', 'Ballard', NULL, 'basil.ballard@yahoo.com', '7477 Belmont Ave. ', 'San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gabriel','Pitts',NULL,'gabriel.pitts@gmail.com','8462 Marshall Drive ','Clifton
Park','NY',12065); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cayla', 'Johnson', NULL, 'cayla.johnson@msn.com', '7091 Rockaway Avenue
','Coram','NY',11727); INSERT INTO sales customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sharika', 'Colon', '(562) 452-6136', 'sharika.colon@gmail.com', '509 Henry Smith St. ', 'Long
Beach', 'NY', 11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Donnetta', 'Henson', NULL, 'donnetta.henson@hotmail.com', '2 Tallwood Drive
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Leigh', 'Burke', NULL, 'leigh.burke@hotmail.com', '7651 Creek St.
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Deloris','Larson',NULL,'deloris.larson@aol.com','242 Branch Street
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Ehtel','Cobb',NULL,'ehtel.cobb@hotmail.com','741 Rockville Drive
','Lockport','NY',14094); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Evelina','Byrd','(716) 601-7704','evelina.byrd@msn.com','628 S. Church St.
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Zulema', 'Browning', NULL, 'zulema.browning@gmail.com', '12 NW. Lafayette St.
','Amsterdam','NY',12010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tressa','Weiss',NULL,'tressa.weiss@msn.com','52 Wild Rose Avenue
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Yvette', 'Rogers', NULL, 'yvette.rogers@aol.com', '3 SE. Oklahoma Drive', 'Franklin'
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kiara','Deleon','(657) 378-8011','kiara.deleon@gmail.com','164 Addison Drive
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Taylor', 'Cole', NULL, 'taylor.cole@gmail.com', '9408 Holly Lane
','Carmel','NY',10512); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Myrtie','James',NULL,'myrtie.james@yahoo.com','566 North Livingston Ave.
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ashton','Lott',NULL,'ashton.lott@hotmail.com','609 Windfall Lane ','Floral
Park', 'NY', 11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kara','Higgins',NULL,'kara.higgins@aol.com','758 Jennings Street
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tomeka', 'Higgins', NULL, 'tomeka.higgins@msn.com', '591 W. Corona St.
','Poughkeepsie','NY',12601); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Ronald', 'Parsons', NULL, 'ronald.parsons@msn.com', '268 Pin Oak Rd.
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Allison','Nolan','(845) 276-5729','allison.nolan@gmail.com','7421 Victoria St. ','New
City', 'NY', 10956); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Derrick', 'Marks', NULL, 'derrick.marks@yahoo.com', '7247 East Prairie Lane
','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Yang','Roth',NULL,'yang.roth@aol.com','234 E. Shub Farm Ave.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Melba','Wilkinson',NULL,'melba.wilkinson@gmail.com','255 Harvard Dr. ','Floral
Park','NY',11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Valentin','Mclaughlin',NULL,'valentin.mclaughlin@hotmail.com','56 Squaw Creek Street
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lewis', 'Garner', '(631) 871-2512', 'lewis, garner@gmail.com', '9550 East Greenrose
St. ','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Ann','Heath',NULL,'ann.heath@msn.com','413 East St. ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Janelle', 'Maldonado', NULL, 'janelle.maldonado@gmail.com', '34 Mammoth Street
','Richmond Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Catrice', 'Hicks', NULL, 'catrice.hicks@yahoo.com', '403 Inverness Street', 'San
Pablo', 'CA', 94806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Eli','Contreras',NULL,'eli.contreras@hotmail.com','35 Highland Ave.
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rita','Bailey',NULL,'rita.bailey@hotmail.com','69 Glenwood Street
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Laure', 'Pena', NULL, 'laure.pena@yahoo.com', '9849 West Elmwood St.
','Wappingers Falls','NY',12590); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Tilda','Melton','(248) 767-4165','tilda.melton@msn.com','237 Elmwood Drive
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Florencio','Davenport',NULL,'florencio.davenport@yahoo.com','8759 Brookside Ave.
','Jamestown','NY',14701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Eun','Harris','(619) 378-2432','eun.harris@gmail.com','623 Jones St. ','San
Diego', 'CA', 92111); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Marylyn', 'Browning', NULL, 'marylyn.browning@msn.com', '915 Lakeshore Street
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Romana', 'Barnes', NULL, 'romana.barnes@yahoo.com', '9776 Shipley Rd. ', 'Floral
Park','NY',11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sam','Lester',NULL,'sam.lester@gmail.com','563 South Beacon Lane
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Nicki','Larson',NULL,'nicki.larson@yahoo.com','8317 West Leatherwood Dr.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Antonetta', 'Rocha', NULL, 'antonetta.rocha@yahoo.com', '9858 Newcastle St. ', 'Port
Chester','NY',10573); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Shara', 'Pope', NULL, 'shara.pope@msn.com', '194 Amherst Dr. ', 'Ridgecrest', 'CA', 93555);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Trena', 'Hudson', NULL, 'trena.hudson@hotmail.com', '135 Grand Ave. ', 'Monroe', 'NY', 10950);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Loraine', 'Sykes', NULL, 'loraine.sykes@yahoo.com', '9239 Windsor Ave. ', 'Scarsdale', 'NY', 10583);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alissa', 'Hood', NULL, 'alissa.hood@gmail.com', '8032 Maple Drive', 'New Windsor', 'NY', 12553);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Augustus', 'Schmidt', NULL, 'augustus.schmidt@msn.com', '624 Jones Dr. ', 'Corona', 'NY', 11368);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Stacie', 'Sims', '(510) 194-5117', 'stacie.sims@hotmail.com', '47 Orange Ave.', 'Oakland', 'CA', 94603);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Brittni', 'Green', NULL, 'brittni.green@msn.com', '842 El Dorado Lane', 'Floral Park', 'NY', 11001);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Etsuko', 'Garrison', NULL, 'etsuko.garrison@yahoo.com', '1 Arrowhead Street', 'Richmond
Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Calandra','Stanton',NULL,'calandra.stanton@aol.com','36 Livingston Dr. ','Lake
Jackson', 'TX', 77566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Willis', 'Randolph', NULL, 'willis.randolph@yahoo.com', '332 Constitution St.
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Shawnda', 'Glover', NULL, 'shawnda.glover@gmail.com', '138 Belmont Ave.
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jennette', 'Baker', NULL, 'jennette.baker@gmail.com', '798 Marvon St.
','Banning','CA',92220); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Elma','Molina',NULL,'elma.molina@msn.com','8565 Devon Ave. ','New
Rochelle','NY',10801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Adam', 'Henderson', NULL, 'adam.henderson@hotmail.com', '167 James St. ', 'Los
Banos', 'CA', 93635); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ira','Moore',NULL,'ira.moore@gmail.com','1 Pineknoll Court ','Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kermit','Bowman','(915) 996-5952','kermit.bowman@gmail.com','3 Airport Street ','El
Paso', 'TX', 79930); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Gayle','Wilkinson',NULL,'gayle.wilkinson@yahoo.com','4 Riverside Ave.
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Launa', 'Hull', NULL, 'launa.hull@yahoo.com', '936 Grove Street
','Helotes','TX',78023); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Myron','Johns',NULL,'myron.johns@msn.com','5 N. Woodsman Rd.
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tuan','Wolfe',NULL,'tuan.wolfe@aol.com','7641 Oak Meadow Dr. ','West
Babylon', 'NY', 11704); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Mathilda','Pennington','(845) 407-9524','mathilda.pennington@gmail.com','14 S. Argyle
Ave. ','New City','NY',10956); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Reatha', 'Perez', NULL, 'reatha.perez@aol.com', '9917 1st St.
','Holbrook','NY',11741); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Arnita', 'Thomas', NULL, 'arnita.thomas@gmail.com', '154 2nd St. ', 'Orchard
Park', 'NY', 14127); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Amparo', 'Burks', NULL, 'amparo.burks@aol.com', '7781 Augusta St. ', 'Merrick', 'NY', 11566);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jenny','Bell',NULL,'jenny.bell@hotmail.com','38 Crescent St. ','Niagara Falls','NY',14304); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Laverne', 'Craft', NULL, 'laverne.craft@aol.com', '829 N. Pierce Street', 'Forest Hills', 'NY', 11375);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Darcel','Harmon',NULL,'darcel.harmon@msn.com','966 Hickory Street ','Santa Clara','CA',95050);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Cecilia', 'Camacho', NULL, 'cecilia.camacho@yahoo.com', '682 Mountainview Rd.
','Desoto','TX',75115); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Pearlie','Cochran',NULL,'pearlie.cochran@msn.com','23 Homewood Rd.
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Deirdre', 'Ryan', NULL, 'deirdre.ryan@yahoo.com', '83 Jefferson Lane
','Utica','NY',13501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Yevette', 'Elliott', NULL, 'yevette.elliott@aol.com', '182 Euclid Street ', 'Jackson
Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ladawn','Downs','(281) 165-2090','ladawn.downs@yahoo.com','7452 S. Airport Court
','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Dorothea', 'Chang', NULL, 'dorothea.chang@gmail.com', '75 Oak Ave.
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Merlin','Foreman','(516) 150-1321','merlin.foreman@msn.com','8198 North Rockaway St.
','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lanie','Dunn',NULL,'lanie.dunn@gmail.com','7583 Pilgrim Ave. ','North
Tonawanda', 'NY', 14120); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Christoper', 'Gould', NULL, 'christoper.gould@aol.com', '8718 South Constitution St.
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Norine','Huffman',NULL,'norine.huffman@aol.com','363 Dunbar Drive
','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Alane', 'Mccarty', '(619) 377-8586', 'alane.mccarty@hotmail.com', '8254 Hilldale Street
','San Diego','CA',92111); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Charleen','Joyner',NULL,'charleen.joyner@aol.com','735 N. John Dr.
','Corona','NY',11368); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Zella','Fernandez',NULL,'zella.fernandez@yahoo.com','8 Marshall Dr. ','Rockville
Centre', 'NY', 11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Collene','Knox','(361) 760-1523','collene.knox@msn.com','7 North Branch Lane ','Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Alysia', 'Nicholson', '(805) 493-7311', 'alysia.nicholson@hotmail.com', '868 Trusel St.
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sharie', 'Whitaker', NULL, 'sharie.whitaker@hotmail.com', '7 Bayport Lane
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Diana','Cobb',NULL,'diana.cobb@hotmail.com','558 Vale St. ','Fullerton','CA',92831);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Morton', 'Barron', '(661) 386-4884', 'morton.barron@msn.com', '542 Circle Rd.
','Bakersfield','CA',93306); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Camille', 'Harvey', NULL, 'camille.harvey@hotmail.com', '859 Beaver Ridge Ave.
','Huntington','NY',11743); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lolita','O"neill',NULL,'lolita.o"neill@aol.com','36 Prairie Dr. ','Massapequa
Park','NY',11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Terese', 'Briggs', NULL, 'terese.briggs@msn.com', '16 N. Oak Valley St.
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Majorie', 'Glover', NULL, 'majorie.glover@msn.com', '4 Garden Ave. ', 'Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Vinnie', 'Chan', NULL, 'vinnie.chan@aol.com', '8750 Surrey St.', 'Forest Hills', 'NY', 11375);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ezra','Silva',NULL,'ezra.silva@msn.com','8629 Catherine Rd. ','New Windsor','NY',12553); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jovita', 'Bishop', NULL, 'jovita.bishop@aol.com', '8123 Wild Horse St. ', 'Staten Island', 'NY', 10301);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kecia','Olsen',NULL,'kecia.olsen@msn.com','8389 Central St. ','Santa Cruz','CA',95060); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ilona', 'Spears', NULL, 'ilona.spears@gmail.com', '984 Canterbury Lane', 'Port Jefferson
Station', 'NY', 11776); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Senaida', 'Thompson', NULL, 'senaida.thompson@msn.com', '578 Golf Drive
','Bronx','NY',10451); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Larae', 'Carney', NULL, 'larae.carney@msn.com', '9322 Glen Ridge Dr.
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sebrina','Hart',NULL,'sebrina.hart@yahoo.com','7679 Pacific St.
','Coram','NY',11727); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kristofer','Craig',NULL,'kristofer.craig@yahoo.com','6 Delaware Lane
','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Luciana', 'Mcgee', NULL, 'luciana.mcgee@msn.com', '8002 Cross St.
','Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nicki', 'Fry', NULL, 'nicki.fry@hotmail.com', '950 Snake Hill Lane', 'Endicott', 'NY', 13760);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Devin', 'Shaffer', '(507) 557-2191', 'devin.shaffer@gmail.com', '382 Third Ave.
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Erlinda', 'Osborne', NULL, 'erlinda.osborne@yahoo.com', '148 Elm St. ', 'West
Islip','NY',11795); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Camila','Carroll','(210) 436-8676','camila.carroll@yahoo.com','72 Shub Farm Avenue
','San Antonio','TX',78213); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Vicki','Wiggins',NULL,'vicki.wiggins@hotmail.com','71 Broad Ave. ','Wappingers
Falls','NY',12590); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Lois', 'Steele', NULL, 'lois, steele@yahoo.com', '7501 South Marlborough Street
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carola', 'Mcpherson', NULL, 'carola.mcpherson@hotmail.com', '578 Shirley Dr.
','Rego Park','NY',11374); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rochell', 'Cantrell', NULL, 'rochell.cantrell@yahoo.com', '437 Water Dr. ', 'Port
Jefferson Station', 'NY', 11776); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Kasha', 'Sullivan', NULL, 'kasha.sullivan@hotmail.com', '48 Foster Rd.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Viva', 'Dawson', NULL, 'viva.dawson@yahoo.com', '446 Princess Ave. ', 'Orchard
Park', 'NY', 14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hue', 'Dalton', NULL, 'hue.dalton@hotmail.com', '7940 Oakwood Street', 'Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Andria', 'Rivers', NULL, 'andria.rivers@aol.com', '183 Ohio Ave. ', 'Amarillo', 'TX', 79106);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hilary', 'Savage', '(805) 753-6881', 'hilary.savage@yahoo.com', '696 Howard Court
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lavona', 'Austin', NULL, 'lavona.austin@yahoo.com', '926 South Euclid St.
','Utica','NY',13501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Doreatha','Ford',NULL,'doreatha.ford@yahoo.com','9413 Ryan Ave.
','Huntington','NY',11743); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Alina', 'Mcleod', NULL, 'alina.mcleod@msn.com', '20 Winchester Street
','Patchoque','NY',11772); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Aide','Franco',NULL,'aide.franco@msn.com','8017 Lake Forest St.
','Atwater','CA',95301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Genny','Hensley',NULL,'genny.hensley@yahoo.com','8849 Marconi Ave. ','Redondo
Beach', 'CA', 90278); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Melita','Dominguez',NULL,'melita.dominguez@msn.com','9903 Santa Clara Lane
','Auburn','NY',13021); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Fannie','Jenkins','(805) 774-5696','fannie.jenkins@msn.com','7858 E. Pawnee Dr.
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bobbi', 'Banks', NULL, 'bobbi.banks@yahoo.com', '396 Wagon Rd. ', 'Bayside', 'NY', 11361);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Gwenn', 'Melton', NULL, 'gwenn.melton@yahoo.com', '9545 Wakehurst Drive
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Laci', 'Castro', NULL, 'laci.castro@hotmail.com', '130 Birchpond Street', 'Saint
Albans', 'NY', 11412); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Evelina','Manning',NULL,'evelina.manning@aol.com','7515 Spring St. ','Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tania','Swanson',NULL,'tania.swanson@yahoo.com','8646 Glen Eagles Ave.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Laurel', 'Schultz', NULL, 'laurel.schultz@hotmail.com', '812 E. 1st Lane ', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Carolyne','Conley',NULL,'carolyne.conley@gmail.com','431 Lees Creek Drive ','Floral
Park', 'NY', 11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Eldridge', 'Greer', NULL, 'eldridge.greer@aol.com', '131 E. Madison St. ', 'Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Margret', 'Barnett', NULL, 'margret.barnett@gmail.com', '7509 Depot Rd.
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Oliva', 'Blackwell', NULL, 'oliva.blackwell@hotmail.com', '54 Ramblewood St.
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Oralia', 'Farley', NULL, 'oralia.farley@hotmail.com', '747B E. Coffee Street
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Romaine', 'Salazar', NULL, 'romaine.salazar@yahoo.com', '7700 Wentworth Rd.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Hermila', 'Mckay', NULL, 'hermila.mckay@yahoo.com', '23 Garfield Dr.
','Coachella','CA',92236); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lloyd','Miranda',NULL,'lloyd.miranda@hotmail.com','9098 Jennings St.
','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mandi', 'Gibbs', NULL, 'mandi.gibbs@gmail.com', '80 Sycamore Drive', 'East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hue','May',NULL,'hue.may@aol.com','19 S. Lawrence Dr. ','Valley Stream','NY',11580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tomika', 'Wilder', NULL, 'tomika.wilder@aol.com', '142 South Ocean St. ', 'New Hyde
Park','NY',11040); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Graig', 'Roth', NULL, 'graig.roth@aol.com', '7516 Wrangler Street', 'West
Babylon', 'NY', 11704); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Lamar','Greer',NULL,'lamar.greer@gmail.com','7909 Golden Star Ave.
','Levittown','NY',11756); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Raymonde', 'Garcia', NULL, 'raymonde.garcia@aol.com', '55 NE. North St.
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cira','Downs','(510) 788-4456','cira.downs@gmail.com','672 Sussex Ave.
','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Marisa','Chambers',NULL,'marisa.chambers@msn.com','15 E. Rock Creek Ave.
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Rod','Hatfield',NULL,'rod.hatfield@hotmail.com','7090 Bridge Dr.
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Quyen','Houston',NULL,'quyen.houston@gmail.com','7758 Homewood Dr.
','Central Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Han','Schneider',NULL,'han.schneider@gmail.com','40 Holly Street
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Terrell', 'Mathis', NULL, 'terrell.mathis@aol.com', '9320 Center Ave.
','Selden','NY',11784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Spring','Hayes',NULL,'spring.hayes@hotmail.com','8591 Wentworth St.
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lecia', 'Hancock', NULL, 'lecia.hancock@hotmail.com', '9167 Pineknoll St.
','Schenectady','NY',12302); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Twana','Arnold','(657) 988-1904','twana.arnold@msn.com','47 North Fairground
Lane ','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Yvone', 'Yates', NULL, 'yvone.yates@gmail.com', '9269 Blue Spring Ave. ', 'San
Pablo', 'CA', 94806); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Agatha','Melton',NULL,'agatha.melton@yahoo.com','89 East Illinois Street ','Springfield
Gardens','NY',11413); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lavonda', 'Stephenson', NULL, 'lavonda.stephenson@gmail.com', '37 Birchwood Dr. ', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Agnes','Sims','(716) 780-9901','agnes.sims@aol.com','170 Queen Lane
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Latricia', 'Lindsey', NULL, 'latricia.lindsey@hotmail.com', '288 Campfire Dr. ', 'Yorktown
Heights','NY',10598); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Yolando', 'Wade', NULL, 'yolando, wade@hotmail.com', '310 Wilson Ave.
','Massapegua','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Nenita','Mooney',NULL,'nenita.mooney@hotmail.com','10 W. Bishop Street
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kermit','Hyde',NULL,'kermit.hyde@hotmail.com','87 SE. Carson St.
','Patchogue','NY',11772); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Angelique','Merrill',NULL,'angelique.merrill@gmail.com','8490 West High Noon
Ave. ','South El Monte','CA',91733); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Ilda','Roberson',NULL,'ilda.roberson@aol.com','8853 Lake St.
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Corrinne', 'Garrison', NULL, 'corrinne.garrison@yahoo.com', '81 East Glenwood Ave.
','Victoria','TX',77904); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Major', 'Merrill', NULL, 'major.merrill@aol.com', '78 Thatcher Court', 'Astoria', 'NY', 11102);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ouida', 'Gregory', NULL, 'ouida.gregory@aol.com', '7984 8th Street', 'Merrick', 'NY', 11566); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tajuana', 'Riddle', NULL, 'tajuana.riddle@hotmail.com', '24 St Margarets Ave. ', 'Bayside', 'NY', 11361);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ricki', 'Bullock', NULL, 'ricki.bullock@hotmail.com', '79 Pennington Rd. ', 'Woodside', 'NY', 11377);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Celestine', 'Kent', '(717) 890-4260', 'celestine.kent@aol.com', '697 Fordham Street
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Debbra','Jacobson',NULL,'debbra.jacobson@yahoo.com','8316 West Bedford Ave.
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Kandis', 'Mills', NULL, 'kandis.mills@hotmail.com', '64 Beechwood Drive
','Hamburg','NY',14075); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Wallace','Lane',NULL,'wallace.lane@aol.com','901 Liberty St. ','South Richmond
Hill','NY',11419); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Malisa','Mitchell',NULL,'malisa.mitchell@msn.com','87 Ridgewood Court ','Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Lilliam', 'Nolan', NULL, 'lilliam.nolan@msn.com', '8976 Berkshire Court', 'Copperas
Cove', 'TX', 76522); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Tad','Gardner',NULL,'tad.gardner@hotmail.com','9745 E. Wilson St. ','Niagara
Falls','NY',14304); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Petronila', 'Gallegos', NULL, 'petronila.gallegos@gmail.com', '8053 Aspen St. ', 'Howard
Beach','NY',11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Yun','Nelson',NULL,'yun.nelson@hotmail.com','529 Durham Street ','Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Edgar','Horn',NULL,'edgar.horn@aol.com','7270 W. Cherry Hill Lane ','West
Babylon', 'NY', 11704); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Chantay','Maynard',NULL,'chantay.maynard@gmail.com','7483 1st Ave.
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Donette', 'Mccarthy', NULL, 'donette.mccarthy@yahoo.com', '500 NW. Maiden Dr.
','Redondo Beach','CA',90278); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Mariam','Miranda',NULL,'mariam.miranda@aol.com','18 East Washington
Avenue ','Franklin Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Rosalie','Coffey',NULL,'rosalie.coffey@gmail.com','789 Amerige Dr.
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cathey','Lamb',NULL,'cathey.lamb@msn.com','9621 Ryan Drive ','Bayside','NY',11361);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alyse', 'Jacobson', NULL, 'alyse.jacobson@yahoo.com', '10 West Devon Lane', 'Massapequa
Park','NY',11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('India', 'Barron', NULL, 'india.barron@msn.com', '834 W. Pleasant Rd.
','Huntington','NY',11743); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cris','Dunn',NULL,'cris.dunn@yahoo.com','1 Pawnee Street
','Pittsford','NY',14534); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ophelia', 'Rodgers', NULL, 'ophelia.rodgers@gmail.com', '133 Joy Ridge Drive
','Hopewell Junction','NY',12533); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Barrett', 'Sanders', NULL, 'barrett.sanders@aol.com', '32 Hawthorne St.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bernardina','Cooper',NULL,'bernardina.cooper@msn.com','223 Glen Creek Ave.
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Douglas', 'Richards', NULL, 'douglas.richards@hotmail.com', '221 Arcadia Lane
','Valley Stream','NY',11580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Phillis', 'Fowler', NULL, 'phillis, fowler@aol.com', '8976 N. Hall Street', 'Clifton
Park', 'NY', 12065); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Reyes','Merritt',NULL,'reyes.merritt@yahoo.com','48 Lexington Rd. ','Staten
Island','NY',10301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Nathalie','Knowles',NULL,'nathalie.knowles@aol.com','4 Cactus Street ','West
Islip','NY',11795); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Vallie','Dixon',NULL,'vallie.dixon@yahoo.com','85 E. Ann Drive ','Rowlett','TX',75088);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Elnora', 'Simpson', NULL, 'elnora.simpson@yahoo.com', '7157 Shore Ave. ', 'Bellmore', 'NY', 11710);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ivelisse','Nixon','(281) 941-4933','ivelisse.nixon@aol.com','782 Boston Ave. ','Houston','TX',77016);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shanti', 'Johnston', NULL, 'shanti.johnston@gmail.com', '722 Alderwood Drive', 'Staten
Island', 'NY', 10301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Martha', 'Burgess', NULL, 'martha.burgess@msn.com', '9631 St Margarets Lane
','Woodhaven','NY',11421); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Neville','Mcclain',NULL,'neville.mcclain@yahoo.com','781 Buttonwood Ave. ','West
Hempstead', 'NY', 11552); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Ghislaine', 'Compton', NULL, 'ghislaine.compton@aol.com', '8930 Princess St.
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Leanna', 'Manning', NULL, 'leanna.manning@yahoo.com', '39 E. Stillwater Ave.
','Hicksville','NY',11801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Marshall','Johnson',NULL,'marshall.johnson@yahoo.com','44 Greenview St.
','Vista','CA',92083); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Zelda','Pratt','(717) 428-4018','zelda.pratt@gmail.com','74 Trusel Drive
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Joel', 'Wynn', '(619) 210-6032', 'joel.wynn@aol.com', '7 North Oak Ave. ', 'San
Diego', 'CA', 92111); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Yahaira', 'Robertson', NULL, 'yahaira.robertson@yahoo.com', '142 Roehampton Dr.
','Endicott','NY',13760); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Sandy', 'Mills', NULL, 'sandy, mills@gmail.com', '333 Olive Ave.
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cassidy','Clark',NULL,'cassidy.clark@hotmail.com','9879 Old Kingston Road
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kristy', 'Watkins', NULL, 'kristy.watkins@gmail.com', '977 South Brook Ave. ', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tina','Bush',NULL,'tina.bush@aol.com','8038 Bellevue Street ','Maspeth','NY',11378);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Veronika', 'Rollins', NULL, 'veronika.rollins@yahoo.com', '94 Arnold Ave. ', 'Webster', 'NY', 14580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kristel','Byrd',NULL,'kristel.byrd@hotmail.com','9967 Piper Street ','Hicksville','NY',11801); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shay', 'Stephenson', NULL, 'shay.stephenson@aol.com', '9569 4th Lane', 'Smithtown', 'NY', 11787);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('George', 'Pickett', NULL, 'george.pickett@msn.com', '691 Rocky River St. ', 'Sunnyside', 'NY', 11104);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Renato', 'Morton', NULL, 'renato.morton@msn.com', '8526 Sherwood Street', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Marcy', 'Rodriguez', NULL, 'marcy.rodriguez@gmail.com', '97 Trusel Drive
','Lockport','NY',14094); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Edmund', 'Gaines', NULL, 'edmund.gaines@gmail.com', '8643 Gartner St. ', 'Copperas
Cove', TX, 76522); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Lory', 'Berg', NULL, 'lory.berg@aol.com', '64 Vine Drive ', 'Oswego', 'NY', 13126); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Pamala','Fowler',NULL,'pamala.fowler@gmail.com','399 Leatherwood St. ','Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Leone', 'Emerson', NULL, 'leone.emerson@msn.com', '460 Smith Store Ave.
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Brain','Skinner',NULL,'brain.skinner@hotmail.com','8676 Ketch Harbour Ave.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Roseanne','Maynard',NULL,'roseanne.maynard@yahoo.com','219 Old Paris Hill Dr.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Corinna','Adams',NULL,'corinna.adams@msn.com','38 Trenton Court
','Rosedale','NY',11422); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Kellye', 'Campbell', NULL, 'kellye.campbell@gmail.com', '75 Marsh St.
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Erna', 'Sloan', NULL, 'erna.sloan@aol.com', '9449 Fifth Avenue ', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Carolann','Russell',NULL,'carolann.russell@hotmail.com','9308 Selby Ave. ','Glen
Cove', 'NY', 11542); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gilbert','Calhoun',NULL,'gilbert.calhoun@msn.com','7339 Summer Drive ','East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Manie','Maxwell',NULL,'manie.maxwell@gmail.com','85 Brickell Ave.
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Giselle', 'Robles', NULL, 'giselle.robles@hotmail.com', '9747 N. El Dorado Dr. ', 'San
Angelo', 'TX', 76901); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Tessie', 'Farmer', NULL, 'tessie.farmer@msn.com', '870 Cottage Ave.
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Felica','Munoz',NULL,'felica.munoz@aol.com','24 West Rockwell Dr. ','South
Ozone Park', 'NY', 11420); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kathyrn','Bush',NULL,'kathyrn.bush@gmail.com','90 Devon St.
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sylvester','Chan',NULL,'sylvester.chan@hotmail.com','659 Arcadia Street
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Lizette', 'Ellison', NULL, 'lizette.ellison@hotmail.com', '865 Sunbeam Street', 'Port
Washington', 'NY', 11050); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Ernestina', 'Skinner', NULL, 'ernestina.skinner@hotmail.com', '52 Spring Drive
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Phyllis', 'Hill', NULL, 'phyllis.hill@yahoo.com', '576 Devon Ave. ', 'Syosset', 'NY', 11791);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Stephanie', 'Browning', NULL, 'stephanie.browning@yahoo.com', '9156 Lantern St.
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Arlena', 'Buckner', NULL, 'arlena.buckner@hotmail.com', '629 Locust Ave. ', 'New Hyde
Park', 'NY', 11040); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Lezlie', 'Thompson', NULL, 'lezlie, thompson@yahoo.com', '73 Vernon St.
','Freeport','NY',11520); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Brittney','Rojas',NULL,'brittney.rojas@aol.com','2 E. Overlook Ave.
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Phylis','Adkins','(212) 325-9145','phylis.adkins@msn.com','7781 James Ave. '
York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lean','Stark',NULL,'lean.stark@msn.com','215 Old Pumpkin Hill St.
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lara','Guy',NULL,'lara.guy@aol.com','9809 E. Walnut Drive ','Ronkonkoma','NY',11779);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Inga','Koch',NULL,'inga.koch@msn.com','8445 South New Court ','New Windsor','NY',12553);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Klara', 'Kim', NULL, 'klara.kim@gmail.com', '9660 Sherman Lane', 'Rome', 'NY', 13440); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Julianne', 'Shannon', NULL, 'julianne.shannon@hotmail.com', '28 Applegate Street', 'Sugar
Land','TX',77478); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Loni','Mullen',NULL,'Ioni.mullen@msn.com','55 Thompson Avenue ','South Ozone
Park', 'NY', 11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Olympia','Figueroa',NULL,'olympia.figueroa@hotmail.com','587 Surrey St. ','Hopewell
Junction', 'NY', 12533); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mellie', 'Puckett', NULL, 'mellie.puckett@yahoo.com', '64 Van Dyke St. ', 'Fresh
Meadows', 'NY', 11365); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Shonta','Preston',NULL,'shonta.preston@msn.com','74 Division St.
','Utica','NY',13501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lore', 'Sykes', '(716) 382-5169', 'lore.sykes@aol.com', '7050 Beach Drive
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Julia','Joyner',NULL,'julia.joyner@msn.com','2 Valley View Dr. ','Astoria','NY',11102);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lynwood', 'Jackson', NULL, 'lynwood.jackson@aol.com', '9449 Linda Street', 'Longview', 'TX', 75604);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Rosalva', 'Hamilton', NULL, 'rosalva.hamilton@aol.com', '9883 Cedar Dr. ', 'Campbell', 'CA', 95008);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Domingo', 'Casey', '(408) 761-9212', 'domingo.casey@msn.com', '8665 Cypress Street', 'San
Jose', 'CA', 95127); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Rodrigo', 'Durham', NULL, 'rodrigo, durham@aol.com', '82 Old Church Road', 'Richmond
Hill','NY',11418); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Dwain','Carlson',NULL,'dwain.carlson@gmail.com','951 North Trusel Ave.
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Erlinda', 'Humphrey', NULL, 'erlinda.humphrey@hotmail.com', '532 South Victoria St.
','New Windsor','NY',12553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Silas','Tate','(361) 219-2149','silas.tate@yahoo.com','9754 53rd Court ','Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Patience', 'Clayton', NULL, 'patience.clayton@hotmail.com', '68 Chestnut Dr. ', 'Niagara
Falls', 'NY', 14304); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mila', 'Good', NULL, 'mila.good@yahoo.com', '812 East Longbranch Ave.
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tanesha', 'Sawyer', NULL, 'tanesha.sawyer@aol.com', '9B Kingston Lane
','Rosedale','NY',11422); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Onita','Macdonald',NULL,'onita.macdonald@yahoo.com','94 Wood St. ','Glen
Cove','NY',11542); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Janine', 'Manning', NULL, 'janine.manning@gmail.com', '9118B Campfire St. ', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Melodie', 'Melton', NULL, 'melodie.melton@yahoo.com', '12 S. 8th Road
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ethelyn', 'Ray', NULL, 'ethelyn.ray@yahoo.com', '80 South Sutor Lane', 'Garden
City', 'NY', 11530); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Phebe', 'Turner', NULL, 'phebe.turner@aol.com', '4 West York Street
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Chloe', 'Patel', NULL, 'chloe.patel@yahoo.com', '407 Homewood Street ', 'Santa
Monica','CA',90403); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hilda','Harvey',NULL,'hilda.harvey@gmail.com','9808 W. Cleveland Ave. ','Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Gilberte', 'Duke', '(915) 903-7860', 'gilberte.duke@gmail.com', '12 Birchwood Dr. ', 'El
Paso','TX',79930); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Willian', 'Hardin', NULL, 'willian.hardin@msn.com', '836 West Street', 'Oswego', 'NY', 13126);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Janna', 'Hayden', NULL, 'janna.hayden@msn.com', '32 Hilldale Street', 'Longview', 'TX', 75604);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Letisha', 'May', NULL, 'letisha.may@yahoo.com', '9965 Princeton Lane', 'North
Tonawanda', 'NY', 14120); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Graig','Cannon',NULL,'graig.cannon@gmail.com','36 Oklahoma Ave.
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Coleen','Navarro',NULL,'coleen.navarro@aol.com','990 Broad Rd.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lucilla', 'Williams', NULL, 'lucilla.williams@hotmail.com', '42 Cedar Street', 'San
Carlos', 'CA', 94070); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Rosanne', 'George', NULL, 'rosanne.george@yahoo.com', '38 Pleasant St.
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ashlie','Parrish',NULL,'ashlie.parrish@hotmail.com','48 Mill Drive
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alissa','Craft',NULL,'alissa.craft@hotmail.com','249 Maple Street
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Letty','Cobb',NULL,'letty.cobb@msn.com','8652 Wellington Street
','Depew','NY',14043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nathaniel', 'Richard', NULL, 'nathaniel.richard@gmail.com', '3 Nicolls Lane', 'New
Windsor', 'NY', 12553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Elaina','Key',NULL,'elaina.key@msn.com','1 Main St. ','Plainview','NY',11803); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Stefani', 'Gamble', '(845) 724-2996', 'stefani.gamble@aol.com', '9119 W. Victoria St. ', 'New
City', 'NY', 10956); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Bettyann', 'Acosta', '(717) 746-6658', 'bettyann.acosta@gmail.com', '7949 Chapel St.
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Crysta','Velez','(281) 529-3469','crysta.velez@yahoo.com','64 South Front Street
','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carisa','Carpenter',NULL,'carisa.carpenter@hotmail.com','551 Belmont Lane
','Victoria','TX',77904); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jule', 'Davenport', NULL, 'jule.davenport@aol.com', '19 River St.', 'San Carlos', 'CA', 94070);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lonna', 'Franks', NULL, 'Ionna.franks@yahoo.com', '667 Brickyard Street', 'Ontario', 'CA', 91762);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Elease', 'Dejesus', NULL, 'elease.dejesus@gmail.com', '7800 Magnolia Street', 'Oswego', 'NY', 13126);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Maira', 'Long', NULL, 'maira.long@msn.com', '7587 Bear Hill Street', 'Hicksville', 'NY', 11801); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jana','Thomas','(408) 624-8137','jana.thomas@yahoo.com','283 E. Spring Dr. ','San
Jose', 'CA', 95127); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Hae', 'Ramirez', NULL, 'hae.ramirez@hotmail.com', '9367 Lake Street
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Erik', 'Leblanc', NULL, 'erik.leblanc@aol.com', '7 East Nut Swamp Street', 'Sugar
Land','TX',77478); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Daina', 'Sampson', NULL, 'daina.sampson@msn.com', '556 Wellington St.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Delmar','Wise',NULL,'delmar.wise@yahoo.com','8355 Kingston Avenue
','Lockport','NY',14094); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alita','Salinas',NULL,'alita.salinas@hotmail.com','8550 Bear Hill Ave.
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Elenore', 'William', NULL, 'elenore.william@msn.com', '23 Rockland St.
','Mcallen','TX',78501); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nikita', 'Roy', NULL, 'nikita.roy@aol.com', '9703 N. Snake Hill St. ', 'Pittsford', 'NY', 14534);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Inocencia','Key',NULL,'inocencia.key@hotmail.com','36 Wild Rose Ave. ','Massapequa
Park','NY',11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Liliana', 'Kerr', NULL, 'liliana.kerr@yahoo.com', '3 Cherry Drive ', 'Desoto', 'TX', 75115);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hortencia', 'O''neil', NULL, 'hortencia.o''neil@hotmail.com', '1 Gulf Rd. ', 'Rockville Centre', 'NY', 11570);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Beryl', 'Bennett', '(916) 422-6956', 'beryl.bennett@aol.com', '9563 Edgemont St.
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Alishia', 'Elliott', NULL, 'alishia.elliott@aol.com', '8905 Courtland Ave. ', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Vernia','Madden','(248) 206-3697','vernia.madden@aol.com','5 Iroquois Street
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kristel', 'Bullock', NULL, 'kristel. bullock@yahoo.com', '7292 Armstrong Drive
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ruthanne', 'Hoover', NULL, 'ruthanne.hoover@aol.com', '835 Paris Hill Road
','Torrance','CA',90505); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('James', 'Robles', NULL, 'james.robles@aol.com', '9 Chapel Lane ', 'North
Tonawanda','NY',14120); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Evelin', 'Vargas', NULL, 'evelin.vargas@msn.com', '7049 Pin Oak Ave.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Elvia', 'Cardenas', NULL, 'elvia.cardenas@hotmail.com', '8 Paris Hill St.
','Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Randee','Pitts',NULL,'randee.pitts@msn.com','7371B Essex Street ','Canyon
Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lea','Irwin',NULL,'lea.irwin@gmail.com','845 Adams Lane ','New Windsor','NY',12553);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Bryce', 'Monroe', NULL, 'bryce.monroe@aol.com', '52 Cooper Lane ', 'Kingston', 'NY', 12401); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Katina', 'Mcintosh', '(661) 464-1523', 'katina.mcintosh@yahoo.com', '263 Swanson Dr.
','Bakersfield','CA',93306); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Guillermo','Hart','(212) 652-7198','guillermo.hart@hotmail.com','81 Indian Summer
Drive ','New York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Joann','Barber',NULL,'joann.barber@gmail.com','8945 Courtland Street
','Santa Monica','CA',90403); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Thurman', 'Ellis', NULL, 'thurman.ellis@gmail.com', '20 Augusta Road
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Delana','Wagner',NULL,'delana.wagner@aol.com','8499 Mill Pond Road ','Clifton
Park', 'NY', 12065); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Porter', 'Bass', NULL, 'porter.bass@hotmail.com', '370 North Alderwood Dr. ', 'San
Angelo', 'TX', 76901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Yvonne', 'Bean', NULL, 'yvonne.bean@yahoo.com', '20 W. Marsh Ave. ', 'Wappingers
Falls', 'NY', 12590); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Lurline', 'Rivers', NULL, 'lurline.rivers@msn.com', '69 Pine Street', 'Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ocie', 'Slater', NULL, 'ocie.slater@msn.com', '7799 W. Bohemia Dr. ', 'Hamburg', 'NY', 14075);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Genevie','Miles',NULL,'genevie.miles@aol.com','45 West Sulphur Springs Ave.
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sherilyn','Wilcox',NULL,'sherilyn.wilcox@gmail.com','905 North Buckingham Lane
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Aida', 'Koch', NULL, 'aida.koch@gmail.com', '9778 3rd Drive ', 'West
Hempstead', 'NY', 11552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Emory','O"connor','(507) 606-2192','emory.o"connor@gmail.com','34 Foxrun Street
','Rochester','NY',14606); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Maximina', 'Hutchinson', '(361) 164-3098', 'maximina.hutchinson@hotmail.com', '53
Stillwater Avenue ','Corpus Christi','TX',78418); INSERT INTO sales.customers(first_name, last_name,
phone, email, street, city, state, zip_code) VALUES('Marina','Hinton',NULL,'marina.hinton@yahoo.com','7440
North Oxford St. ','Encino','CA',91316); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Danyell','Dickerson',NULL,'danyell.dickerson@msn.com','8306
Fieldstone Dr. ','Central Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Davis','Long','(717) 653-1755','davis.long@msn.com','929
Elmwood Dr. ','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Lynn', 'Mcmahon', NULL, 'lynn.mcmahon@msn.com', '9 Surrey St.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tonja','Henderson',NULL,'tonja.henderson@aol.com','82 Alton St.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Krissy', 'Ochoa', NULL, 'krissy.ochoa@msn.com', '80 Queen Ave. ', 'Port
Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Angella', 'Bridges', NULL, 'angella.bridges@yahoo.com', '8708 Sycamore St.
','Pittsford','NY',14534); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Angele','Castro',NULL,'angele.castro@yahoo.com','15 Acacia Drive ','Palos Verdes
Peninsula','CA',90274); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Siobhan', 'Lang', NULL, 'siobhan.lang@gmail.com', '3 Monroe Lane
','Levittown','NY',11756); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Venessa','Frost',NULL,'venessa.frost@msn.com','621 West School Rd.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Verna','Solis','(507) 115-1633','verna.solis@yahoo.com','7 Lincoln Lane
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Steve', 'Bender', NULL, 'steve.bender@gmail.com', '908 N. Pennington Dr.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Aileen', 'Marquez', NULL, 'aileen.marquez@msn.com', '8899 Newbridge Street
','Torrance','CA',90505); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Kattie', 'Stevenson', NULL, 'kattie.stevenson@aol.com', '52 Carson Street
','Helotes','TX',78023); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hassan', 'Nash', NULL, 'hassan.nash@yahoo.com', '8105 University Lane
','Hicksville','NY',11801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Delfina','Gilliam',NULL,'delfina.gilliam@hotmail.com','9463 Bayberry Rd. ','West
Babylon', 'NY', 11704); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Venus','Hewitt',NULL,'venus.hewitt@msn.com','9835 Old Cemetery Lane
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Stephen','Vega','(657) 288-3778','stephen.vega@msn.com','5 Briarwood St.
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ciera', 'Koch', NULL, 'ciera.koch@gmail.com', '881 Lawrence Drive
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Christel', 'Barber', '(916) 679-3547', 'christel.barber@hotmail.com', '320 Briarwood Lane
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Arline', 'Lawson', '(516) 792-3395', 'arline.lawson@gmail.com', '48 Whitemarsh Lane
','Hempstead','NY',11550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Iva','Wilcox',NULL,'iva.wilcox@aol.com','452 South Mayflower Drive
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Maple', 'Griffin', NULL, 'maple.griffin@gmail.com', '20 Glendale Drive', 'Copperas
Cove','TX',76522); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Anisha','Lang',NULL,'anisha.lang@aol.com','265 Peachtree St. ','Rome','NY',13440);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Brent', 'Calderon', '(361) 981-8725', 'brent.calderon@aol.com', '3 Thomas St. ', 'Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Margit','Osborn',NULL,'margit.osborn@yahoo.com','909 Gulf Drive
','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Novella', 'Patel', NULL, 'novella.patel@gmail.com', '500 Livingston Street', 'Glen
Cove', 'NY', 11542); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Laurette','Hebert',NULL,'laurette.hebert@msn.com','18 South Constitution Court
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jonna', 'Brown', NULL, 'jonna.brown@aol.com', '1 Spring Drive
','Mahopac','NY',10541); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jennell', 'Solis', '(507) 421-7354', 'jennell.solis@hotmail.com', '194 2nd Rd.
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ruth', 'Horton', NULL, 'ruth.horton@gmail.com', '488 Mulberry Ave.
','Hollis','NY',11423); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Samual', 'Warner', '(631) 151-4988', 'samual.warner@gmail.com', '8735 Thatcher Dr.
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Damian','Mills','(562) 924-3079','damian.mills@yahoo.com','7747 Elm Dr. ','Long
Beach','NY',11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Margaretta', 'Clayton', NULL, 'margaretta.clayton@yahoo.com', '524 San Pablo Ave.
','Ridgecrest','CA',93555); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Marcell','Barrett',NULL,'marcell.barrett@gmail.com','266 Elm Drive
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Annis', 'Sanchez', '(424) 352-6275', 'annis.sanchez@aol.com', '4 Edgewater Road', 'Los
Angeles', 'CA', 90008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ayanna','Cherry',NULL,'ayanna.cherry@yahoo.com','8829 Galvin Rd.
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Barton', 'Cox', NULL, 'barton.cox@yahoo.com', '8220 Creekside Street
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Diana', 'Reyes', NULL, 'diana.reyes@msn.com', '7415 Annadale St.
','Bronx','NY',10451); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ingeborg','Ellison',NULL,'ingeborg.ellison@yahoo.com','360 Trusel St.
','Ithaca','NY',14850); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Carter', 'Booth', NULL, 'carter. booth@msn.com', '82 Beech Drive', 'Port
Chester', 'NY', 10573); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Christel', 'Cardenas', '(562) 342-8083', 'christel.cardenas@aol.com', '428 S. Swanson Drive
','Long Beach','NY',11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Orval', 'Hunter', NULL, 'orval.hunter@aol.com', '35 Wagon Drive', 'San
Angelo', 'TX', 76901); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Marguerite', 'Berger', NULL, 'marguerite.berger@aol.com', '875 Arch Lane
','Fullerton','CA',92831); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ivette','Warren',NULL,'ivette.warren@gmail.com','8408 Thomas Street ','Franklin
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Milagros', 'Weber', NULL, 'milagros. weber@hotmail.com', '7591 Glendale Ave.
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Marcel', 'Lindsay', NULL, 'marcel.lindsay@hotmail.com', '249 Peninsula St.
','Ossining','NY',10562); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Louis','Powell',NULL,'louis.powell@aol.com','368 Sugar Rd. ','Staten
Island', 'NY', 10301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Vanda','Holmes',NULL,'vanda.holmes@aol.com','9835 Wild Rose Drive
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Loreen', 'Byers', NULL, 'loreen.byers@yahoo.com', '83 S. Rockledge Circle', 'South
Ozone Park', 'NY', 11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Casimira', 'Chapman', NULL, 'casimira.chapman@yahoo.com', '67 Snake Hill St.
','Monroe','NY',10950); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Brigida','Larson',NULL,'brigida.larson@hotmail.com','8789 Sycamore Lane ','Canyon
Country', 'CA', 91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Chere','Alston',NULL,'chere.alston@gmail.com','16 Lower River Street
','Patchogue','NY',11772); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Giovanna','Jefferson',NULL,'giovanna.jefferson@gmail.com','9394 Riverside St.
','Ridgecrest','CA',93555); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Demarcus', 'Reese', NULL, 'demarcus.reese@gmail.com', '8087 Armstrong Dr.
','Yorktown Heights','NY',10598); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Amina', 'Salazar', NULL, 'amina.salazar@aol.com', '944 Wellington Street
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Serafina', 'Clemons', NULL, 'serafina.clemons@gmail.com', '851 Brown Ave.
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Trinidad', 'Mcclain', NULL, 'trinidad.mcclain@msn.com', '98 Tunnel Drive
','Baldwin','NY',11510); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Heather','Chaney',NULL,'heather.chaney@yahoo.com','4 Morris Dr.
','Jamestown','NY',14701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Latoya','Johns',NULL,'latoya.johns@hotmail.com','7914 W. Woodsman St.
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shiloh', 'Reeves', NULL, 'shiloh.reeves@msn.com', '818 Kirkland Lane ', 'West
Babylon', 'NY', 11704); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lee','Roman','(631) 913-6967','lee.roman@gmail.com','4 Canal Ave.
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cami','Williamson',NULL,'cami.williamson@hotmail.com','9511A Windsor Drive
','Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Sharell', 'Ross', NULL, 'sharell.ross@msn.com', '7830 Devonshire Ave.
','Vista','CA',92083); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jerald','Blackwell',NULL,'jerald.blackwell@hotmail.com','8364 South Wakehurst Ave.
','East Elmhurst','NY',11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ruthanne','Franco',NULL,'ruthanne.franco@yahoo.com','61 Applegate St.
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Marjory','Leonard',NULL,'marjory.leonard@msn.com','800 Greystone Lane ','Apple
Valley','CA',92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jimmy', 'Russell', NULL, 'jimmy.russell@hotmail.com', '33 Iroquois Ave.', 'Howard'
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Berneice', 'Pollard', NULL, 'berneice.pollard@hotmail.com', '607 Bohemia Street
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Deangelo', 'Cooley', NULL, 'deangelo.cooley@aol.com', '3 NE. Edgewood Rd.
','Rosedale','NY',11422); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Katia', 'Henry', NULL, 'katia.henry@msn.com', '69 E. Columbia Ave.
','Bethpage','NY',11714); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sebrina','Gross',NULL,'sebrina.gross@yahoo.com','993 Glendale Drive
','Garland','TX',75043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Josephine', 'Dale', NULL, 'josephine, dale@aol, com', '8214 West Drive
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alma','Peck',NULL,'alma.peck@aol.com','298 South Bay Meadows Drive
','Corona','NY',11368); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ling','Newman',NULL,'ling.newman@msn.com','832 Spring Road ','South Richmond
Hill','NY',11419); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Nichelle','Rosario',NULL,'nichelle.rosario@hotmail.com','709 Dunbar Ave. ','Garden
City', 'NY', 11530); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Shenna', 'Benton', '(212) 578-2912', 'shenna.benton@msn.com', '57 Shadow Brook Road
','New York','NY',10002); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Philip','Bryan','(510) 533-4262','philip.bryan@hotmail.com','914 Devonshire Court
','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carita','Salinas',NULL,'carita.salinas@yahoo.com','90 Griffin Street
','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Janie','Herrera',NULL,'janie.herrera@gmail.com','652 Westport Street
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lorraine', 'Marks', NULL, 'lorraine.marks@msn.com', '160 North Pearl Street', 'San
Carlos', 'CA', 94070); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nicolas', 'Carlson', NULL, 'nicolas.carlson@yahoo.com', '7899 Spruce Street', 'Saint
Albans','NY',11412); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Hye', 'Mercer', NULL, 'hye.mercer@gmail.com', '9681 Redwood St. ', 'Mahopac', 'NY', 10541);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Adena', 'Blake', NULL, 'adena.blake@hotmail.com', '684 Westport Drive', 'Ballston Spa', 'NY', 12020);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Coleman', 'Boyd', '(915) 607-6336', 'coleman.boyd@yahoo.com', '9740 Bay Meadows Drive ', 'El
Paso','TX',79930); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Daphine','Willis',NULL,'daphine.willis@msn.com','152 Shady St.
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jenine','Dawson',NULL,'jenine.dawson@msn.com','17 Park Street
','Endicott','NY',13760); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shanita','Wiley',NULL,'shanita.wiley@yahoo.com','121 Bridge Lane ','Saint
Albans','NY',11412); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shanna', 'Bonner', NULL, 'shanna.bonner@msn.com', '386 Lafayette Road
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ping','Quinn',NULL,'ping.quinn@gmail.com','9051 Hanover Dr.
','Rowlett','TX',75088); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Saran','Moses',NULL,'saran.moses@yahoo.com','94 Hall Dr. ','Brooklyn','NY',11201);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tonja', 'Bean', NULL, 'tonja.bean@aol.com', '9 Middle River St. ', 'Fairport', 'NY', 14450); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code) VALUES('Vernon','Knowles',
Olive Lane ','Huntington Station','NY',11746); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Jeannette', 'Skinner', NULL, 'jeannette.skinner@yahoo.com', '8886
High Point Drive ','Forest Hills','NY',11375); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Rico', 'Salas', NULL, 'rico.salas@msn.com', '8041 Walt Whitman St.
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tangela', 'Hurley', NULL, 'tangela.hurley@msn.com', '49 North Cross St.
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Randee','Lester',NULL,'randee.lester@gmail.com','81 Bear Hill Street
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ashanti', 'Hammond', NULL, 'ashanti.hammond@msn.com', '9202 W. Lyme Ave.
','Nanuet','NY',10954); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Garry','Juarez',NULL,'garry.juarez@hotmail.com','670 Nut Swamp Drive ','Forest
Hills','NY',11375); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bee', 'Baker', NULL, 'bee.baker@aol.com', '307 E. Magnolia St. ', 'Liverpool', 'NY', 13090);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES ('Shantae', 'Hammond', NULL, 'shantae.hammond@hotmail.com', '526 Harvard Drive
','Victoria','TX',77904); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Bettye', 'Espinoza', NULL, 'bettye.espinoza@yahoo.com', '76 Rockwell Street
','Oswego','NY',13126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Larissa', 'Hays', NULL, 'larissa.hays@aol.com', '66 2nd Drive', 'Elmont', 'NY', 11003);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Diane', 'Jones', NULL, 'diane.jones@gmail.com', '859 Prince St. ', 'Fresh Meadows', 'NY', 11365);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Zenia', 'Bruce', NULL, 'zenia.bruce@aol.com', '349 James Road', 'Rosedale', 'NY', 11422); INSERT
```

```
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Pasquale','Hogan',NULL,'pasquale.hogan@aol.com','403 Bank St. ','Vista','CA',92083); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dane','Mcdaniel',NULL,'dane.mcdaniel@hotmail.com','891 Court Ave. ','Canandaigua','NY',14424);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jamaal', 'Baker', NULL, 'jamaal.baker@hotmail.com', '186 Big Rock Cove Ave.
','Elmhurst','NY',11373); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Ji', 'Burt', NULL, 'ji.burt@hotmail.com', '40 S. Roberts Street ', 'Apple
Valley','CA',92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Marcelino', 'Mcbride', NULL, 'marcelino.mcbride@hotmail.com', '29 Oxford Ave. ', 'Clifton
Park', 'NY', 12065); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Rozella', 'Fitzgerald', NULL, 'rozella. fitzgerald@yahoo.com', '7795 Myers Ave.
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Tonisha', 'Fowler', NULL, 'tonisha.fowler@msn.com', '9270 Valley View Lane', 'Huntington'
Station', 'NY', 11746); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Zora', 'Ford', '(916) 192-3196', 'zora.ford@gmail.com', '7416 La Sierra Dr.
','Sacramento','CA',95820); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Parthenia', 'Figueroa', NULL, 'parthenia.figueroa@msn.com', '550 Theatre Dr.
','Mahopac','NY',10541); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Arielle','Levine',NULL,'arielle.levine@yahoo.com','7100 High Ridge St.
','Garland','TX',75043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Hildegarde', 'Christensen', NULL, 'hildegarde.christensen@hotmail.com', '488 East
Mill Pond Ave. ','Maspeth','NY',11378); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Rebbecca', 'Espinoza', NULL, 'rebbecca.espinoza@hotmail.com', '8266
Valley Farms Road ','Mount Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name,
phone, email, street, city, state, zip code)
VALUES('Conchita', 'Boone', NULL, 'conchita.boone@gmail.com', '814 Birchpond Lane', 'Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Aisha', 'Woods', NULL, 'aisha.woods@gmail.com', '9292 Bear Hill Ave.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Season','Harvey',NULL,'season.harvey@yahoo.com','388 Arnold Court ','East
Northport', 'NY', 11731); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tommie', 'Cooley', '(717) 634-4113', 'tommie.cooley@yahoo.com', '92 Hickory St.
','Lancaster','NY',14086); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Alanna', 'Barry', NULL, 'alanna, barry@yahoo, com', '33 Laurel Avenue
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jerri', 'Guthrie', NULL, 'jerri.guthrie@msn.com', '95 Sugar Dr. ', 'Carmel', 'NY', 10512);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tammy','Austin',NULL,'tammy.austin@yahoo.com','182 Stillwater Ave. ','Lake Jackson','TX',77566);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Patsy', 'Russo', NULL, 'patsy.russo@gmail.com', '8438 Fairway Avenue', 'Rowlett', 'TX', 75088);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Desiree', 'Branch', NULL, 'desiree.branch@msn.com', '67 Bayport Drive', 'San Lorenzo', 'CA', 94580);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Raeann', 'Duncan', '(657) 256-2008', 'raeann.duncan@aol.com', '126 Edgewood St.
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lillia','Gillespie',NULL,'lillia.gillespie@hotmail.com','382 Cardinal Dr. ','Rego
Park', 'NY', 11374); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Doris', 'Kaufman', NULL, 'doris.kaufman@gmail.com', '69 Fairground Dr.
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Rodolfo','Buck',NULL,'rodolfo.buck@gmail.com','8359 Brewery Street
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Olimpia', 'Mays', NULL, 'olimpia.mays@aol.com', '42 Nichols Lane', 'Oakland
Gardens','NY',11364); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shemeka','Lyons',NULL,'shemeka.lyons@msn.com','97 South Jockey Hollow St.
','Pomona','CA',91768); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Maryalice','Henry',NULL,'maryalice.henry@msn.com','85 Prince Street
','Richardson','TX',75080); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Leeanne', 'Cross', NULL, 'leeanne.cross@yahoo.com', '424 Newcastle Road
','Bayside','NY',11361); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lanelle', 'Guerra', NULL, 'lanelle.guerra@yahoo.com', '989 Wrangler St. ', 'Floral
Park','NY',11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dann','Huff',NULL,'dann.huff@gmail.com','475 S. Rockville St. ','Huntington
Station', 'NY', 11746); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Sherise', 'Mercer', NULL, 'sherise.mercer@gmail.com', '9401 Catherine Dr.
','Vista','CA',92083); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Heather','Perry',NULL,'heather.perry@gmail.com','982 Durham Street
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Theresia', 'Barron', NULL, 'theresia.barron@aol.com', '951 Wild Rose Street', 'Forest
Hills','NY',11375); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cindi', 'Ellis', NULL, 'cindi.ellis@yahoo.com', '6 Cypress Lane ', 'Floral Park', 'NY', 11001);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Mirella', 'Duffy', NULL, 'mirella.duffy@yahoo.com', '43 University Ave. ', 'Longview', 'TX', 75604);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Carson', 'Macias', NULL, 'carson.macias@gmail.com', '7 Pennington St. ', 'New Rochelle', 'NY', 10801);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Divina', 'Madden', '(562) 264-3998', 'divina.madden@gmail.com', '7314 Armstrong St.', 'Long
Beach', 'NY', 11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cher', 'Alston', NULL, 'cher.alston@msn.com', '38 Wild Horse Road', 'Wantagh', 'NY', 11793);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Regine', 'Odom', NULL, 'regine.odom@msn.com', '684 N. Mayfield Ave. ', 'Franklin
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Adam','Thornton',NULL,'adam.thornton@hotmail.com','755 East Henry Lane ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Cori', 'Schwartz', NULL, 'cori.schwartz@msn.com', '43 Lancaster Lane
', Jamaica', 'NY', 11432); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Willow', 'Gardner', NULL, 'willow.gardner@gmail.com', '57 S. Lakewood Dr.
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jane', 'Henderson', NULL, 'jane.henderson@hotmail.com', '46 Carson Drive', 'Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Chere', 'Mcfadden', NULL, 'chere.mcfadden@yahoo.com', '695 San Pablo Drive', 'Orchard
Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ira','Erickson',NULL,'ira.erickson@aol.com','6 Lake Forest St. ','Port Jefferson
Station', 'NY', 11776); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Risa', 'Gallagher', NULL, 'risa.gallagher@yahoo.com', '8281 Edgefield Drive
','Rocklin','CA',95677); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Lavinia','Cotton',NULL,'lavinia.cotton@yahoo.com','7485 Bridle Street ','East
Northport','NY',11731); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Alejandrina', 'Hodges', NULL, 'alejandrina.hodges@msn.com', '7598 Shadow Brook St.
','Deer Park','NY',11729); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Keitha', 'Black', NULL, 'keitha.black@yahoo.com', '7670 Hilldale Ave.
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Corene', 'Swanson', NULL, 'corene.swanson@aol.com', '597 Lakeshore Lane', 'Rego
Park','NY',11374); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tonda','Webb',NULL,'tonda.webb@yahoo.com','53 SW. Edgemont Rd.
','Baldwinsville','NY',13027); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Collen', 'Dennis', NULL, 'collen.dennis@gmail.com', '284 E. Mill Street', 'San
Pablo', 'CA', 94806); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Treasa','Dickerson',NULL,'treasa.dickerson@hotmail.com','70 W. Creekside Road
','Rockville Centre','NY',11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Jewell', 'Reyes', NULL, 'jewell.reyes@hotmail.com', '8711 Glen Creek Drive
','Jackson Heights','NY',11372); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Penny','Acevedo',NULL,'penny.acevedo@yahoo.com','318 Mulberry Drive
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Louise','Flowers',NULL,'louise.flowers@yahoo.com','28 N. Gregory Court
','Depew','NY',14043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Henrietta','Wagner','(682) 143-2224','henrietta.wagner@hotmail.com','54 Brickyard St.
','Fort Worth','TX',76110); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ardelia', 'Cooley', NULL, 'ardelia.cooley@aol.com', '59 Henry Smith St. ', 'Canyon
Country', 'CA', 91387); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Khalilah','Robertson',NULL,'khalilah.robertson@aol.com','22 Longbranch Rd. ','Spring
Valley', 'NY', 10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Armando', 'Black', NULL, 'armando.black@gmail.com', '8611 N. Poor House St.
','Richardson','TX',75080); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Jerri', 'Henry', NULL, 'jerri.henry@msn.com', '141 N. Purple Finch Avenue', 'Spring
Valley', 'NY', 10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lynda','Newman',NULL,'lynda.newman@msn.com','44 SW. Thomas Ave. ','Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Bao', 'Wade', NULL, 'bao.wade@gmail.com', '7587 Church St. ', 'Desoto', 'TX', 75115);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Gussie', 'Harding', NULL, 'gussie.harding@gmail.com', '41 Edgefield Avenue', 'Deer Park', 'NY', 11729);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shirely', 'Cantrell', NULL, 'shirely.cantrell@aol.com', '6 Kent Street', 'West Hempstead', 'NY', 11552);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Caroline', 'Jenkins', NULL, 'caroline.jenkins@msn.com', '86 River Lane', 'Richardson', 'TX', 75080);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hollis', 'Rasmussen', NULL, 'hollis.rasmussen@yahoo.com', '8949 S. Gates Road
'.'Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Kendra', 'Harrington', NULL, 'kendra.harrington@yahoo.com', '768 Cooper Street
','Jamestown','NY',14701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Douglass', 'Blankenship', '(229) 891-2087', 'douglass.blankenship@hotmail.com', '409
W. Rock Maple Lane ','Albany','NY',12203); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Lina','Meadows',NULL,'lina.meadows@aol.com','7020 Ashley
Rd. ','Glen Cove','NY',11542); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Patria','Harper',NULL,'patria.harper@msn.com','90 Arlington St.
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jeffrey', 'Hill', NULL, 'jeffrey.hill@gmail.com', '2 Shub Farm St. ', 'Rosedale', 'NY', 11422);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ja', 'Dillard', NULL, 'ja.dillard@yahoo.com', '25 Orchard St. ', 'Canyon Country', 'CA', 91387); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Tora', 'Dunlap', NULL, 'tora.dunlap@hotmail.com', '9903 North Halifax Ave. ', 'Monsey', 'NY', 10952);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Karole', 'Alvarez', NULL, 'karole.alvarez@gmail.com', '69 Woodland St. ', 'East Northport', 'NY', 11731);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shasta', 'Combs', NULL, 'shasta.combs@yahoo.com', '726 James Dr. ', 'Yorktown
Heights','NY',10598); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cicely', 'Deleon', NULL, 'cicely.deleon@yahoo.com', '751 Newbridge Ave. ', 'Massapequa
Park', 'NY', 11762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Raphael','O"neil',NULL,'raphael.o"neil@aol.com','762 East Lantern Dr.
','Fairport','NY',14450); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Hubert', 'Reilly', NULL, 'hubert.reilly@hotmail.com', '9004 N. Lake Rd.
','Amityville','NY',11701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Caleb', 'England', NULL, 'caleb.england@gmail.com', '649 Marvon St.
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Elmira','Levy',NULL,'elmira.levy@gmail.com','6 Columbia Dr. ','Spring
Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Waldo', 'Hart', NULL, 'waldo.hart@yahoo.com', '9782 Pineknoll Lane
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bea','Kane',NULL,'bea.kane@aol.com','398 Green Lake Ave.
','Mahopac','NY',10541); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Gilberto', 'Sanders', NULL, 'gilberto.sanders@hotmail.com', '186 Roehampton Ave.
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Benny', 'Bender', NULL, 'benny. bender@aol.com', '520 W. Hamilton St.
','Elmont','NY',11003); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Desmond', 'Rose', NULL, 'desmond.rose@hotmail.com', '9956 Lexington Rd. ', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Parthenia','Holman',NULL,'parthenia.holman@gmail.com','17 Orange Court
','Ithaca','NY',14850); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dung','King',NULL,'dung.king@aol.com','523 Prairie St. ','West Islip','NY',11795); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Sherril','Alvarado',NULL,'sherril.alvarado@hotmail.com','9434 Cypress Court ','Desoto','TX',75115);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alisia','Albert',NULL,'alisia.albert@gmail.com','9490 Coffee St. ','Garland','TX',75043); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kallie', 'Best', '(507) 997-4112', 'kallie.best@aol.com', '9842 Fairview St. ', 'Rochester', 'NY', 14606);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dottie', 'Roberts', NULL, 'dottie.roberts@aol.com', '8252 Theatre St. ', 'Port Washington', 'NY', 11050);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Hubert', 'Stone', NULL, 'hubert.stone@hotmail.com', '203 Penn St. ', 'Ridgecrest', 'CA', 93555); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Gabriella', 'Jones', NULL, 'gabriella.jones@hotmail.com', '9100 Gates Ave. ', 'Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Penney', 'Hall', NULL, 'penney, hall@msn.com', '8306 Jockey Hollow Street
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mallie', 'Osborn', NULL, 'mallie.osborn@gmail.com', '9022 Bridgeton St.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Britteny', 'Schroeder', NULL, 'britteny.schroeder@aol.com', '855 Bohemia Dr.
','Pittsford','NY',14534); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sommer', 'Hopkins', NULL, 'sommer.hopkins@gmail.com', '827 Laurel Ave.
','Tonawanda','NY',14150); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jewel', 'Sparks', NULL, 'jewel.sparks@aol.com', '12 Vine Road ', 'Oakland
Gardens', 'NY', 11364); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Deandrea','Vega','(914) 818-7312','deandrea.vega@gmail.com','613 Mill Pond St.
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Charlsie','Carson',NULL,'charlsie.carson@hotmail.com','3 South Grant Avenue
','Saint Albans','NY',11412); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kandace','Ayers',NULL,'kandace.ayers@gmail.com','9005 Lookout Lane ','Santa
Monica','CA',90403); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lenore','Valdez',NULL,'lenore.valdez@msn.com','829 Birchpond Street ','Spring
Valley', 'NY', 10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Drucilla', 'Gilliam', NULL, 'drucilla.gilliam@hotmail.com', '8257 E. Westminster Ave. ', 'Santa
Clara', 'CA', 95050); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Keturah', 'Reid', '(361) 394-2024', 'keturah.reid@yahoo.com', '747 SE. Beech Ave. ', 'Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Herminia','Reyes',NULL,'herminia.reyes@gmail.com','782 Stonybrook Street
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tuyet','Rosa',NULL,'tuyet.rosa@aol.com','9038 Golden Star Street ','South El
Monte', 'CA', 91733); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Ara','Vazquez',NULL,'ara.vazquez@msn.com','343 2nd Court ','San Carlos','CA',94070);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Barry','Albert',NULL,'barry.albert@gmail.com','13 Grand St. ','Auburn','NY',13021); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Verdell','Joyner',NULL,'verdell.joyner@aol.com','9191 Sierra St. ','Far Rockaway','NY',11691);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Han','Wade',NULL,'han.wade@hotmail.com','587 Sulphur Springs St. ','Howard Beach','NY',11414);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Anton','Barton','(716) 472-3707', 'anton.barton@msn.com','7284 East Indian Spring Rd.
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Vito', 'Pickett', NULL, 'vito.pickett@hotmail.com', '93 High Point Street
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Charlene', 'Norris', NULL, 'charlene.norris@msn.com', '972 South Sierra Drive
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Efren','Whitfield',NULL,'efren.whitfield@gmail.com','139 Union Rd.
','Euless','TX',76039); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Santa','Larson',NULL,'santa.larson@gmail.com','5 Bellevue Dr. ','Valley
Stream', 'NY', 11580); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Carmelina', 'Sellers', NULL, 'carmelina.sellers@hotmail.com', '12 Race St.
','Ithaca','NY',14850); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Carmela', 'Hays', NULL, 'carmela.hays@aol.com', '149 Pennington Ave.
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Patrina','Tanner',NULL,'patrina.tanner@gmail.com','7136 Selby Road
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rikki','Morrow','(682) 936-1482','rikki.morrow@hotmail.com','7096 Plumb Branch
Road ','Fort Worth','TX',76110); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Junita','Reese',NULL,'junita.reese@gmail.com','8773 North Walt Whitman
Court ','Bay Shore','NY',11706); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Ryan', 'Carter', NULL, 'ryan.carter@yahoo.com', '8684 Studebaker Road
','Nanuet','NY',10954); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Almeta','Benjamin',NULL,'almeta.benjamin@aol.com','8456 Oakwood St.
','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Beatris','Joyner',NULL,'beatris.joyner@gmail.com','7463 Gonzales Rd. ','Spring
Valley', 'NY', 10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Mechelle', 'Chan', NULL, 'mechelle.chan@gmail.com', '458 Overlook Street', 'Richmond
Hill','NY',11418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Earlean', 'Pena', NULL, 'earlean.pena@yahoo.com', '7698 Fulton St.', 'Rome', 'NY', 13440);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Katherin', 'Clark', NULL, 'katherin.clark@yahoo.com', '996 Iroquois Street', 'Pittsford', 'NY', 14534);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Chanel', 'May', NULL, 'chanel.may@msn.com', '806 Saxton Court', 'Garden City', 'NY', 11530); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Aaron','Knapp','(914) 402-4335','aaron.knapp@yahoo.com','807 Grandrose Ave.
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sindy','Anderson',NULL,'sindy.anderson@gmail.com','543 Halifax Ave.
','Pomona','CA',91768); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Sheree', 'Blanchard', NULL, 'sheree.blanchard@gmail.com', '41 Glenwood Ave.
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Charlesetta', 'Soto', NULL, 'charlesetta.soto@yahoo.com', '25 South Colonial Drive
','Poughkeepsie','NY',12601); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Wendie', 'Nash', '(805) 389-2549', 'wendie.nash@hotmail.com', '9 South Road
','Oxnard','CA',93035); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code) VALUES('Vernetta','Banks',NULL,'vernetta.banks@aol.com','7633 Albany St.
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Myrtle', 'Gardner', NULL, 'myrtle.gardner@aol.com', '303 Creekside Street
','Farmingdale','NY',11735); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Agustina','Lawrence',NULL,'agustina.lawrence@yahoo.com','9347 Delaware Ave.
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Trinidad', 'Chapman', NULL, 'trinidad.chapman@aol.com', '7371 Glen Eagles Street
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kim','Clark',NULL,'kim.clark@msn.com','19 Liberty St. ','Merrick','NY',11566);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Annabelle', 'Hebert', NULL, 'annabelle.hebert@aol.com', '9745 Nicolls Lane', 'Spring
Valley','NY',10977); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Corine', 'Stuart', NULL, 'corine.stuart@msn.com', '5 Penn Street', 'Clifton Park', 'NY', 12065);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kiesha', 'Bond', NULL, 'kiesha.bond@aol.com', '29 Marvon St. ', 'San Carlos', 'CA', 94070); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kenyetta','Mason',NULL,'kenyetta.mason@msn.com','98 Poplar Ave. ','Flushing','NY',11354);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Marcene', 'Curtis', '(914) 361-6045', 'marcene.curtis@msn.com', '7699 Illinois Lane
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Sheila', 'Goodman', NULL, 'sheila.goodman@msn.com', '9586 Chestnut St.
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Romeo', 'Steele', NULL, 'romeo.steele@msn.com', '162 Crescent Lane ', 'Port
Jefferson Station', 'NY', 11776); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Tam','Fisher','(507) 351-9375','tam.fisher@aol.com','8000 Woodsman Lane
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Gena','Owens',NULL,'gena.owens@gmail.com','43 Buckingham St.
','Desoto','TX',75115); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Phebe', 'Soto', NULL, 'phebe.soto@hotmail.com', '9239 Leatherwood Rd. ', 'South Ozone
Park', 'NY', 11420); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Leticia', 'Snyder', NULL, 'leticia.snyder@yahoo.com', '173 Lyme Dr. ', 'Pittsford', 'NY', 14534);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Chantell', 'Bridges', '(716) 941-6072', 'chantell.bridges@yahoo.com', '8478 N. Wrangler Dr.
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('lleana','Holt',NULL,'ileana.holt@msn.com','817 Adams St. ','Patchogue','NY',11772);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Nakisha','Clay',NULL,'nakisha.clay@gmail.com','8996 Beechwood Ave. ','Port
Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Cheryll', 'Snyder', NULL, 'cheryll.snyder@yahoo.com', '77 E. Liberty St.
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Consuela', 'Collier', NULL, 'consuela.collier@msn.com', '338 S. Holly Avenue', 'North
Tonawanda', 'NY', 14120); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip_code) VALUES('Aubrey', 'Durham', NULL, 'aubrey.durham@aol.com', '14 Foster Ave. ', 'Port
Washington', 'NY', 11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Nita', 'Guy', NULL, 'nita.guy@hotmail.com', '75 Academy Street', 'Port
Chester', 'NY', 10573); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Carmina', 'Emerson', NULL.'carmina.emerson@hotmail.com', '7137 Monroe Road
','Banning','CA',92220); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Georgeann', 'Rojas', NULL, 'georgeann.rojas@msn.com', '691 Devon Ave.
','Desoto','TX',75115); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Leslie','Higgins',NULL,'leslie.higgins@hotmail.com','805 Logan Ave. ','Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Emmaline','Huber',NULL,'emmaline.huber@gmail.com','7975 Harrison Rd. ','Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Mercy', 'Brown', NULL, 'mercy.brown@msn.com', '8207 Central Street ', 'Hollis', 'NY', 11423);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jenell','Crosby','(631) 544-4772','jenell.crosby@hotmail.com','507 Fulton Street
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Leila', 'Barr', NULL, 'leila.barr@yahoo.com', '120 Fremont Rd. ', 'Carmel', 'NY', 10512);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Deandrea', 'Cox', NULL, 'deandrea.cox@msn.com', '617 Sycamore Street', 'Huntington', 'NY', 11743);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shawnna', 'Frank', NULL, 'shawnna.frank@hotmail.com', '17 NW. Cottage Lane
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Brenton', 'Whitaker', NULL, 'brenton.whitaker@gmail.com', '25 Elmwood Rd.
','Niagara Falls','NY',14304); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jaqueline', 'Cummings', NULL, 'jaqueline.cummings@hotmail.com', '478 Wrangler St.
','Huntington Station','NY',11746); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Yang','Giles',NULL,'yang.giles@gmail.com','25 Bridle Lane ','San
Angelo', 'TX', 76901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Brigid', 'Sharp', NULL, 'brigid sharp@hotmail.com', '495 Sleepy Hollow Court', 'Santa
Clara', 'CA', 95050); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Karl','Stephens',NULL,'karl.stephens@gmail.com','208 Thatcher Rd. ','Rockville
Centre', 'NY', 11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Elvina', 'Gates', NULL, 'elvina.gates@hotmail.com', '112 Smith St.
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Carlie', 'Terrell', '(914) 517-8036', 'carlie.terrell@yahoo.com', '7437 Snake Hill Road
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Donovan', 'Cantrell', '(510) 624-3824', 'donovan.cantrell@msn.com', '601 Winchester
Dr. ','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alden','Atkinson',NULL,'alden.atkinson@gmail.com','46 Valley St.
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Carissa', 'Cross', NULL, 'carissa.cross@yahoo.com', '9335 West Main Dr. ', 'Huntington
Station', 'NY', 11746); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Joy','Underwood',NULL,'joy.underwood@gmail.com','7297 Armstrong Dr. ','Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Geraldine','O"donnell',NULL,'geraldine.o"donnell@hotmail.com','8241 Lookout Rd.
','Flushing','NY',11354); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bronwyn','Vargas',NULL,'bronwyn.vargas@msn.com','35 James Street ','New
Windsor', 'NY', 12553); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Abram','Copeland',NULL,'abram.copeland@gmail.com','9782 Indian Spring Lane
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mellisa', 'Griffin', NULL, 'mellisa.griffin@msn.com', '49 Alton Circle ', 'Los
Banos', 'CA', 93635); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Qiana','Jackson',NULL,'qiana.jackson@gmail.com','56 Galvin Street ','East
Northport', 'NY', 11731); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Magali','Dixon','(248) 279-5331','magali.dixon@msn.com','815 Del Monte Court
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Zulema','Clemons','(510) 565-8496','zulema.clemons@aol.com','75 W. Howard St.
','Oakland','CA',94603); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carina','Lynch',NULL,'carina.lynch@gmail.com','64 Jennings Road ','Wappingers
Falls', 'NY', 12590); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Jesus','Burch',NULL,'jesus.burch@hotmail.com','7024 Squaw Creek Street
','Desoto','TX',75115); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Selene', 'Vega', NULL, 'selene.vega@gmail.com', '11 Sierra St.', 'Campbell', 'CA', 95008);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Jong', 'Guthrie', NULL, 'jong.guthrie@hotmail.com', '889 Leatherwood Drive', 'Bethpage', 'NY', 11714);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Lise', 'Hebert', NULL, 'lise.hebert@gmail.com', '140 East Broad Lane', 'Vista', 'CA', 92083); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Joshua', 'Berg', NULL, 'joshua.berg@hotmail.com', '16 East St. ', 'Ossining', 'NY', 10562); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Georgina', 'Gonzales', NULL, 'georgina.gonzales@yahoo.com', '307 Chapel St.
','Endicott','NY',13760); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Rudolph', 'Velez', NULL, 'rudolph, velez@yahoo.com', '9397 Pleasant Drive', 'Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Luke','Kramer',NULL,'luke.kramer@hotmail.com','7955 Delaware Drive
','Bethpage','NY',11714); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Edgar', 'Quinn', NULL, 'edgar quinn@aol.com', '556 Dogwood Ave.
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tara','Maynard',NULL,'tara.maynard@hotmail.com','9375 Fordham Street
','Lindenhurst','NY',11757); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bella', 'Perez', NULL, 'bella.perez@msn.com', '43 Green Lake Street
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Nathaniel', 'Davidson', NULL, 'nathaniel.davidson@hotmail.com', '7476 Henry Smith Street
','Rome','NY',13440); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Chauncey', 'Donaldson', NULL, 'chauncey.donaldson@aol.com', '7412 Golf Ave. ', 'Franklin
Square','NY',11010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Heide', 'Reed', NULL, 'heide.reed@yahoo.com', '9174 Coffee Drive ', 'Floral
Park', 'NY', 11001); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Trang', 'Hardin', NULL, 'trang.hardin@yahoo.com', '9255 Myers Drive ', 'Depew', 'NY', 14043);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Gabriela','Warren','(562) 986-2247','gabriela.warren@aol.com','9947 Brewery Ave. ','Long
Beach', 'NY', 11561); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Dale', 'Rasmussen', NULL, 'dale.rasmussen@aol.com', '8590 Adams Street
','Kingston','NY',12401); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tammie','Cherry',NULL,'tammie.cherry@hotmail.com','791 Wakehurst Dr.
','Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Bethany', 'Herring', NULL, 'bethany.herring@yahoo.com', '7563 High Point Street
','Port Jefferson Station','NY',11776); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Barbra','Dickerson',NULL,'barbra.dickerson@gmail.com','8424 E.
Rockcrest Dr. ','Ridgecrest','CA',93555); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Neoma', 'Daugherty', NULL, 'neoma.daugherty@gmail.com', '80 Spring
Street ','Mount Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Nanette', 'Roman', NULL, 'nanette.roman@yahoo.com', '8254 North
Riverview Street ','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip code) VALUES('Adriene', 'Rollins', NULL, 'adriene.rollins@msn.com', '55
Cambridge Street ','Plainview','NY',11803); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Susannah', 'Fields', NULL, 'susannah, fields@hotmail.com', '17
Railroad Street ','Far Rockaway','NY',11691); INSERT INTO sales.customers(first_name, last_name, phone,
email, street, city, state, zip_code) VALUES('Dung','Reid',NULL,'dung.reid@msn.com','468 West Washington
Ave. ','Canyon Country','CA',91387); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Ben', 'Stone', NULL, 'ben.stone@gmail.com', '8855 University St.
','Ithaca','NY',14850); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Nubia','Anderson',NULL,'nubia.anderson@aol.com','584 NW. Hilldale Drive
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rosamaria','Meyer',NULL,'rosamaria.meyer@yahoo.com','446 Elizabeth St.
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Todd', 'Waters', NULL, 'todd.waters@yahoo.com', '92 Cedar Swamp Street', 'Bay
Shore', 'NY', 11706); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Kimbery', 'Nieves', NULL, 'kimbery.nieves@msn.com', '768 Roehampton St.', 'San
Carlos', 'CA', 94070); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Phuong','Wolf',NULL,'phuong.wolf@yahoo.com','7765 N. Annadale Dr.
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Adelaida','Hancock',NULL,'adelaida.hancock@aol.com','669 S. Gartner Street
','San Pablo','CA',94806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Brianne','Hays',NULL,'brianne.hays@gmail.com','88 Tailwater Ave. ','San
Pablo', 'CA', 94806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Rufina', 'Chandler', NULL, 'rufina.chandler@aol.com', '7985 Alderwood Street', 'New Hyde
Park', 'NY', 11040); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Devin','Velazquez','(631) 254-8497','devin.velazquez@aol.com','61 Redwood St.
','Brentwood','NY',11717); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Bonita', 'Marshall', NULL, 'bonita.marshall@msn.com', '48 Bald Hill Drive
','Endicott','NY',13760); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Myrl', 'Gay', NULL, 'myrl.gay@hotmail.com', '8708 Taylor Lane', 'Garland', 'TX', 75043);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Earline', 'Gordon', NULL, 'earline.gordon@gmail.com', '81 Railroad Drive', 'Ronkonkoma', 'NY', 11779);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Sung', 'Chambers', NULL, 'sung.chambers@gmail.com', '369 N. Virginia Street
','Kingston','NY',12401); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Gustavo', 'Gamble', NULL, 'gustavo.gamble@msn.com', '8054 W. Meadowbrook
Street ','Port Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip code) VALUES('Ciera', 'Webb', NULL, 'ciera.webb@yahoo.com', '958 Anderson Ave.
','Orchard Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Roy','Chan',NULL,'roy.chan@hotmail.com','7578 Middle River St.
','Pomona','CA',91768); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Houston','Vasquez',NULL,'houston.vasquez@msn.com','845 Aspen Street
','Fullerton','CA',92831); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cheree', 'Hale', NULL, 'cheree.hale@yahoo.com', '95 Lyme Avenue
','Oswego','NY',13126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Odette', 'Moses', NULL, 'odette.moses@gmail.com', '899 Overlook Lane
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lenita', 'Bonner', NULL, 'lenita.bonner@aol.com', '7286 Swanson Drive ', 'Los
Banos', 'CA', 93635); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Shona','Mcmillan',NULL,'shona.mcmillan@msn.com','57 West Maple Dr. ','Apple
Valley', 'CA', 92307); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Piedad','Irwin',NULL,'piedad.irwin@hotmail.com','581 Garden St. ','Coram','NY',11727);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Loan', 'Graham', NULL, 'loan.graham@yahoo.com', '57 Glen Eagles St. ', 'Jackson
Heights', 'NY', 11372); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Stan','Saunders',NULL,'stan.saunders@yahoo.com','407 Essex Dr.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jackeline','Colon',NULL,'jackeline.colon@msn.com','9916 Cedarwood Drive
','Wappingers Falls','NY',12590); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Marlen','Dawson',NULL,'marlen.dawson@msn.com','67 Oak Valley Street
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Alexis', 'Mack', '(845) 707-6088', 'alexis.mack@aol.com', '7767 Sutor Ave. ', 'New
City', 'NY', 10956); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Mica', 'Barry', NULL, 'mica.barry@yahoo.com', '3 SE. Sugar St. ', 'Hopewell
Junction', 'NY', 12533); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Shanice', 'Spears', NULL, 'shanice.spears@msn.com', '5 Piper Ave. ', 'Brooklyn', 'NY', 11201);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Garth', 'Huff', NULL, 'garth.huff@yahoo.com', '794 East University St. ', 'Glendora', 'CA', 91740);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dione', 'Pratt', NULL, 'dione.pratt@msn.com', '864 Winding Way St. ', 'Pleasanton', 'CA', 94566);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Victor', 'Pittman', NULL, 'victor.pittman@aol.com', '9294 Devon Dr. ', 'Astoria', 'NY', 11102); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Allie','Conley',NULL,'allie.conley@msn.com','96 High Point Road ','Lawndale','CA',90260); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Shanelle','Anderson',NULL,'shanelle.anderson@yahoo.com','646 Surrey Street
'.'Bethpage'.'NY'.11714): INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Minnie', 'Compton', NULL, 'minnie.compton@gmail.com', '185 Hudson Street', 'South
Richmond Hill', 'NY', 11419); INSERT INTO sales.customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Shiloh', 'Bates', NULL, 'shiloh.bates@msn.com', '15 Wellington Dr.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lakenya','Oliver',NULL,'lakenya.oliver@yahoo.com','82 Bayport Court ','San
Lorenzo', 'CA', 94580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sally','Kinney',NULL,'sally.kinney@msn.com','7565 High Dr. ','Floral Park','NY',11001);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Edith','Davenport',NULL,'edith.davenport@gmail.com','685 Alton Road ','Ontario','CA',91762);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alline', 'Beasley', NULL, 'alline.beasley@yahoo.com', '8704 NE. Olive Ave. ', 'North
Tonawanda','NY',14120); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Travis','Whitley',NULL,'travis.whitley@aol.com','60 Euclid Ave. ','Saint
Albans', 'NY', 11412); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Vanessa', 'West', NULL, 'vanessa.west@gmail.com', '34 Prairie Lane', 'New
Rochelle', 'NY', 10801); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Trudy', 'Riddle', NULL, 'trudy.riddle@aol.com', '8943 Johnson Street
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shauna','Edwards',NULL,'shauna.edwards@msn.com','8 Dogwood Ave.
','Yorktown Heights','NY',10598); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
```

```
city, state, zip code) VALUES('Clorinda', 'Donovan', NULL, 'clorinda, donovan@msn.com', '9690 E. Morris Ave.
','Jamestown','NY',14701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Raven','Curtis',NULL,'raven.curtis@aol.com','18 Summit Lane
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Verda','Gilbert',NULL,'verda.gilbert@gmail.com','54 Hillcrest Drive ','East
Northport', 'NY', 11731); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Renay','Atkins',NULL,'renay.atkins@aol.com','7146 Leeton Ridge Ave.
','Woodside','NY',11377); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tama','Berg',NULL,'tama.berg@hotmail.com','3 Cardinal Avenue
','Hollis','NY',11423); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Dalia','Carson','(507) 186-2004','dalia.carson@aol.com','7175 Galvin St.
','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('America', 'Swanson', NULL, 'america.swanson@msn.com', '83 South Arlington Lane
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Cinda','Rocha',NULL,'cinda.rocha@hotmail.com','926 North Oklahoma Dr. ','Los
Banos', 'CA', 93635); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Shea','Howell',NULL,'shea.howell@msn.com','67 Arch Rd. ','South El Monte','CA',91733);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Kimberli', 'Cline', NULL, 'kimberli.cline@yahoo.com', '7115 Stonybrook Court
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Emanuel', 'Mckee', NULL, 'emanuel.mckee@yahoo.com', '9411 Lake Dr.
','Schenectady','NY',12302); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Whitley','Cannon',NULL,'whitley.cannon@msn.com','614 High Point Lane
','Coram','NY',11727); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Tereasa', 'Bird', NULL, 'tereasa.bird@aol.com', '7526 Vine Drive
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Dante', 'Grimes', NULL, 'dante.grimes@yahoo.com', '23 Shore St.
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Joeann', 'Garrison', NULL, 'joeann.garrison@yahoo.com', '1 Harrison St.
','Ontario','CA',91762); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Omega','Johnston',NULL,'omega.johnston@gmail.com','9935 Tarkiln Hill St. ','Canyon
Country', 'CA', 91387); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Conrad', 'Mueller', NULL, 'conrad.mueller@yahoo.com', '3 Myrtle St.
','Massapequa','NY',11758); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Glady', 'Wells', NULL, 'glady. wells@gmail.com', '627 Ramblewood Ave.
','Syosset','NY',11791); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tisha','Petty','(210) 851-3122','tisha.petty@msn.com','9083 Lake View Ave. ','San
Antonio', 'TX', 78213); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Claris', 'Santiago', NULL, 'claris.santiago@msn.com', '763 Mountainview Dr.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Obdulia','Barber',NULL,'obdulia.barber@gmail.com','878 Lexington Rd.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shantel','Gregory',NULL,'shantel.gregory@yahoo.com','7722 Second Lane ','West
Islip','NY',11795); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ai', 'Forbes', NULL, 'ai.forbes@yahoo.com', '254 Central St. ', 'Franklin Square', 'NY', 11010);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Ebony', 'Cotton', NULL, 'ebony.cotton@yahoo.com', '8979 Miller St. ', 'West Babylon', 'NY', 11704);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Arla', 'Ellis', NULL, 'arla.ellis@yahoo.com', '127 Crescent Ave. ', 'Utica', 'NY', 13501); INSERT INTO
sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Magdalena', 'Sherman', NULL, 'magdalena.sherman@gmail.com', '176 Sunbeam St.
','Oswego','NY',13126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tarra', 'Guerrero', NULL, 'tarra.guerrero@aol.com', '10 Baker St.
','Auburn','NY',13021); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Consuela', 'Romero', NULL, 'consuela.romero@hotmail.com', '54 Elm Court
','Monroe','NY',10950); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Cindie','Franklin',NULL,'cindie.franklin@yahoo.com','7249 Franklin St.
','Lawndale','CA',90260); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Sharyn','Brewer',NULL,'sharyn.brewer@aol.com','70 Columbia Ave.
','Hollis','NY',11423); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Karren', 'Stevenson', NULL, 'karren.stevenson@aol.com', '155 Old York St.', 'San
Carlos', 'CA', 94070); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Divina', 'Reeves', NULL, 'divina.reeves@hotmail.com', '767 Bradford Dr.
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
```

```
state, zip code) VALUES('Novella', 'Ross', NULL, 'novella.ross@gmail.com', '9418 Acacia Drive
','Glendora','CA',91740); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Omega', 'Huff', NULL, 'omega.huff@aol.com', '63 Devon St. ', 'Santa
Monica','CA',90403); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ashleigh', 'Finch', NULL, 'ashleigh.finch@yahoo.com', '82 Hudson Court
','Newburgh','NY',12550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Corina','Lynch',NULL,'corina.lynch@msn.com','44 Sunbeam Dr.
','Rosedale','NY',11422); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Joe','Melton',NULL,'joe.melton@gmail.com','8998 Hartford Street ','New
Windsor', 'NY', 12553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Bernetta', 'Summers', NULL, 'bernetta.summers@aol.com', '1 Young Ave.
','Longview','TX',75604); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Inez', 'Snider', NULL, 'inez.snider@gmail.com', '837 Catherine Lane
','Ronkonkoma','NY',11779); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Neida','King','(442) 778-1121','neida.king@aol.com','137 Bohemia St.
','Oceanside','NY',11572); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tona', 'Velasquez', NULL, 'tona.velasquez@msn.com', '9166 Trout St.
','Whitestone','NY',11357); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Rozanne','Reyes',NULL,'rozanne.reyes@aol.com','11 W. Surrey Drive ','Garden
City','NY',11530); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Lekisha', 'Pope', NULL, 'lekisha.pope@msn.com', '390 Livingston Avenue
','Freeport','NY',11520); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Jama','Rodriquez',NULL,'jama.rodriquez@msn.com','681 Smith Dr.
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Eloisa','Tucker',NULL,'eloisa.tucker@hotmail.com','7268 Leatherwood Ave. ','Howard
Beach', 'NY', 11414); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Arie', 'Hunter', NULL, 'arie.hunter@msn.com', '66 Old State Rd.', 'Flushing', 'NY', 11354);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Sanora', 'Webster', '(424) 464-7290', 'sanora.webster@msn.com', '74 Beach St. ', 'Los
Angeles', 'CA', 90008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kate', 'Barber', NULL, 'kate.barber@hotmail.com', '46 W. Oak Valley Ave. ', 'Saratoga
Springs','NY',12866); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Yvone', 'Guerrero', NULL, 'yvone.guerrero@aol.com', '8548 Jackson Ave.
','Merrick','NY',11566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Kami','Rios',NULL,'kami.rios@yahoo.com','8400 8th Dr. ','Encino','CA',91316); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Annett','Rush',NULL,'annett.rush@hotmail.com','758 Fordham Lane ','Rosedale','NY',11422);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Carman','Hardy',NULL,'carman.hardy@yahoo.com','800 Whitemarsh St. ','Jamestown','NY',14701);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Dorothea', 'Miranda', NULL, 'dorothea.miranda@aol.com', '7882 Parker St. ', 'Upland', 'CA', 91784);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Agatha', 'Daniels', NULL, 'agatha.daniels@yahoo.com', '125 Canal St. ', 'South El Monte', 'CA', 91733);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Alexandria','Zamora',NULL,'alexandria.zamora@yahoo.com','95 Cherry Circle
','Schenectady','NY',12302); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Thad', 'Gilliam', NULL, 'thad.gilliam@hotmail.com', '8844 Gonzales Court
','Levittown','NY',11756); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Inger','Jennings',NULL,'inger.jennings@yahoo.com','38 NW. Shore Lane
','Patchogue','NY',11772); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Karren', 'Lamb', '(559) 628-2239', 'karren.lamb@aol.com', '35 N. Chapel St.
','Fresno','CA',93706); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Noble','Glover',NULL,'noble.glover@gmail.com','728 W. Rocky River Street ','Orchard
Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Octavia', 'Donaldson', NULL, 'octavia.donaldson@hotmail.com', '8095 Wayne Ave.
','Levittown','NY',11756); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Latashia','Travis',NULL,'latashia.travis@yahoo.com','7877 King Rd.
','Upland','CA',91784); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Destiny','Goodman',NULL,'destiny.goodman@msn.com','29 Smoky Hollow St.
','Westbury','NY',11590); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Christiana', 'Gross', NULL, 'christiana.gross@yahoo.com', '645 North Richardson
Road ','Orchard Park','NY',14127); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Nestor', 'Haynes', '(281) 969-4579', 'nestor.haynes@msn.com', '27 Nut
Swamp Street ','Houston','TX',77016); INSERT INTO sales.customers(first_name, last_name, phone, email,
```

```
street, city, state, zip_code) VALUES('Grisel', 'Maynard', NULL, 'grisel, maynard@msn.com', '353 North Arch St.
','Ballston Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shenna', 'Espinoza', NULL, 'shenna.espinoza@gmail.com', '202 North George Street
','Queensbury','NY',12804); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Trena','Rogers',NULL,'trena.rogers@aol.com','502 Sherwood St.
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lucile','Manning',NULL,'lucile.manning@yahoo.com','511 Livingston Lane
','Campbell','CA',95008); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Veronique', 'Fulton', NULL, 'veronique.fulton@yahoo.com', '81 Hilldale Ave. ', 'Ballston
Spa','NY',12020); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Starr', 'Schneider', NULL, 'starr.schneider@aol.com', '77 Mulberry Street
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Rona', 'Rojas', '(408) 611-3553', 'rona.rojas@gmail.com', '815 Riverview St.', 'San
Jose', 'CA', 95127); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Pandora','Estes',NULL,'pandora.estes@aol.com','228 Shadow Brook Drive ','New Hyde
Park','NY',11040); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Renna','Williams',NULL,'renna.williams@hotmail.com','7398 SW. Glen Ridge Road
','South Ozone Park','NY',11420); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Lanora', 'Robbins', NULL, 'lanora.robbins@hotmail.com', '31 W. Maiden Lane
','West Babylon','NY',11704); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Juliane', 'Dillard', NULL, 'juliane.dillard@aol.com', '63 Birchwood Court
','Glendora','CA',91740); INSERT INTO sales customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Carlena', 'Salinas', NULL, 'carlena.salinas@gmail.com', '1 Wagon Street
','Jamaica','NY',11432); INSERT INTO sales customers (first name, last name, phone, email, street, city,
state, zip code) VALUES('Kimberley', 'Reynolds', NULL, 'kimberley.reynolds@aol.com', '8475 Homewood Street
','Port Washington','NY',11050); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Johana','Jacobson','(507) 407-9384','johana.jacobson@gmail.com','29 San
Juan St. ','Rochester','NY',14606); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Enoch', 'Rosario', '(559) 329-7615', 'enoch.rosario@hotmail.com', '186
Arlington St. ','Fresno','CA',93706); INSERT INTO sales.customers(first_name, last_name, phone, email,
street, city, state, zip_code) VALUES('Dorine','Thornton',NULL,'dorine.thornton@gmail.com','8730 N. Atlantic
Street ','Sunnyside','NY',11104); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Eliz','Lynch',NULL,'eliz.lynch@hotmail.com','717 West Deerfield Ave.
','Uniondale','NY',11553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Mercedez', 'Brooks', NULL, 'mercedez.brooks@hotmail.com', '7483 Ann St.
','Duarte','CA',91010); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Wynona','Douglas',NULL,'wynona.douglas@msn.com','6 Country Ave.
','Harlingen','TX',78552); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Desire','Mcgowan','(661) 800-8091','desire.mcgowan@msn.com','942 North Ohio
Road ','Bakersfield','CA',93306); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip_code) VALUES('Elmo','Sweeney',NULL,'elmo.sweeney@yahoo.com','43 Arch Ave. ','San
Carlos', 'CA', 94070); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Kenton','Hughes',NULL,'kenton.hughes@gmail.com','632 Sleepy Hollow Drive
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Cesar', 'Wilkins', '(619) 685-5786', 'cesar.wilkins@hotmail.com', '7 Inverness St. ', 'San
Diego', 'CA', 92111); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip code) VALUES('Phylicia', 'Stout', NULL, 'phylicia.stout@aol.com', '8842 Littleton Lane
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Nanette','Harris',NULL,'nanette.harris@hotmail.com','26 Pin Oak Lane ','East
Meadow','NY',11554); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Ulrike', 'Chan', NULL, 'ulrike.chan@aol.com', '7949 Lancaster St. ', 'Port
Chester', 'NY', 10573); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Genoveva','Lloyd',NULL,'genoveva.lloyd@aol.com','706 Devonshire St.
','Bayside','NY',11361); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Sheryl', 'Chase', NULL, 'sheryl.chase@gmail.com', '388 Cedar Avenue', 'Floral
Park', 'NY', 11001); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Trista', 'Lambert', NULL, 'trista.lambert@gmail.com', '79 River Street', 'Fairport', 'NY', 14450);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Vivian', 'Deleon', NULL, 'vivian.deleon@msn.com', '9925 Hamilton Street', 'Jamaica', 'NY', 11432);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Genny', 'Fields', NULL, 'genny.fields@msn.com', '9145 San Juan Dr. ', 'Amityville', 'NY', 11701); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Eliseo','Knight',NULL,'eliseo.knight@msn.com','693 Holly Street ','Woodhaven','NY',11421); INSERT
INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
```

```
VALUES('Delma', 'Bailey', '(657) 454-8493', 'delma.bailey@gmail.com', '9883 West King Lane
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Dewayne','Herring',NULL,'dewayne.herring@aol.com','9015 Willow Lane
','Webster','NY',14580); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Nevada','Hood',NULL,'nevada.hood@aol.com','515 Bank Rd. ','Hopewell
Junction', 'NY', 12533); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Angelika', 'Perry', NULL, 'angelika.perry@msn.com', '7684 South Branch Drive
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shayla','Hart',NULL,'shayla.hart@msn.com','9092 Aspen St.
','Woodhaven','NY',11421); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Willetta','Murphy',NULL,'willetta.murphy@msn.com','436 Devonshire Street ','East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Sandee','Alvarado',NULL,'sandee.alvarado@aol.com','69 Bowman Street
','Depew','NY',14043); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Mila','Moody','(248) 234-5902','mila.moody@gmail.com','675 Williams St.
','Troy','NY',12180); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Loyce','Conway',NULL,'loyce.conway@aol.com','729 State Lane ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Thanh','Figueroa',NULL,'thanh.figueroa@yahoo.com','6 Roberts Drive ','Mount
Vernon', 'NY', 10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Farrah','Orr',NULL,'farrah.orr@msn.com','8711 W. Ashley St. ','New Hyde
Park', 'NY', 11040); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Hugh','Craft',NULL,'hugh.craft@msn.com','8716 Homewood Court
','Centereach','NY',11720); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Eleanor', 'Mendez', NULL, 'eleanor.mendez@yahoo.com', '4 West St. ', 'Port
Chester', 'NY', 10573); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Lamar', 'Bush', '(716) 294-7174', 'lamar.bush@msn.com', '76 Lilac Drive
','Buffalo','NY',14215); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Lurlene', 'Finch', '(914) 367-7691', 'lurlene.finch@msn.com', '849 Magnolia St.
','Yonkers','NY',10701); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Shanda','Stevenson',NULL,'shanda.stevenson@yahoo.com','9547 N. Courtland St.
','Freeport','NY',11520); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Adrien', 'Hunter', NULL, 'adrien.hunter@yahoo.com', '720 Thompson Lane', 'Rego
Park', 'NY', 11374); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ophelia', 'Decker', NULL, 'ophelia.decker@yahoo.com', '69 Rockwell Court', 'New
Windsor', 'NY', 12553); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Sonja','Walls',NULL,'sonja.walls@aol.com','30 Marshall Dr. ','Queensbury','NY',12804);
INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state, zip_code)
VALUES('Harold','O"connor',NULL,'harold.o"connor@gmail.com','9530 Summerhouse Street ','Santa
Cruz', 'CA', 95060); INSERT INTO sales.customers (first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Miranda', 'Kennedy', NULL, 'miranda.kennedy@gmail.com', '726 East High St.
','Astoria','NY',11102); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Jasper','Castro',NULL,'jasper.castro@aol.com','977 SE. Railroad Road
','Forney','TX',75126); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Penni','Best','(657) 611-2991','penni.best@msn.com','875 Second Drive
','Anaheim','CA',92806); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Lurlene', 'Cotton', NULL, 'lurlene.cotton@yahoo.com', '8218 George St.
','Pleasanton','CA',94566); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Kelsey','Noble',NULL,'kelsey.noble@hotmail.com','36 Pearl Court ','Mount
Vernon','NY',10550); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Edris', 'Barrett', NULL, 'edris.barrett@hotmail.com', '36 Pulaski Drive
','Plattsburgh','NY',12901); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Tempie','Jacobson',NULL,'tempie.jacobson@hotmail.com','136 Old Fairview St.
','Smithtown','NY',11787); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Dollie','Cervantes','(682) 362-7457', dollie.cervantes@aol.com','8828 Applegate
Drive ','Fort Worth','TX',76110); INSERT INTO sales.customers(first_name, last_name, phone, email, street,
city, state, zip code) VALUES('Lashunda', 'Cole', NULL, 'lashunda.cole@hotmail.com', '783 Baker St.
','Monsey','NY',10952); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Justina','Jenkins',NULL,'justina.jenkins@msn.com','345 SE. Green Lane
','Shirley','NY',11967); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Londa', 'Gould', '(361) 206-5550', 'londa.gould@aol.com', '9169 Beech Lane', 'Corpus
Christi', 'TX', 78418); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Mikel','Wilkerson',NULL,'mikel.wilkerson@msn.com','9233 Clinton St.
','Atwater','CA',95301); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
```

```
zip code) VALUES('Carola','Johns',NULL,'carola.johns@msn.com','7077 Fordham Rd. ','Santa
Cruz', 'CA', 95060); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Lorrie','Justice',NULL,'lorrie.justice@gmail.com','8396 Brook Drive
','Pomona','CA',91768); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Tayna','Wade','(661) 858-1224','tayna.wade@hotmail.com','65 Smith Store Dr.
','Bakersfield','CA',93306); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Mark', 'Benton', NULL, 'mark.benton@aol.com', '83 Eagle St. ', 'East
Elmhurst', 'NY', 11369); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip_code) VALUES('Zona','Cameron',NULL,'zona.cameron@aol.com','42 Bridle Court ','East
Northport', 'NY', 11731); INSERT INTO sales.customers (first name, last name, phone, email, street, city, state,
zip code) VALUES('Nicola', 'Knight', NULL, 'nicola.knight@aol.com', '25 SE. Miles Lane
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Elana', 'Miles', NULL, 'elana.miles@yahoo.com', '7077 Euclid Ave.
','Liverpool','NY',13090); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Merrie','Fowler',NULL,'merrie.fowler@aol.com','532 Leatherwood Ave.
','Scarsdale','NY',10583); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Macie','Ayers',NULL,'macie.ayers@msn.com','8730 Longfellow St.
','Bellmore','NY',11710); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Son','Warner',NULL,'son.warner@hotmail.com','20 W. Rosewood Ave. ','Rockville
Centre', 'NY', 11570); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Lee','Dunn','(408) 807-6157','lee.dunn@aol.com','8626 Grand Ave. ','San
Jose', 'CA', 95127); INSERT INTO sales customers (first name, last name, phone, email, street, city, state,
zip_code) VALUES('Florrie', 'Little', NULL, 'florrie.little@yahoo.com', '8330 Marsh St. ','New
Rochelle', 'NY', 10801); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ernest','Rollins',NULL,'ernest.rollins@yahoo.com','4 West Ridge Dr. ','Oakland
Gardens','NY',11364); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Jamaal','Morrison',NULL,'jamaal.morrison@msn.com','796 SE. Nut Swamp St. ','Staten
Island', 'NY', 10301); INSERT INTO sales.customers(first name, last name, phone, email, street, city, state,
zip_code) VALUES('Cassie','Cline',NULL,'cassie.cline@gmail.com','947 Lafayette Drive
','Brooklyn','NY',11201); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip_code) VALUES('Lezlie','Lamb',NULL,'lezlie.lamb@gmail.com','401 Brandywine Street ','Central
Islip','NY',11722); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city, state,
zip code) VALUES('Ivette', 'Estes', NULL, 'ivette.estes@gmail.com', '88 N. Canterbury Ave.
','Canandaigua','NY',14424); INSERT INTO sales.customers(first_name, last_name, phone, email, street, city,
state, zip code) VALUES('Ester', 'Acevedo', NULL, 'ester. acevedo@gmail.com', '671 Miles Court', 'San
Lorenzo', 'CA', 94580); -- stores; INSERT INTO sales.stores(store name, phone, email, street, city, state,
zip_code) VALUES('Santa Cruz Bikes','(831) 476-4321','santacruz@bikes.shop','3700 Portola Drive', 'Santa
Cruz', 'CA', 95060), ('Baldwin Bikes', '(516) 379-8888', 'baldwin@bikes.shop', '4200 Chestnut Lane',
'Baldwin','NY',11432), ('Rowlett Bikes','(972) 530-5555','rowlett@bikes.shop','8000 Fairway Avenue',
'Rowlett','TX',75088); -- production.stocks; INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,1,27); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,2,5); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(1,3,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,4,23); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,5,22); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,6,0); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,7,8); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,8,0); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,9,11); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,10,15); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,11,8); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,12,16); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(1,13,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,14,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,15,3); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,16,4); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,17,2); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(1,18,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,19,4); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,20,26); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,21,24); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,22,29);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,23,9); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,24,10); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,25,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,26,16); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,27,21);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,28,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,29,13); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,30,30); INSERT INTO production.stocks(store_id, product_id, quantity)
```

```
VALUES(1,31,2); INSERT INTO production.stocks(store id. product id. quantity) VALUES(1,32,0); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,33,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,34,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,35,18); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,36,26); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,37,12);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,38,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,39,2); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,40,24); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,41,10); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,42,0); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,43,2); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,44,1); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,45,15); INSERT INTO production stocks(store id, product id, quantity)
VALUES(1,46,19); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,47,21);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,48,5); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,49,8); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,50,29); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,51,2); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,52,18); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,53,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,54,11); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(1,55,11); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,56,15); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,57,1); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,58,1); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,59,22); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,60,19); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,61,30); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,62,21);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,63,4); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,64,30); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,65,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,66,12); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,67,19);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,68,30); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,69,4); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(1,70,3); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,71,25); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,72,9); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(1,73,7); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,74,9); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,75,23); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,76,15); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,77,16);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,78,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,79,13); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,80,11); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,81,25); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,82,1); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(1,83,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,84,11); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,85,23); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,86,19); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,87,27);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,88,7); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,89,9); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,90,4); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,91,8); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,92,0); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(1,93,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,94,6); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,95,25); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,96,20); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,97,20);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,98,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,99,28); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,100,15); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,101,17); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,102,9);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,103,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,104,25); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,105,7); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,106,30); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,107,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,108,15);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,109,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,110,1); INSERT INTO production.stocks(store_id,
```

```
product id, quantity) VALUES(1,111,11); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,112,17); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,113,24);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,114,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,115,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,116,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,117,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,118,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,119,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,120,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,121,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,122,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,123,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,124,23); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,125,22); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,126,28);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,127,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,128,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,129,21); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,130,22); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,131,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,132,1); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,133,9); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,134,26); INSERT INTO production stocks(store id, product id, quantity) VALUES(1,135,15);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,136,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,137,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,138,6); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,139,17); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,140,3); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,141,21);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,142,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,143,19); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,144,7); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,145,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,146,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,147,8);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,148,6); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,149,1); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,150,22); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,151,24); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,152,12);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,153,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,154,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,155,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,156,13); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,157,25); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,158,11);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,159,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,160,0); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,161,17); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,162,14); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,163,0);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,164,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,165,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,166,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,167,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,168,0); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,169,25); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,170,14); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,171,3);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,172,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,173,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,174,26); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,175,2); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,176,11);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,177,19); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,178,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,179,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,180,5); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,181,19); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,182,28); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,183,11);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,184,4); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,185,3); INSERT INTO production.stocks(store_id,
```

```
product id, quantity) VALUES(1,186,1); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,187,16); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,188,30);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,189,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,190,21); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,191,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,192,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,193,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,194,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,195,1); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,196,26); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,197,22); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,198,1);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,199,2); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,200,27); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,201,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,202,5); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,203,4); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,204,23); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,205,9);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,206,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,207,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,208,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,209,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,210,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,211,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,212,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,213,14); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,214,4); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,215,1); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,216,11); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,217,11);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,218,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,219,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,220,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,221,7); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,222,12); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,223,3);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,224,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,225,24); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,226,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,227,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,228,22); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,229,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,230,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,231,25); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,232,5); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,233,5);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,234,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,235,7); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,236,18); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,237,26); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,238,20);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,239,28); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,240,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,241,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,242,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,243,11); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,244,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,245,3); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,246,0); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,247,15); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,248,14);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,249,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,250,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,251,2); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,252,28); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,253,16);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,254,24); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,255,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,256,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,257,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,258,25); INSERT INTO
```

```
production.stocks(store id. product id. quantity) VALUES(1,259,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,260,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,261,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,262,6); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,263,21); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,264,16);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,265,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,266,1); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,267,27); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,268,23); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,269,22);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,270,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,271,6); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,272,14); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,273,20); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,274,19);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,275,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,276,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(1,277,13); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(1,278,17); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,279,17);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,280,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,281,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,282,6); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,283,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,284,27); INSERT INTO production stocks(store id, product id, quantity) VALUES(1,285,20);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,286,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,287,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,288,9); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,289,2); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,290,8);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,291,9); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,292,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,293,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,294,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,295,24); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,296,9); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,297,22);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,298,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,299,18); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,300,7); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(1,301,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,302,0); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(1,303,12);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,304,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(1,305,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,306,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,307,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,308,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(1,309,7); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(1,310,18); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(1,311,20); INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,312,23);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(1,313,14); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,1,14); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,2,16); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,3,28); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,4,2); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(2,5,1); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,6,11); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,7,8); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,8,1); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,9,17); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(2,10,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,11,21); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,12,2); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,13,1); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,14,18); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(2,15,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,16,20); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,17,3); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2.18.13); INSERT INTO production.stocks(store id. product id. quantity) VALUES(2.19.15);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,20,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,21,16); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,22,0); INSERT INTO production.stocks(store_id, product_id, quantity)
```

```
VALUES(2,23,12); INSERT INTO production.stocks(store id. product id. quantity) VALUES(2,24,16);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,25,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,26,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,27,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,28,25); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,29,29);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,30,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,31,10); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,32,13); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,33,8); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,34,24); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(2,35,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,36,15); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,37,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,38,18); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,39,28);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,40,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,41,6); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,42,16); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,43,2); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,44,24); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(2,45,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,46,18); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,47,0); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,48,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,49,4); INSERT
INTO production stocks (store id, product id, quantity) VALUES (2,50,7); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,51,8); INSERT INTO production.stocks(store_id.
product_id, quantity) VALUES(2,52,23); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,53,19); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,54,6); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(2,55,5); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,56,20); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,57,27); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,58,15); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,59,17);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,60,1); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,61,20); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,62,4); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,63,5); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,64,30); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(2,65,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,66,22); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,67,8); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,68,23); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,69,22);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,70,6); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,71,30); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,72,1); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,73,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,74,23);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,75,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,76,20); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,77,25); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,78,4); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,79,29); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(2,80,27); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,81,19); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,82,4); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,83,21); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,84,22);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,85,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,86,24); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,87,14); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,88,8); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,89,8); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(2,90,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,91,0); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,92,22); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,93,22); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,94,2); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(2,95,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,96,22); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,97,15); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,98,14); INSERT INTO production.stocks(store id. product id. quantity) VALUES(2,99,24);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,100,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,101,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,102,12); INSERT INTO production.stocks(store_id, product_id, quantity)
```

```
VALUES(2,103,1); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,104,26);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,105,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,106,7); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,107,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,108,29); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,109,25);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,110,7); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,111,6); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,112,1); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,113,7); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,114,12);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,115,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,116,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,117,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,118,25); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,119,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,120,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,121,3); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,122,11); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,123,18); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,124,4);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,125,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,126,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,127,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,128,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,129,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,130,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,131,9); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,132,6); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,133,28); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,134,13);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,135,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,136,8); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,137,1); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,138,16); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,139,24);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,140,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,141,28); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,142,24); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,143,12); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,144,4); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,145,23); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,146,3); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,147,13);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,148,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,149,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,150,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,151,2); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,152,21); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,153,21);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,154,9); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,155,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,156,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,157,28); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,158,0); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,159,30);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,160,4); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,161,9); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,162,18); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,163,30); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,164,9);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,165,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,166,27); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,167,1); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,168,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,169,1); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,170,2);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,171,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,172,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,173,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,174,8); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,175,0); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,176,26); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,177,9);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,178,1); INSERT INTO
```

```
production.stocks(store id, product id, quantity) VALUES(2,179,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,180,3); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,181,29); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,182,21); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,183,26);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,184,0); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,185,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,186,16); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,187,10); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,188,27);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,189,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,190,18); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,191,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,192,0); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,193,21); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,194,15); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,195,19);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,196,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,197,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,198,0); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,199,13); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,200,11); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,201,24);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,202,1); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,203,7); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,204,25); INSERT INTO production stocks(store id, product id, quantity)
VALUES(2,205,13); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,206,9);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,207,8); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,208,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,209,11); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,210,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,211,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,212,22); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,213,10); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,214,7);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,215,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,216,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,217,22); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,218,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,219,16); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,220,6); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,221,12); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,222,30); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,223,7);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,224,4); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,225,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,226,5); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,227,12); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,228,7); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,229,29);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,230,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,231,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,232,11); INSERT INTO production stocks(store id, product id, quantity)
VALUES(2,233,25); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,234,12);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,235,4); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,236,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,237,30); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,238,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,239,17);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,240,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,241,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,242,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,243,18); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,244,1); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,245,18);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,246,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,247,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,248,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,249,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,250,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,251,0); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,252,20); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,253,29); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,254,7);
```

```
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,255,12); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,256,8); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(2,257,5); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,258,10); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,259,16);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,260,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,261,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,262,8); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,263,4); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,264,13);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,265,4); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,266,18); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,267,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,268,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,269,4); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,270,15); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,271,26);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,272,1); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,273,28); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,274,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,275,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,276,9); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,277,4); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,278,8);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,279,18); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,280,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,281,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,282,8); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,283,28); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,284,6);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,285,22); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,286,3); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,287,15); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,288,13); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,289,5);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,290,29); INSERT INTO production.s
product id, quantity) VALUES(2,291,22); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,292,22); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,293,12);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,294,7); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,295,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,296,8); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(2,297,7); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,298,27); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,299,0);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,300,13); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,301,26); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,302,6); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(2,303,23); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(2,304,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,305,21);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,306,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,307,18); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(2,308,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(2,309,9); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(2,310,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(2,311,27); INSERT INTO production.stocks(store id, product id, quantity) VALUES(2,312,2);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(2,313,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,1,14); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,2,24); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,3,0); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,4,11); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,5,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,6,27); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,7,12); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,8,12); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,9,23); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,10,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,11,30); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,12,30); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,13,19); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,14,4); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,15,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,16,19); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,17,22); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,18,5); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,19,24); INSERT
```

```
INTO production.stocks(store id, product id, quantity) VALUES(3,20,19); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,21,8); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,22,20); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,23,8); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,24,18); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,25,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,26,27); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,27,21); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,28,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,29,11); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(3,30,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,31,10); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,32,14); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,33,14); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,34,6); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,35,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,36,28); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,37,30); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,38,23); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,39,22);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,40,2); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,41,25); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,42,9); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,43,26); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,44,26);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,45,1); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,46,16); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,47,14); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,48,2); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,49,4); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,50,25); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,51,2); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,52,8); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,53,6); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,54,13); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(3,55,5); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,56,19); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,57,9); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,58,27); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,59,0); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,60,7); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,61,28); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,62,4); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,63,8); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,64,22); INSERT
INTO production.stocks(store_id, product_id, quantity) VALUES(3,65,1); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,66,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,67,6); INSERT INTO production stocks(store id, product id, quantity)
VALUES(3,68,18); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,69,29);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,70,2); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,71,13); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,72,6); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,73,3); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,74,17); INSERT
INTO production.stocks(store id, product id, quantity) VALUES(3,75,29); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,76,23); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,77,23); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,78,19); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,79,29);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,80,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,81,18); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,82,7); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,83,23); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,84,15);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,85,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,86,27); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,87,16); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,88,28); INSERT INTO production stocks(store id, product id, quantity) VALUES(3,89,22);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,90,9); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,91,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,92,28); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,93,18); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,94,15);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,95,14); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,96,1); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,97,28); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,98,5); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,99,19); INSERT
```

```
INTO production.stocks(store id, product id, quantity) VALUES(3,100,28); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,101,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,102,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,103,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,104,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,105,1); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,106,1); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,107,11); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,108,23);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,109,24); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,110,11); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,111,29); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,112,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,113,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,114,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,115,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,116,30); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,117,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,118,9); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,119,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,120,25); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,121,4);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,122,8); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,123,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,124,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,125,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,126,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,127,4); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,128,20);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,129,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,130,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,131,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,132,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,133,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,134,17); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,135,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,136,4); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,137,17); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,138,17); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,139,21);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,140,3); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,141,4); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,142,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,143,9); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,144,9);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,145,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,146,9); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,147,3); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3.148,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,149,1);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,150,21); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,151,1); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,152,1); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,153,7); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,154,22);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,155,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,156,14); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,157,12); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,158,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,159,6); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,160,27); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,161,11); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,162,11);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,163,11); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,164,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,165,19); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,166,27); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,167,8); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,168,23); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,169,3); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,170,13);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,171,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,172,22); INSERT INTO
```

```
production.stocks(store id, product id, quantity) VALUES(3,173,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,174,1); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,175,3); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,176,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,177,2);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,178,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,179,20); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,180,6); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,181,8); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,182,28); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,183,26);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,184,21); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,185,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,186,30); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,187,2); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,188,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,189,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,190,20);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,191,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,192,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,193,5); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,194,20); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,195,20); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,196,25);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,197,8); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,198,27); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,199,5); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,200,29); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,201,30); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,202,11);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,203,6); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,204,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,205,3); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,206,29); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,207,29); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,208,12);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,209,1); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,210,22); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,211,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,212,23); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,213,10); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,214,30);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,215,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,216,5); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,217,4); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,218,21); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,219,29);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,220,0); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,221,25); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,222,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,223,29); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,224,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,225,12); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,226,14); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,227,22); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,228,29); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,229,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,230,29); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,231,6); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,232,16);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,233,9); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,234,24); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,235,1); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,236,3); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,237,16); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,238,12);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,239,29); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,240,26); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,241,8); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,242,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,243,7); INSERT INTO production.stocks(store id. product id. quantity) VALUES(3,244,5);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,245,10); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,246,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,247,3); INSERT INTO production.stocks(store_id, product_id, quantity)
```

```
VALUES(3,248,11); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,249,6);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,250,16); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,251,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,252,27); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,253,15); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,254,4); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,255,17); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,256,1); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,257,25);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,258,10); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,259,0); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,260,5); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,261,24); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,262,29);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,263,21); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,264,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,265,22); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,266,18); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,267,12);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,268,17); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,269,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,270,6); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,271,23); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,272,12); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,273,19);
INSERT INTO production stocks(store id, product id, quantity) VALUES(3,274,7); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,275,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,276,14); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,277,26); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,278,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,279,15); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,280,1); INSERT INTO production.stocks(store id,
product_id, quantity) VALUES(3,281,2); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,282,18); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,283,1);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,284,26); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,285,2); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,286,7); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,287,26); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,288,2);
INSERT INTO production stocks(store id, product id, quantity) VALUES(3,289,2); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,290,6); INSERT INTO production.stocks(store id,
product id, quantity) VALUES(3,291,10); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,292,16); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,293,14);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,294,13); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,295,9); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,296,12); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,297,22); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,298,14);
INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,299,29); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,300,3); INSERT INTO production.stocks(store_id,
product id, quantity) VALUES(3,301,29); INSERT INTO production.stocks(store id, product id, quantity)
VALUES(3,302,6); INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,303,13);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,304,23); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,305,11); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,306,7); INSERT INTO production.stocks(store_id,
product_id, quantity) VALUES(3,307,17); INSERT INTO production.stocks(store_id, product_id, quantity)
VALUES(3,308,9); INSERT INTO production.stocks(store_id, product_id, quantity) VALUES(3,309,30);
INSERT INTO production.stocks(store id, product id, quantity) VALUES(3,310,8); INSERT INTO
production.stocks(store id, product id, quantity) VALUES(3,311,23); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,312,18); INSERT INTO
production.stocks(store_id, product_id, quantity) VALUES(3,313,0); ; ; INSERT INTO sales.staffs(staff_id,
first name, last name, email, phone, active, store id, manager id)
VALUES(1, 'Fabiola', 'Jackson', 'fabiola.jackson@bikes.shop', '(831) 555-5554', 1, 1, NULL); INSERT INTO
sales.staffs(staff_id, first_name, last_name, email, phone, active, store_id, manager_id)
VALUES(2, 'Mireya', 'Copeland', 'mireya.copeland@bikes.shop', '(831) 555-5555', 1, 1, 1); INSERT INTO
sales.staffs(staff id, first name, last name, email, phone, active, store id, manager id)
VALUES(3, 'Genna', 'Serrano', 'genna.serrano@bikes.shop', '(831) 555-5556', 1, 1, 2); INSERT INTO
sales.staffs(staff_id, first_name, last_name, email, phone, active, store_id, manager_id)
VALUES(4, 'Virgie', 'Wiggins', 'virgie.wiggins@bikes.shop', '(831) 555-5557', 1, 1, 2); INSERT INTO
sales.staffs(staff_id, first_name, last_name, email, phone, active, store_id, manager_id)
```

```
VALUES(5, 'Jannette', 'David', 'jannette.david@bikes.shop', '(516) 379-4444', 1,2,1); INSERT INTO
sales.staffs(staff id, first name, last name, email, phone, active, store id, manager id)
VALUES(6, 'Marcelene', 'Boyer', 'marcelene.boyer@bikes.shop', '(516) 379-4445', 1,2,5); INSERT INTO
sales.staffs(staff id, first name, last name, email, phone, active, store id, manager id)
VALUES(7,'Venita','Daniel','venita.daniel@bikes.shop','(516) 379-4446',1,2,5); INSERT INTO
sales.staffs(staff id, first name, last name, email, phone, active, store id, manager id)
VALUES(8,'Kali','Vargas','kali.vargas@bikes.shop','(972) 530-5555',1,3,1); INSERT INTO sales.staffs(staff_id,
first_name, last_name, email, phone, active, store_id, manager_id)
VALUES(9, 'Layla', 'Terrell', 'layla.terrell@bikes.shop', '(972) 530-5556', 1, 3, 7); INSERT INTO
sales.staffs(staff id, first name, last name, email, phone, active, store id, manager id)
VALUES(10, 'Bernardine', 'Houston', 'bernardine.houston@bikes.shop', '(972) 530-5557', 1, 3, 7); INSERT INTO
sales.orders(order id, customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1,259,4,'20160101','20160103','20160103',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(2,1212,4, 20160101', 20160104', 20160103', 2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(3,523,4,'20160102','20160105','20160103',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(4,175,4,'20160103','20160104','20160105',1,3); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(5,1324,4,'20160103','20160106','20160106',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(6,94,4,'20160104','20160107','20160105',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(7,324,4,'20160104','20160107','20160105',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(8,1204,4,'20160104','20160105','20160105',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(9,60,4,'20160105','20160108','20160108',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(10,442,4,'20160105','20160106','20160106',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(11,1326,4,'20160105','20160108','20160107',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(12,91,4,'20160106','20160108','20160109',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(13,873,4,'20160108','20160111','20160111',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(14,258,4,'20160109','20160111','20160112',1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(15,450,4,'20160109','20160110','20160112',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(16,552,4,'20160112','20160115','20160115',1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(17,1175,4,'20160112','20160114','20160114',1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(18,541,4,'20160114','20160117','20160115',1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(19,696,4,'20160114','20160117','20160116',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(20,923,4,'20160114','20160116','20160117',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(21,1250,4,'20160115','20160116','20160118',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(22,1035,4,'20160116','20160118','20160117',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(23,1149,4,'20160116','20160119','20160119',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(24,636,4,'20160118','20160120','20160119',2,7); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(25,657,4,'20160118','20160121','20160121',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(26,1280,4,'20160118','20160121','20160119',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(27,57,4,'20160119','20160121','20160120',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(28,252,4,'20160119','20160120','20160121',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(29,437,4,'20160120','20160122','20160121',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(30,1348,4,'20160120','20160121','20160121',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(31,1238,4,'20160120','20160122','20160122',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(32,1259,4,'20160121','20160124','20160122',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(33,236,4,'20160121','20160122','20160122',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(34,80,4,'20160122','20160125','20160123',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(35,813,4,'20160122','20160125','20160124',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(36,1321,4,'20160123','20160124','20160124',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(37,164,4,'20160125','20160128','20160126',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(38,583,4,'20160125','20160127','20160126',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(39,1296,4,'20160125','20160126','20160126',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(40,348,4,'20160127','20160128','20160129',1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(41,979,4,'20160127','20160130','20160129',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(42,1095,4,'20160127','20160128','20160130',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(43,1434,4,'20160127','20160128','20160130',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(44,861,4,'20160128','20160131','20160130',2,7); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(45,1220,4,'20160128','20160131','20160131',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(46,746,4,'20160129','20160131','20160131',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(47,1234,4,'20160129','20160130','20160131',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(48,1012,4,'20160130','20160201','20160202',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(49,608,4,'20160131','20160201','20160202',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(50,872,4,'20160131','20160203','20160202',3,8); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped date, store id.staff id)
VALUES(51,1047,4,'20160201','20160202','20160203',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(52,767,4,'20160203','20160204','20160205',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(53,965,4,'20160203','20160204','20160205',2,6); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(54,535,4,'20160204','20160207','20160207',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(55,1173,4,'20160204','20160207','20160206',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(56,1241,4,'20160204','20160206','20160207',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(57,1305,4,'20160204','20160206','20160206',2.7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(58,504,4,'20160205','20160207','20160207',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(59,563.4,'20160205','20160207','20160206',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(60,151,4,'20160206','20160208','20160207',1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(61,277,4,'20160206','20160209','20160209',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(62,208,4,'20160207','20160210','20160210',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(63,1075,4,'20160207','20160209','20160209',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(64,1185,4,'20160207','20160208','20160209',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(65,996,4,'20160208','20160209','20160211',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(66,1253,4,'20160209','20160212','20160212',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(67,526,4,'20160209','20160211','20160210',3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(68,381,4,'20160210','20160211','20160213',2,6); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(69,1413,4,'20160210','20160212','20160211',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(70,50,3,'20160211','20160211',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(71,797,4,'20160211','20160214','20160212',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(72,1386,4,'20160212','20160215','20160213',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(73,612,4,'20160212','20160215','20160214',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(74,264,4,'20160213','20160215','20160215',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(75,587,4,'20160214','20160215','20160217',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(76,9,3,'20160216','20160216',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(77,385,4,'20160216','20160219','20160219',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(78,1182,4,'20160216','20160218','20160219',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(79,529,4,'20160217','20160220','20160220',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(80,397,4,'20160217','20160220','20160219',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(81,521,4,'20160217','20160219','20160218',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(82,1223,4,'20160218','20160221','20160220',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(83,393,4,'20160219','20160220','20160220',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(84,317,4,'20160220','20160222','20160221',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(85,1174,4,'20160220','20160223','20160221',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(86,276,4,'20160221','20160222','20160223',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(87,516,4,'20160221','20160222','20160223',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(88,1069,4,'20160221','20160222','20160223',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(89,668,4,'20160221','20160224','20160224',3,8); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(90,414,4,'20160223','20160225','20160224',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(91,648,4,'20160225','20160227','20160228',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(92,1309,4,'20160225','20160228','20160228',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(93,1328,4,'20160226','20160228','20160227',1,3); INSERT INTO sales orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(94,929,4,'20160227','20160228','20160229',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(95,218,4,'20160227','20160229','20160228',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(96,1094,4,'20160227','20160229','20160228',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(97,204,4,'20160228','20160229','20160301',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(98,1194,4, '20160228', '20160229', '20160229', 2,6); INSERT INTO sales orders (order id.
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(99,1165,4,'20160229','20160301','20160303',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(100,1237,4,'20160301','20160304','20160303',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(101,271,4,'20160301','20160304','20160304',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(102,336,4,'20160302','20160305','20160303',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(103,991,4,'20160303','20160306','20160305',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(104,7,4,'20160303','20160305','20160305',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(105,306,4,'20160303','20160305','20160304',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(106,422,4,'20160304','20160305','20160305',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(107,633,4,'20160306','20160309','20160309',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(108,12,4, 20160306', 20160309', 20160307', 2,6); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(109,1255,4,'20160306','20160309','20160309',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(110,677,4,'20160306','20160308','20160309',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(111,630,4,'20160307','20160310','20160310',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(112,469,4,'20160308','20160311','20160310',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(113,1078,4,'20160308','20160311','20160311',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(114,1431,4,'20160308','20160310','20160311',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped date, store id,staff id)
VALUES(115,1369,4,'20160309','20160311','20160311',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(116,471,4,'20160310','20160311','20160311',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(117,740,4,'20160310','20160313','20160311',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(118,577,4,'20160312','20160314','20160313',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(119,925,4,'20160312','20160314','20160314',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(120,327,4,'20160314','20160315','20160317',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(121,755,4,'20160314','20160315','20160316',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(122,786,4,'20160314','20160316','20160315',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
```

```
VALUES(123,766,4,'20160315','20160318','20160317',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(124,403,4,'20160316','20160318','20160317',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(125,685,4,'20160316','20160319','20160317',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(126,1365,4,'20160316','20160318','20160318',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(127,484,4,'20160317','20160318','20160319',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(128,86,4,'20160318','20160320','20160321',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(129,84,4,'20160319','20160321','20160321',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(130,1049,4,'20160319','20160322','20160320',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(131,316,4,'20160319','20160322','20160320',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(132,46,4,'20160320','20160322','20160323',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(133,409,4,'20160320','20160322','20160321',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(134,679,4,'20160320','20160321','20160321',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(135,1354,4,'20160321','20160323','20160323',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(136,1192,4,'20160321','20160324','20160323',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(137,370,4,'20160323','20160326','20160325',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(138,438,4,'20160323','20160324','20160325',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(139,710,4,'20160323','20160324','20160326',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(140,1264,4,'20160323','20160326','20160326',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(141,557,4,'20160325','20160327','20160326',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(142,170,4,'20160326','20160327','20160327',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(143,693,4,'20160326','20160328','20160328',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(144,1124,4,'20160326','20160329','20160329',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(145,366,4,'20160327','20160329','20160330',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(146,288,4,'20160328','20160330','20160330',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(147,55,4, 20160328', 20160331', 20160331', 2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(148,714,4,'20160328','20160330','20160330',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(149,763,4,'20160328','20160330','20160329',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(150,332,4,'20160329','20160331','20160401',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(151,926,4,'20160329','20160401','20160331',1,2), INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(152,76,4,'20160329','20160330','20160330',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(153,498,4,'20160330','20160402','20160401',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(154,1286,4,'20160331','20160401','20160401',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(155,371,4,'20160402','20160403','20160404',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(156,357,4,'20160403','20160406','20160405',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(157,43,4,'20160403','20160406','20160406',3,8); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(158,117,3,'20160404','20160404',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(159,32,4,'20160404','20160406','20160406',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(160,205,4,'20160404','20160406','20160406',2,7); INSERT INTO sales,orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(161,251,4,'20160404','20160407','20160405',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(162,31,4,'20160406','20160408','20160407',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(163,1325,4,'20160406','20160407','20160407',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(164,610,4,'20160407','20160408','20160409',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(165,574,4,'20160408','20160410','20160410',1,3); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(166,338,4,'20160408','20160411','20160411',2,6); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(167,1034,4,'20160408','20160409','20160411',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(168,1147,4,'20160409','20160412','20160411',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(169,99,4,'20160410','20160411','20160411',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(170,1200,4,'20160410','20160411','20160413',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(171,237,4,'20160411','20160414','20160414',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(172,1079,4,'20160411','20160412','20160414',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(173,117,4,'20160411','20160414','20160413',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(174,1361,4,'20160412','20160413','20160415',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(175,951,4,'20160413','20160414','20160414',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(176,643,4,'20160415','20160416','20160417',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(177.121.4.'20160416'.'20160419'.'20160419'.1.2); INSERT INTO sales.orders(order_id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(178,756,4,'20160416','20160417','20160418',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(179,616,4, '20160417', '20160419', '20160419', 2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(180,918,4,'20160417','20160420','20160419',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(181,459,4,'20160418','20160420','20160420',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(182,854,4,'20160418','20160419','20160420',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(183,22,4,'20160419','20160420','20160420',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(184,134,4,'20160419','20160421','20160422',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(185,24,3,'20160420','20160420',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(186,1127,4,'20160421','20160422','20160424',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(187,183,4,'20160422','20160423','20160424',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(188,390,4,'20160422','20160423','20160425',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(189,1288,4,'20160423','20160424','20160426',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(190,98,4,'20160423','20160425','20160425',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(191,919,4,'20160427','20160428','20160428',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(192,728,4,'20160427','20160428','20160429',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(193,1366,4,'20160428','20160430','20160430',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(194,558,4,'20160428','20160430','20160501',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(195,727,4,'20160428','20160501','20160501',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(196,1247,4,'20160428','20160430','20160501',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(197,127,4,'20160430','20160503','20160503',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(198,640,4,'20160501','20160504','20160503',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(199,760,4,'20160501','20160504','20160504',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(200,1074,4,'20160501','20160503','20160503',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(201,280,4,'20160501','20160504','20160502',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(202,600,4,'20160503','20160505','20160504',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(203,1102,4,'20160503','20160505','20160506',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(204,591,4,'20160504','20160507','20160506',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(205,635,4,'20160504','20160505','20160506',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(206,743,4,'20160504','20160506','20160505',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(207,105,4,'20160505','20160507','20160507',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(208,815,4,'20160506','20160507','20160509',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id) VALUES(209,514,4,'201
INSERT INTO sales.orders(order id, customer id, order status, order date, required date, shipped date,
store id, staff id) VALUES(210,943,4,'20160507','20160508','20160509',2,6); INSERT INTO
sales.orders(order id, customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(211,1140,4,'20160507','20160509','20160508',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(212,1373,4,'20160508','20160509','20160511',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(213,788,4,'20160508','20160509','20160509',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(214,363,4,'20160510','20160512','20160511',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(215,1420,4,'20160510','20160513','20160512',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff id)
VALUES(216,267,4,'20160511','20160514','20160513',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(217,716,4,'20160511','20160512','20160514',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(218,1179,4,'20160512','20160514','20160514',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(219,1338,4,'20160512','20160515','20160515',2,6); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(220,1358,4,'20160512','20160514','20160515',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(221,1218,4,'20160513','20160516','20160514',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(222,51,4,'20160513','20160516','20160514',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(223,1368,4,'20160515','20160516','20160517',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(224,157,4,'20160517','20160518','20160519',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(225,307,4,'20160517','20160520','20160519',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(226,501,4,'20160517','20160519','20160520',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(227,489,4,'20160517','20160518','20160520',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(228,615,4,'20160517','20160520','20160520',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(229,742,4,'20160519','20160521','20160520',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(230,1167,4,'20160519','20160520','20160521',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(231,1257,4,'20160519','20160522','20160521',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(232,1360,4,'20160520','20160523','20160523',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(233,737,4,'20160521','20160522','20160524',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(234,1435,4,'20160522','20160524','20160524',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(235,649,4,'20160524','20160525','20160525',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(236,206,4,'20160525','20160527','20160526',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(237,1351,4,'20160525','20160526','20160527',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(238,1350,4,'20160526','20160529','20160529',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(239,13,3,'20160527','20160527',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(240,65,4,'20160527','20160529','20160530',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(241,1082,4,'20160527','20160529','20160529',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(242,1168,4,'20160527','20160530','20160530',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(243,802,4,'20160527','20160530','20160528',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(244,956,4,'20160528','20160529','20160529',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(245,223,4,'20160529','20160531','20160530',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(246,17,3,'20160530','20160530',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(247,928,4, 20160530', 20160601', 20160601', 1,3); INSERT INTO sales orders (order id.
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(248,1376,4,'20160530','20160601','20160531',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(249,145,4,'20160601','20160604','20160604',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(250,150,4,'20160601','20160602','20160604',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(251,851,4,'20160601','20160604','20160604',2,7); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(252,66,4,'20160601','20160604','20160602',3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(253,1267,4,'20160602','20160605','20160605',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(254,510,4,'20160603','20160606','20160605',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(255,801,4,'20160603','20160606','20160605',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(256,26,4,'20160604','20160605','20160607',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(257,1314,4,'20160605','20160606','20160608',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(258,107,4,'20160606','20160607','20160607',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(259,413,4,'20160606','20160609','20160609',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(260,632,4,'20160606','20160608','20160608',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(261,1045,4,'20160608','20160610','20160609',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(262,579,4,'20160608','20160611','20160610',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(263,1322,4,'20160609','20160610','20160612',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(264,5,3,'20160610','20160610',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(265,682,4,'20160610','20160612','20160611',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(266,933,4,'20160610','20160613','20160613',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(267,282,4,'20160611','20160614','20160614',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(268,540,4,'20160611','20160614','20160612',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(269,764,4,'20160612','20160613','20160615',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(270,879,4,'20160612','20160615','20160613',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(271,350,4,'20160613','20160616','20160614',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(272,497,4,'20160615','20160618','20160616',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(273,1340,4,'20160616','20160619','20160617',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(274,411,4,'20160617','20160620','20160618',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(275,1341,4,'20160617','20160619','20160618',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(276,1227,4,'20160618','20160619','20160619',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(277,546,4,'20160619','20160620','20160620',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(278,1301,4,'20160620','20160623','20160621',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(279,378,4,'20160621','20160622','20160622',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(280,638,4,'20160621','20160622','20160623',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(281,800,4,'20160621','20160622','20160623',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(282,159,4,'20160622','20160625','20160625',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(283,181,4,'20160623','20160626','20160626',1,2); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(284,1356,4,'20160623','20160625','20160625',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(285,319,4,'20160625','20160626','20160627',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(286,59,4,'20160625','20160626','20160626',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(287,133,4,'20160625','20160626','20160627',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(288,780,4,'20160625','20160628','20160628',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(289,849,4,'20160627','20160628','20160630',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(290,202,4,'20160628','20160629','20160630',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(291,158,4,'20160629','20160630','20160701',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(292,360,4,'20160629','20160630','20160702',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(293,573,4,'20160630','20160703','20160702',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(294,732,4,'20160701','20160702','20160702',2,7); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(295,1130,4,'20160701','20160704','20160704',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(296,1245,4,'20160704','20160707','20160706',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(297,1425,4,'20160704','20160705','20160706',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(298,885,4,'20160704','20160707','20160707',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(299,281,4,'20160705','20160706','20160707',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(300,1205,4,'20160705','20160708','20160708',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(301,17,4,'20160706','20160709','20160708',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(302,1375,4,'20160706','20160707','20160709',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(303,36,4,'20160707','20160708','20160709',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(304,230,4,'20160707','20160708','20160708',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(305,705,4,'20160707','20160708','20160708',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(306,424,4,'20160709','20160710','20160712',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(307,695,4,'20160709','20160711','20160711',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(308,156,4,'20160711','20160712','20160714',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(309,211,4,'20160711','20160713','20160713',2,6); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(310,627,4,'20160712','20160713','20160713',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(311,1400,4,'20160712','20160714','20160713',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(312,299,4,'20160713','20160715','20160716',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(313,565,4,'20160714','20160715','20160715',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(314,1019,4,'20160715','20160717','20160717',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(315,1263,4,'20160716','20160719','20160717',2,6); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(316,670,4,'20160717','20160720','20160719',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(317,795,4,'20160717','20160720','20160719',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(318,1141,4,'20160717','20160719','20160720',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(319,941,4,'20160718','20160721','20160721',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(320,1428,4,'20160719','20160720','20160721',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(321,568,4,'20160719','20160722','20160721',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(322,924,4,'20160719','20160722','20160720',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(323,1243,4,'20160719','20160722','20160721',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(324,480,4,'20160720','20160722','20160723',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(325,848,4,'20160720','20160721','20160721',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(326,1337,4,'20160720','20160721','20160722',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(327,83,4,'20160721','20160724','20160722',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(328,528,4,'20160723','20160726','20160725',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(329,274,4,'20160724','20160727','20160726',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(330,622,4,'20160724','20160727','20160727',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(331,642,4,'20160724','20160726','20160725',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(332,659,4,'20160724','20160726','20160726',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(333,779,4,'20160725','20160727','20160726',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(334,1112,4,'20160725','20160728','20160727',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(335,1193,4,'20160725','20160727','20160726',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(336,1030,4,'20160726','20160729','20160727',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(337,1252,4,'20160726','20160727','20160728',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(338,1333,4,'20160728','20160729','20160730',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(339,1110,4,'20160728','20160731','20160729',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(340,963,4,'20160729','20160730','20160731',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(341,1357,4,'20160731','20160803','20160801',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(342,806,4,'20160731','20160801','20160803',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(343,961,4,'20160731','20160802','20160801',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(344,750,4,'20160801','20160803','20160802',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(345,1299,4,'20160801','20160804','20160803',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(346,584,4,'20160801','20160803','20160802',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(347,1004,4,'20160802','20160803','20160805',2,6); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(348,907,4,'20160802','20160805','20160804',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(349,30,3, 20160803', 20160803', NULL, 1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(350,31,3,'20160803','20160803',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(351,1307,4,'20160803','20160806','20160804',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(352,16,4,'20160803','20160804','20160806',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(353,1387,4,'20160803','20160806','20160806',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(354,551,4,'20160803','20160805','20160806',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(355,1011,4,'20160803','20160805','20160805',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(356,1189,4,'20160804','20160807','20160806',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(357,14,3,'20160805','20160805',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(358,1042,4,'20160805','20160807','20160807',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(359,441,4,'20160807','20160810','20160810',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(360,1300,4,'20160807','20160809','20160810',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(361,994,4,'20160808','20160809','20160811',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(362,187,4,'20160809','20160811','20160811',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(363,834,4,'20160811','20160812','20160813',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(364,373,4,'20160812','20160814','20160813',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(365,981,4, 20160813', 20160814', 20160815', 2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(366,1054,4,'20160813','20160814','20160814',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(367,527,4,'20160814','20160815','20160815',2,7); INSERT INTO sales orders (order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(368,995,4,'20160814','20160815','20160817',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(369,1285,4,'20160815','20160818','20160818',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(370,758,4,'20160815','20160818','20160818',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(371,891,4,'20160815','20160816','20160818',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(372,132,4,'20160816','20160818','20160818',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(373,337,4,'20160816','20160819','20160817',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(374,1313,4,'20160817','20160819','20160818',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(375,536,4,'20160817','20160820','20160820',2,7); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(376,825,4,'20160817','20160819','20160818',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(377,1355,4,'20160817','20160819','20160820',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(378,475,4,'20160817','20160820','20160820',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(379,954,4,'20160818','20160821','20160821',2,7); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(380,1156,4,'20160819','20160820','20160821',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(381,1297,4,'20160819','20160821','20160821',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(382,199,4,'20160820','20160823','20160823',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(383,331,4,'20160820','20160823','20160822',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(384,410,4,'20160820','20160822','20160823',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(385,1274,4,'20160820','20160823','20160822',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(386,1362,4,'20160820','20160823','20160823',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(387,451,4,'20160820','20160821','20160821',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(388,1080,4,'20160821','20160824','20160823',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(389,53,4,'20160822','20160824','20160825',1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(390,576,4,'20160822','20160824','20160825',3,9); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff id)
VALUES(391,61,3,'20160823','20160823',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(392,176,4,'20160823','20160826','20160824',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(393,368,4,'20160825','20160826','20160827',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(394,522,4,'20160826','20160828','20160829',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(395,144,4, '20160826', '20160827', '20160829', 2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(396,542,4,'20160827','20160830','20160829',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(397,1437,4,'20160828','20160831','20160829',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(398,447,4,'20160829','20160830','20160901',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(399,1001,4,'20160829','20160901','20160901',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(400,1295,4,'20160829','20160830','20160831',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(401,103,4,'20160830','20160902','20160901',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(402,1335,4,'20160830','20160901','20160831',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(403,578,4,'20160831','20160901','20160902',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(404,396,4,'20160831','20160903','20160901',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(405,603,4,'20160831','20160901','20160901',2,6); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(406,1380,4,'20160831','20160902','20160901',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(407,77,3, 20160901', 20160901', NULL, 3,8); INSERT INTO sales. orders (order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(408,1071,4,'20160901','20160902','20160902',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(409,416,4,'20160901','20160904','20160904',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(410,1151,4,'20160901','20160903','20160902',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(411,261,4,'20160902','20160904','20160904',1,3); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(412,1202,4,'20160902','20160904','20160904',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(413,717,4,'20160902','20160905','20160903',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(414,917,4,'20160903','20160906','20160906',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(415,1265,4,'20160903','20160906','20160906',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(416,1377,4,'20160903','20160904','20160906',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(417,359,4,'20160904','20160905','20160906',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(418,88,4,20160904',20160905',20160905',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(419,14,4,'20160904','20160907','20160906',3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(420,72,4,'20160905','20160906','20160907',1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(421,240,4,'20160905','20160906','20160908',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(422,398,4,'20160906','20160907','20160909',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(423,1397,4,'20160906','20160909','20160909',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(424,67,4,'20160908','20160911','20160911',1,3); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(425,843,4,'20160908','20160911','20160911',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(426,944,4,'20160908','20160910','20160910',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(427,434,4,'20160909','20160910','20160911',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(428,1039,4,'20160909','20160912','20160910',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(429,153,4,'20160910','20160912','20160912',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(430,272,4,'20160911','20160913','20160912',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(431,1217,4,'20160911','20160912','20160912',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(432,169,4,'20160912','20160915','20160914',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(433,1062,4,'20160912','20160915','20160913',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(434,726,4,'20160913','20160915','20160914',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(435,77,4,20160914',20160915',20160916',3,9); INSERT INTO sales orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(436,791,4,'20160916','20160919','20160919',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(437,1085,4,'20160916','20160918','20160918',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(438,314,4,'20160916','20160919','20160918',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(439,149,4,'20160917','20160920','20160918',2,6); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff id)
VALUES(440,882,4,'20160917','20160918','20160919',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(441,704,4,'20160918','20160919','20160919',1,2); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(442,667,4,'20160918','20160921','20160921',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(443,1371,4,'20160918','20160919','20160920',2,6); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(444,30,4,'20160919','20160920','20160921',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(445,362,4,'20160919','20160922','20160922',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(446,399,4,'20160919','20160921','20160920',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(447,808,4,'20160920','20160923','20160922',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(448,101,4,'20160921','20160922','20160924',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(449,492,4,'20160921','20160924','20160922',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(450,575,4,'20160921','20160924','20160923',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(451,1146,4,'20160921','20160923','20160922',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(452,997,4,'20160922','20160923','20160924',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(453,1028,4,'20160922','20160924','20160925',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(454,988,4,'20160923','20160925','20160926',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(455,1055,4,'20160923','20160924','20160924',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(456,1061,4,'20160923','20160926','20160925',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(457,1349,4,'20160924','20160927','20160927',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(458,197,4,'20160925','20160928','20160926',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(459,874,4,'20160925','20160928','20160926',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(460,691,4,'20160925','20160927','20160926',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(461,853,4,'20160926','20160927','20160927',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(462,852,4,'20160927','20160928','20160929',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(463,964,4,'20160927','20160928','20160928',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(464,74,4,'20160928','20160930','20160929',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(465,1198,4,'20160928','20161001','20161001',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(466,1440,4,'20160928','20160929','20161001',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(467,555,4,'20160928','20160930','20160930',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(468,1261,4,'20160929','20161002','20160930',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(469,1089,4,'20160929','20161002','20161002',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(470,641,4,'20160930','20161002','20161002',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(471,697,4,'20160930','20161002','20161001',1,3); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(472,468,4,'20160930','20161001','20161001',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(473,549,4,'20160930','20161002','20161003',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(474,553,4,'20161001','20161004','20161004',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(475,241,4,'20161001','20161004','20161003',2,7); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(476,559,4, '20161001', '20161004', '20161002',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(477,449,4,'20161002','20161005','20161004',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(478,304,4,'20161002','20161005','20161003',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(479,984,4,'20161003','20161004','20161004',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(480,686,4,'20161004','20161007','20161005',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(481,481,4,'20161004','20161007','20161006',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(482,513,4,'20161005','20161006','20161006',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(483,703,4,'20161006','20161007','20161009',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(484,421,4,'20161006','20161009','20161007',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(485,465,4,'20161006','20161008','20161007',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(486,709,4,'20161006','20161008','20161009',2,7); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(487,827,4,'20161006','20161009','20161009',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(488,921,4,'20161006','20161009','20161008',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(489,899,4,'20161006','20161008','20161008',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(490,876,4,'20161007','20161010','20161009',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(491,1048,4,'20161008','20161010','20161011',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(492,191,4,'20161009','20161010','20161012',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(493,796,4, 20161009', 20161012', 20161011', 1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(494,875,4,'20161009','20161010','20161011',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(495,712,4,20161010',20161012',20161013',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(496,193,4,'20161010','20161012','20161011',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(497,785,4,'20161010','20161011','20161011',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(498,1331,4,'20161010','20161012','20161011',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(499,260,4,'20161011','20161014','20161013',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(500,148,4,'20161011','20161012','20161013',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(501,977,4,'20161011','20161012','20161013',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(502,401,4,'20161012','20161013','20161013',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(503,932,4,'20161013','20161016','20161014',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(504,1381,4,'20161014','20161015','20161015',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(505,721,4,'20161014','20161016','20161017',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(506,831,4,'20161014','20161016','20161016',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(507,1378,4,'20161015','20161017','20161017',1,3); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(508,1359,4,'20161015','20161018','20161018',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(509,235,4,'20161016','20161017','20161017',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(510,586,4,'20161017','20161018','20161018',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(511,377,4,'20161018','20161020','20161019',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(512,8,4,'20161019','20161022','20161020',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(513,155,4,'20161019','20161021','20161021',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(514,927,4,'20161019','20161021','20161020',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(515,986,4,'20161019','20161020','20161022',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(516,111,4,'20161021','20161023','20161024',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(517,613,4,'20161021','20161022','20161024',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(518,1374,4,'20161022','20161024','20161025',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(519,54,4,'20161022','20161023','20161024',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(520,639,4,'20161023','20161026','20161024',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(521,664,4,'20161023','20161025','20161025',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(522,724,4,'20161023','20161024','20161024',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(523,1056,4,'20161024','20161026','20161027',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(524,569,4,'20161025','20161026','20161027',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(525,1315,4,'20161026','20161028','20161029',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(526,1096,4,'20161026','20161028','20161028',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(527,506,4,'20161027','20161029','20161028',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(528,676,4,'20161028','20161031','20161031',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(529,753,4,'20161028','20161030','20161031',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(530,773,4,'20161028','20161031','20161031',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(531,116,4,'20161028','20161029','20161030',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(532,817,4,'20161029','20161031','20161030',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(533,1334,4,'20161029','20161101','20161101',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(534,1406,4,'20161029','20161030','20161031',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(535,835,4,'20161029','20161031','20161101',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff id)
VALUES(536,759,4,'20161031','20161102','20161101',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(537,1353,4,'20161031','20161101','20161103',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(538,341,4,'20161102','20161105','20161105',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(539,1144,4,'20161102','20161104','20161103',2,7); INSERT INTO sales.orders(order_id,
```

```
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(540,1429,4,'20161103','20161105','20161106',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(541,1228,4,'20161104','20161107','20161107',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(542,313,4,'20161104','20161106','20161105',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(543,62,4,'20161106','20161109','20161108',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(544,321,4,'20161106','20161107','20161108',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(545,1108,4,'20161108','20161110','20161109',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(546,470,4,'20161109','20161112','20161110',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(547,20,4,'20161109','20161111','20161110',3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(548,739,4,'20161111','20161113','20161113',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(549,64,3,'20161112','20161112',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(550,892,4, 20161112', 20161114', 20161115', 2, 7); INSERT INTO sales orders (order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(551,1169,4,'20161112','20161113','20161113',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(552,1282,4,'20161112','20161115','20161113',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(553,913,4,'20161112','20161113','20161115',3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(554,104,4,'20161113','20161114','20161116',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(555,212,4,'20161113','20161114','20161116',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(556,61,4,'20161113','20161114','20161115',3,9); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(557,1248,4,'20161114','20161117','20161115',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(558,1443,4,'20161115','20161116','20161117',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(559,959,4,'20161116','20161117','20161117',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(560,1405,4,'20161118','20161119','20161121',2,6); INSERT INTO sales orders (order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(561,90,4,'20161119','20161122','20161122',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(562,942,4,'20161119','20161120','20161122',2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(563,365,4, 20161120', 20161122', 20161121', 2,6); INSERT INTO sales orders (order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(564,1058,4,'20161120','20161123','20161122',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(565,894,4,'20161121','20161122','20161122',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(566,298,4,'20161122','20161125','20161123',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(567,1430,4,'20161122','20161123','20161123',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(568,1275,4,'20161123','20161125','20161124',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(569,707,4,'20161123','20161124','20161125',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(570,989,4,'20161123','20161124','20161125',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(571,5,4,'20161124','20161125','20161127',1,2); INSERT INTO sales.orders(order_id, customer_id,
```

```
order status, order date, required date, shipped date, store id, staff id)
VALUES(572,178,4,'20161124','20161126','20161126',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(573,423,4,'20161124','20161126','20161127',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(574,833,4,'20161126','20161127','20161129',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(575,33,4,'20161127','20161128','20161130',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(576,1272,4,'20161127','20161130','20161128',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id) VALUES(577,445,4,'201
INSERT INTO sales.orders(order_id, customer_id, order_status, order_date, required_date, shipped_date,
store_id,staff_id) VALUES(578,819,4,'20161127','20161128','20161129',2,7); INSERT INTO
sales.orders(order_id, customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(579,160,4,'20161127','20161130','20161129',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(580,581,4,'20161130','20161202','20161202',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(581,688,4,'20161203','20161205','20161206',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(582,32,3,'20161204','20161204',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(583,792,4,'20161204','20161205','20161207',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(584,1209,4,'20161204','20161205','20161205',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(585,1219,4,'20161204','20161205','20161205',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(586,1306,4,'20161204','20161206','20161205',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(587,487,4,'20161206','20161208','20161208',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(588,102,4,'20161206','20161207','20161207',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(589,719.4, 20161206', 20161207', 20161207', 2.7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(590,990,4,'20161206','20161209','20161207',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(591,1211,4,'20161206','20161209','20161209',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(592,1232,4,'20161206','20161208','20161208',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(593,50,4,'20161207','20161210','20161208',3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(594,1318,4,'20161207','20161208','20161208',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(595,538,4,'20161208','20161209','20161211',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(596,952,4,'20161208','20161209','20161209',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(597,1121,4,'20161208','20161209','20161210',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(598,40,3,'20161209','20161209',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(599,1,4,'20161209','20161210','20161212',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(600,624,4,'20161209','20161212','20161211',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(601,683,4,'20161209','20161210','20161210',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(602,823,4,'20161209','20161210','20161211',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(603,1032,4,'20161209','20161210','20161210',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(604,96,4,'20161210','20161213','20161212',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(605,1208,4,'20161210','20161211','20161212',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(606,18,4,'20161211','20161212','20161213',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(607,309,4,'20161211','20161214','20161213',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(608,1103,4,'20161212','20161215','20161214',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(609,896,4,'20161212','20161213','20161214',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(610,711,4,'20161213','20161215','20161214',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(611,1073,4,'20161215','20161217','20161218',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(612,634,4,'20161216','20161217','20161217',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(613,1159,4,'20161217','20161219','20161219',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(614,654,4,'20161218','20161221','20161221',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(615,560,4,'20161219','20161222','20161221',3,9); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(616,1444,4,'20161220','20161223','20161223',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(617,118,4,'20161221','20161223','20161223',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(618,131,4,'20161221','20161222','20161222',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(619,454,4,'20161222','20161225','20161225',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(620,466,4,'20161222','20161224','20161224',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(621,1157,4,'20161223','20161225','20161224',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(622,1398,4,'20161223','20161226','20161225',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(623,678,4,'20161224','20161226','20161227',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(624,814,4,'20161224','20161225','20161227',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(625,1163,4,'20161225','20161228','20161226',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(626,130,4,'20161225','20161228','20161227',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(627,1119,4,'20161225','20161226','20161228',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(628,561,4,'20161226','20161229','20161227',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(629,973,4,'20161226','20161227','20161229',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(630,1404,4,'20161226','20161227','20161228',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(631,855,4,'20161227','20161229','20161229',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(632,163,4,'20161227','20161229','20161229',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(633,1040,4,'20161228','20161231','20161230',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(634,27,4,'20161229','20170101','20161230',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(635,520,4,'20161230','20170102','20161231',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(636,532,4,'20170103','20170104','20170105',1,2); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(637,512,4,'20170103','20170105','20170105',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(638,1302,4,'20170104','20170105','20170106',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(639,550,4,'20170106','20170107','20170107',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(640,1093,4,'20170106','20170108','20170107',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(641,673,4,'20170107','20170110','20170108',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(642,847,4,'20170107','20170109','20170110',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(643,901,4,'20170108','20170109','20170111',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(644,439,4,'20170108','20170111','20170110',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(645,1199,4,'20170108','20170111','20170110',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(646,975,4,'20170109','20170112','20170111',1,2); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(647,283,4,'20170109','20170110','20170111',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(648,684,4,'20170109','20170111','20170111',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(649,1153,4,'20170110','20170111','20170113',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(650,729,4,'20170111','20170114','20170112',1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(651,190,4,'20170111','20170113','20170113',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(652,985,4,'20170112','20170115','20170113',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(653,1249,4,'20170114','20170117','20170115',1,2); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(654,1129,4,'20170114','20170115','20170117',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(655,347,4,'20170116','20170117','20170118',1,3); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(656,949,4,'20170116','20170117','20170118',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(657,349,4,'20170117','20170119','20170120',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(658,1051,4,'20170117','20170118','20170118',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(659,1391,4,'20170117','20170119','20170118',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(660,383,4,'20170118','20170119','20170119',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(661,626,4,'20170118','20170119','20170120',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(662,1125,4,'20170119','20170120','20170120',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(663,344,4,'20170120','20170122','20170123',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(664,681,4,'20170120','20170123','20170122',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(665,29,4,'20170121','20170122','20170123',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(666,770,4,'20170121','20170122','20170124',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(667,858,4,'20170122','20170124','20170125',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(668,297,4,'20170122','20170123','20170124',3,8); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(669,745,4,'20170123','20170124','20170126',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(670,361,4,'20170124','20170125','20170125',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(671,922,4,'20170125','20170128','20170126',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(672,908,4,'20170126','20170129','20170129',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(673,64,4,'20170126','20170128','20170127',3,9); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(674,733,4,'20170127','20170128','20170129',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(675,291,4,'20170128','20170131','20170130',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(676,790,4,'20170128','20170130','20170131',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(677,809,4,'20170128','20170131','20170130',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(678,250,4,'20170128','20170129','20170131',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(679,81,4,'20170129','20170130','20170130',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(680,245,4,'20170129','20170201','20170130',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(681,499,4,'20170129','20170201','20170131',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(682,614,4,'20170129','20170130','20170130',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(683,741,4,'20170129','20170131','20170201',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(684,762,4,'20170131','20170201','20170202',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(685,976,4,'20170131','20170203','20170202',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(686,380,4,'20170201','20170203','20170204',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(687,530,4,'20170202','20170205','20170204',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(688,343,4,'20170202','20170203','20170205',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(689,884,4,'20170202','20170203','20170205',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(690,1097,4,'20170203','20170204','20170206',1,2); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(691,1081,4,'20170204','20170206','20170206',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(692,2,3,'20170205','20170205',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(693,1233,4,'20170205','20170207','20170206',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(694,58,4,'20170205','20170206','20170208',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(695,606,4,'20170205','20170208','20170207',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(696,1242,4,'20170205','20170208','20170208',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(697,562,4,'20170206','20170208','20170209',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(698,543,4,'20170206','20170208','20170209',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(699,958,4,'20170206','20170208','20170209',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(700,4,4,'20170207','20170210','20170208',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(701,850,4,'20170207','20170208','20170209',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(702,1352,4,'20170208','20170209','20170211',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(703,417,4,'20170208','20170209','20170209',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(704,1137,4,'20170208','20170209','20170211',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(705,1196,4,'20170208','20170211','20170211',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(706,1271,4,'20170209','20170212','20170210',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(707,79,4,'20170209','20170211','20170211',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(708,660,4,'20170210','20170212','20170211',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(709,1162,4,'20170211','20170213','20170212',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(710,295,4,'20170213','20170215','20170216',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(711,1246,4,'20170213','20170216','20170214',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(712,173,4,'20170213','20170214','20170216',3,9); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(713,207,4,'20170213','20170214','20170215',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(714,805,4,'20170214','20170217','20170215',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(715,12,3,'20170215','20170215',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(716,672,4,'20170215','20170217','20170218',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(717,1312,4,'20170215','20170218','20170217',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(718,38,4,'20170216','20170217','20170217',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(719,200,4,'20170216','20170219','20170218',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(720,382,4,'20170216','20170219','20170219',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(721,625,4,'20170216','20170219','20170217',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(722,1399,4,'20170218','20170220','20170221',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(723,845,4,'20170219','20170221','20170222',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(724,864,4, '20170219', '20170222', '20170221', 2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(725,870,4,'20170219','20170222','20170222',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(726,969,4,'20170219','20170222','20170220',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(727,962,4,'20170219','20170222','20170221',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(728,1138,4,'20170220','20170221','20170223',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(729,897,4,'20170220','20170222','20170221',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(730,500,4,'20170221','20170224','20170222',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(731,910,4,'20170225','20170227','20170227',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(732,147,4,'20170226','20170227','20170301',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(733,832,4,'20170226','20170301','20170227',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(734,939,4,'20170226','20170228','20170301',3,9); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(735,20,3,'20170227','20170227',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(736,184,4,'20170227','20170228','20170228',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(737,694,4,'20170227','20170301','20170228',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(738,124,4,'20170228','20170301','20170303',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(739,49,4, 20170228', 20170301', 20170302', 2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(740,1113,4,'20170228','20170301','20170302',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(741,119,4,'20170228','20170301','20170301',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(742,433,4,'20170228','20170301','20170301',3,9); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(743,137,4,'20170301','20170304','20170304',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(744,166,4,'20170301','20170302','20170302',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(745,698,4,'20170301','20170303','20170303',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(746,391,4,'20170302','20170304','20170305',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(747,87,4,'20170303','20170304','20170305',1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(748,1072,4,'20170303','20170305','20170304',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(749,255,4, '20170304', '20170307', '20170305', 2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(750,232,4,'20170304','20170307','20170305',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(751,731,4,'20170305','20170308','20170307',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(752,335,4,'20170305','20170306','20170307',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(753,1201,4,'20170305','20170308','20170308',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(754,646,4,'20170306','20170307','20170308',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(755,531,4,'20170306','20170307','20170307',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(756,1143,4,'20170306','20170307','20170309',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(757,1336,4,'20170306','20170308','20170309',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(758,953,4,'20170306','20170308','20170307',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(759,284,4,'20170307','20170309','20170308',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(760,1104,4,'20170307','20170310','20170310',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(761,1291,4,'20170307','20170308','20170310',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(762,572,4,'20170308','20170309','20170309',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(763,842,4,'20170308','20170310','20170309',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(764,701,4,'20170309','20170310','20170312',1,2); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(765,1152,4,'20170309','20170311','20170312',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(766,141,4,'20170309','20170311','20170312',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(767,564,4,'20170309','20170310','20170311',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(768,841,4,'20170309','20170312','20170310',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(769,946,4,'20170309','20170311','20170311',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(770,135,4,'20170309','20170311','20170311',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(771,671,4,'20170311','20170314','20170312',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(772,448,4,'20170311','20170312','20170313',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(773,1385,4,'20170311','20170312','20170312',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(774,690,4,'20170312','20170314','20170314',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(775,968,4,'20170312','20170313','20170313',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(776,490,4,'20170313','20170315','20170316',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(777,496,4,'20170313','20170316','20170316',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(778,56,3,'20170315','20170315',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(779,367,4,'20170315','20170316','20170318',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(780,592,4,'20170315','20170317','20170317',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(781,1018,4,'20170315','20170316','20170317',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(782,1298,4,'20170315','20170316','20170318',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(783,1343,4,'20170316','20170319','20170317',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(784,430,4,'20170316','20170319','20170319',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(785,794,4,'20170318','20170319','20170320',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(786,249,4,'20170318','20170320','20170319',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(787,700,4,'20170318','20170320','20170319',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(788,1363,4,'20170318','20170320','20170320',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(789,772,4,'20170319','20170320','20170320',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(790,1015,4,'20170319','20170321','20170322',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(791,432,4,'20170320','20170322','20170323',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(792,479,4,'20170322','20170323','20170324',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(793,653,4,'20170323','20170324','20170324',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(794,863,4,'20170323','20170325','20170324',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(795,992,4,'20170323','20170325','20170326',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(796,154,4,'20170323','20170326','20170325',3,9); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(797,374,4,'20170324','20170326','20170326',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(798,619,4,'20170326','20170328','20170329',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(799,607,4,'20170327','20170328','20170329',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(800,1057,4,'20170327','20170329','20170328',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(801,78,4,'20170328','20170329','20170330',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(802,340,4,'20170328','20170329','20170330',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(803,1105,4,'20170328','20170331','20170330',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(804,95,4,'20170329','20170331','20170330',2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(805,420,4,'20170329','20170330','20170401',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(806,234,4,'20170330','20170331','20170331',2,7); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(807,1148,4,'20170330','20170401','20170402',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(808,315,4,'20170331','20170402','20170402',2,6); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(809,1222,4,'20170331','20170403','20170403',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(810,153,3,'20170401','20170401',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(811,524,4,'20170401','20170404','20170404',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(812,1164,4,'20170401','20170402','20170403',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(813,1203,4,'20170401','20170403','20170402',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(814,629,4,'20170402','20170405','20170403',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(815,1251,4,'20170403','20170405','20170404',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(816,811,4,'20170403','20170405','20170405',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(817,301,4,'20170404','20170405','20170407',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(818.1319.4.'20170404'.'20170407'.'20170407'.2.6): INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(819,221,4,'20170404','20170407','20170405',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(820,725,4,'20170405','20170408','20170407',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(821,1181,4,'20170405','20170407','20170408',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(822,294,4,'20170406','20170408','20170409',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(823,415,4,'20170406','20170407','20170408',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(824,993,4,'20170407','20170409','20170410',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(825,10,4,'20170407','20170408','20170409',2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(826,45,4,'20170407','20170410','20170410',2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(827,666,4,'20170407','20170410','20170410',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(828,246,4,'20170409','20170410','20170412',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(829,674,4,'20170409','20170410','20170410',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(830,431,4,'20170411','20170414','20170412',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(831,1000,4,'20170411','20170412','20170412',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(832,1215,4,'20170411','20170412','20170412',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(833,406,4,'20170412','20170414','20170415',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(834,890,4,'20170412','20170413','20170415',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(835,940,4,'20170413','20170415','20170414',1,2); INSERT INTO sales.orders(order id.
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(836,455,4,'20170413','20170416','20170414',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(837,948,4,'20170413','20170416','20170414',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(838,1395,4,'20170414','20170417','20170415',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(839,1332,4,'20170415','20170418','20170416',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(840,372,4,'20170415','20170416','20170416',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(841,428,4,20170415','20170418','20170417',2.7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(842,1133,4,'20170415','20170418','20170416',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(843,1059,4,'20170416','20170417','20170419',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(844,1436,4,'20170416','20170417','20170418',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(845,662,4,'20170417','20170418','20170418',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(846,715,4,'20170417','20170419','20170419',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(847,329,4,'20170418','20170419','20170419',2,7); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(848,597,4,'20170418','20170420','20170420',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(849,776,4,'20170419','20170420','20170421',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(850,1346,4,'20170419','20170422','20170422',1,3); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(851,1139,4,'20170420','20170421','20170422',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(852,13,4,'20170421','20170423','20170422',3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(853,883,4,'20170421','20170424','20170424',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(854,177,4,'20170422','20170425','20170423',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(855,775,4,'20170422','20170423','20170425',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(856,477,4,'20170423','20170425','20170426',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(857,1402,4,'20170424','20170425','20170426',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(858,162,4,'20170425','20170427','20170428',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(859,644,4,'20170425','20170426','20170426',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(860,473,4,'20170427','20170429','20170428',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(861,1177,4,'20170427','20170429','20170430',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(862,1230,4,'20170427','20170430','20170429',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(863,446,4,'20170428','20170430','20170501',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(864,902,4,'20170428','20170430','20170429',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(865,974,4,'20170429','20170502','20170501',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(866,1410,4,'20170429','20170430','20170501',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(867,97,4,20170501',20170503',20170502',1,3); INSERT INTO sales orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(868,868,4,'20170501','20170504','20170502',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(869,844,4,'20170501','20170504','20170502',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(870,1416,4,'20170501','20170504','20170502',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(871,358,4,'20170502','20170504','20170503',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(872,394,4,'20170503','20170506','20170506',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(873,829,4,'20170503','20170505','20170505',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(874,661,4,'20170504','20170505','20170506',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(875,386,4,'20170505','20170506','20170508',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(876,1046,4,'20170505','20170508','20170506',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(877,784,4,'20170506','20170507','20170508',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(878,224,4,'20170507','20170510','20170509',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(879,214,4,'20170508','20170509','20170509',2,7); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(880,1206,4,'20170508','20170511','20170510',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(881,1024,4,'20170508','20170511','20170511',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(882,196,4,'20170509','20170512','20170510',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(883,507,4,'20170511','20170513','20170514',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(884,871,4,'20170511','20170513','20170512',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(885,66,3,'20170513','20170513',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(886,1396,4,'20170513','20170514','20170515',1,2); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(887,1195,4,'20170513','20170515','20170515',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(888,1038,4,'20170514','20170516','20170516',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(889,830,4,'20170514','20170517','20170515',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(890,171,4,'20170515','20170518','20170518',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(891,384,4,'20170515','20170518','20170516',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(892.651,4,'20170515','20170518','20170517',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(893,1293,4,'20170516','20170519','20170519',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(894,1320,4,'20170516','20170519','20170519',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(895,857,4,'20170518','20170521','20170519',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(896,376,4,'20170519','20170522','20170521',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(897,47,4,'20170520','20170521','20170521',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(898,352,4,'20170520','20170521','20170522',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(899,605,4,'20170520','20170521','20170521',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(900,971,4,'20170520','20170521','20170522',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(901,345,4,'20170521','20170522','20170524',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(902,1278,4,'20170521','20170524','20170522',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(903,179,4,'20170522','20170523','20170524',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(904,1020,4,'20170523','20170526','20170524',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(905,609,4,'20170523','20170526','20170524',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(906,877,4,'20170523','20170526','20170526',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(907,120,4,'20170524','20170526','20170527',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(908,402,4,'20170525','20170528','20170527',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(909,188,4,'20170526','20170527','20170528',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(910,342,4,'20170526','20170528','20170528',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(911,887,4,'20170526','20170529','20170529',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(912,519,4,'20170527','20170529','20170529',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(913,699,4,'20170527','20170529','20170529',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(914,1068,4,'20170528','20170531','20170531',1,2); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(915,215,4,'20170528','20170530','20170530',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(916,718,4,'20170528','20170529','20170529',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(917,881,4,'20170529','20170531','20170601',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(918,242,4,'20170530','20170531','20170531',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(919,781,4,'20170530','20170531','20170531',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(920,966,4,'20170530','20170601','20170602',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(921,628,4,'20170531','20170602','20170602',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(922,656,4,'20170531','20170601','20170603',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(923,769,4,'20170531','20170603','20170602',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(924,68,3,'20170602','20170602',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(925,1316,4,'20170602','20170605','20170603',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(926,233,4,'20170603','20170605','20170606',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(927,1438,4,'20170603','20170605','20170606',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(928,957,4,'20170605','20170606','20170606',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(929,472,4,'20170605','20170606','20170608',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(930,1224,4,'20170605','20170606','20170606',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(931,631,4,'20170607','20170608','20170608',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(932,804,4,'20170607','20170608','20170609',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(933,909,4,'20170607','20170610','20170608',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(934,93,4, 20170609', 20170610', 20170612', 2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(935,43,3,'20170610','20170610',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(936,265,4, '20170610', '20170613', '20170612', 2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(937,73,4,'20170611','20170614','20170613',2,7); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(938,129,4,'20170611','20170612','20170612',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(939,1407,4,'20170611','20170612','20170614',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(940,585,4,'20170612','20170614','20170613',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(941,736,4,'20170612','20170614','20170614',1,2); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(942,537,4,'20170613','20170616','20170615',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(943,1025,4,'20170613','20170615','20170615',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(944,138,4,'20170614','20170615','20170617',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(945,167,4,'20170614','20170615','20170616',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(946,525,4,'20170614','20170616','20170615',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(947,278,4,'20170615','20170618','20170617',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(948,618,4,'20170615','20170617','20170617',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(949,867,4,'20170616','20170618','20170617',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(950,142,4,'20170616','20170619','20170618',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(951,339,4,'20170616','20170619','20170619',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(952,355,4,'20170616','20170618','20170618',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(953,658,4,'20170616','20170618','20170617',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(954,611,4,'20170617','20170620','20170620',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(955,880,4,'20170617','20170619','20170618',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(956,1184,4,'20170617','20170619','20170620',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(957,722,4,'20170617','20170620','20170620',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(958,1276,4,'20170618','20170620','20170619',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(959,650,4,'20170618','20170621','20170621',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(960,1390,4,'20170618','20170619','20170619',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(961,82,4,'20170619','20170621','20170622',1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(962,570,4,'20170619','20170622','20170620',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(963,1432,4,'20170619','20170621','20170621',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(964,404,4,'20170620','20170622','20170622',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(965,457,4,'20170620','20170622','20170623',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(966,389,4,'20170620','20170622','20170622',3,8); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(967,1323,4,'20170621','20170624','20170624',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(968,1403,4,'20170621','20170623','20170623',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(969,248,4,'20170621','20170624','20170622',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(970,836,4,'20170622','20170625','20170623',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(971,1426,4,'20170622','20170623','20170624',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(972,270,4,'20170623','20170624','20170625',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(973,238,4,'20170624','20170627','20170627',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(974,511,4,'20170624','20170627','20170627',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(975,1092,4,'20170625','20170627','20170628',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(976,1266,4,'20170625','20170628','20170627',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(977,400,4,'20170626','20170628','20170627',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(978,1123,4,'20170626','20170628','20170627',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(979,1190,4,'20170626','20170629','20170627',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(980,328,4,'20170626','20170628','20170627',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(981,687,4,'20170626','20170629','20170628',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(982,1423,4,'20170626','20170629','20170628',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(983,1158,4,'20170627','20170628','20170629',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(984,1287,4,'20170627','20170628','20170629',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(985,461,4,'20170630','20170702','20170701',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(986,556,4,'20170630','20170703','20170701',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(987,172,4,'20170702','20170704','20170704',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(988,436,4,'20170702','20170704','20170705',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(989,1145,4,'20170702','20170704','20170703',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(990,706,4,'20170704','20170707','20170707',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(991,751,4,'20170706','20170707','20170709',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(992,723,4,'20170707','20170710','20170709',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(993,1415,4,'20170709','20170711','20170711',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(994,419,4,'20170709','20170711','20170711',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(995,621,4,'20170711','20170713','20170714',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(996,915,4,'20170711','20170712','20170712',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(997,485,4,'20170711','20170713','20170714',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(998,219,4,'20170712','20170713','20170714',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(999,590,4,'20170712','20170713','20170714',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1000,645,4,'20170712','20170714','20170715',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1001,354,4,'20170713','20170716','20170715',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1002,1418,4,'20170714','20170716','20170716',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1003,503,4,'20170714','20170716','20170716',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1004,1389,4,'20170714','20170717','20170716',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1005,266,4,'20170715','20170717','20170716',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1006,1070,4,'20170715','20170718','20170717',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1007,1115,4,'20170716','20170717','20170717',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1008,1345,4,'20170716','20170718','20170718',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1009,1064,4,'20170716','20170719','20170719',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1010,8,3,'20170718','20170718',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1011,495,4,'20170718','20170721','20170721',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1012,620,4,'20170718','20170720','20170720',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1013,174,4,'20170719','20170722','20170721',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1014,748,4,'20170719','20170721','20170721',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1015,799,4,'20170719','20170722','20170721',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1016,1417,4,'20170719','20170720','20170721',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1017,168,4,'20170720','20170721','20170723',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1018,290,4,'20170722','20170723','20170723',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1019,408,4,'20170722','20170723','20170724',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1020,16,3,'20170723','20170723',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1021,125,4,'20170723','20170724','20170726',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1022,353,4,'20170723','20170726','20170724',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1023,356,4,'20170723','20170726','20170725',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1024,837,4,'20170723','20170725','20170726',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1025,1304,4,'20170723','20170726','20170726',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1026,1370,4,'20170726','20170728','20170729',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1027,588,4,'20170726','20170728','20170728',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1028,1273,4,'20170727','20170728','20170730',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1029,407,4,'20170729','20170730','20170801',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1030,161,4,'20170729','20170730','20170731',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1031,1308,4,'20170730','20170801','20170802',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1032,429,4,'20170730','20170802','20170801',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1033,582,4,'20170730','20170731','20170802',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1034,895,4,'20170730','20170731','20170731',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1035,1283,4,'20170730','20170802','20170802',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1036,1442,4,'20170730','20170801','20170731',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1037,1229,4,'20170731','20170802','20170803',2,6); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1038,1281,4,'20170731','20170801','20170803',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1039,1077,4,'20170802','20170804','20170803',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1040,1225,4,'20170804','20170807','20170805',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1041,70,4,'20170804','20170806','20170805',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1042.539.4.'20170806'.'20170807'.'20170807'.2.7): INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1043,1235,4,'20170806','20170809','20170808',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1044,1270,4,'20170807','20170810','20170808',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1045,185,4,'20170807','20170809','20170810',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1046,1134,4,'20170807','20170809','20170808',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1047,116,3,'20170808','20170808',NULL,3,8); INSERT INTO sales orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1048,777,4,'20170808','20170810','20170809',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1049,194,4,'20170809','20170811','20170810',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1050,239,4,'20170809','20170812','20170812',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1051,209,4,'20170810','20170811','20170811',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1052,460,4,'20170810','20170812','20170813',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1053,1439,4,'20170810','20170811','20170812',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1054,189,4,'20170811','20170812','20170812',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1055,140,4,'20170812','20170815','20170815',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1056,325,4,'20170812','20170815','20170813',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1057,456,4,'20170812','20170815','20170813',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1058,782,4,'20170813','20170816','20170814',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1059,6,4,120170814',120170817',120170817',2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1060,182,4,'20170815','20170818','20170817',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1061,655,4,'20170815','20170818','20170818',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1062,1210,4,'20170815','20170817','20170818',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1063,198,4,'20170816','20170819','20170819',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1064,898,4,'20170816','20170818','20170819',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1065,25,4,'20170817','20170819','20170819',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1066,106,4,'20170817','20170820','20170819',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1067,225,4,'20170817','20170819','20170819',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1068,453,4,'20170817','20170820','20170819',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1069,493,4,'20170817','20170819','20170818',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1070,596,4,'20170817','20170820','20170818',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1071,602,4,'20170817','20170820','20170818',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1072,47,3,'20170818','20170818',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1073,911,4,'20170818','20170819','20170821',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1074,11,3,'20170819','20170819',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1075,1003,4,'20170819','20170821','20170822',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1076,42,4, '20170819', '20170822', '20170822', 2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1077,412,4,'20170819','20170820','20170821',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1078,793,4,'20170819','20170821','20170820',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1079,812,4,'20170819','20170820','20170820',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1080,1086,4,'20170819','20170820','20170820',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1081,1106,4,'20170819','20170822','20170822',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1082,1327,4,'20170820','20170822','20170821',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1083,1372,4,'20170820','20170823','20170823',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1084,2,4,'20170821','20170824','20170823',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1085,305,4,'20170821','20170823','20170823',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1086,220,4,'20170821','20170823','20170824',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1087,675,4,'20170822','20170823','20170825',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1088,1160,4,'20170822','20170823','20170823',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1089,46,3,'20170823','20170823',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1090,1427,4,'20170824','20170826','20170826',1,2); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1091,1260,4,'20170824','20170825','20170825',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1092,40,4,'20170825','20170828','20170827',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1093,326,4,'20170825','20170828','20170826',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1094,828,4,'20170825','20170827','20170828',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1095,1382,4,'20170826','20170828','20170827',3,9); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1096,589,4,'20170827','20170829','20170829',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1097,1311,4,'20170827','20170830','20170828',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1098,752,4,'20170828','20170830','20170830',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1099,1128,4,'20170828','20170829','20170830',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1100,1392,4,'20170828','20170829','20170829',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1101,379,4,'20170829','20170830','20170830',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1102,1317,4,'20170829','20170831','20170831',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1103,1394,4,'20170831','20170902','20170902',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1104,268,4,'20170901','20170904','20170903',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1105,747,4,'20170901','20170904','20170903',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1106,1009,4,'20170902','20170904','20170904',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1107,1424,4,'20170902','20170905','20170905',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1108,735,4,'20170903','20170905','20170904',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1109,23,4,'20170903','20170904','20170904',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1110,912,4,'20170904','20170907','20170907',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1111,930,4,'20170904','20170906','20170905',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1112,798,4,'20170905','20170908','20170907',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1113,388,4,'20170906','20170908','20170907',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1114,1036,4,'20170906','20170908','20170908',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1115,1100,4,'20170907','20170909','20170909',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1116,52,4,'20170908','20170910','20170910',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1117,334,4,'20170908','20170910','20170910',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1118,1023,4,'20170908','20170911','20170911',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1119,749,4,'20170910','20170912','20170913',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1120,1269,4,'20170910','20170912','20170913',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1121,143,4,'20170911','20170913','20170912',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1122,1132,4,'20170912','20170914','20170914',2,6); INSERT INTO sales orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1123,598,4,'20170913','20170914','20170914',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1124,275,4,'20170913','20170914','20170916',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1125,945,4,'20170914','20170915','20170915',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1126,1213,4,'20170914','20170916','20170915',3,8); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1127,494,4,'20170915','20170916','20170916',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1128,936,4,'20170915','20170917','20170916',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1129,663,4,'20170917','20170918','20170920',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1130,69,4,'20170918','20170920','20170920',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1131,1178,4,'20170918','20170920','20170919',1,3); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1132,351,4,'20170919','20170920','20170920',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1133,517,4,'20170919','20170921','20170921',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1134,978,4,'20170919','20170922','20170920',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1135,1347,4,'20170919','20170921','20170920',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1136,1050,4,'20170920','20170921','20170921',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1137,810,4,'20170920','20170923','20170923',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1138,254,4,'20170921','20170923','20170922',1,2); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1139,1006,4,'20170921','20170922','20170923',1,2); INSERT INTO sales orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1140,1063,4,'20170921','20170922','20170922',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1141,1076,4,'20170922','20170923','20170924',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1142,554,4,'20170923','20170926','20170926',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1143,1087,4,'20170924','20170926','20170927',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1144,1414,4,'20170924','20170927','20170927',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1145,617,4,'20170925','20170927','20170926',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1146,757,4,'20170925','20170926','20170928',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1147,1344,4,'20170925','20170926','20170927',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1148,1379,4,'20170925','20170926','20170927',2,7); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1149,787,4,'20170927','20170930','20170930',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1150,1183,4,'20170928','20171001','20170930',2,7); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1151,708,4,'20170929','20170930','20170930',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1152,1244,4,'20170929','20171002','20171001',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1153,720,4,'20170930','20171003','20171003',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1154,789,4,'20170930','20171003','20171003',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1155,865,4,'20170930','20171001','20171001',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1156,869,4,'20170930','20171003','20171003',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1157,24,4,'20171001','20171003','20171004',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1158,889,4,'20171001','20171003','20171002',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1159,1221,4,'20171001','20171002','20171003',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1160,1262,4,'20171001','20171002','20171004',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1161,41,4, 20171001', 20171004', 20171002', 2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1162,888,4,'20171001','20171003','20171003',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1163,934,4,'20171001','20171002','20171002',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1164,1067,4,'20171001','20171002','20171003',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1165,652,4,'20171002','20171003','20171005',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1166,286,4,'20171003','20171004','20171004',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1167,900,4,'20171004','20171007','20171006',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1168,1031,4,'20171004','20171005','20171006',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1169,1421,4,'20171004','20171006','20171007',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1170.534,4,'20171005', 20171007','20171006', 2,6); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1171,826,4,'20171005','20171006','20171008',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1172,1339,4,'20171007','20171010','20171009',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1173,548,4,'20171008','20171010','20171009',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1174,1109,4,'20171008','20171010','20171011',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1175,292,4,'20171009','20171011','20171012',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1176,1111,4,'20171010','20171013','20171011',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1177,21,3,'20171012','20171012',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1178,771,4,'20171012','20171015','20171013',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1179,1150,4,'20171012','20171015','20171015',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1180,1065,4,'20171013','20171016','20171016',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1181,1022,4,'20171013','20171016','20171015',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1182,1422,4,'20171013','20171014','20171016',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1183,216,4,'20171014','20171017','20171017',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1184,369,4,'20171014','20171015','20171016',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1185,960,4,'20171014','20171016','20171017',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1186,1120,4,'20171014','20171016','20171015',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1187,486,4,'20171015','20171018','20171016',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1188,647,4,'20171015','20171018','20171017',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1189,1090,4,'20171015','20171017','20171018',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1190,34,4,'20171016','20171019','20171017',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1191,186,4,'20171017','20171018','20171018',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1192,1114,4,'20171017','20171019','20171018',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1193,1412,4,'20171017','20171019','20171019',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1194,192,4,'20171019','20171022','20171022',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1195,229,4,'20171019','20171021','20171021',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1196,508,4,'20171019','20171021','20171020',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1197,269,4,'20171021','20171023','20171023',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1198,1289,4,'20171022','20171024','20171024',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1199,318,4,'20171023','20171024','20171026',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1200,48,4,'20171023','20171025','20171026',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1201,201,4,'20171023','20171024','20171024',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1202,593,4,'20171024','20171025','20171025',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1203,1191,4,'20171025','20171027','20171026',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1204,1277,4,'20171025','20171028','20171028',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1205,1091,4,'20171026','20171028','20171028',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1206,222,4,'20171026','20171029','20171029',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1207,1002,4,'20171026','20171028','20171027',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1208,1226,4,'20171026','20171028','20171027',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1209,1342,4,'20171026','20171027','20171029',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1210,730,4,'20171026','20171027','20171029',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1211,19,4,'20171027','20171028','20171029',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1212,213,4,'20171027','20171030','20171029',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1213,669,4,'20171027','20171029','20171029',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1214,783,4,'20171028','20171029','20171029',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1215,807,4,'20171028','20171031','20171030',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1216,886,4,'20171028','20171030','20171029',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1217,1155,4,'20171028','20171031','20171030',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1218,1017,4,'20171030','20171101','20171031',1,2); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1219,840,4,'20171030','20171102','20171102',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1220,803,4,'20171031','20171103','20171103',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1221,1290,4,'20171031','20171102','20171101',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1222,482,4,'20171101','20171104','20171103',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1223,1207,4,'20171102','20171103','20171103',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1224,544,4,'20171103','20171104','20171104',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1225,768,4,'20171104','20171105','20171107',1,2); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1226,226,4,'20171104','20171107','20171106',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1227,702,4,'20171104','20171107','20171106',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1228,1041,4,'20171104','20171106','20171106',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1229,89,4, 20171105', 20171108', 20171106',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1230,1107,4,'20171105','20171106','20171107',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1231,1180,4,'20171105','20171107','20171106',2,6); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1232,665,4,'20171106','20171107','20171109',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1233,462,4,'20171106','20171107','20171108',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1234,19,3,'20171107','20171107',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1235,210,4,'20171107','20171108','20171109',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1236,243,4,'20171108','20171111','20171109',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1237,571,4,'20171109','20171112','20171111',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1238,998,4,'20171109','20171110','20171111',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1239,1197,4,'20171109','20171110','20171111',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1240,903,4,'20171110','20171111','20171111',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1241,1170,4,'20171110','20171112','20171111',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1242,303,4,'20171111','20171112','20171112',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1243,346,4,'20171111','20171113','20171114',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1244,333,4,'20171112','20171114','20171113',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1245,1166,4,'20171113','20171116','20171114',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1246,1329,4,'20171113','20171116','20171116',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1247,426,4,'20171116','20171118','20171117',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1248,1367,4,'20171116','20171117','20171118',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1249,545,4,'20171117','20171118','20171120',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1250,1188,4,'20171117','20171119','20171118',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1251,289,4,'20171117','20171119','20171119',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1252,110,4,'20171118','20171120','20171121',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1253,44,4,'20171118','20171121','20171121',2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1254,1098,4,'20171118','20171119','20171119',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1255,375,4,'20171119','20171120','20171121',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1256,458,4,'20171119','20171120','20171122',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1257,1136,4,'20171119','20171122','20171120',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1258,1099,4,'20171120','20171121','20171122',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1259,4,3,'20171121','20171121',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1260,1117,4,'20171122','20171123','20171124',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1261,435,4,'20171123','20171125','20171124',2,7); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1262,509,4,'20171123','20171126','20171126',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1263,1408,4,'20171123','20171126','20171126',2,6); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1264,113,4,'20171124','20171127','20171125',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1265,950,4,'20171124','20171127','20171127',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1266,387,4,'20171125','20171128','20171127',2,6); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1267,467,4,'20171125','20171126','20171126',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1268,774,4,'20171126','20171128','20171129',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1269,1236,4,'20171126','20171129','20171129',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1270,1388,4,'20171126','20171129','20171129',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1271,734,4,'20171127','20171130','20171130',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1272,935,4,'20171127','20171129','20171130',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1273,1268,4,'20171127','20171129','20171129',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1274,1364,4,'20171128','20171129','20171201',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1275,165,4,'20171129','20171201','20171130',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1276.893,4,'20171130','20171203','20171202',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1277,227,4,'20171201','20171204','20171202',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1278,980,4,'20171201','20171202','20171204',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1279,1014,4,'20171201','20171204','20171203',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1280,123,4,'20171201','20171203','20171203',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1281,1060,4,'20171202','20171205','20171205',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1282,320,4,'20171203','20171205','20171205',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1283,85,4,'20171204','20171207','20171207',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1284,128,4,'20171204','20171206','20171207',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1285,262,4,'20171204','20171207','20171207',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1286,1033,4,'20171204','20171207','20171206',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1287,279,4,'20171207','20171210','20171209',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1288,778,4,'20171207','20171210','20171209',3,9); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1289,1292,4,'20171208','20171211','20171210',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1290,967,4,'20171208','20171210','20171210',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1291,1284,4,'20171209','20171211','20171212',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1292,285,4,'20171210','20171213','20171211',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1293,1401,4,'20171210','20171212','20171211',2,7); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1294,947,4,'20171211','20171213','20171214',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1295,37,4,'20171211','20171212','20171214',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1296,231,4,'20171214','20171217','20171215',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1297,108,4,'20171214','20171217','20171216',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1298,533,4,'20171214','20171217','20171216',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1299,1216,4,'20171215','20171218','20171216',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1300,824,4,'20171215','20171217','20171217',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1301,1088,4,'20171216','20171219','20171219',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1302,322,4,'20171216','20171218','20171219',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1303,878,4,'20171216','20171219','20171218',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1304,1409,4,'20171216','20171217','20171217',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1305,257,4,'20171217','20171219','20171218',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1306,28,4,'20171220','20171221','20171222',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1307,1384,4,'20171222','20171223','20171225',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1308,713,4,'20171222','20171224','20171224',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1309,821,4,'20171222','20171225','20171224',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1310,444,4,'20171224','20171225','20171226',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1311,1021,4,'20171224','20171226','20171227',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1312,311,4,'20171225','20171228','20171226',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1313,1294,4,'20171225','20171227','20171227',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1314,1027,4,'20171225','20171226','20171228',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1315,931,4,'20171225','20171227','20171228',3,9); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1316,846,4,'20171226','20171229','20171227',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1317,418,4,'20171227','20171228','20171229',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1318,75,4,'20171227','20171230','20171229',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1319,604,4,'20171227','20171230','20171230',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1320,244,4,'20171228','20171230','20171229',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1321,217,4,'20171230','20171231','20171231',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1322,39,4,'20171231','20180103','20180102',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1323,273,4,'20171231','20180101','20180101',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1324,862,4,'20180101','20180104','20180103',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1325,68,4,'20180101','20180102','20180103',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1326,567,4,'20180101','20180103','20180102',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1327,1026,4,'20180102','20180103','20180105',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1328,1083,4,'20180102','20180103','20180103',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1329,443,4,'20180104','20180105','20180106',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1330,761,4,'20180104','20180105','20180107',2,7); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1331,1122,4,'20180105','20180106','20180108',2,6); INSERT INTO sales orders (order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1332,256,4,'20180106','20180107','20180109',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1333,203,4,'20180106','20180107','20180107',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1334,425,4,'20180107','20180109','20180110',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1335,955,4,'20180107','20180108','20180108',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1336,904,4,'20180109','20180110','20180112',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1337,970,4,'20180109','20180112','20180112',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1338,905,4,'20180110','20180111','20180113',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1339,580,4,'20180111','20180114','20180113',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1340,1066,4,'20180112','20180113','20180113',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1341,1258,4,'20180112','20180113','20180114',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1342,1393,4,'20180112','20180113','20180115',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1343,594,4,'20180113','20180115','20180114',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1344,916,4,'20180113','20180116','20180115',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1345,1037,4,'20180114','20180115','20180115',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1346,136,4,'20180114','20180115','20180115',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1347,247,4,'20180115','20180118','20180118',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1348,1214,4,'20180115','20180117','20180117',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1349,464,4,'20180115','20180117','20180116',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1350,637,4,'20180115','20180118','20180117',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1351,1016,4,'20180116','20180119','20180119',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1352,1433,4,'20180116','20180118','20180118',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1353,502,4,'20180117','20180119','20180118',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1354,476,4,'20180119','20180120','20180121',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1355,1010,4,'20180119','20180121','20180120',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1356,1161,4,'20180119','20180121','20180122',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1357,440,4,'20180120','20180123','20180121',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1358,253,4,'20180121','20180123','20180124',1,2); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1359,1008,4,'20180121','20180122','20180122',3,9); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1360,71,4,'20180122','20180125','20180124',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1361,1084,4,'20180122','20180124','20180123',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1362,310,4,'20180123','20180124','20180125',2,6); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1363,860,4,'20180124','20180125','20180125',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1364,122,4,'20180125','20180128','20180128',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1365,689,4,'20180125','20180128','20180127',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1366,1441,4,'20180126','20180127','20180128',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1367,1118,4,'20180127','20180128','20180128',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1368,765,4,'20180127','20180128','20180129',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1369,92,4,'20180128','20180130','20180130',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1370,115,4,'20180128','20180129','20180129',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1371,937,4,'20180129','20180130','20180201',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1372,1013,4,'20180129','20180201','20180130',2,6); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1373,427,4,'20180129','20180131','20180131',3,9); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1374,1330,4,'20180130','20180201','20180201',1,3); INSERT INTO sales orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1375,312,4,'20180130','20180201','20180201',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1376,1186,4,'20180201','20180202','20180203',1,2); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1377,1007,4,'20180201','20180203','20180203',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1378,983,4,'20180202','20180205','20180204',1,2); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id) VALUES(1379,1256,4,'20180202','20180205',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1380,818,4,'20180205','20180208','20180208',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1381,680,4,'20180205','20180206','20180208',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1382,1303,4,'20180206','20180209','20180208',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1383,488,4,'20180207','20180208','20180208',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1384,1126,4,'20180208','20180210','20180209',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1385,866,4,'20180208','20180211','20180209',3,9); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1386,1254,4,'20180209','20180210','20180211',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1387,11,4,'20180209','20180211','20180211',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1388,323,4,'20180209','20180212','20180212',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1389,491,4,'20180211','20180212','20180214',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1390,63,4,'20180212','20180213','20180213',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1391,914,4,'20180213','20180214','20180214',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1392,1187,4,'20180213','20180214','20180214',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1393,547,4,'20180214','20180215','20180215',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1394,906,4,'20180214','20180216','20180216',3,8); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1395,1052,4,'20180215','20180218','20180216',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1396,856,4,'20180215','20180218','20180216',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1397,920,4,'20180215','20180217','20180216',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1398,1383,4,'20180216','20180219','20180219',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1399,146,4,'20180216','20180218','20180218',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1400,987,4,'20180217','20180218','20180218',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1401,15,4,'20180218','20180219','20180220',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1402,1171,4,'20180219','20180221','20180221',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1403,452,4,'20180221','20180222','20180222',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1404,1240,4,'20180223','20180226','20180224',1,3); INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1405,100,4,'20180225','20180228','20180227',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1406,1053,4,'20180225','20180227','20180227',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1407,18,3,'20180226','20180226',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1408,1172,4,'20180226','20180227','20180301',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1409,21,4,'20180226','20180228','20180228',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1410,1005,4,'20180227','20180228','20180228',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1411,109,4,'20180301','20180302','20180302',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1412,1043,4,'20180301','20180302','20180304',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1413,56,4,'20180301','20180303','20180304',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1414,293,4,'20180303','20180305','20180306',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1415,839,4,'20180303','20180304','20180305',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1416,566,4,'20180303','20180304','20180306',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1417,300,4,'20180304','20180306','20180307',1,2); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1418,364,4,'20180304','20180305','20180307',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1419,474,4,'20180304','20180307','20180307',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1420,838,4,'20180304','20180305','20180307',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1421,1176,4,'20180305','20180307','20180307',2,7); INSERT INTO sales orders (order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1422,599,4,'20180305','20180306','20180308',3,8); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1423,1231,4,'20180306','20180307','20180307',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1424,1445,4,'20180307','20180310','20180310',1,2); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1425,126,4,'20180307','20180309','20180309',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1426.938.4.'20180307'.'20180308'.'20180310'.2.6): INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1427,999,4,'20180307','20180308','20180308',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped date, store id.staff id)
VALUES(1428,195,4,'20180308','20180310','20180311',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1429,1116,4,'20180308','20180309','20180309',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1430,1239,4,'20180310','20180313','20180311',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1431,308,4,'20180311','20180312','20180314',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1432,483,4,'20180311','20180312','20180314',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff id)
VALUES(1433,1142,4,'20180311','20180313','20180312',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1434,595,4,'20180314','20180316','20180316',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1435,744,4,'20180314','20180315','20180316',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1436,1044,4,'20180314','20180317','20180316',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1437,518,4,'20180315','20180316','20180316',1,2); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1438,263,4,'20180315','20180317','20180316',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1439,463,4,'20180315','20180316','20180317',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1440,859,4,'20180315','20180318','20180316',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1441,982,4,'20180315','20180316','20180318',3,8); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1442,478,4,'20180316','20180317','20180317',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1443,972,4,'20180316','20180317','20180317',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1444,1154,4,'20180316','20180317','20180319',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1445,515,4,'20180317','20180318','20180320',2,7); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1446,820,4,'20180317','20180318','20180318',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1447,1419,4,'20180318','20180320','20180320',1,3); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1448,228,4,'20180318','20180319','20180321',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1449,330,4,'20180318','20180319','20180320',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1450,296,4,'20180319','20180320','20180322',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1451,822,4,'20180319','20180322','20180320',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1452,287,4,'20180320','20180323','20180323',1,3); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1453,601,4,'20180320','20180323','20180322',1,3); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1454,395,4,'20180320','20180321','20180322',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1455,405,4,'20180320','20180322','20180321',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1456,754,4,'20180320','20180321','20180323',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1457,1411,4,'20180320','20180323','20180323',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1458,1029,4,'20180320','20180322','20180321',3,8); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1459,9,4,'20180321','20180322','20180322',2,7); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped date, store id.staff id)
VALUES(1460,1131,4,'20180321','20180323','20180323',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1461,139,4,'20180322','20180325','20180323',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1462,1101,4,'20180322','20180324','20180324',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1463,692,4,'20180323','20180324','20180324',2,7); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1464,1279,4,'20180324','20180325','20180325',2,7); INSERT INTO sales orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1465,623,4,'20180325','20180328','20180328',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1466,738,4,'20180326','20180329','20180328',1,3); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1467,152,4,'20180326','20180327','20180329',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1468,3,4,'20180327','20180330','20180329',1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1469,1135,4,'20180327','20180328','20180330',3,8); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1470,505,4,'20180328','20180331','20180331',2,7); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1471,1310,4,'20180328','20180330','20180329',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1472,114,4,'20180329','20180330','20180331',2,6); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1473.302.4.'20180330'.'20180401'.'20180402'.1.2): INSERT INTO sales.orders(order id.
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1474,816,4,'20180330','20180401','20180402',1,3); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped date, store id.staff id)
VALUES(1475,112,4,'20180330','20180401','20180331',2,6); INSERT INTO sales.orders(order_id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1476,35,4,'20180331','20180401','20180401',2,7); INSERT INTO sales.orders(order_id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1477,180,4,'20180331','20180403','20180401',2,6); INSERT INTO sales.orders(order id,
customer_id, order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1478,392,4,'20180331','20180402','20180402',2,6); INSERT INTO sales.orders(order id,
customer id, order status, order date, required date, shipped date, store id, staff id)
VALUES(1479,23,2,'20180401','20180401',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1480,27,2,'20180401','20180401',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1481,62,1,'20180401','20180401',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1482,94,1,'20180401','20180401',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1483,15,1,'20180402','20180402',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1484,35,2,'20180402','20180402',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required_date, shipped_date, store_id,staff_id)
VALUES(1485,51,2,'20180402','20180402',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1486,84,2,'20180402','20180402',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1487,33,1,'20180403','20180403',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1488,181,2,'20180403','20180403',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1489,194,1,'20180403','20180403',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1490,217,2,'20180403','20180403',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1491,82,1,'20180404','20180404',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1492,41,1,'20180404','20180404',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1493,64,2,'20180404','20180404',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1494,69,2,'20180405','20180405',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1495,86,2,'20180405','20180405',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1496,3,1,'20180406','20180406',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1497,31,2,'20180406','20180406',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1498,81,1,'20180406','20180406',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1499,120,2,'20180406','20180406',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1500,151,2,'20180406','20180406',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1501,52,1,'20180406','20180406',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1502,83,2,'20180406','20180406',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1503,208,2,'20180407','20180407',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1504,237,2,'20180408','20180408',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1505,22,1,'20180408','20180408',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1506,75,1,'20180408','20180408',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1507,85,2,'20180408','20180408',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1508,92,2,'20180408','20180408',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1509,2,1,'20180409','20180409',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1510,16,2,'20180409','20180409',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1511,25,1, 20180409', 20180409', NULL, 2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1512,68,1,'20180409','20180409',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1513,32,2,'20180410','20180410',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1514,87,2,'20180410','20180410',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1515,61,1, '20180410', '20180410', NULL, 3,9); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1516,47,2,'20180411','20180411',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1517,97,1,'20180411','20180411',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1518,175,1,'20180411','20180411',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1519,26,2,'20180411','20180411',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1520,66,2,'20180411','20180411',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1521,53,1,'20180412','20180412',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1522,78,1,'20180412','20180412',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1523,8,1,'20180412','20180412',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1524,37,1, '20180412', '20180412', NULL, 2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1525,38,2,'20180412','20180412',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1526,59,2,'20180412','20180412',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1527,13,2,'20180412','20180412',NULL,3,9); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1528,20,1,'20180412','20180412',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1529,50,1,'20180412','20180412',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1530,110,1,'20180413','20180413',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1531,233,1,'20180413','20180413',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1532,7,2,'20180413','20180413',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1533,28,2,'20180413','20180413',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1534,18,2,'20180414','20180414',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1535,19,2,'20180414','20180414',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1536,34,2,'20180414','20180414',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1537,36,1,'20180415','20180415',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1538,79,2,'20180415','20180415',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1539,116,1,'20180415','20180415',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1540,187,1,'20180416','20180416',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1541,10,2,'20180416','20180416',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required_date, shipped_date, store_id,staff_id)
VALUES(1542,58,2,'20180416','20180416',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1543,76,1,'20180416','20180416',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1544,5,1,'20180417','20180417',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1545,67,1,'20180417','20180417',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1546,91,2,'20180417','20180417',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1547,169,1,'20180417','20180417',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1548,170,1,'20180417','20180417',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1549,17,1,20180417','20180417',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1550,39,1,'20180417','20180417',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1551,70,1,'20180417','20180417',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1552,73,1,'20180417','20180417',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1553,30,2,'20180418','20180418',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1554,172,1,'20180418','20180418',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1555,1,1,'20180418','20180418',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1556,4,2,'20180418','20180418',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1557,121,2,'20180419','20180419',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1558,63,1,'20180419','20180419',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1559,42,2,'20180420','20180420',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1560,57,1,'20180420','20180420',NULL,2,7); INSERT INTO sales.orders(order id, customer id.
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1561,65,2,'20180420','20180420',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1562,88,1,'20180420','20180420',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1563,77,2,'20180420','20180420',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
```

```
VALUES(1564,46,1,'20180421','20180421',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1565,60,2,'20180421','20180421',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1566,72,1,'20180421','20180421',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1567,89,2,'20180421','20180421',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1568,192,2,'20180421','20180421',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1569,29,2,'20180422','20180422',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1570,54,2,'20180422','20180422',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1571,80,1,'20180422','20180422',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1572,14,1,'20180422','20180422',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1573,24,2,'20180423','20180423',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1574,124,1,'20180423','20180423',NULL,1,2); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1575,224,2,'20180423','20180423',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1576,12,2,'20180423','20180423',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1577,48,1,'20180423','20180423',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1578,93,2,'20180423','20180423',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1579,104,2,'20180424','20180424',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1580,191,2,'20180424','20180424',NULL,1,2); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1581,188,2,'20180425','20180425',NULL,1,2); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1582,240,1,'20180425','20180425',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1583,44,1,'20180425','20180425',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1584,109,2,'20180426','20180426',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1585,157,1,'20180426','20180426',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1586,176,1,'20180426','20180426',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1587,231,2,'20180426','20180426',NULL,1,2); INSERT INTO sales orders (order id, customer id,
order_status, order_date, required_date, shipped date, store id.staff id)
VALUES(1588,11,1,120180426',120180426',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1589,40,2,'20180427','20180427',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1590,138,1,'20180427','20180427',NULL,1,3); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1591,165,2,'20180427','20180427',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1592,6,2,'20180427','20180427',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1593,9,1,'20180427','20180427',NULL,2,6); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1594,45,1,'20180428','20180428',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1595,71,2,'20180428','20180428',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
```

```
VALUES(1596,21,2,'20180428','20180428',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1597,56,1,'20180428','20180428',NULL,3,9); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(1598,239,2,'20180429','20180429',NULL,1,3); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1599,49,1,'20180429','20180429',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1600,90,1,'20180429','20180429',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1601,43,1,'20180429','20180429',NULL,3,8); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1602,55,1,'20180430','20180430',NULL,2,6); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1603,74,2,'20180430','20180430',NULL,2,6); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1604,7,3,'20180617','20180617',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1605,123,3,'20180701','20180701',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1606,119,3,'20180710','20180710',NULL,3,8); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1607,33,3,'20180711','20180711',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1608,53,3,'20180712','20180712',NULL,1,2); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1609,10,3,'20180823','20180823',NULL,2,7); INSERT INTO sales.orders(order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1610,15,3,'20180825','20180825',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1611,6,3,'20180906','20180906',NULL,2,7); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store_id,staff_id)
VALUES(1612,3,3,'20181021','20181021',NULL,1,3); INSERT INTO sales.orders(order_id, customer_id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1613,1,3, 20181118', 20181118', NULL, 2,6); INSERT INTO sales orders (order id, customer id,
order status, order date, required date, shipped date, store id, staff id)
VALUES(1614,135,3,'20181128','20181128',NULL,3,8); INSERT INTO sales.orders(order_id, customer_id,
order_status, order_date, required_date, shipped_date, store id,staff id)
VALUES(1615,136,3,'20181228','20181228',NULL,3,8); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1,1,20,1,599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1,2,8,2,1799.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1,4,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1,5,4,1,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(2,1,20,1,599.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(2,2,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(3,1,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(3,2,20,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(4,1,2,2,749.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(5,1,10,2,1549.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(5,2,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(5,3,26,1,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(6,1,18,1,449.00,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(6,2,12,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(6,3,20,1,599.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(6,4,3,2,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(6,5,9,2,2999.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(7,1,15,1,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(7,2,3,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(7,3,17,2,429,00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(8,1,22,1,269.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(8,2,20,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(9,1,7,2,3999.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(10,1,14,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(11,1,8,1,1799.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(11,2,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(11,3,16,2,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(12,1,4,2,2899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(12,2,11,1,1680.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(13,1,13,1,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(13,2,17,2,429.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(13,3,20,2,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(13,4,16,2,599.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(14,1,6,1,469.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(15,1,12,2,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(15,2,8,1,1799.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(15,3,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(15,4,23,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(16,1,8,1,1799.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(16,2,21,1,269.99,0.05);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(16,3,13,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(16,4,14,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(17,1,8,1,1799.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(17,2,23,1,299.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(17,3,5,1,1320.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(17,4,20,2,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(18,1,2,2,749,99,0,2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(18,2,22,1,269.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(18,3,7,1,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(18,4,25,2,499.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(18,5,9,2,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(19,1,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(19,2,9,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(20,1,9,1,2999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(20,2,10,2,1549.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(21,1,14,1,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price discount) VALUES(21,2,17,1,429.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(21,3,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(22,1,15,2,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(22,2,22,1,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(23,1,4,2,2899.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(23,2,23,2,299.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(23,3,13,1,269.99,0.2); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(24,1,3,2,999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(24,2,18,2,449.00,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(25,1,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(25,2,10,2,1549,00,0,2); INSERT INTO sales, order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(25,3,22,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(25,4,14,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(25,5,21,1,269,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(26,1,7,1,3999.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(26,2,2,1,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(26,3,12,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(26,4,21,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(27,1,5,1,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(27,2,19,1,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(27,3,26,2,599.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(27,4,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(28,1,5,1,1320.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(28,2,7,2,3999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(28,3,14,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(28,4,6,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(29,1,24,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(29,2,6,1,469,99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(29,3,21,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(29,4,8,1,1799.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(29,5,14,2,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(30,1,26,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(30,2,17,1,429.00,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(30,3,19,1,449.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (30,4,4,1,2899.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(30,5,7,2,3999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(31,1,11,2,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(31,2,9,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(32,1,8,2,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(32,2,12,2,549.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(32,3,25,2,499,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity, list pri
VALUES(33,1,23,2,299.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(33,2,7,1,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(34,1,8,2,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(34,2,10,2,1549.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(34,3,17,2,429.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(35,1,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(35,2,20,2,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(35,3,5,1,1320.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(35,4,21,2,269.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(35,5,22,1,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(36,1,9,1,2999,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(36,2,5,1,1320.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(36,3,3,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(37,1,16,2,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(38,1,7,2,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(38,2,23,1,299.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(38,3,25,1,499.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(38,4,10,2,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(38,5,24,1,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(39,1,22,2,269.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(39,2,16,2,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(39,3,3,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(39,4,15,1,529.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(40,1,17,1,429.00,0.2);
```

```
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(40,2,8,2,1799.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(41,1,5,1,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(41,2,19,2,449.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(41,3,26,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(42,1,19,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(43,1,13,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(43,2,12,2,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(44,1,7,1,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(44,2,16,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(45,1,4,2,2899.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(45,2,22,1,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(45,3,21,2,269.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(46,1,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(47,1,6,1,469.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(47,2,15,1,529.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(47,3,25,2,499.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(47,4,13,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(48,1,11,1,1680.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(48,2,4,1,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(48,3,5,2,1320.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(48,4,14,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(49,1,13,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(50,1,3,1,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(50,2,26,2,599.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(50,3,13,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(51,1,13,1,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(51,2,20,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(51,3,26,2,599,99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(52,1,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(53,1,8,2,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(53,2,23,2,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(53,3,14,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(53,4,25,2,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(54,1,26,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (54,2,3,1,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(55,1,21,1,269.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(55,2,25,2,499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(55,3,15,2,529.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(56,1,20,2,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(57,1,23,2,299.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(57,2,19,2,449.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (57,3,13,1,269.99,0.07); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(58,1,14,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(58,2,18,1,449.00,0.07);
INSERT INTO sales order items(order id, item id, product id, quantity, list price, discount)
VALUES(58,3,23,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(59,1,21,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (59, 2, 2, 1, 749.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(59,3,17,2,429.00,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(60,1,14,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(60,2,4,1,2899.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(60,3,15,1,529.99,0.07); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(60,4,22,1,269,99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(61,1,25,1,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(61,2,15,2,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(61,3,5,2,1320.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(62,1,14,1,269.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(62,2,8,2,1799.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(62,3,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(63,1,25,2,499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(63,2,19,2,449.00,0.05);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(63,3,3,1,999.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(64,1,25,2,499.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(64,2,22,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(64,3,23,2,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(64,4,24,2,549.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(65,1,12,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(66,1,2,1,749.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(66,2,23,1,299.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(66,3,12,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(67,1,23,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(67,2,12,2,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(67,3,21,1,269.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(67,4,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(67,5,19,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(68,1,13,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(68,2,17,1,429.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(69,1,22,2,269.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(69,2,5,1,1320.99,0.2); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(69,3,10,1,1549.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(70,1,3,2,999.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(70,2,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(70,3,20,1,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(71,1,26,2,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(71,2,24,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(71,3,18,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(72,1,17,2,429.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(72,2,12,1,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(72,3,13,2,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(73,1,22,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(73,2,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(73,3,3,2,999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(73,4,25,1,499.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(73,5,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(74,1,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(74,2,6,1,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(75,1,3,1,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(75,2,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(75,3,15,1,529.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(76,1,12,1,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(76,2,11,2,1680.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(76,3,5,1,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(77,1,20,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(77,2,24,2,549,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(77,3,26,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(77,4,25,1,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(78,1,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(78,2,19,1,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(78,3,18,2,449.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(78,4,14,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(79,1,9,2,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(79,2,17,2,429.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(79,3,6,1,469.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(79,4,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(80,1,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(80,2,24,1,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(80,3,17,1,429.00,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(81,1,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(81,2,23,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(81,3,25,2,499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(82,1,25,2,499.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(82,2,11,2,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(83,1,20,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(83,2,3,2,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(84,1,23,2,299.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(84,2,15,2,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(85,1,4,2,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(85,2,18,1,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(86,1,9,2,2999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(86,2,23,2,299.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price_discount) VALUES(86,3,21,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(86,4,15,1,529.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(87,1,20,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(87,2,23,2,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(88,1,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(88,2,8,2,1799.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(88,3,7,1,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(89,1,5,1,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(89,2,6,2,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES (90,1,3,1,999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(90,2,6,1,469.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(91,1,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(91,2,25,1,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(91,3,15,2,529.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(91,4,13,2,269.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(92,1,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(93,1,22,2,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(93,2,17,1,429.00,0.05); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(93,3,21,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(93,4,2,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (93,5,10,2,1549.00,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(94,1,12,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(94,2,4,1,2899.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(94,3,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES (94,4,21,2,269,99,0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(95,1,10,2,1549.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(95,2,19,1,449.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(95,3,8,2,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(95,4,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(96,1,26,1,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(96,2,23,1,299.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(97,1,20,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(97,2,2,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (97,3,6,2,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(97,4,19,1,449.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(98,1,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(98,2,21,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(98,3,2,1,749.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(98,4,22,2,269.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(99,1,13,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (99,2,21,1,269.99,0.2); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(99,3,25,2,499.99,0.05); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(99,4,7,2,3999.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(99,5,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (100,1,12,2,549.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(100,2,11,2,1680.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(100, 3, 7, 2, 3999.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(100,4,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(100,5,24,2,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(101,1,12,2,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(102,1,15,1,529.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(102,2,22,1,269.99,0.07); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(103,1,17,1,429.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(103,2,3,1,999.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(103,3,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(103,4,15,2,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(103,5,9,2,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(104,1,19,2,449.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(104,2,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (105, 1, 11, 2, 1680.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(105,2,3,1,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(105,3,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(106,1,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(106,2,13,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(107,1,19,1,449.00,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(107,2,13,2,269.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES(108,1,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(108,2,22,2,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(108,3,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(109,1,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(109,2,6,1,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(110,1,14,1,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(111,1,14,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(111,2,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(112,1,23,2,299.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(112,2,25,2,499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(112,3,24,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(112,4,5,1,1320.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(113,1,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(113,2,24,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(113,3,6,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(113,4,23,1,299.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(113,5,5,2,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(114,1,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(114,2,2,1,749.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(114,3,13,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(115,1,22,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(115,2,19,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(116,1,26,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(117,1,22,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(117,2,26,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(117,3,14,1,269.99,0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(117,4,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(118,1,18,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(118,2,4,1,2899.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(118,3,6,1,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(118,4,3,2,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(118,5,23,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(119,1,25,1,499.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(120,1,13,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(120,2,6,2,469.99,0.05);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(120,3,10,2,1549,00,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(120,4,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(120,5,16,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(121,1,5,1,1320.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(121,2,14,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(121,3,4,2,2899.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(121,4,24,2,549.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(121,5,2,2,749.99,0.05);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(122,1,16,1,599.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(123,1,12,2,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(124,1,16,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(124,2,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(124,3,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(125,1,17,1,429.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(126,1,9,2,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(127,1,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(127,2,20,1,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(127,3,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(128,1,24,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(128,2,16,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(128,3,4,2,2899.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(128,4,3,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(129,1,18,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(129,2,9,1,2999.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(130,1,26,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(130,2,5,2,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(131,1,22,2,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(131,2,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(131,3,24,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(132,1,2,2,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(132,2,20,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(132,3,9,1,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(133,1,13,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(133,2,22,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(134,1,19,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(134,2,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(134,3,18,2,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(135,1,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(135,2,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(135,3,25,1,499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(135,4,2,1,749.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(136,1,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(136,2,3,2,999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(137,1,23,1,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(137,2,22,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(138,1,16,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(138,2,6,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(139,1,19,2,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(139,2,3,1,999.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(140,1,15,1,529.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(140,2,21,1,269,99,0,2); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(140,3,12,2,549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(140,4,3,1,999.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(141,1,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(142,1,16,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(142,2,11,2,1680.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(142,3,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(143,1,6,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(144,1,8,2,1799.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(145,1,11,1,1680.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(145,2,9,2,2999.99,0.1); INSERT INTO sales.order items(order id. item id.
product_id, quantity, list_price, discount) VALUES(146,1,3,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(146,2,12,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(146,3,20,2,599.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (146,4,6,2,469.99,0.05); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(146,5,2,1,749.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(147,1,26,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(148,1,14,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(149,1,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(149, 2, 21, 2, 269.99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(150,1,7,1,3999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(150,2,3,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(150,3,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(150,4,25,2,499.99,0.07); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(151,1,17,1,429,00,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(151,2,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(152,1,6,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(152,2,22,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(152,3,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(153,1,16,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(153,2,8,1,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(153,3,15,2,529.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(154,1,12,1,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(155,1,8,1,1799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(156, 1, 18, 2, 449.00, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(156,2,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(156,3,6,1,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(157,1,4,1,2899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(157,2,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(158,1,24,1,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(159,1,13,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(160,1,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(160, 2, 15, 2, 529.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(160,3,18,2,449.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(160,4,11,1,1680.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(161,1,24,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(161,2,22,1,269.99,0.05); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(161,3,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(162,1,18,1,449.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(162,2,21,2,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(162,3,3,2,999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(163,1,12,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(163,2,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(164, 1, 4, 2, 2899.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(164,2,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(164,3,14,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(165,1,4,2,2899.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(165,2,23,1,299.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(165,3,2,1,749.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(166,1,10,2,1549.00,0.1); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price.discount) VALUES(166,2,11,1,1680.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(167,1,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(167,2,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(167,3,13,2,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(167,4,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(168,1,6,1,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(168,2,11,2,1680.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(168,3,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(168,4,22,2,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(169,1,20,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(169,2,5,1,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(169,3,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(169,4,11,1,1680.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(169,5,14,2,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(170,1,12,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(170,2,24,1,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(170,3,7,1,3999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(170,4,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(171,1,8,1,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(172,1,23,1,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(172,2,16,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(173,1,14,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(173,2,16,1,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(173,3,20,2,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(174,1,22,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(174,2,19,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(175,1,5,1,1320.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(175,2,2,2,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(175,3,21,2,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(175,4,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(176,1,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(176,2,11,2,1680.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(176,3,16,2,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(177,1,20,2,599.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(178,1,10,2,1549.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(178,2,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(178,3,3,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(178,4,18,1,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(179,1,13,2,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(179,2,26,1,599,99,0.1); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(179,3,18,1,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(179,4,12,2,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(179,5,20,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(180,1,16,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(181,1,10,1,1549.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(181,2,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(181,3,15,2,529.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(181,4,24,2,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(182,1,25,2,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(182,2,24,2,549,99,0.07); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(183,1,11,2,1680.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(183,2,12,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(183,3,19,1,449.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(183,4,17,1,429.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(184,1,4,1,2899.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(184,2,5,1,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(184,3,14,1,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(185,1,20,1,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(185,2,8,1,1799.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(186,1,4,1,2899.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(186,2,6,1,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(187,1,5,1,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price_discount) VALUES(188,1,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(189,1,16,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(190,1,24,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(190,2,15,1,529.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(190,3,3,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(191,1,25,1,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(191,2,12,2,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(191,3,3,1,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(191,4,8,2,1799.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(191,5,23,1,299.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(192,1,8,2,1799,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(192,2,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(192,3,2,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(192,4,24,2,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(192,5,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(193,1,12,2,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(194,1,21,2,269.99,0.2); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(195,1,18,1,449.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(195,2,14,1,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(195,3,5,2,1320.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(195,4,4,2,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(195,5,21,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(196,1,6,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(196,2,3,2,999,99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(196,3,10,2,1549.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(196,4,12,1,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(196,5,20,1,599,99,0.1); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(197,1,4,2,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(197,2,2,2,749.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(198,1,6,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(198,2,20,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(198,3,8,2,1799.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(198,4,13,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(198,5,17,1,429.00,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(199,1,25,2,499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(199,2,18,2,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(199,3,4,1,2899.99,0.2); INSERT INTO sales, order items (order id., item id.,
product_id, quantity, list_price, discount) VALUES(200,1,23,2,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(200,2,22,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (201,1,24,1,549.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(201,2,7,1,3999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(201,3,14,2,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(201,4,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (202, 1, 8, 1, 1799, 99, 0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(202, 2, 17, 1, 429.00, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(202,3,15,2,529.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (202, 4, 25, 2, 499, 99, 0.05); INSERT INTO sales, order items (order id., item id.,
product_id, quantity, list_price, discount) VALUES(203,1,26,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(203,2,3,2,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(203,3,17,2,429,00,0,2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (203, 4, 19, 2, 449.00, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(204,1,6,2,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(204,2,17,2,429.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(205,1,22,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(205,2,24,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(206,1,25,1,499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(206,2,20,1,599.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(207,1,12,2,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (207, 2, 5, 1, 1320.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(207,3,11,2,1680.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(207,4,7,2,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(208,1,6,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(208,2,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(208,3,3,1,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(208,4,12,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(208,5,10,2,1549.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(209,1,13,1,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(210,1,14,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(210,2,13,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(211,1,10,1,1549.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(211,2,2,2,749.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(212,1,16,2,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(212,2,12,2,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(212,3,19,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(212,4,7,1,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(213,1,13,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(214,1,21,1,269.99,0.1);
INSERT INTO sales order items(order id, item id, product id, quantity, list price, discount)
VALUES(215,1,19,1,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(215,2,12,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(216,1,22,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(216,2,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(217,1,18,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(217,2,10,2,1549.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(217,3,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(218,1,2,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(218,2,13,1,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(218,3,12,1,549.99,0.05); INSERT INTO sales order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(219,1,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(219,2,5,1,1320.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(220,1,6,2,469.99,0.05);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(220,2,25,1,499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(220,3,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(220,4,3,2,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(221,1,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(222,1,10,1,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(222,2,2,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(223,1,7,2,3999,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(223,2,5,1,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(223,3,21,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(223,4,20,1,599,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(223,5,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(224,1,6,1,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(224,2,11,2,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(224,3,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(224,4,25,1,499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(225,1,21,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(225,2,9,1,2999.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES(226,1,2,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(227,1,3,2,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(227,2,15,2,529.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(228,1,25,1,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(228,2,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(228,3,23,2,299.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(228,4,4,1,2899.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(228,5,22,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(229,1,25,2,499.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(229, 2, 5, 2, 1320, 99, 0.1); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(229,3,8,1,1799.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(230,1,11,2,1680.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(231,1,8,2,1799.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(231,2,14,2,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(231,3,5,2,1320.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(232,1,18,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(232,2,11,2,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(232,3,26,2,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(232,4,8,2,1799.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(233,1,14,1,269.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(233,2,16,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(233,3,12,1,549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(233,4,15,2,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(234,1,11,2,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(234,2,17,2,429.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(234,3,12,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(234,4,7,1,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(234,5,23,1,299.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(235,1,6,1,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(235,2,13,2,269.99,0.05); INSERT INTO sales order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(235,3,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(236,1,3,2,999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(236,2,2,749.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(236,3,4,2,2899.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES(237,1,15,1,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(237,2,24,1,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(237,3,20,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(237,4,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(238,1,20,2,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(238,2,25,1,499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(238,3,13,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(238,4,22,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(238,5,7,1,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(239,1,16,2,599,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(239,2,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(239,3,18,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(239,4,4,2,2899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(240,1,9,1,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(240,2,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(240,3,5,1,1320.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(240,4,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(241,1,7,1,3999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(242,1,3,1,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(243,1,25,2,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(243,2,19,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(243,3,7,2,3999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(244,1,19,1,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(244,2,25,1,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(244,3,22,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(245,1,10,2,1549.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(245,2,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(246,1,17,2,429.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(247,1,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(247,2,3,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(248,1,13,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(248,2,26,2,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(248,3,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(248,4,9,1,2999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(249,1,7,2,3999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(249,2,18,2,449.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(249,3,22,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(250,1,17,2,429.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(250,2,11,2,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(251,1,23,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(251,2,22,2,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(252,1,11,2,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(252,2,4,1,2899.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(252,3,19,1,449.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(253,1,11,2,1680.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(254,1,6,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(254,2,3,1,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(254,3,12,1,549.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(255,1,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(255,2,14,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(255,3,2,2,749.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(255,4,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(256,1,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(256,2,21,1,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(257,1,8,2,1799,99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(257,2,13,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(257,3,10,2,1549.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(257,4,15,1,529.99,0.1);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(258,1,8,2,1799.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(258,2,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(258,3,19,1,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(258,4,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(259,1,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(259, 2, 6, 2, 469.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(259,3,2,2,749.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(259,4,4,1,2899.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(260,1,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(260,2,10,1,1549.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(260,3,24,2,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(261,1,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(261,2,14,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(261,3,17,2,429.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(262,1,2,1,749.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(262,2,9,2,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(263,1,9,1,2999.99,0.07); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(263,2,3,1,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(263,3,2,2,749.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(264,1,10,1,1549.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (264,2,24,2,549.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(264,3,15,2,529.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(264,4,3,2,999.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(265,1,9,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(266,1,6,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(266,2,19,1,449.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(266,3,25,1,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(267,1,22,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(267,2,23,2,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(267,3,24,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(267,4,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(267,5,21,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(268,1,7,1,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(268,2,6,2,469.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(268,3,9,1,2999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (269,1,5,1,1320.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(269,2,23,2,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(269,3,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(269,4,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(270,1,25,2,499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(270,2,15,1,529.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(271,1,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(271,2,6,2,469.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(271,3,13,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(271,4,7,2,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(272,1,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(272,2,11,1,1680.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(273,1,21,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(274,1,11,2,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(274,2,25,2,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(274, 3, 9, 2, 2999, 99, 0, 0, 7); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(275,1,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(275,2,25,1,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(275,3,7,2,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(276,1,3,2,999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(276,2,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(276,3,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(277,1,20,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(277,2,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(277,3,13,2,269.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(278,1,16,1,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(278,2,19,2,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(278,3,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(278,4,11,2,1680.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(279,1,25,1,499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(280,1,25,1,499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(280,2,26,2,599.99,0.07); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(280,3,13,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(281,1,22,1,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(281,2,14,2,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(281, 3, 7, 2, 3999.99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(282,1,20,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(282,2,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(282,3,3,2,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(282,4,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(283,1,9,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(283,2,16,2,599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(284, 1, 24, 2, 549.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(284,2,20,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (285, 1, 16, 2, 599.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(285,2,12,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(285,3,2,1,749.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(286,1,26,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(286,2,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(286,3,16,2,599,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(286,4,7,1,3999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(287,1,5,1,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(287,2,10,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(287,3,2,1,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(287,4,20,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(288,1,4,1,2899.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(288,2,10,1,1549.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(288,3,7,2,3999.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(289,1,13,1,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(289,2,24,1,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(289,3,17,1,429.00,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(290,1,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(290,2,5,2,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(290,3,21,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(291,1,6,2,469.99,0.05);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(291,2,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(292,1,18,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(292,2,4,1,2899.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(292,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(293,1,19,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(293,2,6,1,469.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(294,1,18,1,449.00,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(294,2,14,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (294,3,7,2,3999.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (294,4,25,2,499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(295,1,22,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(296,1,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(296,2,12,2,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(296,3,11,2,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(296,4,9,1,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(297,1,4,2,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(298, 1, 23, 1, 299, 99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(298,2,6,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (298, 3, 22, 1, 269.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(298,4,9,1,2999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(298,5,14,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(299,1,11,2,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(299,2,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(300,1,16,2,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(300,2,9,2,2999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(300,3,10,1,1549.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (300,4,11,2,1680.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(301,1,6,1,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(301,2,22,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(302,1,24,2,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(302,2,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(302,3,2,2,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(303,1,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(303,2,24,2,549.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(304,1,10,1,1549.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(304,2,7,2,3999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(304,3,20,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(305,1,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(305,2,6,1,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(305,3,3,2,999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(306,1,10,1,1549.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(306,2,22,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(307,1,15,2,529.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(308, 1, 7, 1, 3999.99, 0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(308,2,18,2,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(308,3,14,1,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES (309,1,3,1,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(309,2,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(310,1,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(310,2,14,2,269.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(310, 3, 5, 2, 1320, 99, 0, 2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(310,4,8,1,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(311,1,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(311,2,5,2,1320.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(312,1,24,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(312,2,14,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(312,3,16,2,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(313,1,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(313,2,10,2,1549.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(314,1,5,1,1320.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(314,2,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(314,3,22,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(314,4,7,2,3999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(315,1,11,1,1680.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(315,2,9,1,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(316,1,2,2,749.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(316,2,16,2,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(316,3,20,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(316,4,19,1,449.00,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(316,5,17,1,429.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(317,1,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(317,2,22,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(317,3,15,1,529.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(317,4,13,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(318,1,13,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(318,2,25,2,499.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(318,3,9,1,2999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(319,1,11,1,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(319,2,21,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(319,3,15,2,529.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(319,4,23,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(320,1,2,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(321,1,4,2,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(321,2,12,2,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(321,3,26,1,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(321,4,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(322,1,13,2,269,99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(322,2,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(323,1,13,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(323,2,26,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(324,1,2,2,749.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(324,2,17,1,429.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(324,3,22,2,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(324,4,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(324,5,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (325,1,7,1,3999.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(325,2,12,1,549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(325,3,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(326,1,12,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(326,2,23,1,299,99,0.07); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(327,1,12,2,549.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(327,2,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(327,3,4,1,2899.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(328,1,6,2,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(329,1,14,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(329,2,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(329,3,23,1,299.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(329,4,17,1,429.00,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(329,5,26,2,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(330,1,21,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(331,1,17,2,429.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(332,1,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(333,1,18,2,449.00,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(333,2,8,2,1799.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(333,3,3,1,999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(334,1,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(334,2,9,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(334,3,3,2,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(335,1,6,1,469.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(335,2,2,2,749.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(335,3,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(336,1,4,1,2899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(336,2,12,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(337,1,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(337,2,4,1,2899.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(338,1,6,2,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(338,2,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(338,3,22,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(338,4,11,2,1680.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(338,5,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(339,1,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(339,2,15,2,529.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(340,1,11,1,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(340,2,24,1,549.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(340,3,13,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(340,4,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(340,5,10,2,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(341,1,23,2,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(342,1,26,1,599.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (342,2,9,1,2999.99,0.2); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(342,3,16,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(343,1,20,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(343,2,25,1,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(343,3,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(343,4,10,1,1549.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(344,1,22,1,269,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(344,2,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(344,3,14,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(345,1,18,2,449.00,0.1);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(345,2,24,2,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(346,1,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(346,2,23,1,299.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(346,3,21,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(346,4,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(346,5,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(347,1,23,1,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(348,1,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (348, 2, 15, 2, 529.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(349,1,20,2,599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(350, 1, 6, 2, 469.99, 0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(350,2,20,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(350,3,3,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(351,1,4,2,2899.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(351,2,24,2,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(351,3,20,1,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(351,4,22,2,269.99,0.07); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(352,1,11,1,1680.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(352,2,14,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(353,1,2,2,749.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (354,1,21,1,269.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(354,2,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(355,1,16,1,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(355,2,14,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(356,1,23,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(356,2,4,1,2899.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(356,3,13,1,269,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(357,1,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(357,2,21,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(357,3,24,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (357,4,9,1,2999.99,0.05); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(358,1,21,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(358,2,6,2,469.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(358,3,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(358,4,18,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(359,1,15,2,529.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(359,2,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(359,3,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(360,1,26,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(360,2,7,2,3999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(360,3,13,2,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(360,4,25,1,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(361,1,24,2,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(361,2,6,2,469.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(361,3,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (362,1,2,1,749.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(363,1,21,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(363,2,14,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(363,3,15,1,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(363,4,20,1,599.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(364,1,25,2,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(365,1,24,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(366,1,21,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(366,2,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(366,3,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(367,1,26,2,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(367,2,14,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(367,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (368, 1, 5, 1, 1320.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(368,2,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(368,3,21,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(368,4,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(369,1,10,2,1549.00,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(370,1,25,2,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(370,2,4,2,2899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(371,1,14,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(371,2,12,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(372,1,11,1,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(372,2,14,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(372,3,5,1,1320.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(373,1,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(373,2,22,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(373,3,19,2,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(373,4,12,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(373,5,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(374,1,10,1,1549.00,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(374,2,7,1,3999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(375,1,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(375,2,2,2,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(375,3,4,2,2899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(375,4,12,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(376,1,2,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(376,2,23,2,299.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(377,1,8,1,1799.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (377,2,14,1,269.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(378,1,26,2,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(379,1,9,1,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(379,2,16,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(380,1,16,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(380,2,11,2,1680.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(381,1,21,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(382,1,8,1,1799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(382,2,9,1,2999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(382,3,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (383,1,19,1,449.00,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(383,2,22,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(383,3,13,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(383,4,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(383,5,14,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(384,1,20,1,599,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(384,2,21,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(384,3,8,1,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(384,4,15,1,529.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES (384,5,4,1,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(385,1,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(385,2,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(385,3,26,2,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(386, 1, 8, 1, 1799.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(386,2,3,2,999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(386,3,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(387,1,18,1,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(388,1,19,2,449.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(388,2,13,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(388,3,2,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(388,4,11,1,1680.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(389,1,2,1,749.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(389,2,15,2,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(389,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(389,4,5,1,1320.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(389,5,9,1,2999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(390,1,23,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(390,2,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(390,3,9,1,2999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(391,1,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (391,2,5,2,1320.99,0.2); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(391,3,24,2,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(392,1,14,2,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(392,2,3,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(393,1,6,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(394,1,23,1,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(394,2,16,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(394,3,14,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(395,1,14,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(396,1,12,1,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(396,2,25,2,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (396, 3, 5, 1, 1320.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id. quantity, list price, discount) VALUES(397,1,7,1,3999,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(398,1,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(398,2,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (398, 3, 25, 1, 499, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(398,4,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(399,1,25,1,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(399,2,11,2,1680.99,0.05); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(399,3,14,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(400,1,24,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(400,2,9,1,2999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(400,3,3,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(401,1,23,1,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(401,2,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(402,1,6,2,469,99,0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(402,2,5,1,1320.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(402,3,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(403,1,12,2,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(403,2,7,2,3999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(403,3,22,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(403,4,24,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(404, 1, 9, 1, 2999, 99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(404,2,25,2,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(404,3,16,2,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(405, 1, 3, 2, 999, 99, 0, 2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(405,2,10,2,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(405,3,14,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(406,1,4,1,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(407,1,20,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(407,2,5,1,1320.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(408,1,18,1,449.00,0.2); INSERT INTO sales. order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(408,2,3,1,999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(408,3,2,2,749.99,0.07);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(408,4,17,2,429.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (409,1,15,1,529.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(409,2,16,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(409,3,21,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(410,1,25,1,499.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(410,2,9,2,2999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(410,3,24,2,549.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(411,1,2,1,749.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(411,2,26,2,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(412,1,7,1,3999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(412,2,24,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(412,3,17,1,429.00,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(413,1,8,2,1799.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(413,2,25,1,499.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(413,3,9,1,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(414,1,4,2,2899.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(415,1,3,1,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(415,2,23,2,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(415,3,5,1,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(415,4,6,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(416,1,22,1,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(416,2,14,1,269.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(416,3,24,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(417,1,26,2,599.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(417,2,6,2,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(418,1,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(418,2,20,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(419,1,9,1,2999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(420,1,17,2,429.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(420,2,15,2,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(420,3,3,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(421,1,6,2,469,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(421,2,3,2,999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(421,3,20,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(421,4,4,1,2899.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(421,5,23,2,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(422,1,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(423,1,8,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(423,2,17,1,429.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(423,3,23,2,299.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(423,4,2,1,749.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(424,1,22,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(424,2,6,1,469.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(425,1,6,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(425,2,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(425,3,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(426,1,10,1,1549.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(426,2,23,2,299.99,0.05); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(427,1,12,2,549.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(427,2,15,2,529.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(427,3,26,2,599.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(428,1,5,2,1320.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(428,2,14,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(429,1,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(429,2,4,2,2899.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(429,3,5,2,1320.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(429,4,6,1,469.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(429,5,2,1,749,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(430,1,22,2,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(430,2,11,1,1680.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(430,3,4,2,2899.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(430,4,13,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(430,5,8,1,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(431,1,14,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(431,2,6,1,469.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(431,3,18,1,449.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(431,4,13,2,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(431,5,19,1,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(432,1,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(432,2,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(433,1,6,1,469.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(433,2,10,1,1549.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(433,3,24,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(433,4,4,1,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(434,1,21,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(434,2,20,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(434,3,9,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(434,4,11,2,1680,99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(434,5,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(435,1,22,1,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(435,2,9,1,2999,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(435,3,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(436,1,3,1,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(436,2,23,1,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(437,1,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(437,2,10,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(437,3,8,2,1799.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(438,1,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(438,2,22,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(438,3,8,2,1799.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(438,4,13,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(439,1,6,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(439,2,7,2,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(440,1,19,2,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(440,2,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(441,1,12,1,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(441,2,15,1,529.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(442,1,16,2,599.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(442,2,26,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(442,3,6,2,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(443,1,5,1,1320.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(443,2,26,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(444,1,22,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(444,2,15,2,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(444,3,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(444,4,16,1,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(444.5,10.2,1549.00,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(445,1,7,1,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(445,2,16,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(445,3,23,1,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(446,1,22,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(446,2,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(447,1,4,2,2899.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(447,2,3,1,999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(447,3,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(448,1,13,2,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(448,2,6,2,469.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(449,1,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(449,2,2,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(449,3,7,2,3999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(449,4,26,2,599.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(450,1,24,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(450,2,12,1,549.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(450,3,5,1,1320.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(451,1,14,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(452,1,11,1,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(452,2,16,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(452,3,7,2,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(452,4,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(453,1,23,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(453,2,20,2,599,99,0,2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(453,3,4,1,2899.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(454,1,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(454,2,13,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(454,3,24,2,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(455,1,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(456,1,17,2,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(456, 2, 23, 1, 299, 99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(457,1,24,2,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(457,2,2,1,749.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(457,3,7,2,3999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(457,4,17,1,429.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(458,1,2,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(458,2,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(458,3,11,1,1680.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(458,4,24,1,549.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(458,5,3,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(459,1,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(460,1,19,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(460,2,18,2,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (460, 3, 4, 1, 2899.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(460,4,22,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(461,1,16,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(461,2,4,1,2899.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(461,3,8,2,1799.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(461,4,24,1,549.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(461,5,18,2,449,00,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(462,1,12,2,549.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(463,1,13,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(464,1,7,1,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(465,1,6,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(465,2,25,2,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(466,1,19,2,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(466,2,6,1,469.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(466,3,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (466,4,15,1,529.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(466,5,5,1,1320.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(467,1,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(467,2,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(467,3,22,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(467,4,17,2,429.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(467,5,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(468,1,19,1,449.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(468,2,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(468,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(468,4,25,1,499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(469,1,8,2,1799.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(469,2,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(469,3,15,2,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(470,1,18,1,449.00,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(470,2,13,1,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(470,3,8,2,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(471,1,14,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(471,2,13,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(472,1,15,1,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(472,2,21,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(473,1,26,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(474,1,19,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(474,2,11,1,1680.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(475,1,17,2,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(475,2,26,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(475,3,25,1,499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(476,1,22,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(476,2,4,2,2899.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(476,3,11,2,1680.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(476,4,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(477,1,6,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(477,2,10,1,1549.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(478,1,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(479,1,26,1,599.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(479,2,12,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(479,3,21,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(479,4,7,1,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(479,5,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(480, 1, 4, 1, 2899.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(480,2,15,1,529,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(480,3,23,2,299.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(481,1,13,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(481,2,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (481,3,9,2,2999.99,0.1); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(482,1,13,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(482,2,14,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(483,1,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(484,1,8,2,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(484,2,24,1,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(484,3,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(484,4,6,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(485,1,13,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(485,2,26,2,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (486,1,9,1,2999.99,0.07); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(486,2,23,2,299.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(487,1,6,1,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(488,1,13,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(488,2,23,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(488,3,22,1,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(489,1,8,2,1799.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(490,1,12,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(490,2,23,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(490,3,14,1,269.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(490,4,13,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(491,1,9,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(491,2,21,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(491,3,15,2,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(492,1,6,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(492,2,22,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(492,3,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(493,1,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(493,2,18,2,449.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(493,3,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(494,1,23,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(495,1,22,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(495,2,9,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(496,1,23,1,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(496,2,13,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(496,3,21,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(497,1,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(498,1,24,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(498,2,21,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(498,3,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(499,1,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(499,2,15,1,529.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(499,3,14,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(499,4,20,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (500, 1, 12, 2, 549.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (500, 2, 14, 1, 269.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(501,1,19,2,449.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(501,2,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(501,3,14,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(501,4,23,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(502,1,13,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(503,1,13,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(503,2,10,1,1549.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (504,1,24,2,549.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (504, 2, 2, 2, 749.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(505, 1, 26, 1, 599.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(506,1,25,1,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (506, 2, 7, 1, 3999.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(507,1,11,2,1680.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(507,2,13,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(507,3,20,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(508,1,8,1,1799.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(508,2,2,2,749.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(508,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (508,4,25,1,499.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (509,1,23,2,299.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(509,2,4,2,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(510,1,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(511,1,22,2,269.99,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(511,2,13,1,269,99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(512,1,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(513,1,7,1,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(513,2,13,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(513,3,23,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(514,1,18,2,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(514,2,17,2,429.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(515,1,8,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (515, 2, 5, 1, 1320.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(515,3,25,2,499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(515,4,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(516,1,7,1,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(516,2,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(517,1,21,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(518,1,16,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(518,2,5,2,1320.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(518,3,25,2,499.99,0.05); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(518,4,15,2,529.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(518,5,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (519,1,6,1,469.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(519,2,16,1,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(519,3,23,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(519,4,18,2,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(519,5,7,1,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(520,1,26,1,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(520,2,24,1,549.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(520,3,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(521,1,5,1,1320.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(521,2,14,1,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(522,1,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(522,2,22,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(522,3,21,1,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(523,1,12,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(523,2,20,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(523,3,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(523,4,16,2,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(524,1,11,1,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(524,2,2,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(524,3,9,1,2999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(524,4,3,2,999.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(524,5,26,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(525,1,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(525,2,6,2,469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(525,3,10,1,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(526,1,3,2,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (526,2,8,1,1799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(526,3,21,1,269,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(526,4,15,1,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(527,1,18,2,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(527,2,4,1,2899.99,0.2);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(527,3,19,1,449.00,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(527,4,9,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(528,1,21,2,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(529,1,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(530,1,2,2,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(530,2,4,1,2899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(530,3,6,2,469.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(531,1,6,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(531,2,12,2,549.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(531,3,25,1,499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(532,1,17,2,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(532,2,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(532,3,12,1,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(533,1,4,1,2899.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(533,2,12,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(533,3,10,1,1549.00,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(533,4,25,1,499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(534,1,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(534,2,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(534,3,2,1,749.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(534,4,24,2,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(535,1,24,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(535,2,15,1,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(535,3,22,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(536,1,22,1,269.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(536,2,2,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(536,3,12,2,549,99,0.05); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(536,4,14,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(537,1,10,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(537,2,26,1,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(537,3,17,2,429.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(537,4,25,2,499.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(538,1,2,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(539,1,9,2,2999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(539,2,23,1,299.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(539,3,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(540,1,19,1,449,00,0.1); INSERT INTO sales, order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(540,2,26,2,599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(540,3,23,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (541,1,22,2,269.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (542,1,16,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(542,2,9,1,2999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(542,3,20,1,599.99,0.1); INSERT INTO sales.order_items(order_id_item_id_product_id_guantity,
list price, discount) VALUES (542,4,19,2,449.00,0.2); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(543,1,25,1,499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(543,2,18,1,449.00,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(543,3,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (544,1,12,1,549.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(544,2,17,1,429.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(544,3,21,1,269,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(545,1,25,2,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(545,2,6,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(545,3,24,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(545,4,20,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(546,1,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(546,2,8,1,1799.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(546,3,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (547,1,11,2,1680.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (547,2,9,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(547,3,5,1,1320.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(548,1,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(548,2,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(549,1,15,1,529.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(549,2,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(549,3,3,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(549,4,7,1,3999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(549,5,13,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(550,1,4,1,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(551,1,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(551, 2, 26, 1, 599.99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(551,3,11,2,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(551,4,15,2,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(552,1,23,1,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(552,2,2,1,749.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(552,3,24,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(552,4,18,1,449.00,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES (552,5,19,2,449,00,0,2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(553,1,24,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(553,2,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (553,3,12,1,549.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (554,1,3,2,999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(554,2,22,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(554,3,4,2,2899.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (555, 1, 8, 1, 1799, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(555,2,7,1,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(555,3,20,2,599.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (556, 1, 16, 1, 599.99, 0.1); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(556,2,4,2,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(557,1,9,2,2999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(557,2,10,1,1549.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (558, 1, 7, 1, 3999.99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(558,2,16,1,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(558, 3, 9, 1, 2999.99, 0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(558,4,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(558,5,10,2,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (559,1,15,2,529.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(559,2,6,1,469.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(559,3,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (560,1,16,1,599.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(560,2,26,2,599.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(561,1,15,2,529.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(561,2,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(561,3,5,1,1320.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(561,4,17,2,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(562,1,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(562,2,26,1,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(563,1,6,2,469.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(563,2,19,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (563, 3, 13, 2, 269.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(564,1,4,1,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(564,2,15,1,529.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(565,1,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (565, 2, 25, 2, 499.99, 0.1); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(565,3,9,1,2999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(565,4,17,1,429.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(566,1,24,2,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (566, 2, 7, 2, 3999.99, 0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES (566,3,8,1,1799.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(566,4,21,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(567,1,9,1,2999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (567, 2, 5, 1, 1320.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(568, 1, 5, 1, 1320.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(568,2,10,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(569,1,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(569,2,24,2,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(570,1,18,1,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(570,2,24,2,549,99,0.1); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(570,3,3,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(570,4,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (570,5,16,1,599.99,0.05); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(571,1,4,1,2899.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(571,2,9,1,2999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(572,1,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(572,2,13,2,269.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(572,3,11,2,1680.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(573,1,2,1,749.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(574,1,26,1,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(574,2,13,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(574,3,12,2,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(574,4,23,2,299.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(574,5,11,2,1680.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(575,1,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(575,2,12,1,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(576, 1, 9, 1, 2999, 99, 0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(577,1,3,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(578,1,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (578, 2, 25, 2, 499.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(578,3,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(578,4,8,2,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(579,1,7,2,3999.99,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(579, 2, 6, 1, 469, 99, 0, 2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(580,1,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(580,2,15,1,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (580,3,21,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(580,4,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(580,5,19,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(581,1,8,2,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(582,1,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (582,2,17,2,429.00,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(583,1,15,2,529.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(584,1,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (584,2,23,1,299.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(584,3,15,1,529.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(584,4,22,1,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(584,5,8,2,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (585, 1, 10, 1, 1549.00, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(585,2,18,2,449.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(585,3,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (585,4,12,2,549.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(586,1,11,2,1680.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(586,2,23,2,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(587,1,24,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(587,2,23,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(587,3,18,1,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(587,4,21,1,269.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(588,1,10,2,1549.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (588, 2, 23, 1, 299, 99, 0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(589, 1, 15, 2, 529.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(590,1,2,2,749.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(590,2,20,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (590,3,8,2,1799.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(590,4,5,2,1320.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(590,5,24,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(591,1,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (591,2,25,2,499.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(591,3,2,2,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(592,1,21,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(592,2,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(592,3,18,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(593,1,3,2,999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(593,2,25,1,499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(594,1,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (594,2,21,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(595,1,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(595,2,19,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (595,3,3,1,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(595,4,10,1,1549.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(595,5,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(596,1,5,1,1320.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(596,2,23,2,299.99,0.1);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(596,3,9,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(597,1,17,2,429.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(597,2,8,1,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(598,1,4,2,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(598,2,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(598,3,14,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(599,1,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(599,2,22,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(599,3,23,1,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(599,4,10,2,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (600, 1, 26, 2, 599.99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(600,2,4,1,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(600,3,18,2,449.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES (601,1,12,2,549.99,0.2); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(602,1,15,2,529.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(602,2,5,2,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(603,1,12,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(603,2,4,1,2899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(604,1,10,2,1549.00,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (604, 2, 9, 2, 2999.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(605,1,19,1,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(605,2,25,2,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(605,3,13,2,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(605,4,11,1,1680.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(606,1,6,2,469.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(606,2,18,2,449,00,0.0.5); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(607,1,11,2,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(607,2,26,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(607,3,14,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (608, 1, 4, 2, 2899.99, 0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(608, 2, 7, 2, 3999.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(608,3,24,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(609,1,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(609,2,7,1,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(609,3,22,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(609,4,5,1,1320.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(610,1,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(610,2,24,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(610,3,18,2,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(610,4,3,1,999.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(610,5,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(611,1,16,2,599.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(612,1,13,1,269.99,0.1); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(612,2,14,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(612,3,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(612,4,20,1,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(613,1,9,2,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(613,2,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(613,3,12,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(614,1,18,1,449.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(614,2,21,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(615,1,11,1,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(615,2,23,1,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(615,3,6,2,469.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(615,4,19,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(616,1,24,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(616,2,16,2,599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(617,1,15,2,529.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(617,2,11,2,1680.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(618,1,17,2,429.00,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(618,2,11,1,1680.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(619,1,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(620,1,5,2,1320.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(621,1,17,2,429.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(622,1,9,2,2999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(622,2,18,1,449.00,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(622,3,10,1,1549.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(622,4,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(623,1,8,1,1799.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(624,1,21,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(624,2,16,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(624,3,22,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(624,4,14,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(625,1,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(625,2,11,2,1680.99,0.2); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(625, 3, 26, 1, 599, 99, 0, 07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(625,4,23,2,299.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(626,1,15,1,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(627,1,19,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(627,2,9,2,2999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(627,3,26,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(628,1,15,2,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(629,1,19,1,449.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(629,2,5,2,1320.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(629,3,23,2,299.99,0.1); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(629,4,14,2,269,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(629,5,6,2,469.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(630,1,5,1,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (630, 2, 25, 1, 499.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(630,3,18,2,449.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(630,4,21,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(631,1,24,2,549.99,0.07); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(631,2,15,2,529.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(632,1,25,1,499.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(632,2,11,2,1680.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(632,3,15,1,529.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(632,4,6,1,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(632,5,22,2,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(633,1,12,2,549,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(633,2,13,2,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(633,3,5,2,1320.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(633,4,10,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(634,1,4,2,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(634,2,12,1,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(635,1,4,1,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(636,1,85,2,329.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(637,1,9,1,2999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(637,2,106,2,449.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(638,1,103,1,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(638,2,56,1,5499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(638,3,53,2,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(639,1,15,1,529.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(639,2,73,1,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(639,3,72,1,619.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(639,4,61,2,4999.99,0.1); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(640,1,106,2,449.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(640,2,32,1,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (640,3,30,1,999.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(640,4,76,2,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(640,5,109,2,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(641,1,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(641,2,62,1,3499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(641,3,64,1,489.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(642,1,68,2,449.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(643,1,53,1,749.99,0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(644, 1, 9, 1, 2999.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(645,1,99,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (645,2,42,2,2299.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (645,3,6,1,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(645,4,47,2,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(645,5,21,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(646,1,15,2,529.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(646,2,4,1,2899.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (646, 3, 95, 1, 299.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(646,4,12,1,549,99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(647,1,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(647,2,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(648,1,24,1,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(649,1,97,2,349.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(649,2,90,1,209.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(649,3,11,2,1680.99,0.1); INSERT INTO sales order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(649,4,78,1,647.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(650,1,3,1,999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(651,1,79,1,402.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price_discount) VALUES(651,2,85,1,329.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(651,3,102,2,489.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(651,4,94,2,249.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(652,1,102,1,489,99,0.1); INSERT INTO sales, order items(order id, item id,
product id, quantity, list price, discount) VALUES(652,2,62,2,3499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(652,3,67,2,250.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(652,4,23,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (652,5,74,1,439.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(653,1,6,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(653,2,43,1,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(653,3,2,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(653,4,80,1,761.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(653,5,88,2,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(654,1,9,1,2999.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(654,2,95,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(654,3,110,2,470.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (654,4,97,2,349.99,0.07); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES (655, 1, 67, 1, 250.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(656,1,83,1,149.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(656,2,22,1,269.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES (656,3,33,2,469.99,0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(657,1,52,1,875.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(657,2,54,2,3199.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (658, 1,49, 2,3499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(658,2,29,1,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(658,3,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(659,1,42,2,2299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(659,2,39,2,1499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(659,3,70,1,659.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(659,4,61,2,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (660, 1, 30, 1, 999, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(660,2,59,2,2599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (660, 3, 47, 2, 5299.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (660,4,29,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(661,1,63,2,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(661,2,22,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(662,1,55,2,2699.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(662,2,95,2,299.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(662,3,102,2,489.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(662,4,22,1,269.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(662,5,106,2,449.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(663,1,41,2,1469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (663, 2, 17, 2, 429.00, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(663,3,94,1,249.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(663,4,71,1,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(663,5,106,1,449.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(664, 1,52,2,875.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(664,2,5,1,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (664,3,50,1,5999.99,0.2); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(664,4,101,2,339.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(664,5,47,1,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(665,1,58,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(665, 2, 42, 2, 2299, 99, 0, 2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(665,3,25,2,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(666,1,98,2,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (666, 2, 39, 1, 1499, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(667,1,79,1,402.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(667,2,84,1,109.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(667,3,3,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (667,4,99,1,299,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(667,5,85,1,329.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (668, 1,48,2,1499.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(668,2,19,2,449,00,0,1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(669,1,16,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(669,2,72,1,619.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(670,1,108,1,449.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(670,2,28,1,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(670,3,104,2,481.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(670,4,45,2,869.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(671,1,30,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(671,2,69,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(671,3,55,1,2699.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(671,4,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(671,5,109,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(672,1,51,2,6499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(672,2,96,2,349.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(672,3,48,2,1499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(673,1,66,1,250.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(673,2,38,1,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(673,3,5,1,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(673,4,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(674,1,26,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(675,1,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(675,2,89,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(675,3,19,1,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(675,4,32,1,469.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(676,1,70,1,659.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(676,2,104,2,481.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(676,3,24,1,549,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(676,4,29,1,999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(677,1,75,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(677,2,7,2,3999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(677,3,105,2,533.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(677,4,91,2,349.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(677,5,54,2,3199.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(678, 1,52,2,875.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(678,2,37,2,379.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(679,1,15,2,529.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(679,2,83,2,149.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(680,1,81,2,1099.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(680,2,7,1,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(680,3,50,1,5999,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(681,1,82,1,659.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(681,2,63,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(681, 3, 61, 1, 4999.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(681,4,6,2,469.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(681,5,30,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(682,1,39,1,1499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(682, 2, 60, 2, 1559.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(682,3,99,1,299.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(683,1,2,2,749.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (684, 1,56, 1,5499.99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(684,2,33,1,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(685,1,59,1,2599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (685, 2,48,2,1499.99, 0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(685,3,107,1,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(685,4,98,2,489.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(685,5,56,2,5499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (686, 1, 16, 1, 599.99, 0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(686,2,30,1,999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(686,3,88,2,189.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(686,4,19,2,449.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(686,5,104,1,481.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(687,1,48,2,1499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(687,2,95,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(687,3,5,2,1320.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(687,4,83,1,149.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(688, 1, 8, 1, 1799.99, 0.1);
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(688,2,88,1,189.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(689,1,33,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(690,1,84,1,109.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(690,2,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(690,3,85,1,329.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(690,4,109,2,416.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(691,1,23,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(691,2,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(691, 3, 55, 2, 2699.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(691,4,20,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(692,1,59,1,2599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(692,2,75,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(692,3,15,2,529.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(692,4,56,2,5499.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(693,1,104,2,481.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(693,2,13,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(693,3,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(693,4,31,1,1632.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(694,1,48,1,1499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(694,2,39,1,1499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(694,3,55,2,2699.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(694,4,103,2,551.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(694,5,45,2,869.99,0.1);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(695,1,82,2,659.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(695,2,57,2,1999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(696,1,88,2,189.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(696,2,7,1,3999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(696,3,45,1,869.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(697,1,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(698,1,96,1,349.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(698,2,12,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(698,3,40,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(699,1,106,2,449.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(699,2,48,1,1499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(699,3,31,1,1632.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(699,4,24,2,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(699, 5, 82, 2, 659, 99, 0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(700,1,7,2,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (700, 2, 63, 1, 3499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(701,1,84,1,109.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(702,1,25,2,499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(702,2,104,1,481.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(702,3,3,2,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(703,1,45,2,869.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(703,2,66,2,250.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(703,3,72,1,619.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(703,4,4,2,2899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(704,1,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (704, 2, 62, 1, 3499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(704,3,100,2,489,99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(705,1,61,1,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(706,1,27,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(706, 2, 23, 2, 299.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(706,3,60,1,1559.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(707,1,106,2,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(707,2,100,1,489.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(707,3,11,2,1680.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(707,4,26,2,599.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(708, 1, 6, 1, 469.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(708,2,47,1,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(708,3,34,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(709,1,55,2,2699.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(709,2,101,2,339.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(709,3,48,1,1499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(710,1,42,1,2299.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(710,2,60,2,1559.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(710,3,39,2,1499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(710,4,57,1,1999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(710,5,28,1,2499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(711,1,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(711,2,95,2,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(711,3,72,2,619,99,0,05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(712,1,44,2,539.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(712,2,74,2,439.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(712,3,35,1,832.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(712,4,76,1,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(712,5,4,2,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(713,1,93,2,209.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(713,2,97,2,349.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(713,3,53,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(713,4,108,2,449.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(714,1,92,2,209.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(715,1,61,2,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(715,2,50,1,5999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(716,1,111,2,470.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(716,2,93,2,209.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(716,3,79,1,402.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(716,4,4,2,2899.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(717,1,56,2,5499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(717,2,93,1,209.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(718,1,92,2,209.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(718,2,40,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(718,3,64,2,489.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(719,1,100,1,489.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(720,1,111,1,470.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(720,2,6,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(721,1,45,2,869.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(721,2,102,1,489,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(721,3,73,2,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(721,4,33,1,469.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(722,1,22,2,269.99,0.07); INSERT INTO sales order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(722,2,3,1,999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(722,3,104,2,481.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(723,1,24,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(723,2,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id. item_id.
product id, quantity, list price, discount) VALUES(723,3,108,1,449.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(724,1,23,1,299.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(724, 2, 75, 1, 599, 99, 0, 2); INSERT INTO sales, order items (order id., item id.,
product_id, quantity, list_price, discount) VALUES(724,3,102,1,489.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(724,4,55,1,2699.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(725,1,90,1,209.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(725,2,91,1,349.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(725,3,77,2,799.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(725,4,62,2,3499.99,0.1); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(726,1,64,1,489.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(727,1,78,1,647.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(727,2,82,2,659.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(728, 1, 70, 1, 659.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(728,2,56,1,5499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(728,3,91,1,349.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(728,4,58,1,4999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(729,1,101,2,339.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(730,1,59,2,2599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(730,2,79,1,402.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(730,3,96,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(730,4,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(731,1,91,1,349.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(731,2,49,1,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(731,3,67,2,250.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(731,4,29,1,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(732,1,47,1,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(732,2,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(733,1,84,1,109.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(733,2,55,1,2699.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(733,3,102,2,489.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(734,1,26,1,599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(734,2,3,1,999.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(734,3,84,2,109.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(734,4,65,2,346.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(735,1,71,2,416.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(735,2,10,2,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(736,1,56,2,5499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(736,2,17,1,429.00,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(736,3,62,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(737,1,52,1,875.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(737,2,19,2,449.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(737,3,77,2,799.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(737,4,34,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(738,1,82,2,659.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(738,2,38,2,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(738,3,25,1,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(738,4,63,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(739,1,3,1,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(740,1,81,1,1099.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(740,2,94,2,249.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(740,3,11,1,1680.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(740,4,19,1,449.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(740,5,12,2,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(741,1,58,1,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(741,2,76,1,299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(741,3,21,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(741,4,56,2,5499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(742,1,107,2,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(742,2,45,1,869.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(743,1,80,1,761.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(744,1,33,2,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(745,1,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(745,2,22,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(745,3,78,1,647.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(746, 1,99, 1,299,99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(747,1,110,1,470.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(747,2,86,1,149.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(747,3,33,2,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(747,4,81,1,1099.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(748,1,16,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(748,2,83,2,149.99,0.05); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(748,3,41,1,1469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(748,4,35,2,832.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(749,1,9,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(749,2,28,1,2499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(749,3,79,1,402.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(749,4,24,1,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(749,5,40,1,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(750,1,72,1,619.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(750,2,78,2,647.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(751,1,45,2,869.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(752,1,12,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(752,2,31,2,1632.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(753,1,105,2,533.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(753,2,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(753,3,36,2,832.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(753,4,95,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(753,5,66,1,250.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(754, 1, 74, 2, 439.99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(754,2,12,2,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(754,3,3,1,999.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(754,4,67,2,250.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(754,5,7,1,3999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(755,1,80,2,761.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(755,2,43,2,5299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(755,3,57,2,1999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(756,1,64,1,489.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(756,2,17,2,429.00,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(757,1,95,1,299.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(758,1,22,2,269.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(758, 2,99,1,299.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(758,3,27,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(758,4,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(758,5,109,1,416.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(759,1,93,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(759,2,78,1,647.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(760, 1, 21, 2, 269.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(760,2,29,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (761,1,43,1,5299.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(761,2,52,2,875.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(762,1,102,2,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(763,1,90,1,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(763,2,103,1,551.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(764,1,55,1,2699.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(764,2,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(764,3,81,2,1099.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(765,1,28,2,2499.99,0.2); INSERT INTO sales order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(765,2,12,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(765,3,25,1,499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(765,4,53,1,749.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(765,5,65,1,346.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(766,1,111,1,470.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(767,1,63,1,3499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(767,2,29,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(767,3,41,2,1469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(767,4,77,2,799.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(768,1,31,1,1632.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(768,2,76,1,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(769,1,8,1,1799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(769, 2, 6, 2, 469.99, 0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(769,3,36,2,832.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(770,1,110,1,470.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(770, 2, 42, 1, 2299.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(770,3,103,1,551.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(770,4,11,2,1680.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(771,1,13,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(771,2,88,1,189.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(772,1,103,1,551.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(773,1,92,1,209.99,0.1); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(773,2,14,1,269,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(773,3,17,2,429.00,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(773,4,33,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(774,1,65,1,346.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(774,2,36,2,832.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(774,3,20,1,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(774,4,73,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(774,5,58,2,4999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(775,1,39,1,1499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(776,1,28,1,2499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(776,2,42,2,2299.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(776,3,71,1,416.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(776,4,35,1,832.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(777,1,5,1,1320.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(777,2,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(777,3,2,1,749.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(778, 1,64,1,489.99, 0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(778,2,85,1,329.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(779,1,101,1,339.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(779,2,90,2,209.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(779,3,47,1,5299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(779,4,8,1,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(779,5,85,1,329.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(780,1,32,1,469.99,0.1);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(781,1,109,2,416.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(781,2,7,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(781,3,57,2,1999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(782,1,20,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(782,2,57,1,1999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(782,3,99,1,299.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(782,4,16,2,599.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(783,1,92,1,209.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(783,2,22,2,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(783,3,94,1,249.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(783,4,29,1,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(784,1,22,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(784,2,72,2,619.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(784,3,16,1,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(785,1,59,2,2599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(785,2,40,1,4999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(785, 3, 25, 1, 499.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(786,1,80,1,761.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(787,1,51,2,6499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(787,2,66,2,250.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(788,1,48,1,1499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(788,2,19,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(788,3,13,1,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(789,1,100,2,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (789, 2, 93, 2, 209.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(790,1,62,2,3499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(790, 2, 91, 1, 349, 99, 0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(791,1,54,1,3199.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(791,2,25,2,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(792,1,16,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(792,2,39,1,1499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(792,3,56,1,5499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(792,4,30,1,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(792,5,2,1,749.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(793,1,60,1,1559.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(793,2,95,2,299.99,0.05); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price.discount) VALUES(793,3,75,2,599,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(794,1,41,2,1469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(794,2,68,1,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(794,3,17,1,429.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(794,4,28,1,2499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (795, 1,95,2,299.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(795, 2, 99, 2, 299, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(796,1,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(797,1,11,1,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(797,2,69,1,416.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(797,3,74,1,439.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(797,4,54,2,3199.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(797,5,62,2,3499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(798,1,23,1,299,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(798,2,90,1,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(798,3,91,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(798,4,42,1,2299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(798,5,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(799,1,5,2,1320.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(799,2,34,2,469.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(799,3,29,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (799,4,63,1,3499.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(799,5,58,2,4999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(800, 1,65,2,346.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(800,2,54,1,3199.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(800,3,6,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(800,4,52,1,875.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(800,5,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(801,1,101,1,339.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(802, 1, 30, 1, 999.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(802,2,36,2,832.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(802,3,40,1,4999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (802, 4, 28, 1, 2499.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(803,1,111,1,470.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(803,2,52,2,875.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(803,3,102,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(803,4,83,2,149.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(804,1,89,2,209.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(804,2,53,1,749.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price.discount) VALUES(804,3.50,2,5999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(805,1,24,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(805,2,33,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(805,3,62,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (805,4,32,1,469.99,0.07); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(805,5,6,2,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(806,1,93,2,209.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(806,2,97,1,349.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(806,3,77,2,799.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(806,4,82,2,659.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(806,5,91,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(807,1,21,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(807,2,6,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(807,3,3,2,999.99,0.07);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(807,4,9,2,2999.99,0.2); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES(807,5,16,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(808,1,96,2,349.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(808,2,18,1,449.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(808,3,85,1,329.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(808,4,19,2,449.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(809, 1,78, 1,647.99, 0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(809,2,26,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(809,3,92,2,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(810,1,103,2,551.99,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(810,2,100,1,489.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(810,3,56,1,5499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(810,4,22,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(811,1,45,2,869.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(811,2,54,1,3199.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(811,3,70,1,659.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(811,4,66,1,250.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(812,1,76,2,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(812,2,40,1,4999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(813,1,96,2,349.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(813,2,85,2,329.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(813,3,33,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(813,4,26,2,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(813,5,71,2,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(814,1,69,2,416.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(814,2,100,1,489.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(814,3,65,1,346.99,0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(814,4,83,2,149.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(815,1,105,2,533.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(815,2,102,2,489.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(815,3,87,2,189.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(815,4,23,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(816,1,75,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(816,2,64,2,489.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(817,1,85,1,329.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(817,2,105,2,533.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(817,3,48,2,1499,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(818,1,103,1,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(818,2,44,2,539.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(818,3,19,2,449.00,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(818,4,48,2,1499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(819,1,94,1,249.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(820,1,107,1,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(821,1,102,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(821,2,70,2,659.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(821,3,6,1,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(821,4,107,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(822,1,53,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(822,2,72,1,619.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(823,1,56,2,5499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(823,2,86,2,149.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(823,3,81,1,1099.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(824,1,92,2,209.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(825,1,19,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(825,2,30,2,999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(826,1,45,2,869.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(826,2,36,1,832.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(827,1,43,1,5299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(827,2,41,1,1469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(827,3,28,1,2499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(827,4,108,1,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(828,1,25,2,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(828,2,24,1,549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(828,3,55,2,2699.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(829,1,103,1,551.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(829,2,105,2,533.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(830, 1,85,2,329.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(830,2,100,2,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(830,3,96,2,349.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(831,1,67,1,250.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(831,2,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(831,3,68,1,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(832,1,54,1,3199.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(832,2,45,1,869.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(832,3,27,1,999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(832,4,16,2,599.99,0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(833,1,20,2,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(834,1,54,1,3199.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (834,2,21,1,269.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(834,3,78,1,647.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(835,1,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(835,2,82,1,659.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(835,3,2,1,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(836,1,108,2,449.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(837,1,51,1,6499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(837,2,97,1,349,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(837,3,87,2,189.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(838,1,28,1,2499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(838,2,10,1,1549.00,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(838,3,100,2,489.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(838,4,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(839,1,55,1,2699.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(839,2,85,1,329.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(839,3,58,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(840,1,27,1,999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(840,2,43,1,5299,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(840,3,106,2,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(841,1,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(841,2,9,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(841,3,11,1,1680.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(841,4,90,2,209.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(841,5,100,1,489.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(842,1,81,2,1099.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (842,2,42,1,2299.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(843,1,72,1,619.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(843,2,75,2,599.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(843,3,81,1,1099.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(843,4,23,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(844, 1,79,2,402,99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(844,2,12,1,549.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(844,3,83,2,149.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (844,4,48,1,1499.99,0.2); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(844,5,63,2,3499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(845,1,16,2,599.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(845,2,75,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(845,3,26,2,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(845,4,73,2,749.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(845,5,88,1,189.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(846,1,46,2,1409.99,0.05); INSERT INTO sales order items (order id. item id.
product_id, quantity, list_price, discount) VALUES(846,2,47,1,5299.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(846,3,71,1,416.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(846,4,72,2,619.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(846,5,103,2,551.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(847,1,61,2,4999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(848,1,93,1,209.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (848, 2, 100, 2, 489, 99, 0.2); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(848,3,88,2,189.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(848,4,41,2,1469.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (849,1,109,1,416.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(850,1,101,2,339.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(850,2,5,2,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(850,3,37,1,379.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(851,1,30,1,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(851,2,93,1,209.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price.discount) VALUES(852,1,46,2,1409.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(853,1,99,1,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(853,2,58,2,4999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (853,3,42,2,2299.99,0.2); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(853,4,45,1,869.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(853,5,6,1,469.99,0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(854,1,87,1,189.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(855,1,18,1,449.00,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(855,2,93,2,209.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(855,3,89,1,209.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(856,1,38,2,549.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(857,1,29,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(858,1,45,2,869.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(858,2,5,1,1320.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(858,3,14,1,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(858,4,73,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(859,1,38,2,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(859,2,13,1,269.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(859,3,14,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(859,4,71,2,416.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(859,5,36,2,832.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(860, 1, 6, 1, 469.99, 0.05);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(860,2,24,2,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(860,3,25,1,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(860,4,58,2,4999,99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(860,5,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(861,1,14,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(861, 2,62,1,3499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(862,1,85,1,329.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(862,2,99,1,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(862,3,49,2,3499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(863,1,93,2,209.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(864,1,37,1,379.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(864,2,65,2,346.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(864,3,13,1,269,99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(865,1,109,2,416.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(865,2,34,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(866,1,88,1,189.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(866,2,67,2,250.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (866, 3, 80, 1, 761.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(866,4,13,2,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(867,1,101,1,339.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(868,1,46,1,1409.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(869,1,7,1,3999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(869,2,106,2,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(869,3,33,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(869,4,55,2,2699.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(869,5,65,2,346.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(870,1,63,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(871,1,106,1,449.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(871,2,38,1,549,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(871,3,30,2,999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(871,4,107,2,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(872,1,62,2,3499.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(872,2,53,1,749.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(873,1,32,2,469.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(874,1,56,1,5499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(874,2,27,2,999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(874,3,73,1,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(874,4,77,2,799.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(875,1,5,2,1320.99,0.1); INSERT INTO sales, order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(875,2,15,2,529.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(875,3,14,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (875,4,111,1,470.99,0.2); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(876,1,17,2,429.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(876,2,66,2,250.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(876,3,96,1,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(876,4,107,2,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(877,1,73,1,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(877,2,103,1,551.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price_discount) VALUES(878,1,103,1,551.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(878,2,13,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(878,3,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(878,4,18,2,449,00,0,0,5); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(879,1,100,2,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(879,2,2,2,749.99,0.07); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(879,3,83,2,149.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(879,4,82,1,659.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(880,1,28,2,2499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(880, 2, 95, 1, 299.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(880,3,5,1,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(880,4,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(880,5,66,1,250.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(881,1,98,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(881,2,50,1,5999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(881,3,64,2,489.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(881,4,67,1,250.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(882,1,63,2,3499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(882,2,108,2,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(882,3,57,2,1999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(883,1,44,1,539.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(883,2,5,2,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(884,1,49,2,3499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(884,2,69,2,416.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(884,3,46,2,1409.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(884,4,10,1,1549.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(884,5,21,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(885,1,106,1,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(885, 2, 43, 1, 5299.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(886,1,47,1,5299,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (886, 2, 30, 1, 999.99, 0.05); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(887,1,50,2,5999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(887,2,70,1,659.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(888,1,33,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(888,2,26,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(889,1,12,2,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(890,1,16,2,599.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(890,2,105,2,533.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (890, 3,52, 1,875.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(890,4,67,1,250.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(890,5,65,2,346.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(891,1,107,2,416.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(891,2,32,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(891,3,35,2,832.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(891,4,50,1,5999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(892,1,36,1,832.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(892,2,9,2,2999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(892,3,50,2,5999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (892,4,88,1,189.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(893,1,67,2,250.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(893,2,45,1,869.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(894,1,101,2,339.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(895,1,106,1,449.99,0.07); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(896,1,91,2,349.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(896,2,10,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(897,1,105,1,533.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(897,2,96,1,349.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(898,1,45,2,869.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(898,2,16,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(898,3,57,2,1999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(898,4,69,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(899,1,59,2,2599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(899,2,17,1,429.00,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(899,3,6,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (900, 1, 26, 2, 599.99, 0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(900,2,108,1,449.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(900, 3, 89, 1, 209.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(900,4,61,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (900,5,28,2,2499.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(901, 1,50,1,5999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(901,2,43,1,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (902, 1, 38, 2, 549.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(902,2,92,1,209.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(902,3,12,1,549.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(902,4,76,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (903,1,31,2,1632.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(903,2,48,2,1499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(904,1,36,2,832.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(904,2,51,2,6499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (904, 3,92,2,209,99,0,2); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES (904,4,13,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(905,1,67,1,250.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(905,2,62,2,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (905, 3, 42, 2, 2299.99, 0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(905,4,20,1,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(906,1,23,2,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(906,2,28,2,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (906, 3, 46, 1, 1409.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(906,4,102,2,489.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(906,5,22,2,269.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(907,1,84,2,109.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (907, 2,65, 1,346.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(908,1,41,1,1469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(908,2,94,1,249.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(908,3,102,2,489.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (909, 1,5,1,1320.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(910,1,23,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(911,1,66,2,250.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (911, 2, 106, 1, 449.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(911,3,91,2,349.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(911,4,49,1,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(912,1,22,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(912,2,71,2,416.99,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(912,3,101,1,339.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(912,4,2,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(913,1,90,2,209.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(913,2,24,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (914,1,38,1,549.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(914,2,20,2,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(914,3,106,1,449.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(914,4,46,1,1409.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(915,1,64,1,489.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(915,2,48,1,1499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(915,3,42,1,2299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(915,4,2,1,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(916,1,92,1,209.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(917,1,41,1,1469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(918,1,91,1,349.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(918,2,31,1,1632.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(918,3,4,2,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(919,1,7,1,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(919,2,44,1,539.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(920,1,76,1,299.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(920,2,39,2,1499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(920,3,78,1,647.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(920,4,80,2,761.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(921,1,77,1,799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(921, 2, 75, 2, 599, 99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(921,3,48,1,1499,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(922,1,68,1,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(922,2,73,1,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(922,3,86,1,149.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(923,1,74,2,439.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(923,2,6,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(924,1,97,2,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(924,2,36,1,832.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(925,1,97,1,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (925, 2, 62, 2, 3499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (926, 1, 37, 2, 379.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(927,1,74,2,439.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(927,2,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (927,3,50,1,5999.99,0.1); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(927,4,3,1,999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(927,5,43,1,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (928, 1, 71, 2, 416.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(928,2,83,1,149.99,0.2); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(929,1,82,1,659.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(929,2,63,2,3499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (929,3,24,1,549.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(930,1,56,2,5499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(930,2,82,1,659.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (930,3,60,1,1559.99,0.1); INSERT INTO sales.order_items (order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES (930,4,65,2,346.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(930,5,51,2,6499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(931,1,49,2,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(931,2,76,1,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(932,1,74,1,439.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(933,1,77,1,799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(933,2,21,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(933,3,75,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (934,1,35,2,832.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(934,2,48,1,1499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(934,3,18,1,449.00,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(934,4,61,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (934,5,56,2,5499.99,0.2); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES (935, 1, 65, 2, 346, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(935,2,76,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (935, 3,6,1,469.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(935,4,38,1,549.99,0.07); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(936,1,70,1,659.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(936,2,44,1,539.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (937,1,108,2,449.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(937,2,51,2,6499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(937,3,58,2,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(937,4,28,2,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(937,5,66,1,250.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(938,1,4,1,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (938, 2, 13, 1, 269.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (939, 1, 5, 1, 1320, 99, 0, 1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(939,2,107,2,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(940,1,75,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(941,1,25,1,499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(941,2,102,2,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (941,3,11,2,1680.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(942,1,98,2,489.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(942,2,110,2,470.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (942,3,35,2,832.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(942,4,103,1,551.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(942,5,100,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (943,1,25,1,499.99,0.2); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(943,2,82,1,659.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(944,1,29,2,999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(944,2,16,2,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(944,3,70,2,659.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(944,4,85,2,329.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(944,5,69,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (945, 1, 105, 1, 533.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(945,2,94,2,249.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(945,3,34,2,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (945,4,44,2,539.99,0.1); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(945,5,50,2,5999.99,0.05); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(946, 1, 7, 1, 3999, 99, 0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(946,2,85,2,329.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(946,3,62,1,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(946,4,22,2,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(946,5,56,2,5499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(947,1,32,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(947,2,42,2,2299.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(947,3,44,1,539.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(948,1,23,2,299.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(948,2,20,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(948,3,101,1,339.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(948,4,92,2,209.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(948,5,72,2,619.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(949, 1, 9, 2, 2999, 9, 0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(949,2,55,2,2699.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(950,1,56,1,5499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(951,1,59,1,2599.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(951,2,43,2,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(951,3,62,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(952,1,20,2,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(952,2,57,1,1999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (953,1,23,2,299.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(954,1,4,2,2899.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(955,1,43,1,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (955, 2, 31, 2, 1632.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (955, 3, 96, 1, 349.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(955,4,63,1,3499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES (955, 5, 88, 1, 189.99, 0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(956, 1, 76, 2, 299.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(956,2,23,1,299.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(956,3,73,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (956,4,13,2,269.99,0.2); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(956,5,79,2,402.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(957,1,108,2,449.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (957,2,14,2,269.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (957, 3, 70, 2, 659.99, 0.05); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(957,4,66,1,250.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (957,5,111,1,470.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(958,1,51,1,6499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(958,2,76,1,299.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(959,1,15,1,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (959, 2, 72, 1, 619.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (959, 3, 41, 1, 1469, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(959,4,65,1,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (960, 1, 73, 2, 749.99, 0.05); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES (960, 2,52,1,875.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(960,3,48,2,1499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (960,4,83,2,149.99,0.1); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(961,1,105,1,533.99,0.1); INSERT INTO sales.order_items(orc
```

```
item id, product id, quantity, list price, discount) VALUES(961, 2, 47, 2, 5299, 99, 0, 2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(961,3,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (962, 1,65,2,346.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(962, 2, 64, 2, 489.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(963,1,4,1,2899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (964,1,90,1,209.99,0.2); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(964,2,74,1,439.99,0.2); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount) VALUES(965,1,90,2,209.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(966,1,88,1,189.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (966, 2, 73, 1, 749.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(967,1,66,1,250.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(967,2,77,2,799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (967, 3,87,1,189.99, 0.1); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(967,4,103,1,551.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(968, 1,87, 1,189.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(968,2,61,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (968, 3, 10, 2, 1549.00, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES (969,1,74,1,439.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(969,2,36,1,832.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(970,1,85,1,329.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (970, 2,48, 2,1499.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(970,3,54,2,3199.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(970,4,68,1,449.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(971,1,70,2,659.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(971,2,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (971, 3, 8, 2, 1799.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(971,4,12,2,549,99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (971,5,38,1,549.99,0.2); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(972,1,100,1,489.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(972,2,63,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(973,1,4,2,2899.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(973,2,28,2,2499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(973,3,47,2,5299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (973,4,71,1,416.99,0.07); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(974,1,33,2,469.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(974,2,22,2,269.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(975,1,110,2,470.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (976,1,26,2,599.99,0.1); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(976,2,39,1,1499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(977,1,52,2,875.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(977,2,69,2,416.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(977,3,27,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (977,4,80,2,761.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(978,1,106,2,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(978,2,25,2,499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(978,3,108,2,449.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(979,1,55,1,2699,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(979,2,71,2,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(979,3,12,2,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(979,4,52,1,875.99,0.2);
```

```
INSERT INTO sales order items (order id, item id, product id, quantity, list price, discount)
VALUES(980,1,49,2,3499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES (980, 2, 9, 1, 2999.99, 0.1); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(980, 3, 64, 1, 489.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(981,1,35,1,832.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(981,2,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(981,3,21,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(981,4,36,2,832.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(981,5,61,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (982,1,22,2,269.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(982,2,110,1,470.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(982,3,52,1,875.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (982,4,40,2,4999.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(983,1,63,1,3499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(983,2,20,2,599.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(983,3,68,1,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (983,4,81,2,1099.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(983,5,88,1,189.99,0.05); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(984,1,68,1,449.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(984,2,81,2,1099.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (984, 3, 12, 1, 549.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(984,4,111,1,470.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(985,1,5,2,1320.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (985, 2,59,1,2599.99, 0.2); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(985, 3, 78, 2, 647.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(986,1,87,1,189.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(986,2,78,1,647.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (986, 3, 26, 2, 599, 99, 0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(987,1,51,2,6499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(987,2,60,2,1559.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (987,3,80,1,761.99,0.07); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES (988,1,35,1,832.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(988,2,38,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (988, 3, 12, 2, 549.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(989, 1,99, 1,299.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(989,2,27,1,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(989,3,70,1,659.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (989, 4, 84, 2, 109.99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(989,5,5,1,1320.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(990,1,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(990,2,29,1,999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (990, 3, 91, 1, 349.99, 0.1); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(990,4,14,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(991,1,9,2,2999.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(991,2,79,1,402.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (991, 3, 34, 1, 469.99, 0.2); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES(992,1,45,1,869.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(992,2,102,1,489.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES (992, 3, 20, 1, 599.99, 0.2); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(992,4,101,2,339.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(992,5,7,1,3999,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (993, 1,58, 1,4999.99, 0.2); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(993,2,36,2,832.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(993,3,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (993,4,99,2,299.99,0.07); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(993,5,79,2,402.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(994,1,37,2,379.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(994,2,45,1,869.99,0.2); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES (994, 3, 66, 1, 250.99, 0.07); INSERT INTO sales.order_items (order_id, item_id,
product id, quantity, list price, discount) VALUES (995,1,16,2,599.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(995,2,90,1,209.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(995,3,101,1,339.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (996,1,68,2,449.99,0.05); INSERT INTO sales.order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(996,2,32,1,469.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(997,1,86,2,149.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(997,2,105,2,533.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES (997, 3, 14, 2, 269.99, 0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(998,1,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES (998, 2, 105, 1, 533.99, 0.2); INSERT INTO sales. order_items (order_id, item_id,
product_id, quantity, list_price, discount) VALUES(999,1,70,2,659.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(999,2,106,1,449.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1000, 1,65,2,346.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1000, 2, 111, 1, 470.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1000,3,19,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1000,4,29,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1001,1,72,1,619.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1001,2,45,2,869,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1001,3,58,1,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1001,4,111,1,470.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1002,1,100,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1002, 2, 83, 1, 149.99, 0.1); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1002,3,8,2,1799.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1002,4,79,1,402.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1003,1,34,2,469.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1003,2,51,2,6499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1004,1,36,2,832.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1005,1,14,2,269.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1005,2,81,2,1099.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1005,3,99,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1006,1,20,1,599.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1006,2,68,1,449.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1006,3,56,2,5499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1006,4,65,1,346.99,0.1); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1006,5,46,1,1409.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1007,1,26,1,599.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1007,2,11,1,1680.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1007, 3, 85, 2, 329.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1007,4,76,1,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1007,5,106,2,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1008, 1,71, 1,416,99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1008,2,2,1,749.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1008,3,95,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1009,1,95,2,299.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1009,2,44,1,539.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1010,1,109,2,416.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1011,1,88,1,189.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1011,2,99,2,299.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1011,3,16,2,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1011,4,68,2,449.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1012,1,8,1,1799,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1012,2,64,1,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1013,1,60,2,1559.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1014,1,97,1,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1014,2,45,2,869.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1014,3,81,2,1099.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1014,4,59,1,2599.99,0.05); INSERT INTO
sales.order items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(1015,1,6,2,469.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1015,2,73,2,749.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1015,3,101,2,339.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1015,4,13,1,269.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1016,1,76,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1017,1,89,1,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1017,2,82,2,659.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1017,3,100,1,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1017,4,18,2,449.00,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1017,5,77,2,799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1018,1,76,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1018,2,97,2,349.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1018,3,91,1,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1019,1,30,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1019,2,52,1,875.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1019,3,37,1,379.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1019,4,93,2,209.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1020,1,20,2,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1020, 2,69,2,416.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1020,3,15,1,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1020,4,57,2,1999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1020,5,40,2,4999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1021,1,49,2,3499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1021,2,23,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1022,1,33,1,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1022,2,46,1,1409.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1022,3,65,1,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1022,4,5,1,1320.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1023,1,91,1,349.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1023,2,43,2,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1024,1,104,1,481.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(1024,2,28,2,2499,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (1024, 3, 98, 2, 489.99, 0.2); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1024,4,96,2,349.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1024,5,91,1,349.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1025, 1,89, 1,209.99, 0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1025, 2, 102, 1, 489.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1025,3,39,1,1499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1025,4,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1025,5,66,2,250.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1026,1,7,2,3999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1027, 1,95,2,299.99,0.1); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1027,2,14,2,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1028,1,111,2,470.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1028,2,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1028,3,41,1,1469.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1028,4,35,2,832.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(1028,5,108,1,449.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1029,1,20,1,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1029,2,55,1,2699.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1029, 3,40,1,4999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1029,4,68,2,449.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1030,1,27,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1030,2,10,2,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1030,3,72,1,619.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1031,1,27,2,999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1031,2,108,2,449.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1032,1,60,2,1559,99,0,1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1032,2,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1033,1,26,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1033,2,109,2,416.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1033,3,27,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1034,1,101,1,339.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1034,2,8,2,1799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1034,3,11,2,1680.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1034,4,21,1,269.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1035,1,96,1,349.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1036,1,55,2,2699.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1036,2,76,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1036,3,18,2,449.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1036,4,65,2,346.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1036,5,12,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1037,1,74,2,439.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1037,2,3,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1037,3,65,2,346.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1037,4,92,1,209.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1037,5,84,2,109.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1038,1,83,1,149.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1038,2,9,1,2999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
```

```
VALUES(1039,1,18,2,449,00,0,2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES (1040, 1, 97, 1, 349.99, 0.1); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1040,2,28,2,2499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1040,3,64,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1040,4,27,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1040,5,8,2,1799.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1041,1,89,1,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1041,2,61,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1041,3,94,2,249.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1042,1,23,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1043,1,55,2,2699.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1043,2,20,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1044,1,97,2,349.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1045,1,28,1,2499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1045,2,104,2,481.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1046,1,60,1,1559.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1046,2,79,1,402.99,0.07); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1046,3,32,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1046,4,41,2,1469.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1046,5,17,2,429.00,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1047,1,28,2,2499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1047,2,78,1,647.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1047,3,35,1,832.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1047,4,49,1,3499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(1048,1,3,2,999.99,0.1);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1048,2,37,1,379.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price.discount) VALUES(1048.3,94.1,249.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1049,1,9,1,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1049,2,36,2,832.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1049,3,3,1,999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1049,4,26,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1049,5,10,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1050, 1,96,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1050,2,99,2,299.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1050,3,45,2,869.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1050, 4, 14, 2, 269.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1051,1,46,1,1409.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1052,1,7,1,3999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1052,2,103,1,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1052,3,26,2,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1053,1,49,2,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1053,2,26,2,599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1053,3,23,2,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1053,4,68,1,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1053,5,73,2,749.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1054,1,36,2,832.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1054,2,16,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1055,1,43,2,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1055,2,101,2,339.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1055,3,12,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1055,4,83,2,149.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(1055, 5, 60, 1, 1559.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1056,1,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1057,1,105,1,533.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1057,2,97,1,349.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1057,3,98,2,489.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1058, 1, 43, 1, 5299.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1058,2,29,2,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1058,3,103,1,551.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1059,1,46,2,1409.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1059,2,7,1,3999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1059,3,13,1,269.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1060,1,7,1,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1060,2,11,2,1680.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1060,3,61,2,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1060,4,30,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1061,1,14,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1061,2,19,1,449.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1062,1,13,1,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1062, 2, 111, 2, 470.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1062,3,5,1,1320.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1062,4,12,1,549.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1063,1,33,2,469.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1063,2,100,2,489.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1063, 3, 72, 2, 619.99, 0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1064,1,18,1,449.00,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1064,2,49,1,3499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1065, 1,48,2,1499.99,0.07); INSERT INTO sales.order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1065,2,103,2,551.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1065,3,63,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1066, 1, 15, 2, 529.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1066, 2, 46, 1, 1409, 99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1066,3,12,1,549.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1067,1,74,2,439.99,0.07); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(1067,2,9,2,2999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1067,3,72,2,619.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1067,4,6,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1068,1,87,2,189.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1068,2,82,1,659.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1068,3,49,2,3499.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1068,4,45,2,869.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1069,1,109,1,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1069, 2, 93, 1, 209.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1070,1,110,1,470.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1070,2,18,2,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1070,3,94,1,249.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1071,1,25,2,499.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1072,1,83,1,149.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1072,2,89,2,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1072,3,36,2,832.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1073,1,81,1,1099.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1073,2,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1073,3,20,1,599.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1074,1,59,1,2599.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1074,2,87,1,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1074,3,89,2,209.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1075,1,48,2,1499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1075,2,111,2,470.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1076,1,95,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1076,2,102,1,489.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1076,3,73,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1077,1,60,2,1559.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1078,1,76,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1078,2,60,2,1559.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1078,3,15,1,529.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1078,4,10,2,1549.00,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1078, 5, 72, 2, 619.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1079, 1, 70, 2, 659.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1080,1,31,1,1632.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1080,2,40,1,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1080,3,50,1,5999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1080,4,32,2,469.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price.discount) VALUES(1080,5,86,1,149.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1081,1,52,2,875.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1082,1,29,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1083, 1,65,2,346.99,0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1083,2,77,2,799.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1083,3,61,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1083,4,33,1,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1084,1,30,1,999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1084,2,70,1,659.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1084, 3, 98, 2, 489.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1084,4,65,2,346,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1084,5,60,1,1559.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1085,1,66,2,250.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1085,2,64,1,489.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1085,3,74,1,439.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1086, 1, 108, 1, 449.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1086,2,67,1,250.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1086,3,81,2,1099.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1086, 4, 10, 2, 1549.00, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1086,5,5,1,1320.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1087,1,15,1,529.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1087,2,102,2,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1087,3,59,2,2599.99,0.1); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1087,4,13,2,269.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1087,5,109,2,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1088,1,64,1,489.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1088,2,30,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1088,3,33,1,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1088,4,36,2,832.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1089,1,70,2,659.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1089,2,30,2,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1090,1,74,1,439.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1091,1,97,1,349.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1091,2,56,1,5499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1091,3,19,1,449.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1092,1,34,1,469.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1092,2,30,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1092,3,2,2,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1092,4,18,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1093,1,45,2,869.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(1093,2,17,2,429.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1093,3,90,2,209.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1094, 1, 71, 1, 416.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1094,2,11,1,1680.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1094,3,24,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1094,4,107,1,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1095, 1,78, 2,647.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1095,2,3,2,999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1095,3,15,2,529.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1095,4,31,1,1632.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1095,5,50,2,5999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1096,1,11,1,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1097,1,99,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1097,2,106,2,449.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1097,3,98,2,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1097, 4, 19, 1, 449.00, 0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1097,5,35,2,832.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1098,1,88,1,189.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1099,1,64,1,489.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1099,2,13,2,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1099,3,46,1,1409.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1099,4,89,2,209.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(1100,1,12,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1100,2,9,2,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1101,1,105,1,533.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1101,2,51,1,6499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1102,1,91,1,349.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1103,1,106,1,449.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1103,2,46,2,1409.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1104,1,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

list_price, discount) VALUES(1104,2,70,2,659.99,0.1); INSERT INTO sales.order_items(order_id, item_id,

```
product id. quantity, list price, discount) VALUES(1104,3,43,1,5299,99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1104,4,80,1,761.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1105, 1, 60, 1, 1559.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1105, 2,56, 2,5499.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1105,3,35,2,832.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1106,1,96,1,349.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1107,1,43,1,5299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1107,2,41,2,1469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1108,1,45,2,869.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1108,2,100,1,489.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1108,3,105,1,533.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1109,1,72,2,619.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1110,1,56,1,5499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1111,1,95,1,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1111,2,66,2,250.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1111,3,14,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1111,4,24,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1112,1,71,2,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1112,2,42,1,2299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1112,3,5,2,1320.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1112,4,87,2,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1112,5,9,2,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1113,1,106,1,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1114,1,52,1,875.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1115,1,97,2,349.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1115,2,50,2,5999,99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1115,3,91,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1115,4,49,2,3499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1116,1,11,2,1680.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1117,1,37,2,379.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1117,2,91,1,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1117,3,51,2,6499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1118,1,55,2,2699.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1118,2,50,1,5999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1118,3,29,1,999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1118,4,47,2,5299.99,0.2); INSERT INTO sales.order items(order id. item id.
product_id, quantity, list_price, discount) VALUES(1119,1,93,2,209.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1119,2,55,2,2699.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1119,3,104,1,481.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1120,1,92,2,209.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1120,2,31,1,1632.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1120,3,30,2,999.99,0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1120,4,93,1,209.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1120,5,94,1,249.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1121,1,11,2,1680.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1121,2,110,2,470.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1122,1,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1122,2,53,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1122,3,49,2,3499,99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1122,4,41,2,1469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1122,5,72,1,619.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1123,1,65,2,346.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1123,2,61,2,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1124,1,7,2,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1124, 2, 6, 1, 469.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1124,3,109,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1124,4,45,2,869.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(1124,5,2,2,749.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1125,1,16,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1125,2,21,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1125,3,81,2,1099.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1125,4,24,1,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1125,5,32,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1126,1,33,2,469.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1126,2,58,1,4999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1126,3,89,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1127,1,23,2,299.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1127,2,96,2,349.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1127,3,37,1,379.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1128,1,44,1,539.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1128,2,10,1,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1128,3,65,2,346.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1129,1,71,2,416.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1129,2,56,1,5499,99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1129,3,61,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1130,1,54,2,3199.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1131,1,60,2,1559.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1131, 2, 103, 2, 551.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1132,1,43,1,5299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1132,2,10,1,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1132,3,36,2,832.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1132,4,16,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1133,1,4,2,2899.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1133,2,17,1,429.00,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1133,3,90,2,209.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1133,4,62,1,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1134,1,97,1,349.99,0.1); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(1134,2,36,1,832.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1135,1,101,2,339.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1135,2,51,1,6499.99,0.1); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1136,1,105,1,533.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1137,1,28,1,2499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1137,2,58,2,4999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1137,3,84,2,109.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1137,4,69,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1138,1,13,2,269.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(1138,2,105,2,533,99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1138,3,93,1,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1139,1,106,2,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1139,2,44,2,539.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1139,3,69,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1139,4,25,2,499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1139,5,7,1,3999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1140,1,39,2,1499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1140,2,71,2,416.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1140,3,38,2,549.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1140,4,40,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1141,1,8,1,1799.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1142,1,20,2,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1142,2,30,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1142,3,109,2,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1142,4,108,2,449.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1142,5,100,2,489.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1143,1,99,1,299.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1143,2,48,1,1499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1143,3,69,2,416.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1144,1,88,1,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1145,1,105,2,533.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1146,1,36,1,832.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1146,2,64,1,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1146,3,11,1,1680.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1147,1,82,1,659,99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1147,2,39,2,1499.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1148,1,82,1,659.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1148,2,22,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1148,3,77,2,799.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1148,4,94,2,249.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1149,1,98,2,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1149,2,48,1,1499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1149,3,58,1,4999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1149,4,85,1,329.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(1149,5,94,1,249,99,0.1); INSERT INTO sales order items(order id. item id.
product_id, quantity, list_price, discount) VALUES(1150,1,29,1,999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1150,2,91,1,349.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1150, 3, 104, 2, 481.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1150,4,21,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1151,1,30,2,999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(1152,1,58,1,4999.99,0.07); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1152,2,91,2,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1152,3,24,1,549.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1153,1,103,1,551.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1153,2,6,2,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1154,1,17,1,429.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1154,2,60,1,1559.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id. quantity, list price, discount) VALUES(1154, 3, 67, 2, 250, 99, 0, 2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1155,1,68,2,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1155,2,6,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1155,3,35,1,832.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1155,4,77,2,799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1156,1,111,2,470.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1156, 2, 86, 1, 149.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1157,1,20,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1157,2,31,2,1632.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1157,3,37,2,379.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1157,4,41,1,1469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1158,1,95,2,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1158,2,74,1,439.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1159,1,12,2,549.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1160, 1, 41, 1, 1469.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1160,2,9,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1161,1,71,2,416.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1161,2,38,1,549.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1161,3,22,1,269.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1161,4,29,2,999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1162,1,88,1,189.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1162,2,40,2,4999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1162,3,86,1,149.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1162,4,41,1,1469.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1162,5,12,2,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1163,1,63,2,3499,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1163,2,53,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(1164,1,8,1,1799.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1164,2,78,1,647.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1164,3,103,2,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1164,4,44,2,539.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1165,1,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1165,2,68,1,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1166,1,103,2,551.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1167,1,29,2,999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1167,2,81,2,1099.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1167,3,68,1,449.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1168,1,23,2,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1168, 2, 82, 1, 659.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1168,3,51,1,6499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1168,4,107,2,416.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1168,5,15,2,529.99,0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1169,1,91,2,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1169,2,51,1,6499.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1169,3,58,2,4999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1169,4,81,2,1099.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1170,1,15,1,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1170,2,47,2,5299.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1170,3,62,2,3499,99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1171,1,94,2,249.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1171,2,92,2,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1171,3,10,2,1549.00,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1172,1,78,2,647.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1172,2,104,1,481.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1173,1,95,1,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1173,2,17,1,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1173,3,68,1,449.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1173,4,103,2,551.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1174,1,110,2,470.99,0.2); INSERT INTO sales order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1174,2,6,1,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1174,3,106,1,449.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1175,1,58,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1175, 2,65,1,346.99, 0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1175,3,20,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1175,4,3,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1175,5,9,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1176,1,87,1,189.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1177,1,62,2,3499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1177,2,74,1,439.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1178,1,46,1,1409.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1178,2,77,1,799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1178,3,108,1,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1178,4,13,2,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1179,1,93,2,209,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1179,2,88,2,189.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1179,3,33,2,469.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1179,4,50,1,5999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1180,1,66,2,250.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1181,1,98,1,489.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1182,1,35,1,832.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1182,2,49,2,3499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1183, 1,63, 1,3499,99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1183,2,80,2,761.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(1183,3,6,2,469.99,0.05); INSERT INTO sales order items(order id. item id.
product_id, quantity, list_price, discount) VALUES(1184,1,16,2,599.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1184,2,71,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1185,1,19,2,449.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1185,2,21,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1185,3,63,2,3499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1185,4,80,1,761.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1186,1,48,2,1499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1186,2,49,1,3499.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1186,3,106,1,449.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1186,4,27,1,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1187,1,36,2,832.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1187,2,79,1,402.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1187,3,4,1,2899,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1187,4,53,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1188,1,66,2,250.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1188,2,91,2,349.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1188,3,87,2,189.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1189,1,55,1,2699.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1189,2,102,2,489.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1189,3,40,2,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1190,1,71,1,416.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1191,1,40,2,4999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1191,2,89,2,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1191,3,100,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1192,1,24,2,549.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1192,2,88,2,189.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1192,3,37,2,379.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1193,1,83,2,149.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1193,2,27,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1194,1,71,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1194,2,7,2,3999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1194,3,105,2,533.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1194,4,84,1,109.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1195,1,52,1,875.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1196,1,53,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1197,1,13,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1197,2,108,2,449.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1197,3,9,2,2999,99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1197,4,106,2,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1198,1,105,1,533.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1199,1,32,1,469.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1199, 2,94,2,249.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1199,3,109,2,416.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1200,1,42,2,2299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1201,1,95,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1201,2,13,1,269.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1201,3,26,1,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1201,4,17,2,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1201,5,19,2,449.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1202,1,84,2,109.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1203,1,6,2,469.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1203,2,55,1,2699.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1204,1,37,2,379.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1205,1,105,2,533.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1205, 2,46,2,1409.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1205,3,71,1,416.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1205,4,79,2,402.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1205, 5, 92, 1, 209.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1206,1,73,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1206,2,29,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1207, 1, 104, 1, 481, 99, 0, 05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1207,2,103,1,551.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1207,3,23,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1208,1,12,1,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1208,2,65,2,346.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1208,3,86,2,149.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1208,4,13,2,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1208,5,87,1,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1209,1,89,1,209.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1209, 2, 97, 1, 349.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1210,1,26,1,599.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1210, 2, 6, 2, 469.99, 0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1210,3,78,2,647.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1210,4,84,1,109.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1210,5,35,2,832.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1211,1,15,2,529.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1211,2,59,1,2599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1211,3,92,1,209.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1211,4,93,1,209.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1211,5,108,2,449.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1212,1,74,1,439.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1212,2,37,2,379.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1212,3,39,2,1499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1212,4,68,2,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1213,1,64,2,489.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1213,2,78,1,647,99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1213,3,102,2,489.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1213,4,15,1,529.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1214,1,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1214,2,7,1,3999.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1214,3,22,1,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1214,4,77,2,799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1214, 5, 67, 2, 250.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1215, 1, 73, 2, 749.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1215,2,10,2,1549.00,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1216,1,64,2,489,99,0.1); INSERT INTO sales, order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1216,2,54,1,3199.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1216,3,19,1,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1216,4,110,2,470.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1216,5,43,1,5299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1217,1,73,1,749.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1217,2,106,2,449.99,0.05); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(1218,1,32,1,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1218,2,102,2,489.99,0.05); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1219,1,17,2,429.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1219,2,62,2,3499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1219,3,40,2,4999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1220,1,47,2,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1220, 2,49,1,3499,99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1220,3,85,2,329.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1221,1,100,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1221, 2, 81, 2, 1099, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1221,3,42,2,2299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1221,4,38,2,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1221,5,97,2,349.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1222,1,97,1,349.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1223,1,103,1,551.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1224,1,62,1,3499.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1224,2,51,1,6499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1224, 3, 108, 1, 449.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1224,4,32,1,469.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1225,1,81,1,1099.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1225, 2,59,2,2599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1225, 3, 6, 2, 469.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1226,1,77,2,799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1226,2,101,1,339.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1226,3,11,2,1680.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1226,4,51,1,6499.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1226,5,42,1,2299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1227,1,90,2,209.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1227,2,44,1,539.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1227,3,26,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1227,4,8,1,1799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1227,5,42,2,2299,99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1228,1,92,1,209.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1228, 2,55, 2,2699.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1228,3,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1229,1,36,2,832.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1229, 2, 61, 2, 4999.99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1230,1,32,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1230,2,38,2,549.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1231,1,75,2,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1231,2,70,1,659.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1232,1,4,2,2899.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1232,2,110,2,470.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(1232,3,6,2,469.99,0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1233,1,87,2,189.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1233,2,61,2,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1233,3,55,1,2699.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1234,1,56,2,5499.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1234,2,71,2,416.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1235,1,7,1,3999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1236,1,60,1,1559.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1236,2,32,2,469.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1236,3,91,1,349.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1237,1,23,1,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1237,2,87,2,189,99,0.1); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1237,3,95,2,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1237,4,55,2,2699.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1237,5,25,1,499.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1238,1,40,1,4999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1238,2,14,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1238,3,99,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1238,4,101,1,339.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1239,1,15,2,529.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1239,2,91,1,349.99,0.1); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(1239, 3, 34, 2, 469, 99, 0, 1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1239,4,36,1,832.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1240, 1, 107, 2, 416.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1240,2,23,2,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1240,3,15,2,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1240,4,77,2,799.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1240,5,57,1,1999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1241,1,74,1,439.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1241,2,71,2,416.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1242,1,94,1,249.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1242,2,27,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1242,3,10,1,1549.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1242,4,70,1,659.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list_price, discount)
VALUES(1243,1,44,1,539.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1244,1,45,1,869.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1244,2,38,2,549.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1244,3,33,1,469.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1244,4,37,2,379.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1245,1,13,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1246,1,78,2,647.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1246,2,46,1,1409.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1246,3,45,2,869.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1247,1,15,2,529.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1247,2,28,2,2499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1247,3,26,1,599.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1248,1,94,2,249.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1248,2,33,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1248,3,92,1,209.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1248,4,12,1,549.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1249,1,62,1,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1249,2,104,1,481.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1249,3,61,1,4999.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1250,1,78,2,647.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1250, 2, 66, 2, 250.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1250,3,20,2,599.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1250,4,6,2,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1251,1,40,2,4999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1251,2,56,1,5499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price.discount) VALUES(1251,3,7,1,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1252, 1, 79, 1, 402.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1252,2,84,1,109.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1252, 3, 57, 2, 1999.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1253,1,25,2,499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1253,2,21,1,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1253,3,88,1,189.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1254,1,80,1,761.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1254,2,91,1,349.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1255, 1, 43, 2, 5299.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1255, 2,53, 1,749.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1255,3,14,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1255,4,26,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1255,5,82,1,659.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1256,1,44,2,539.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1256,2,100,1,489.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1257, 1, 30, 2, 999, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1257,2,61,1,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1257,3,17,2,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1257,4,41,1,1469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1257,5,4,1,2899.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1258,1,94,2,249.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1258, 2,99, 2, 299.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1259,1,60,1,1559.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1259,2,19,1,449.00,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1260, 1, 8, 1, 1799.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1260,2,66,1,250.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1261,1,73,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list_price, discount) VALUES(1261,2,88,2,189.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1261,3,100,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1261,4,42,1,2299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1262,1,37,1,379.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1262,2,52,1,875.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity.
list price, discount) VALUES(1262,3,43,2,5299.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1262,4,77,1,799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1263,1,45,1,869.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1263,2,62,1,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1263,3,19,2,449.00,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1264,1,101,1,339.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1264,2,77,2,799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1264,3,29,2,999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1264,4,52,1,875.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1265,1,41,2,1469.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1265, 2, 72, 2, 619, 99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1266,1,90,1,209.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1266, 2, 48, 1, 1499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1267,1,45,1,869.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1267,2,27,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price.discount) VALUES(1267,3,108,1,449.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1267,4,95,1,299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1268,1,68,2,449.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1268,2,87,2,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1268, 3, 59, 2, 2599.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1268,4,100,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1269,1,4,2,2899.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1269, 2, 7, 1, 3999, 99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1269,3,111,1,470.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1270,1,54,1,3199.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1271,1,25,2,499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1271,2,50,2,5999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1271,3,87,2,189.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1271,4,32,2,469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1272,1,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1272,2,71,2,416.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1272,3,86,1,149.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1273,1,95,2,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1273,2,20,1,599.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1273,3,58,1,4999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1274,1,81,1,1099.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1275,1,58,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1275,2,30,1,999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1276,1,18,2,449.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1276, 2,58,1,4999.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1276, 3, 42, 1, 2299.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1276,4,24,2,549.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1276,5,78,2,647.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1277,1,56,2,5499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1277,2,93,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1277,3,9,2,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1277,4,4,1,2899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1277,5,11,1,1680.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity.
list_price, discount) VALUES(1278, 1, 103, 2, 551.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1278,2,32,1,469.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1279,1,9,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1280,1,72,2,619.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1280,2,74,1,439.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1280,3,52,1,875.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1280,4,63,1,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1281,1,36,1,832.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1281,2,49,2,3499.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1281, 3, 75, 1, 599.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1282,1,111,1,470.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1282,2,50,2,5999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1283,1,61,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1283,2,81,1,1099.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1283,3,7,1,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1283,4,32,1,469,99,0.1); INSERT INTO sales, order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1283,5,11,1,1680.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1284,1,101,1,339.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1284, 2, 8, 1, 1799.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1284,3,4,2,2899.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1285,1,78,2,647.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1285, 2, 93, 1, 209.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1285, 3, 69, 2, 416.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount) VALUES(1285, 4, 6, 1, 469.99, 0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1286,1,109,2,416.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1286, 2, 81, 2, 1099, 99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1286,3,87,1,189.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1287,1,27,2,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1287,2,62,2,3499.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1287,3,103,1,551.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1287,4,100,2,489.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1288, 1, 73, 1, 749.99, 0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1288,2,64,2,489.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1288,3,62,2,3499.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1288,4,17,2,429.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1289, 1,89, 1,209.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1289,2,3,1,999.99,0.1);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1290,1,75,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1290,2,36,1,832.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1290,3,92,2,209.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1291,1,57,1,1999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1291,2,58,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1292, 1, 70, 1, 659.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1293,1,88,2,189.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1293,2,74,2,439.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1293,3,38,2,549.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1294,1,95,2,299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1294, 2,44,1,539.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1295,1,5,2,1320.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1295,2,61,1,4999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1295, 3,52,1,875.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1296,1,25,2,499,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1296,2,90,1,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1296, 3, 16, 1, 599.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1296,4,2,2,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1297,1,104,2,481.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1297,2,43,1,5299.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1297,3,51,2,6499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1298,1,59,1,2599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1298,2,110,2,470.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1299,1,14,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1299,2,101,1,339.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1299,3,75,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1299,4,52,2,875.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1300,1,101,2,339.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1300,2,58,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1301,1,45,2,869.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1301,2,105,2,533.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1301,3,8,1,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1302,1,38,1,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1302,2,20,2,599,99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1302,3,56,2,5499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1303,1,96,1,349.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1303,2,63,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1303,3,108,1,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1303,4,73,1,749.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1303,5,24,2,549.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1304,1,80,1,761.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1304, 2,99, 2,299.99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1304,3,102,1,489.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1304,4,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1305,1,85,1,329.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1305,2,9,1,2999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1305,3,11,1,1680.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1305,4,91,2,349.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1306,1,103,2,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1306,2,81,2,1099.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1306,3,45,1,869.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1306,4,42,1,2299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price.discount) VALUES(1306.5,9,2,2999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1307,1,96,2,349.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1307,2,53,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1307,3,69,2,416.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1308,1,54,1,3199.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1308,2,69,1,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1308, 3, 14, 2, 269.99, 0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1308, 4,56,1,5499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1308,5,32,1,469.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1309,1,65,1,346.99,0.05); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(1309, 2, 87, 2, 189, 99, 0, 2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1310,1,59,1,2599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1310,2,77,2,799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1310,3,11,2,1680.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1310,4,54,1,3199.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1311,1,69,1,416.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1311,2,45,2,869.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1311,3,27,2,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1311,4,42,1,2299.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1312,1,67,2,250.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1312,2,14,1,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1312,3,20,1,599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1313,1,75,1,599.99,0.2); INSERT INTO
```

```
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1313,2,33,1,469.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1313,3,69,1,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1314,1,52,1,875.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1314,2,72,2,619.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1314,3,94,1,249.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1315,1,104,2,481.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1315,2,41,1,1469.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1315,3,24,1,549.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1315,4,26,1,599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1315,5,16,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1316,1,76,2,299.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1316,2,90,1,209.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1317,1,82,1,659.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1318,1,82,2,659.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1318,2,62,2,3499.99,0.2); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1318,3,111,1,470.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1318,4,92,1,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1319,1,75,1,599,99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1319,2,91,1,349.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1320,1,104,1,481.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1320,2,93,1,209.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1320,3,99,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1321,1,34,1,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1321, 2, 107, 1, 416.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1321,3,11,2,1680.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1322,1,28,2,2499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1322,2,104,2,481.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1323,1,27,2,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1323,2,20,1,599.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1323, 3, 70, 1, 659.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1324,1,66,1,250.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1324,2,120,2,2499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1324,3,235,1,899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1324,4,3,1,999.99,0.2);
INSERT INTO sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1325,1,139,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1325,2,257,1,899.99,0.05); INSERT INTO sales.order items(order id.
item_id, product_id, quantity, list_price, discount) VALUES(1325,3,209,1,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1325,4,28,1,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1326,1,190,2,2799.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1326,2,269,2,199.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1327,1,151,2,1549.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1327,2,235,2,899.99,0.1); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1327,3,48,2,1499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1327,4,180,1,919.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1328,1,241,1,749.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1328,2,129,2,919.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1328,3,228,1,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1328,4,311,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1328,5,247,1,599,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1329,1,143,1,1099.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1329,2,107,1,416.99,0.05); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1329, 3, 55, 1, 2699, 99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1329,4,283,2,319.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1329,5,13,1,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1330,1,232,1,479.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1330,2,243,2,679.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1330,3,230,2,429.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1330,4,102,2,489.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1330,5,282,1,279.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1331,1,253,1,2599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1331,2,290,1,369.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1331,3,145,2,1799.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1331,4,300,1,799.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1332,1,296,1,369.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1332,2,93,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1332,3,179,2,919.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1332,4,298,1,279.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1333,1,205,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1333,2,304,2,679.99,0.1); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1333,3,99,2,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1333,4,12,1,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1333,5,78,1,647.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1334,1,203,2,4999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1334,2,160,2,4499.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1334,3,84,2,109.99,0.1); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1334,4,13,1,269.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1334,5,42,1,2299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1335,1,138,2,2249.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1336,1,29,2,999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1336,2,157,1,6499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1336,3,21,2,269.99,0.07); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1336,4,207,1,3999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1336,5,185,1,2799.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1337,1,153,1,4999.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1338,1,169,2,6499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1339,1,175,1,3199.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1340,1,253,1,2599.99,0.2); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1340,2,92,2,209.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1340,3,237,2,849.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1341,1,215,2,749.99,0.07); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(1341,2,56,2,5499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1341,3,234,2,899.99,0.05); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1341,4,66,2,250.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1342,1,60,1,1559.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1342,2,270,1,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

list_price, discount) VALUES(1343,1,244,1,559.99,0.05); INSERT INTO sales.order_items(order_id, item_id,

```
product id, quantity, list price, discount) VALUES(1343, 2,99,1,299,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1343,3,184,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1343,4,65,2,346.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1343,5,206,1,3299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1344,1,77,2,799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1344,2,103,2,551.99,0.2); INSERT INTO sales.order items(order id. item id.
product_id, quantity, list_price, discount) VALUES(1344,3,3,1,999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1344,4,61,1,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1345,1,40,2,4999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1345,2,172,2,3199.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1345,3,164,2,1549.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1345,4,2,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1346,1,134,2,1499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1346,2,150,1,4499.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1346,3,18,2,449.00,0.05); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1346,4,249,1,749.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1346,5,263,2,89.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1347,1,43,2,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1347,2,53,1,749.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1348,1,203,1,4999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1348,2,148,1,5499.99,0.05); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1348,3,58,2,4999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1348,4,147,1,1799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1349,1,138,2,2249.99,0.05); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1349,2,205,2,4999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1349,3,168,2,1549,00,0,2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1349,4,184,1,3499.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1350,1,305,1,749.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1350,2,250,1,2599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1350,3,253,1,2599.99,0.07); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1350,4,159,1,2299.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1350,5,13,2,269.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1351,1,297,2,279.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1351,2,133,1,1499.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1352,1,136,1,1799.99,0.2); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1352,2,52,2,875,99,0.1); INSERT INTO sales, order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1352,3,282,2,279.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1352,4,86,2,149.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1352,5,100,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1353,1,107,2,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1353,2,233,1,639.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1353,3,300,1,799.99,0.2); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1353,4,86,2,149.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1354,1,166,2,749.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1355,1,297,1,279.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1355,2,253,1,2599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1355,3,149,1,7499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1355,4,313,2,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
```

```
product id, quantity, list price, discount) VALUES(1356,1,192,1,2599,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1356,2,199,2,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1356,3,276,2,319.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1357,1,145,2,1799.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1357,2,60,1,1559.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1357,3,130,1,919.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1358,1,257,2,899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1359,1,282,1,279.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1359,2,82,1,659.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1360,1,31,1,1632.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1361,1,307,2,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1361,2,153,1,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1361,3,163,2,1349.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1362,1,27,2,999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1362,2,204,2,3599.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1362,3,4,2,2899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1363,1,66,2,250.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1364, 1, 78, 1, 647.99, 0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1364,2,155,2,11999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1364,3,152,1,2499.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1364,4,110,1,470.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1365,1,144,1,1549.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1365,2,58,1,4999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1365,3,236,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1366,1,115,1,3199.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1366,2,128,2,1899,00,0,2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1366,3,200,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1367,1,132,1,1499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1367,2,131,2,2599.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1367,3,124,1,1499.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1367,4,24,2,549.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1368,1,66,1,250.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1368,2,113,2,489.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1368, 3, 186, 1, 4499, 99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1369,1,213,2,269.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price discount) VALUES(1370.1,7,1,3999.99,0.07); INSERT INTO sales order items (order id. item id.
product_id, quantity, list_price, discount) VALUES(1370,2,89,2,209.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1370,3,208,2,1799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1370,4,134,1,1499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1371,1,223,2,529.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1371,2,8,2,1799.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1372,1,307,1,749.99,0.07); INSERT INTO sales order items(order id, item id,
product id, quantity, list price, discount) VALUES(1372,2,283,2,319.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1373,1,63,1,3499.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1374,1,181,2,2199.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1374,2,130,2,919.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1375,1,147,2,1799.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1375,2,182,1,2499.99,0.2); INSERT INTO sales.order_items(order_id,
```

```
item id, product id, quantity, list price, discount) VALUES(1376, 1, 5, 1, 1320, 99, 0, 07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1377,1,153,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1377,2,130,1,919.99,0.05); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1377,3,48,1,1499.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1377,4,188,2,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1378,1,96,2,349.99,0.07); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1378,2,142,2,3199.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1378, 3, 2, 2, 749.99, 0.2);
INSERT INTO sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1378,4,110,1,470.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1378,5,129,2,919.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1379, 1, 15, 1, 529, 99, 0, 1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1379,2,118,1,999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1379,3,263,2,89.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1380,1,255,2,899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1380,2,229,2,429.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1381,1,274,2,229.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1381,2,214,2,899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1382,1,232,1,479.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1382,2,81,2,1099.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1382,3,225,1,959.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1382,4,135,1,1499.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1382,5,238,1,749.99,0.2); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1383,1,188,2,3499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list_price, discount)
VALUES(1383,2,65,2,346.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1384,1,32,1,469.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1384,2,142,2,3199.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1384,3,89,1,209.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1384,4,97,1,349.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1385,1,24,2,549.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1385,2,145,1,1799.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1385,3,39,2,1499.99,0.1); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1385,4,135,1,1499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1386,1,292,1,369.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1386,2,262,1,249.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1386,3,306,1,899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1386,4,150,1,4499.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1387,1,106,1,449.99,0.1); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1388,1,251,1,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1389,1,85,2,329.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1389,2,171,2,3199.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1389,3,227,1,319.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1390,1,41,2,1469.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1390,2,27,2,999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1390,3,306,1,899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1390,4,104,1,481.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1390,5,147,2,1799.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1391,1,223,2,529.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1391,2,295,2,319.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price.discount) VALUES(1391,3,277,1,369.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1392, 1,87,2,189.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1392,2,240,2,899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1393,1,92,1,209.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1393,2,82,1,659.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1393,3,47,2,5299.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1393,4,268,2,159.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1394,1,165,2,2499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1395,1,204,1,3599.99,0.2); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1395,2,48,2,1499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1395,3,180,2,919.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1395,4,226,1,679.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1396,1,57,1,1999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1396,2,181,1,2199.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1397,1,127,2,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1397,2,139,1,2999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1397,3,7,1,3999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1397,4,249,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1397,5,78,2,647.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1398,1,69,2,416.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1398,2,53,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1399,1,210,2,1549.00,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1399,2,224,1,479.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1399,3,127,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1399,4,28,1,2499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1400,1,24,2,549.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1400,2,217,2,909.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1400,3,275,1,229.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1400,4,90,1,209.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1401,1,112,1,379.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1401,2,230,1,429.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1401,3,254,2,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1402,1,189,2,2799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1402,2,28,2,2499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1402,3,203,1,4999.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1402,4,273,1,289.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1403,1,93,2,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1404,1,112,2,379.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1404,2,220,1,269.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1404, 3, 193, 2, 2799, 99, 0.2); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1405,1,162,2,2999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1406,1,230,2,429.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1406,2,113,1,489.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1407,1,300,1,799.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1407,2,36,2,832.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1407,3,266,1,399.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1407,4,35,1,832.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1408,1,23,2,299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price.discount) VALUES(1408.2,166,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1408,3,114,1,579.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1408,4,137,2,2599.00,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1409,1,301,2,899.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1409,2,170,1,1299.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1409,3,171,2,3199.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1409,4,265,1,289.99,0.05); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1409,5,222,1,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1410,1,205,2,4999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1410,2,203,2,4999.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1410,3,304,1,679.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1411,1,9,1,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1411,2,308,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1412,1,180,2,919.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1412,2,43,1,5299.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1412,3,109,2,416.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1413,1,297,2,279.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1414,1,162,2,2999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1414,2,292,2,369.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1415,1,31,2,1632.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1415,2,17,1,429.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1415,3,264,2,249.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1415,4,245,1,659.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1416,1,194,1,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1416,2,242,2,699.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1416,3,92,2,209.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1417,1,219,2,639.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1418,1,120,2,2499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1418,2,243,2,679.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1419,1,124,1,1499.00,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1419,2,235,2,899.99,0.2); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1419,3,234,1,899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1420,1,197,1,2299.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1420,2,194,2,3499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1420,3,128,1,1899.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1421,1,298,2,279.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1422,1,80,2,761.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1422,2,180,2,919.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1422,3,243,1,679.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1423,1,249,1,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1423,2,71,1,416.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1423,3,302,1,449.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list price, discount) VALUES(1423,4,113,2,489.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1424, 1, 140, 2, 4999, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1425,1,227,2,319.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1425,2,263,1,89.99,0.07); INSERT INTO sales.order items(order id., item id.,
product_id, quantity, list_price, discount) VALUES(1425,3,93,1,209.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1425,4,54,2,3199.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1425,5,145,2,1799,99,0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(1426,1,215,1,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1426,2,20,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1426, 3, 281, 1, 319.99, 0.07); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1427,1,230,2,429.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1427,2,139,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1427,3,164,2,1549.00,0.07); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1428, 1, 216, 2, 899.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1428,2,126,1,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1428,3,187,2,2799.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1428,4,28,1,2499,99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1428,5,194,2,3499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1429,1,70,2,659.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1430,1,221,1,319.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1430,2,281,1,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1431,1,207,1,3999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1431,2,53,1,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1431,3,252,1,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1431,4,254,1,749.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1432,1,161,1,1899.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1433,1,264,1,249.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1434,1,229,2,429.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1434,2,198,1,2999.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list_price, discount)
VALUES(1434,3,286,2,279.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1434,4,61,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1435,1,141,2,1599.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1435,2,29,1,999.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1435,3,60,1,1559.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1435,4,260,1,799.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1436,1,244,2,559.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1437,1,141,2,1599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1438,1,225,1,959.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1438,2,140,1,4999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1438,3,81,2,1099.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1438,4,137,1,2599.00,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1438,5,190,2,2799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1439,1,42,1,2299.99,0.07); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1439,2,263,1,89.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1439,3,102,2,489.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1439,4,149,1,7499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1440,1,116,2,749.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1440,2,109,1,416.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1440,3,186,1,4499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1440,4,178,2,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1440,5,67,2,250.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1441, 1, 6, 1, 469.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1441,2,242,2,699.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1441,3,46,1,1409.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1442,1,160,1,4499,99,0.1); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(1442,2,220,1,269.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1442,3,271,2,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1443,1,160,1,4499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1443,2,57,1,1999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1443,3,101,2,339.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1444,1,90,1,209.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1444,2,128,2,1899.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1445,1,219,2,639.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1445,2,52,1,875.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1445,3,123,2,999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1446,1,227,1,319.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1446,2,233,2,639.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1446,3,234,2,899.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1447,1,148,1,5499.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1448,1,239,1,749.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1449,1,159,1,2299.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1449,2,55,1,2699.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1449,3,260,2,799.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1449,4,252,2,2999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1449,5,14,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1450,1,98,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1450,2,173,2,3199.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1450,3,299,1,559.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1450,4,209,2,2999.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1450,5,235,2,899.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1451,1,117,1,1469.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1452,1,99,2,299.99,0.1); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1452,2,234,1,899.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1452,3,86,2,149.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1452,4,109,2,416.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1453,1,89,2,209.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1454,1,283,1,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1454,2,35,2,832.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1454,3,124,1,1499.00,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1454,4,38,2,549.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1455,1,101,2,339.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1455,2,254,1,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1456,1,193,2,2799.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES(1456,2,246,1,639.99,0.07); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1456,3,268,2,159.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1456,4,272,1,289.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1456,5,126,1,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1457,1,113,1,489.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1457,2,111,1,470.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1457,3,268,1,159.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1457,4,152,2,2499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1458,1,295,2,319.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1458,2,105,1,533.99,0.05); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1458, 3, 12, 1, 549, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1458,4,78,2,647.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1459,1,258,1,1259.90,0.1); INSERT INTO sales order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1460,1,201,1,4499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1460,2,76,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1460,3,167,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1460,4,7,2,3999.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1460,5,123,2,999.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1461,1,48,1,1499.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1461,2,242,2,699,99,0,2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1462,1,263,1,89.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1462,2,25,1,499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1462,3,223,1,529.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1462,4,294,1,369.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1462,5,251,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1463, 1,51,2,6499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1463,2,168,1,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1464,1,109,2,416.99,0.05); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1464, 2, 124, 1, 1499.00, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1464,3,165,2,2499.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1464,4,151,2,1549.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1465, 1, 70, 2, 659.99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1466,1,310,2,899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1466,2,251,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1466, 3, 163, 2, 1349.00, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1466,4,39,2,1499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1467,1,18,1,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1467,2,115,1,3199.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1467,3,278,2,369.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1468,1,269,1,199.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1468,2,58,1,4999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1468,3,50,2,5999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1469, 1,77, 2,799.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1469,2,237,2,849.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1469,3,182,1,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1469,4,100,2,489.99,0.05); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1470,1,110,2,470.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1470,2,287,1,279.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1470,3,252,2,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1471,1,59,2,2599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1471,2,136,1,1799,99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES(1472,1,84,1,109.99,0.2); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1472,2,300,1,799.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1473,1,84,2,109.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1473,2,102,1,489.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1474,1,301,1,899.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1474,2,123,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1475,1,306,2,899,99,0.05); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1475,2,261,2,899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1475,3,161,2,1899.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1475,4,248,2,599.99,0.2); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1476,1,142,2,3199.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1476,2,91,2,349.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1476,3,43,1,5299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1476,4,191,1,2799.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1476,5,265,2,289.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1477,1,210,2,1549.00,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1478,1,100,2,489.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1478,2,123,1,999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1479,1,252,1,2999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1479,2,256,1,899.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1480,1,308,2,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1480, 2, 82, 2, 659.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1480,3,92,2,209.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1480,4,225,2,959.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1481,1,53,2,749.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1481,2,130,1,919.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1482,1,48,1,1499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1482,2,113,1,489.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1482,3,58,2,4999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1482,4,40,1,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1482,5,205,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1483,1,280,1,489.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1483,2,226,2,679.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1484,1,295,2,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1484,2,49,2,3499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1484,3,304,2,679.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1485,1,122,2,2499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1485,2,276,1,319.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1486,1,60,2,1559.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1486,2,98,1,489.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1486,3,113,1,489.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1486,4,269,1,199.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1487,1,160,1,4499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1487,2,151,2,1549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1487,3,198,1,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES(1487,4,196,1,2299.99,0.05); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1487, 5, 96, 2, 349.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1488,1,42,1,2299.99,0.07); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1488,2,122,1,2499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1489,1,198,1,2999.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1489,2,282,2,279.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1489,3,52,1,875.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1490,1,99,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1490,2,254,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1490,3,218,1,319,99,0.05); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1491,1,95,2,299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1491,2,302,1,449.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1491,3,60,2,1559.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1491,4,139,2,2999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1492,1,37,2,379.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1493,1,230,1,429.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1494,1,230,2,429.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1494,2,178,2,749.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1494,3,264,2,249.99,0.05); INSERT INTO sales.order items (order id, item id,
product id, quantity, list price, discount) VALUES(1495,1,292,2,369,99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1495,2,308,2,749.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1495,3,137,1,2599.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1496,1,248,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1496,2,214,1,899.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1496,3,224,2,479.99,0.05); INSERT INTO sales order items (order id, item id,
product id, quantity, list price, discount) VALUES(1496,4,302,1,449.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1496,5,225,2,959.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1497,1,141,2,1599.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1497,2,198,2,2999.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1497,3,204,2,3599,99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1498,1,172,1,3199.99,0.05); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1498,2,260,2,799.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price,discount)
VALUES(1499,1,110,1,470.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1499,2,208,1,1799.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1499,3,268,2,159.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1499,4,2,1,749.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1499,5,171,2,3199.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1500,1,41,2,1469.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1500,2,293,1,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1501,1,248,1,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1501,2,219,1,639.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1501,3,15,1,529.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1501,4,67,1,250.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1501,5,210,1,1549.00,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1502,1,231,2,529.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1502,2,19,2,449.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1502,3,26,2,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1502,4,268,1,159.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1502,5,255,1,899.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1503,1,217,1,909.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1503,2,302,2,449.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1504,1,276,1,319.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1505, 1, 223, 2, 529, 99, 0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1505,2,24,2,549.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1505, 3, 43, 2, 5299.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1506,1,184,1,3499.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1506,2,153,2,4999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1506,3,149,2,7499,99,0.05); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1507,1,39,2,1499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1507,2,11,2,1680.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1507,3,259,1,1199.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1507,4,281,1,319.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1507,5,293,2,319.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1508,1,37,1,379.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1508, 2, 109, 1, 416.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1508,3,52,2,875.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1508,4,88,1,189.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1509,1,215,2,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1510,1,142,2,3199.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1510,2,68,1,449.99,0.1); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1510,3,251,2,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1510,4,220,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1510,5,137,1,2599.00,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1511,1,144,2,1549.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1511,2,288,1,389.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1511,3,17,2,429.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1511,4,41,1,1469.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1511,5,124,2,1499.00,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1512,1,217,1,909.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1513,1,166,1,749.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1513,2,61,2,4999.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1513,3,159,2,2299.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1514,1,240,2,899.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1514,2,203,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1515,1,27,2,999.99,0.2); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1515,2,202,2,3499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1515,3,310,2,899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1515,4,40,1,4999.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1515,5,158,2,959.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1516,1,172,2,3199.99,0.1); INSERT INTO sales order items(order id, item id, product id, quantity.
list_price, discount) VALUES(1516,2,253,1,2599.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1516,3,196,2,2299.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1516,4,259,2,1199.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1516,5,271,2,209.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1517,1,303,2,2599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1517,2,226,2,679.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1518,1,304,2,679.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1518,2,182,2,2499.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1518,3,252,2,2999.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES (1519, 1, 150, 1, 4499.99, 0.2); INSERT INTO sales. order items (order id,
item_id, product_id, quantity, list_price, discount) VALUES(1519, 2, 85, 2, 329.99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1519,3,124,2,1499.00,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1519,4.65,1.346.99,0.2); INSERT INTO sales, order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1519,5,265,2,289.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1520,1,186,1,4499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
```

```
quantity, list price, discount) VALUES(1520,2,188,2,3499,99,0.2); INSERT INTO sales, order items(order id.,
item_id, product_id, quantity, list_price, discount) VALUES(1520,3,310,2,899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1520,4,263,2,89.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1521,1,100,1,489.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1521,2,314,2,679.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1521,3,123,1,999.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1521,4,135,2,1499.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1522,1,95,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1522,2,141,1,1599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1522,3,117,1,1469.99,0.07); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1523,1,311,2,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1524,1,168,1,1549.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1524,2,295,2,319.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1524,3,313,1,449.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1524,4,252,2,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1525, 1, 156, 1, 6499.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1525, 2, 163, 2, 1349.00, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1525,3,193,1,2799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1526,1,151,1,1549.99,0.07); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1526, 2, 56, 1, 5499.99, 0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1526,3,238,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1526,4,243,1,679.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1527,1,33,1,469.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1527,2,103,1,551.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1527, 3,57,2,1999.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1528,1,229,2,429.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1529,1,23,1,299.99,0.05); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1529, 2,50,2,5999.99, 0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1530,1,213,2,269.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1530,2,116,1,749.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1531,1,128,1,1899.00,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1532,1,209,2,2999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1533,1,274,2,229.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity.
list_price, discount) VALUES(1533,2,78,1,647.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1533,3,96,1,349.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1533,4,235,2,899.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1533,5,51,1,6499.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1534,1,194,1,3499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1534,2,117,1,1469.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES(1534,3,269,2,199.99,0.2); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1534,4,172,2,3199.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1535,1,92,1,209.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1535,2,75,2,599.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1536, 1, 183, 1, 2199, 99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1536,2,185,2,2799.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price,discount) VALUES(1536,3.196.2,2299.99,0.2); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1537,1,237,2,849.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1538,1,206,1,3299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
```

```
quantity, list_price,discount) VALUES(1538,2,46,2,1409.99,0.07); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1538,3,117,1,1469.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1538,4,197,1,2299.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1538,5,306,2,899.99,0.05); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1539,1,6,2,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1539,2,12,2,549.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1540, 1,71,2,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1540,2,236,1,749.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1540,3,224,1,479.99,0.05); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES(1540,4,177,2,5499.99,0.05); INSERT INTO sales.order items(order id, item id,
product id. quantity, list price, discount) VALUES(1540, 5, 78, 1, 647, 99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1541,1,155,2,11999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price,discount) VALUES(1541,2,248,2,599.99,0.07); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1541, 3, 142, 2, 3199, 99, 0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1541,4,17,1,429.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1541,5,86,2,149.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1542, 1, 79, 1, 402.99, 0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1542,2,122,2,2499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1542,3,184,2,3499.99,0.2); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1542,4,37,2,379.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1542,5,297,1,279.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1543,1,108,2,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1543,2,93,1,209.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1543,3,158,2,959.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1543,4,97,2,349.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1543,5,136,1,1799.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1544,1,194,2,3499,99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1544,2,107,2,416.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1545, 1,45, 1,869.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1546,1,156,1,6499.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1546,2,185,2,2799.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1546,3,215,1,749.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1546,4,25,1,499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity.
list price, discount) VALUES(1547,1,106,2,449.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1547,2,204,1,3599.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1548,1,32,1,469.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1548,2,202,1,3499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1548,3,62,2,3499.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1549,1,158,1,959.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1549, 2, 119, 1, 469.99, 0.05); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1549,3,249,2,749.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1549,4,242,2,699.99,0.1); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1550,1,315,2,559.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1550, 2, 245, 1, 659.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1550,3,185,2,2799.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1550,4,148,1,5499.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1550,5,86,2,149.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1551,1,207,2,3999.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1552,1,197,1,2299,99,0.1); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1552,2,41,2,1469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1553,1,102,1,489.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1553, 2, 12, 1,549.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1553,3,251,1,2999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1553,4,89,1,209.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1554,1,166,1,749.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1554,2,285,1,279.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1555,1,24,2,549.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1555, 2, 156, 1, 6499.99, 0.1); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1555, 3, 126, 1, 469, 99, 0, 1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1555,4,128,2,1899.00,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list_price, discount) VALUES(1555,5,174,1,3199.99,0.2); INSERT INTO sales.order_items(order_id,
item id, product id, quantity, list price, discount) VALUES(1556, 1,49,2,3499.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1556,2,82,1,659.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1556,3,265,1,289.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1556,4,119,2,469.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1556,5,235,2,899.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1557,1,163,2,1349.00,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1558,1,46,2,1409.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1558,2,123,1,999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1558,3,4,1,2899.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1558,4,55,1,2699.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1558,5,253,1,2599.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1559,1,101,2,339.99,0.07); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1559, 2, 18, 1, 449.00, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1559,3,54,2,3199.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1559,4,221,1,319.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1560, 1, 118, 2, 999, 99, 0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1560,2,41,1,1469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1561,1,181,2,2199.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1561,2,297,2,279.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1562,1,54,1,3199.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1562,2,66,1,250.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1562,3,115,2,3199.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1563,1,188,1,3499.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1564,1,309,1,899.99,0.07); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1564,2,14,1,269.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1565,1,37,1,379.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES (1565, 2, 92, 1, 209. 99, 0.1); INSERT INTO sales. order items (order id, item id,
product_id, quantity, list_price, discount) VALUES(1565, 3, 261, 1, 899.99, 0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1565,4,95,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1565,5,226,2,679.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1566, 1, 179, 1, 919, 99, 0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1566,2,61,2,4999.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1567,1,279,1,319.99,0.2); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1568,1,146,1,4999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1568,2,105,1,533.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list_price.discount) VALUES(1568.3,301,1,899.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1569,1,252,1,2999.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1570,1,155,1,11999.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1571,1,312,2,699.99,0.1); INSERT INTO sales.order items(order id,
item_id, product_id, quantity, list_price, discount) VALUES(1571,2,212,1,559.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1571,3,20,2,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1572,1,216,2,899.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1572,2,198,1,2999.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1572,3,115,1,3199.99,0.05); INSERT INTO sales.order items(order id, item id, product id,
quantity, list price, discount) VALUES(1572,4,304,2,679.99,0.2); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1573,1,9,1,2999.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1573,2,129,1,919.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1573,3,15,2,529.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1573,4,216,2,899.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1573,5,263,2,89.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1574,1,127,1,469.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1575, 1,44, 1,539.99, 0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1575,2,207,2,3999.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1575, 3, 213, 1, 269.99, 0.07); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1575,4,126,2,469.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1575,5,92,2,209.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1576, 1,69, 1,416.99, 0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1576,2,293,1,319.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1576,3,202,2,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id,
quantity, list price, discount) VALUES(1577,1,298,2,279.99,0.05); INSERT INTO sales.order items(order id,
item id, product id, quantity, list price, discount) VALUES(1577,2,111,2,470.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1577,3,300,2,799,99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1577,4,131,2,2599.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1577,5,282,2,279.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1578,1,204,2,3599.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1578,2,310,1,899.99,0.05); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1578,3,241,2,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1579,1,49,1,3499.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1579,2,214,1,899.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1579,3,286,1,279.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1579,4,65,2,346.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1580,1,119,2,469.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1580,2,86,2,149.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1581,1,64,1,489.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1581,2,272,1,289.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1582,1,75,1,599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1582,2,133,2,1499.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1583,1,15,1,529.99,0.05); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1583,2,265,2,289.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1584,1,45,2,869.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1584,2,216,2,899.99,0.1); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1584,3,43,1,5299.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1584,4,187,1,2799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1584, 5, 147, 2, 1799, 99, 0.07); INSERT INTO sales, order items (order id, item id,
product id, quantity, list price, discount) VALUES(1585,1,313,1,449.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1585,2,106,2,449.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1585,3,207,2,3999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1585,4,95,1,299.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1585,5,191,1,2799.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1586,1,22,2,269.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1586,2,277,1,369.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1586,3,295,1,319.99,0.05); INSERT INTO sales order items(order id, item id, product id, quantity,
list price, discount) VALUES (1586, 4, 173, 1, 3199.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1586, 5, 36, 1, 832, 99, 0, 1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1587,1,104,1,481.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1587,2,63,2,3499.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1587,3,78,2,647.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1587,4,300,2,799.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1588,1,93,2,209.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1589,1,246,2,639.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1589,2,260,1,799.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1589,3,28,2,2499.99,0.1); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1590,1,175,2,3199.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1590,2,248,1,599.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1590,3,23,1,299.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1591,1,286,2,279.99,0.2); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1591,2,126,2,469.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1591,3,97,2,349.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1591,4,138,2,2249.99,0.05); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1591,5,265,1,289.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1592,1,211,2,1549.00,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1592,2,159,1,2299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1592,3,40,2,4999.99,0.07); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1592,4,9,1,2999.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1592,5,271,2,209.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1593,1,97,2,349.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1593,2,34,1,469.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1593,3,190,2,2799.99,0.1); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1593,4,107,1,416.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1593,5,169,2,6499.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1594,1,79,2,402.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1594,2,105,1,533.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1595,1,112,1,379.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1596,1,91,1,349.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1596,2,18,1,449.00,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price,discount) VALUES(1597,1,176,1,3199.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1597,2,59,1,2599.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1598,1,247,1,599.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1598,2,49,2,3499.99,0.07); INSERT INTO sales.order items(order id, item id,
product_id, quantity, list_price, discount) VALUES(1598,3,88,1,189.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1599,1,104,2,481.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
```

```
list price, discount) VALUES(1600, 1, 146, 1, 4999, 99, 0, 1); INSERT INTO sales, order items (order id., item id.,
product id, quantity, list price, discount) VALUES(1600,2,295,1,319.99,0.05); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1600,3,36,1,832.99,0.2); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1601,1,114,2,579.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1601,2,10,1,1549.00,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1601,3,220,2,269.99,0.07); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1601,4,7,2,3999.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1601,5,180,1,919.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1602,1,71,2,416.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list price, discount) VALUES(1602,2,37,1,379.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1602,3,275,2,229,99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1602,4,257,2,899.99,0.05); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list_price, discount) VALUES(1603,1,275,2,229.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product id, quantity, list price, discount) VALUES(1604,1,271,1,209.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1605,1,72,1,619.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES (1605, 2, 186, 1, 4499.99, 0.2); INSERT INTO sales. order items (order id, item id,
product id, quantity, list price, discount) VALUES(1605,3,132,2,1499.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1605,4,301,1,899.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1605,5,29,1,999.99,0.07); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1606,1,245,1,659.99,0.1); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1606,2,271,1,209.99,0.1); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1607,1,29,1,999.99,0.05); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1608,1,231,2,529.99,0.05); INSERT INTO
sales.order items(order id, item_id, product_id, quantity, list_price, discount)
VALUES(1609,1,96,1,349.99,0.2); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1609,2,238,2,749.99,0.2); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1609,3,228,2,319.99,0.1); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1609,4,105,1,533.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price, discount) VALUES(1610,1,36,1,832.99,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1610,2,173,2,3199.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1611,1,191,1,2799.99,0.07); INSERT INTO sales.order items(order id, item id, product id,
quantity, list_price, discount) VALUES(1611,2,171,2,3199.99,0.1); INSERT INTO sales.order_items(order_id,
item_id, product_id, quantity, list_price, discount) VALUES(1611,3,236,1,749.99,0.2); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1612,1,242,1,699.99,0.1); INSERT INTO sales.order_items(order_id, item_id, product_id, quantity,
list price, discount) VALUES(1612,2,289,2,319.99,0.05); INSERT INTO sales.order items(order id, item id,
product id, quantity, list price, discount) VALUES(1612,3,101,2,339.99,0.2); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1612,4,293,2,319.99,0.07); INSERT INTO sales order items(order id, item id, product id, quantity,
list_price, discount) VALUES(1612,5,60,1,1559.99,0.1); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1613,1,153,1,4999.99,0.07); INSERT INTO
sales.order_items(order_id, item_id, product_id, quantity, list_price, discount)
VALUES(1613,2,283,2,319.99,0.05); INSERT INTO sales.order items(order id, item id, product id, quantity,
list_price,discount) VALUES(1614,1,124,1,1499.00,0.07); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1614,2,159,2,2299.99,0.07); INSERT INTO
sales.order items(order id, item id, product id, quantity, list price, discount)
VALUES(1614,3,213,2,269.99,0.2); INSERT INTO sales order items (order id, item id, product id, quantity,
list_price,discount) VALUES(1615,1,197,2,2299.99,0.2); INSERT INTO sales.order_items(order_id, item_id,
product_id, quantity, list_price, discount) VALUES(1615,2,214,1,899.99,0.07); INSERT INTO
```

sales.order items(order id, item id, product id, quantity, list price, discount) VALUES(1615,3,182,1,2499.99,0.