

# Angular 2 Fundamentals

---

## GETTING STARTED WITH ANGULAR



**Jim Cooper**

SOFTWARE CRAFTSMAN

@jimthecoop



# Required Prerequisites



## Basic JavaScript

[app.pluralsight.com/paths/skills/javascript](https://app.pluralsight.com/paths/skills/javascript)

## Basic HTML

[app.pluralsight.com/paths/skills/html5](https://app.pluralsight.com/paths/skills/html5)



# Helpful Prerequisites



## Basic Node and Npm

[app.pluralsight.com/courses/npm-playbook](https://app.pluralsight.com/courses/npm-playbook)

## Modules and Module Loaders

[app.pluralsight.com/courses/javascript-module-fundamentals](https://app.pluralsight.com/courses/javascript-module-fundamentals)

## ES2015

[app.pluralsight.com/courses/javascript-fundamentals-es6](https://app.pluralsight.com/courses/javascript-fundamentals-es6)

## TypeScript

[app.pluralsight.com/courses/typescript](https://app.pluralsight.com/courses/typescript)




# Why Modules are Important



# Why Modules are Important



# Why Modules are Important



```
import { foo } from  
'../folder/some-file.js'
```


```
export {  
  foo: someFunction()  
}
```



# What is SystemJs?

index.html

```
<script src="file1.js">...  
<script src="file2.js">...  
<script src="file3.js">...  
<script src="file4.js">...  
<script src="file5.js">...  
<script src="file6.js">...  
.  
.  
.
```



# What is SystemJs?

index.html

```
<script src="system.js">  
<script src="config.js">
```

system.config.js

```
var config = {  
  map: {  
    'app': '/folder/app'  
  },  
  packages: {  
    'app': {main: 'main.js'}  
  }  
}
```





# ES2015 Features

let and const

Arrow Functions

Array Methods

Classes



```
function doSomething(x) {  
  var y = 10  
  ...  
  
}  
  
console.log(y) // logs undefined
```

## let and const



```
function doSomething(x) {  
  if (x) {  
    var y = 10  
  }  
  console.log(y) // logs 10  
}
```

## let and const



```
function doSomething(x) {  
  if (x) {  
    let y = 10  
  }  
  console.log(y) // logs undefined  
}
```

## let and const



```
function doSomething() {  
    const y = 10  
    y = 20 // exception  
}
```

## let and const



```
function(x) {  
  if (x)  
    return 10  
  else  
    return 20  
}
```

```
(x) => {  
  if (x)  
    return 10  
  else  
    return 20  
}
```

## Arrow Functions



```
var cats = [ {name: 'Fluffy'}, {name: 'Muffin'} ]  
// var muffin = cats.find((cat) => {return cat.name === 'Muffin'})  
var muffin = cats.find(cat => cat.name === 'Muffin')  
console.log(muffin.name) // logs 'Muffin'
```

## Find and Filter Array Methods



```
var cats = [ {name: 'Fluffy'}, {name: 'Muffin'} ]  
var cats = cats.filter(cat => cat.name.indexOf('u') > -1)  
console.log(cats[0].name) // logs 'Fluffy'  
console.log(cats[1].name) // logs 'Muffin'
```

## Find and Filter Array Methods





```
var cat = {name: 'Fluffy', color: 'White'}
```

## ES2015 Classes



```
var Cat = new function(name, color) {  
  this.name = name  
  this.color = color  
}
```

```
var fluffy = new Cat('Fluffy', 'White')
```

## ES2015 Classes



```
var Cat = new function(name, color) {  
  this.name = name  
  this.color = color  
}  
Cat.prototype.speak = function() {  
  console.log('meow')  
}  
var fluffy = new Cat('Fluffy', 'White')
```

## ES2015 Classes




```
class Cat {  
  constructor (name, color) {  
    this.name = name;  
    this.color = color;  
  }  
  speak() { console.log('meow') }  
}  
  
var fluffy = new Cat('Fluffy', 'White')
```


## ES2015 Classes



# TypeScript Overview



# TypeScript Overview



# ES2015 Features

Static Typing

Interfaces

Class Properties

Public/Private Accessibility



```
let name    : string  
let age     : number  
let birthDate : date
```

## Static Typing





```
interface ICat {  
  name:string  
  age:number  
}
```

# TypeScript Interfaces



```
interface ICat {  
  name:string  
  age:number  
}
```

```
let fluffy:ICat
```

```
fluffy =  
{  
  name: 'Fluffy',  
  age: 'seven'  
}
```

## TypeScript Interfaces



```
interface ICat {  
  name:string  
  age:number  
}
```

```
let fluffy:ICat
```

```
fluffy =  
{  
  name: 'Fluffy'  
}
```

## TypeScript Interfaces



```
interface ICat {  
  name:string  
  age?:number  
}
```

```
let fluffy:ICat
```

```
fluffy =  
{  
  name: 'Fluffy'  
}
```

## TypeScript Interfaces



```
class Cat {  
  constructor (name) {  
    this.name = name  
  }  
}
```

## TypeScript Class Properties



```
class Cat {  
  name:string  
  constructor (name) {  
    this.name = name;  
  }  
}
```

## TypeScript Class Properties



```
class Cat {  
  name:string  
  color:string  
  constructor (name) {  
    this.name = name;  
  }  
}
```

## TypeScript Class Properties



```
class Cat {  
  name  
  color  
  constructor (name) {  
    this.name = name;  
  }  
}
```

## TypeScript Class Properties





```
class Cat {  
  name:string  
  color:string  
  constructor (name) {  
    this.name = name;  
  }  
  speak() { console.log('meow') }  
}
```

## Public and Private Accessibility



```
class Cat {  
  name:string  
  color:string  
  constructor (name) {  
    this.name = name;  
  }  
  speak() { console.log('My name is: ' + this.name) }  
}
```

## Public and Private Accessibility



```
class Cat {  
  name:string  
  speak() { console.log('My name is: ' + this.name) }  
}
```

```
let fluffy = new Cat()  
console.log(fluffy.name)  
fluffy.speak()
```

## Public and Private Accessibility



```
class Cat {  
  private name:string  
  private speak() { console.log('My name is: ' + this.name) }  
}
```

```
let fluffy = new Cat()  
console.log(fluffy.name)  
fluffy.speak()
```

## Public and Private Accessibility



```
class Cat {  
  private name:string  
  private speak() { console.log('My name is: ' + this.name) }  
}
```

```
let fluffy = new Cat()  
console.log(fluffy.name) //compile-time error  
fluffy.speak() // compile-time error
```

## Public and Private Accessibility



```
class Cat {  
  private name:string  
  private color:string  
  constructor(name, color) {  
    this.name = name  
    this.color = color  
  }  
}
```

```
class Cat {  
  constructor(private name, private color) {  
  
  }  
}
```

```
let fluffy = new Cat('Fluffy', 'White')
```

## Public and Private Accessibility




# Angular 2 Conceptual Overview

---




# MVC vs Components

## Angular 1



## Angular 2





# MVC vs Components

## Angular 1

```
index.html
<!-- -->
</-->
<ng-controller="myCtrl">
  --
</-->
<ng-controller="myCtrl2">
  --
</-->
```

```
myCtrlr.js
--
myctrl2.js
--
```

## Angular 2

```
my.component.ts
<!-- -->
</-->
--
--
--
```




# MVC vs Components


## Angular 1




## Angular 2




# Angular 2 Component Hierarchy




# Angular 2 Component Hierarchy




# Angular 2 Component Hierarchy




# Angular 2 Component Hierarchy



# Angular 2 Component Hierarchy




# Angular 2 Component Hierarchy







# Angular 2 Component Hierarchy





# Angular 2 Component Hierarchy



# Angular 2 Component Hierarchy

