

Version 15.17R, X3J13/94-101R.  
Fri 12-Aug-1994 6:35pm EDT

---

**draft proposed American National Standard for  
Information Systems—Programming  
Language—Common Lisp**

**X3J13/94-101R**

Version 15.17R, X3J13/94-101R.  
Fri 12-Aug-1994 6:35pm EDT

---

*Versions 15.17 (X3J13/94-101) and 15.17R (X3J13/94-101R) are absolutely identical except for changes to the document number and date on the cover and in each page's header, addition of this disclaimer on the back of the cover page, additions to the Edit and Review History on page Credits iv, and changes to the names and headings in the credits section on pages Credits v-vii. There are NO technical changes between these versions; from a normative point of view, the documents X3J13/94-101 and X3J13/94-101R are entirely interchangeable.*

## Figures

Chapter	1	(Introduction)
1-1. Notations for NIL . . . . .		1-14
1-2. Deprecated Functions . . . . .		1-33
1-3. Functions with Deprecated :TEST-NOT Arguments . . . . .		1-33
1-4. Symbols in the COMMON-LISP package (part one of twelve). . . . .		1-35
1-5. Symbols in the COMMON-LISP package (part two of twelve). . . . .		1-36
1-6. Symbols in the COMMON-LISP package (part three of twelve). . . . .		1-37
1-7. Symbols in the COMMON-LISP package (part four of twelve). . . . .		1-38
1-8. Symbols in the COMMON-LISP package (part five of twelve). . . . .		1-39
1-9. Symbols in the COMMON-LISP package (part six of twelve). . . . .		1-40
1-10. Symbols in the COMMON-LISP package (part seven of twelve). . . . .		1-41
1-11. Symbols in the COMMON-LISP package (part eight of twelve). . . . .		1-42
1-12. Symbols in the COMMON-LISP package (part nine of twelve). . . . .		1-43
1-13. Symbols in the COMMON-LISP package (part ten of twelve). . . . .		1-44
1-14. Symbols in the COMMON-LISP package (part eleven of twelve). . . . .		1-45
1-15. Symbols in the COMMON-LISP package (part twelve of twelve). . . . .		1-46
Chapter	2	(Syntax)
2-1. Readtable defined names . . . . .		2-1
2-2. Variables that influence the Lisp reader. . . . .		2-2
2-3. Standard Character Subrepertoire (Part 1 of 3: Latin Characters) . . . . .		2-3
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) . . . . .		2-3
2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) . . . . .		2-4
2-6. Possible Character Syntax Types . . . . .		2-5
2-7. Character Syntax Types in Standard Syntax . . . . .		2-5
2-8. Constituent Traits of Standard Characters and Semi-Standard Characters . . . . .		2-7
2-9. Syntax for Numeric Tokens . . . . .		2-14
2-10. Examples of reserved tokens . . . . .		2-15
2-11. Examples of symbols . . . . .		2-15
2-12. Examples of symbols or potential numbers . . . . .		2-16
2-13. Examples of Ratios . . . . .		2-17
2-14. Examples of Floating-point numbers . . . . .		2-18
2-15. Examples of the printed representation of symbols (Part 1 of 2) . . . . .		2-19
2-16. Examples of the printed representation of symbols (Part 2 of 2) . . . . .		2-20
2-17. Valid patterns for tokens . . . . .		2-21
2-18. Examples of the use of double-quote . . . . .		2-26

---

2-19. Standard # Dispatching Macro Character Syntax . . . . .	2-30
2-20. Radix Indicator Example . . . . .	2-34
2-21. Complex Number Example . . . . .	2-35

Chapter	3	(Evaluation	and	Compilation)
3-1. Some Defined Names Applicable to Variables . . . . .	3-4			
3-2. Common Lisp Special Operators . . . . .	3-6			
3-3. Defined names applicable to macros . . . . .	3-7			
3-4. Some function-related defined names . . . . .	3-8			
3-5. Some operators applicable to receiving multiple values . . . . .	3-13			
3-6. Defined names applicable to compiler macros . . . . .	3-16			
3-7. EVAL-WHEN processing . . . . .	3-21			
3-8. Defining Macros That Affect the Compile-Time Environment . . . . .	3-22			
3-9. Common Lisp Declaration Identifiers . . . . .	3-29			
3-10. What Kind of Lambda Lists to Use . . . . .	3-33			
3-11. Defined names applicable to lambda lists . . . . .	3-33			
3-12. Standardized Operators that use Ordinary Lambda Lists . . . . .	3-34			
3-13. Lambda List Keywords used by Ordinary Lambda Lists . . . . .	3-34			
3-14. Lambda List Keywords used by Generic Function Lambda Lists . . . . .	3-39			
3-15. Standardized Operators that use Specialized Lambda Lists . . . . .	3-40			
3-16. Lambda List Keywords used by Specialized Lambda Lists . . . . .	3-40			
3-17. Operators that use Macro Lambda Lists . . . . .	3-41			
3-18. Lambda List Keywords used by Macro Lambda Lists . . . . .	3-41			
3-19. Lambda List Keywords used by Defsetf Lambda Lists . . . . .	3-47			
3-20. Lambda List Keywords used by Define-modify-macro Lambda Lists . . . . .	3-48			
3-21. Lambda List Keywords used by Define-method-combination arguments Lambda Lists . . . . .	3-48			
3-22. Global Declaration Specifiers . . . . .	3-81			
3-23. Standardized Forms In Which Declarations Can Occur . . . . .	3-83			
3-24. Local Declaration Specifiers . . . . .	3-83			
3-25. Optimize qualities . . . . .	3-96			

Chapter	4	(Types	and	Classes)
4-1. Cross-References to Data Type Information . . . . .	4-2			
4-2. Standardized Atomic Type Specifiers . . . . .	4-4			
4-3. Standardized Compound Type Specifier Names . . . . .	4-5			
4-4. Standardized Compound-Only Type Specifier Names . . . . .	4-5			
4-5. Defined names relating to types and declarations. . . . .	4-6			
4-6. Standardized Type Specifier Names . . . . .	4-7			
4-7. Object System Classes . . . . .	4-8			
4-8. Classes that correspond to pre-defined type specifiers . . . . .	4-18			
4-9. Result possibilities for subtypep . . . . .	4-35			

Chapter	5	(Data	and	Control	Flow)
---------	---	-------	-----	---------	-------

---

5-1. Examples of setf . . . . .	5-1
5-2. Operators relating to places and generalized reference. . . . .	5-1
5-3. Sample Setf Expansion of a Variable . . . . .	5-4
5-4. Sample Setf Expansion of a CAR Form . . . . .	5-4
5-5. Sample Setf Expansion of a SUBSEQ Form . . . . .	5-4
5-6. Sample Setf Expansion of a LDB Form . . . . .	5-5
5-7. Functions that setf can be used with—1 . . . . .	5-6
5-8. Functions that setf can be used with—2 . . . . .	5-7
5-9. Read-Modify-Write Macros . . . . .	5-12
5-10. Macros that have implicit tagbodies. . . . .	5-49
5-11. Operators that always prefer EQ over EQL . . . . .	5-58
5-12. Summary and priorities of behavior of <b>equal</b> . . . . .	5-61
5-13. Summary and priorities of behavior of <b>equalp</b> . . . . .	5-63
 Chapter . . . . .	 6 . . . . . (Iteration)
 Chapter . . . . .	 7 . . . . . (Objects)
7-1. Standardized Method-Defining Operators . . . . .	7-17
7-2. Built-in Method Combination Types . . . . .	7-25
 Chapter . . . . .	 8 . . . . . (Structures)
 Chapter . . . . .	 9 . . . . . (Conditions)
9-1. Standardized Condition Types . . . . .	9-2
9-2. Operators that define and create conditions. . . . .	9-2
9-3. Operators that read condition slots. . . . .	9-3
9-4. Operators relating to handling conditions. . . . .	9-7
9-5. Defined names relating to signaling conditions. . . . .	9-7
9-6. Defined names relating to restarts. . . . .	9-9
9-7. Operators relating to assertions. . . . .	9-10
 Chapter . . . . .	 10 . . . . . (Symbols)
10-1. Property list defined names . . . . .	10-1
10-2. Symbol creation and inquiry defined names . . . . .	10-1
 Chapter . . . . .	 11 . . . . . (Packages)
11-1. Some Defined Names related to Packages . . . . .	11-1
11-2. Standardized Package Names . . . . .	11-4
 Chapter . . . . .	 12 . . . . . (Numbers)
12-1. Operators relating to Arithmetic. . . . .	12-1

---

12-2. Defined names relating to Exponentials, Logarithms, and Trigonometry. . . . .	12-1
12-3. Operators for numeric comparison and predication. . . . .	12-1
12-4. Defined names relating to numeric type manipulation and coercion. . . . .	12-2
12-5. Defined names relating to logical operations on numbers. . . . .	12-3
12-6. Defined names relating to byte manipulation. . . . .	12-4
12-7. Defined names relating to implementation-dependent details about numbers. . . . .	12-4
12-8. Functions Affected by Rule of Float Substitutability . . . . .	12-6
12-9. Trigonometric Identities for Complex Domain . . . . .	12-9
12-10. Quadrant Numbering for Branch Cuts . . . . .	12-9
12-11. Random-state defined names . . . . .	12-10
12-12. Recommended Minimum Floating-Point Precision and Exponent Size . . . . .	12-14
12-13. Uses of /=, =, <, >, <=, and >= . . . . .	12-22
12-14. Mathematical definition of arc sine, arc cosine, and arc tangent . . . . .	12-29
12-15. Quadrant information for arc tangent . . . . .	12-31
12-16. Mathematical definitions for hyperbolic functions . . . . .	12-33
12-17. Bit-Wise Logical Operations . . . . .	12-68
12-18. Bit-wise Logical Operations on Integers . . . . .	12-72
 Chapter . . . . .	 13
	(Characters)
13-1. Character defined names - 1 . . . . .	13-1
13-2. Character defined names - 2 . . . . .	13-1
 Chapter . . . . .	 14
	(Conses)
14-1. Some defined names relating to conses. . . . .	14-1
14-2. Some defined names relating to trees. . . . .	14-1
14-3. Some defined names relating to lists. . . . .	14-2
14-4. Some defined names related to association lists. . . . .	14-2
14-5. Some defined names related to sets. . . . .	14-3
14-6. CAR and CDR variants . . . . .	14-11
 Chapter . . . . .	 15
	(Arrays)
15-1. General Purpose Array-Related Defined Names . . . . .	15-2
15-2. Operators that Manipulate Strings . . . . .	15-3
15-3. Operators that Manipulate Bit Arrays . . . . .	15-4
15-4. Bit-wise Logical Operations on Bit Arrays . . . . .	15-38
 Chapter . . . . .	 16
	(Strings)
 Chapter . . . . .	 17
	(Sequences)
17-1. Standardized Sequence Functions . . . . .	17-1
17-2. Operators that have Two-Argument Tests to be Satisfied . . . . .	17-2
17-3. Operators that have One-Argument Tests to be Satisfied . . . . .	17-3

---

Chapter	18	(Hash	Tables)
18-1. Hash-table defined names . . . . .			18-1
Chapter	19		(Filenames)
19-1. Pathname Operations . . . . .			19-2
19-2. Pathname functions using a :CASE argument . . . . .			19-4
19-3. Special Markers In Directory Component . . . . .			19-8
Chapter	20		(Files)
20-1. File and Directory Operations . . . . .			20-1
20-2. File Functions that Treat Open and Closed Streams Differently . . . . .			20-1
20-3. File Functions where Closed Streams Might Work Best . . . . .			20-2
Chapter	21		(Streams)
21-1. Some General-Purpose Stream Operations . . . . .			21-1
21-2. Operators relating to Input Streams. . . . .			21-1
21-3. Operators relating to Output Streams. . . . .			21-2
21-4. Operators relating to Bidirectional Streams. . . . .			21-2
21-5. Defined Names related to Specialized Streams . . . . .			21-4
21-6. Standardized Stream Variables . . . . .			21-4
21-7. Operators that accept either Open or Closed Streams . . . . .			21-5
21-8. Operators that accept Open Streams only . . . . .			21-5
Chapter	22		(Printer)
22-1. Standardized Printer Control Variables . . . . .			22-1
22-2. Additional Influences on the Lisp printer. . . . .			22-2
22-3. Example of Logical Blocks, Conditional Newlines, and Sections . . . . .			22-15
22-4. Defined names related to pretty printing. . . . .			22-15
22-5. Format directives related to Pretty Printing . . . . .			22-15
22-6. Examples of format control strings . . . . .			22-23
22-7. Argument correspondences for the WRITE function. . . . .			22-63
Chapter	23		(Reader)
23-1. Values of standard control variables . . . . .			23-18
Chapter	24	(System	Construction)
24-1. Features examples . . . . .			24-2
Chapter	25		(Environment)
25-1. Variables maintained by the Read-Eval-Print Loop . . . . .			25-1
25-2. Defined names relating to debugging . . . . .			25-1

---

25-3. Defined names relating to environment inquiry. . . . .	25-2
25-4. Defined names involving Time. . . . .	25-2
25-5. Defined names involving time in Decoded Time. . . . .	25-3
25-6. Defined names involving time in Universal Time. . . . .	25-4
25-7. Defined names involving time in Internal Time. . . . .	25-4
25-8. Defined names involving time in Seconds. . . . .	25-4

Chapter	26	(Glossary)
26-1. Exponent Markers . . . . .	26-22	
26-2. Standardized I/O Customization Variables . . . . .	26-30	
26-3. Standardized Iteration Forms . . . . .	26-33	
26-4. Standardized Restart Functions . . . . .	26-48	

Chapter	A	(Appendix)
---------	---	------------



## Contents

Chapter 1 (Introduction)	
1.1 Scope, Purpose, and History	1-1
1.1.1 Scope and Purpose	1-1
1.1.2 History	1-1
1.2 Organization of the Document	1-4
1.3 Referenced Publications	1-5
1.4 Definitions	1-7
1.4.1 Notational Conventions	1-7
1.4.1.1 Font Key	1-7
1.4.1.2 Modified BNF Syntax	1-7
1.4.1.2.1 Splicing in Modified BNF Syntax	1-8
1.4.1.2.2 Indirection in Modified BNF Syntax	1-9
1.4.1.2.3 Additional Uses for Indirect Definitions in Modified BNF Syntax	1-9
1.4.1.3 Special Symbols	1-10
1.4.1.4 Objects with Multiple Notations	1-12
1.4.1.4.1 Case in Symbols	1-12
1.4.1.4.2 Numbers	1-13
1.4.1.4.3 Use of the Dot Character	1-13
1.4.1.4.4 NIL	1-13
1.4.1.5 Designators	1-14
1.4.1.6 Nonsense Words	1-15
1.4.2 Error Terminology	1-15
1.4.3 Sections Not Formally Part Of This Standard	1-18
1.4.4 Interpreting Dictionary Entries	1-19
1.4.4.1 The “Affected By” Section of a Dictionary Entry	1-19
1.4.4.2 The “Arguments” Section of a Dictionary Entry	1-19
1.4.4.3 The “Arguments and Values” Section of a Dictionary Entry	1-19
1.4.4.4 The “Binding Types Affected” Section of a Dictionary Entry	1-19
1.4.4.5 The “Class Precedence List” Section of a Dictionary Entry	1-19
1.4.4.6 Dictionary Entries for Type Specifiers	1-20
1.4.4.6.1 The “Compound Type Specifier Kind” Section of a Dictionary Entry	1-20
1.4.4.6.2 The “Compound Type Specifier Syntax” Section of a Dictionary Entry	1-20
1.4.4.6.3 The “Compound Type Specifier Arguments” Section of a Dictionary Entry	1-21
1.4.4.6.4 The “Compound Type Specifier Description” Section of a Dictionary Entry	1-21
1.4.4.7 The “Constant Value” Section of a Dictionary Entry	1-21
1.4.4.8 The “Description” Section of a Dictionary Entry	1-21
1.4.4.9 The “Examples” Section of a Dictionary Entry	1-21

---

1.4.4.10 The “Exceptional Situations” Section of a Dictionary Entry	1–21
1.4.4.11 The “Initial Value” Section of a Dictionary Entry	1–21
1.4.4.12 The “Argument Precedence Order” Section of a Dictionary Entry	1–22
1.4.4.13 The “Method Signature” Section of a Dictionary Entry	1–22
1.4.4.14 The “Name” Section of a Dictionary Entry	1–22
1.4.4.15 The “Notes” Section of a Dictionary Entry	1–24
1.4.4.16 The “Pronunciation” Section of a Dictionary Entry	1–24
1.4.4.17 The “See Also” Section of a Dictionary Entry	1–24
1.4.4.18 The “Side Effects” Section of a Dictionary Entry	1–24
1.4.4.19 The “Supertypes” Section of a Dictionary Entry	1–24
1.4.4.20 The “Syntax” Section of a Dictionary Entry	1–24
1.4.4.20.1 Special “Syntax” Notations for Overloaded Operators	1–25
1.4.4.20.2 Naming Conventions for Rest Parameters	1–25
1.4.4.20.3 Requiring Non-Null Rest Parameters in the “Syntax” Section	1–25
1.4.4.20.4 Return values in the “Syntax” Section	1–26
1.4.4.20.4.1 No Arguments or Values in the “Syntax” Section	1–26
1.4.4.20.4.2 Unconditional Transfer of Control in the “Syntax” Section	1–26
1.4.4.21 The “Valid Context” Section of a Dictionary Entry	1–26
1.4.4.22 The “Value Type” Section of a Dictionary Entry	1–26
1.5 Conformance	1–28
1.5.1 Conforming Implementations	1–28
1.5.1.1 Required Language Features	1–28
1.5.1.2 Documentation of Implementation-Dependent Features	1–28
1.5.1.3 Documentation of Extensions	1–28
1.5.1.4 Treatment of Exceptional Situations	1–28
1.5.1.4.1 Resolution of Apparent Conflicts in Exceptional Situations	1–28
1.5.1.4.1.1 Examples of Resolution of Apparent Conflicts in Exceptional Situations	1–28
1.5.1.5 Conformance Statement	1–29
1.5.2 Conforming Programs	1–29
1.5.2.1 Use of Implementation-Defined Language Features	1–29
1.5.2.1.1 Use of Read-Time Conditionals	1–30
1.5.2.2 Character Set for Portable Code	1–30
1.6 Language Extensions	1–31
1.7 Language Subsets	1–32
1.8 Deprecated Language Features	1–33
1.8.1 Deprecated Functions	1–33
1.8.2 Deprecated Argument Conventions	1–33
1.8.3 Deprecated Variables	1–33
1.8.4 Deprecated Reader Syntax	1–34
1.9 Symbols in the COMMON-LISP Package	1–35
Chapter 2 (Syntax)	
2.1 Character Syntax	2–1
2.1.1 Readtables	2–1
2.1.1.1 The Current Readtable	2–1

---

2.1.1.2 The Standard Readtable . . . . .	2-1
2.1.1.3 The Initial Readtable . . . . .	2-1
2.1.2 Variables that affect the Lisp Reader . . . . .	2-2
2.1.3 Standard Characters . . . . .	2-2
2.1.4 Character Syntax Types . . . . .	2-4
2.1.4.1 Constituent Characters . . . . .	2-6
2.1.4.2 Constituent Traits . . . . .	2-6
2.1.4.3 Invalid Characters . . . . .	2-8
2.1.4.4 Macro Characters . . . . .	2-8
2.1.4.5 Multiple Escape Characters . . . . .	2-8
2.1.4.5.1 Examples of Multiple Escape Characters . . . . .	2-9
2.1.4.6 Single Escape Character . . . . .	2-9
2.1.4.6.1 Examples of Single Escape Characters . . . . .	2-9
2.1.4.7 Whitespace Characters . . . . .	2-9
2.1.4.7.1 Examples of Whitespace Characters . . . . .	2-9
2.2 Reader Algorithm . . . . .	2-11
2.3 Interpretation of Tokens . . . . .	2-14
2.3.1 Numbers as Tokens . . . . .	2-14
2.3.1.1 Potential Numbers as Tokens . . . . .	2-14
2.3.1.1.1 Escape Characters and Potential Numbers . . . . .	2-15
2.3.1.1.2 Examples of Potential Numbers . . . . .	2-15
2.3.2 Constructing Numbers from Tokens . . . . .	2-16
2.3.2.1 Syntax of a Rational . . . . .	2-16
2.3.2.1.1 Syntax of an Integer . . . . .	2-16
2.3.2.1.2 Syntax of a Ratio . . . . .	2-16
2.3.2.2 Syntax of a Float . . . . .	2-17
2.3.2.3 Syntax of a Complex . . . . .	2-18
2.3.3 The Consing Dot . . . . .	2-18
2.3.4 Symbols as Tokens . . . . .	2-18
2.3.5 Valid Patterns for Tokens . . . . .	2-20
2.3.6 Package System Consistency Rules . . . . .	2-22
2.4 Standard Macro Characters . . . . .	2-23
2.4.1 Left-Parenthesis . . . . .	2-23
2.4.2 Right-Parenthesis . . . . .	2-23
2.4.3 Single-Quote . . . . .	2-23
2.4.3.1 Examples of Single-Quote . . . . .	2-24
2.4.4 Semicolon . . . . .	2-24
2.4.4.1 Examples of Semicolon . . . . .	2-24
2.4.4.2 Notes about Style for Semicolon . . . . .	2-24
2.4.4.2.1 Use of Single Semicolon . . . . .	2-24
2.4.4.2.2 Use of Double Semicolon . . . . .	2-24
2.4.4.2.3 Use of Triple Semicolon . . . . .	2-25
2.4.4.2.4 Use of Quadruple Semicolon . . . . .	2-25
2.4.4.2.5 Examples of Style for Semicolon . . . . .	2-25
2.4.5 Double-Quote . . . . .	2-25

---

2.4.6 Backquote	2-26
2.4.6.1 Notes about Backquote	2-28
2.4.7 Comma	2-28
2.4.8 Sharpsign	2-28
2.4.8.1Sharpsign Backslash	2-31
2.4.8.2Sharpsign Single-Quote	2-31
2.4.8.3Sharpsign Left-Parenthesis	2-31
2.4.8.4 Sharpsign Asterisk	2-32
2.4.8.4.1 Examples of Sharpsign Asterisk	2-32
2.4.8.5 Sharpsign Colon	2-32
2.4.8.6 Sharpsign Dot	2-33
2.4.8.7 Sharpsign B	2-33
2.4.8.8 Sharpsign O	2-33
2.4.8.9 Sharpsign X	2-33
2.4.8.10 Sharpsign R	2-34
2.4.8.11 Sharpsign C	2-34
2.4.8.12 Sharpsign A	2-35
2.4.8.13 Sharpsign S	2-35
2.4.8.14Sharpsign P	2-36
2.4.8.15Sharpsign Equal-Sign	2-36
2.4.8.16Sharpsign Sharpsign	2-36
2.4.8.17 Sharpsign Plus	2-37
2.4.8.18 Sharpsign Minus	2-37
2.4.8.19 Sharpsign Vertical-Bar	2-37
2.4.8.19.1Examples of Sharpsign Vertical-Bar	2-38
2.4.8.19.2 Notes about Style for Sharpsign Vertical-Bar	2-39
2.4.8.20 Sharpsign Less-Than-Sign	2-39
2.4.8.21 Sharpsign Whitespace	2-39
2.4.8.22 Sharpsign Right-Parenthesis	2-39
2.4.9 Re-Reading Abbreviated Expressions	2-40
Chapter 3 (Evaluation and Compilation)	
3.1 Evaluation	3-1
3.1.1 Introduction to Environments	3-1
3.1.1.1 The Global Environment	3-1
3.1.1.2 Dynamic Environments	3-1
3.1.1.3 Lexical Environments	3-2
3.1.1.3.1 The Null Lexical Environment	3-2
3.1.1.4 Environment Objects	3-3
3.1.2 The Evaluation Model	3-3
3.1.2.1 Form Evaluation	3-3
3.1.2.1.1 Symbols as Forms	3-3
3.1.2.1.1.1 Lexical Variables	3-4
3.1.2.1.1.2 Dynamic Variables	3-4
3.1.2.1.1.3 Constant Variables	3-5

---

3.1.2.1.1.4 Symbols Naming Both Lexical and Dynamic Variables	3-5
3.1.2.1.2 Conses as Forms	3-5
3.1.2.1.2.1 Special Forms	3-6
3.1.2.1.2.2 Macro Forms	3-6
3.1.2.1.2.3 Function Forms	3-7
3.1.2.1.2.4 Lambda Forms	3-8
3.1.2.1.3 Self-Evaluating Objects	3-8
3.1.2.1.3.1 Examples of Self-Evaluating Objects	3-8
3.1.3 Lambda Expressions	3-9
3.1.4 Closures and Lexical Binding	3-9
3.1.5 Shadowing	3-11
3.1.6 Extent	3-12
3.1.7 Return Values	3-13
3.2 Compilation	3-14
3.2.1 Compiler Terminology	3-14
3.2.2 Compilation Semantics	3-15
3.2.2.1 Compiler Macros	3-15
3.2.2.1.1 Purpose of Compiler Macros	3-16
3.2.2.1.2 Naming of Compiler Macros	3-16
3.2.2.1.3 When Compiler Macros Are Used	3-17
3.2.2.1.3.1 Notes about the Implementation of Compiler Macros	3-17
3.2.2.2 Minimal Compilation	3-17
3.2.2.3 Semantic Constraints	3-18
3.2.3 File Compilation	3-19
3.2.3.1 Processing of Top Level Forms	3-20
3.2.3.1.1 Processing of Defining Macros	3-22
3.2.3.1.2 Constraints on Macros and Compiler Macros	3-22
3.2.4 Literal Objects in Compiled Files	3-23
3.2.4.1 Externalizable Objects	3-23
3.2.4.2 Similarity of Literal Objects	3-24
3.2.4.2.1 Similarity of Aggregate Objects	3-24
3.2.4.2.2 Definition of Similarity	3-24
3.2.4.3 Extensions to Similarity Rules	3-26
3.2.4.4 Additional Constraints on Externalizable Objects	3-26
3.2.5 Exceptional Situations in the Compiler	3-27
3.3 Declarations	3-29
3.3.1 Minimal Declaration Processing Requirements	3-29
3.3.2 Declaration Specifiers	3-29
3.3.3 Declaration Identifiers	3-29
3.3.3.1 Shorthand notation for Type Declarations	3-30
3.3.4 Declaration Scope	3-30
3.3.4.1 Examples of Declaration Scope	3-30
3.4 Lambda Lists	3-33
3.4.1 Ordinary Lambda Lists	3-33
3.4.1.1 Specifiers for the required parameters	3-34

---

3.4.1.2	Specifiers for optional parameters	3-35
3.4.1.3	A specifier for a rest parameter	3-35
3.4.1.4	Specifiers for keyword parameters	3-35
3.4.1.4.1	Suppressing Keyword Argument Checking	3-36
3.4.1.4.1.1	Examples of Suppressing Keyword Argument Checking	3-37
3.4.1.5	Specifiers for <b>&amp;aux</b> variables	3-37
3.4.1.6	Examples of Ordinary Lambda Lists	3-37
3.4.2	Generic Function Lambda Lists	3-39
3.4.3	Specialized Lambda Lists	3-40
3.4.4	Macro Lambda Lists	3-41
3.4.4.1	Destructuring by Lambda Lists	3-42
3.4.4.1.1	Data-directed Destructuring by Lambda Lists	3-43
3.4.4.1.1.1	Examples of Data-directed Destructuring by Lambda Lists	3-43
3.4.4.1.2	Lambda-list-directed Destructuring by Lambda Lists	3-43
3.4.5	Destructuring Lambda Lists	3-45
3.4.6	Boa Lambda Lists	3-45
3.4.7	Defsetf Lambda Lists	3-47
3.4.8	Deftype Lambda Lists	3-47
3.4.9	Define-modify-macro Lambda Lists	3-47
3.4.10	Define-method-combination Arguments Lambda Lists	3-48
3.4.11	Syntactic Interaction of Documentation Strings and Declarations	3-48
3.5	Error Checking in Function Calls	3-49
3.5.1	Argument Mismatch Detection	3-49
3.5.1.1	Safe and Unsafe Calls	3-49
3.5.1.1.1	Error Detection Time in Safe Calls	3-50
3.5.1.2	Too Few Arguments	3-50
3.5.1.3	Too Many Arguments	3-50
3.5.1.4	Unrecognized Keyword Arguments	3-50
3.5.1.5	Invalid Keyword Arguments	3-50
3.5.1.6	Odd Number of Keyword Arguments	3-51
3.5.1.7	Destructuring Mismatch	3-51
3.5.1.8	Errors When Calling a Next Method	3-51
3.6	Traversal Rules and Side Effects	3-52
3.7	Destructive Operations	3-53
3.7.1	Modification of Literal Objects	3-53
3.7.2	Transfer of Control during a Destructive Operation	3-54
3.7.2.1	Examples of Transfer of Control during a Destructive Operation	3-54
3.8	Evaluation and Compilation Dictionary	3-55
Chapter 4 (Types and Classes)		
4.1	Introduction	4-1
4.2	Types	4-2
4.2.1	Data Type Definition	4-2
4.2.2	Type Relationships	4-2
4.2.3	Type Specifiers	4-3

---

4.3 Classes	4-8
4.3.1 Introduction to Classes	4-8
4.3.1.1 Standard Metaclasses	4-9
4.3.2 Defining Classes	4-9
4.3.3 Creating Instances of Classes	4-10
4.3.4 Inheritance	4-11
4.3.4.1 Examples of Inheritance	4-11
4.3.4.2 Inheritance of Class Options	4-11
4.3.5 Determining the Class Precedence List	4-11
4.3.5.1 Topological Sorting	4-12
4.3.5.2 Examples of Class Precedence List Determination	4-13
4.3.6 Redefining Classes	4-14
4.3.6.1 Modifying the Structure of Instances	4-15
4.3.6.2 Initializing Newly Added Local Slots	4-15
4.3.6.3 Customizing Class Redefinition	4-16
4.3.7 Integrating Types and Classes	4-16
4.4 Types and Classes Dictionary	4-19
Chapter 5 (Data and Control Flow)	
5.1 Generalized Reference	5-1
5.1.1 Overview of Places and Generalized Reference	5-1
5.1.1.1 Evaluation of Subforms to Places	5-1
5.1.1.1.1 Examples of Evaluation of Subforms to Places	5-2
5.1.1.2 Setf Expansions	5-3
5.1.1.2.1 Examples of Setf Expansions	5-4
5.1.2 Kinds of Places	5-5
5.1.2.1 Variable Names as Places	5-5
5.1.2.2 Function Call Forms as Places	5-5
5.1.2.3 VALUES Forms as Places	5-9
5.1.2.4 THE Forms as Places	5-9
5.1.2.5 APPLY Forms as Places	5-9
5.1.2.6 Setf Expansions and Places	5-10
5.1.2.7 Macro Forms as Places	5-10
5.1.2.8 Symbol Macros as Places	5-10
5.1.2.9 Other Compound Forms as Places	5-10
5.1.3 Treatment of Other Macros Based on SETF	5-11
5.2 Transfer of Control to an Exit Point	5-13
5.3 Data and Control Flow Dictionary	5-14
Chapter 6 (Iteration)	
6.1 The LOOP Facility	6-1
6.1.1 Overview of the Loop Facility	6-1
6.1.1.1 Simple vs Extended Loop	6-1
6.1.1.1.1 Simple Loop	6-1

---

6.1.1.1.2Extended Loop . . . . .	6-1
6.1.1.2Loop Keywords . . . . .	6-1
6.1.1.3Parsing Loop Clauses . . . . .	6-1
6.1.1.4 Expanding Loop Forms . . . . .	6-2
6.1.1.5 Summary of Loop Clauses . . . . .	6-3
6.1.1.5.1 Summary of Variable Initialization and Stepping Clauses . . . . .	6-3
6.1.1.5.2 Summary of Value Accumulation Clauses . . . . .	6-3
6.1.1.5.3 Summary of Termination Test Clauses . . . . .	6-4
6.1.1.5.4 Summary of Unconditional Execution Clauses . . . . .	6-4
6.1.1.5.5 Summary of Conditional Execution Clauses . . . . .	6-5
6.1.1.5.6 Summary of Miscellaneous Clauses . . . . .	6-5
6.1.1.6 Order of Execution . . . . .	6-5
6.1.1.7 Destructuring . . . . .	6-6
6.1.1.8 Restrictions on Side-Effects . . . . .	6-8
6.1.2 Variable Initialization and Stepping Clauses . . . . .	6-8
6.1.2.1 Iteration Control . . . . .	6-8
6.1.2.1.1 The for-as-arithmetic subclause . . . . .	6-9
6.1.2.1.1.1Examples of for-as-arithmetic subclause . . . . .	6-10
6.1.2.1.2The for-as-in-list subclause . . . . .	6-11
6.1.2.1.2.1Examples of for-as-in-list subclause . . . . .	6-11
6.1.2.1.3 The for-as-on-list subclause . . . . .	6-12
6.1.2.1.3.1 Examples of for-as-on-list subclause . . . . .	6-12
6.1.2.1.4 The for-as-equals-then subclause . . . . .	6-12
6.1.2.1.4.1 Examples of for-as-equals-then subclause . . . . .	6-12
6.1.2.1.5 The for-as-across subclause . . . . .	6-12
6.1.2.1.5.1 Examples of for-as-across subclause . . . . .	6-13
6.1.2.1.6 The for-as-hash subclause . . . . .	6-13
6.1.2.1.7 The for-as-package subclause . . . . .	6-14
6.1.2.1.7.1 Examples of for-as-package subclause . . . . .	6-15
6.1.2.2 Local Variable Initializations . . . . .	6-15
6.1.2.2.1Examples of WITH clause . . . . .	6-16
6.1.3 Value Accumulation Clauses . . . . .	6-17
6.1.3.1Examples of COLLECT clause . . . . .	6-19
6.1.3.2Examples of APPEND and NCONC clauses . . . . .	6-19
6.1.3.3Examples of COUNT clause . . . . .	6-20
6.1.3.4Examples of MAXIMIZE and MINIMIZE clauses . . . . .	6-20
6.1.3.5Examples of SUM clause . . . . .	6-20
6.1.4 Termination Test Clauses . . . . .	6-21
6.1.4.1Examples of REPEAT clause . . . . .	6-22
6.1.4.2Examples of ALWAYS, NEVER, and THEREIS clauses . . . . .	6-22
6.1.4.3Examples of WHILE and UNTIL clauses . . . . .	6-24
6.1.5Unconditional Execution Clauses . . . . .	6-24
6.1.5.1Examples of unconditional execution . . . . .	6-24
6.1.6Conditional Execution Clauses . . . . .	6-25
6.1.6.1Examples of WHEN clause . . . . .	6-25



---

6.1.7 Miscellaneous Clauses	6-26
6.1.7.1 Control Transfer Clauses	6-27
6.1.7.1.1 Examples of NAMED clause	6-27
6.1.7.2 Initial and Final Execution	6-27
6.1.8 Examples of Miscellaneous Loop Features	6-27
6.1.8.1 Examples of clause grouping	6-28
6.1.9 Notes about Loop	6-30
6.2 Iteration Dictionary	6-31
 Chapter 7 (Objects)	
7.1 Object Creation and Initialization	7-1
7.1.1 Initialization Arguments	7-2
7.1.2 Declaring the Validity of Initialization Arguments	7-2
7.1.3 Defaulting of Initialization Arguments	7-3
7.1.4 Rules for Initialization Arguments	7-4
7.1.5 Shared-Initialize	7-5
7.1.6 Initialize-Instance	7-6
7.1.7 Definitions of Make-Instance and Initialize-Instance	7-7
7.2 Changing the Class of an Instance	7-9
7.2.1 Modifying the Structure of the Instance	7-9
7.2.2 Initializing Newly Added Local Slots	7-9
7.2.3 Customizing the Change of Class of an Instance	7-10
7.3 Reinitializing an Instance	7-11
7.3.1 Customizing Reinitialization	7-11
7.4 Meta-Objects	7-12
7.4.1 Standard Meta-objects	7-12
7.5 Slots	7-13
7.5.1 Introduction to Slots	7-13
7.5.2 Accessing Slots	7-13
7.5.3 Inheritance of Slots and Slot Options	7-14
7.6 Generic Functions and Methods	7-16
7.6.1 Introduction to Generic Functions	7-16
7.6.2 Introduction to Methods	7-17
7.6.3 Agreement on Parameter Specializers and Qualifiers	7-19
7.6.4 Congruent Lambda-lists for all Methods of a Generic Function	7-19
7.6.5 Keyword Arguments in Generic Functions and Methods	7-20
7.6.5.1 Examples of Keyword Arguments in Generic Functions and Methods	7-20
7.6.6 Method Selection and Combination	7-21
7.6.6.1 Determining the Effective Method	7-21
7.6.6.1.1 Selecting the Applicable Methods	7-21
7.6.6.1.2 Sorting the Applicable Methods by Precedence Order	7-22
7.6.6.1.3 Applying method combination to the sorted list of applicable methods	7-22
7.6.6.2 Standard Method Combination	7-23
7.6.6.3 Declarative Method Combination	7-24
7.6.6.4 Built-in Method Combination Types	7-25

---

7.6.7 Inheritance of Methods	7-26
7.7 Objects Dictionary	7-27

Chapter 8 (Structures)	
8.1 Structures Dictionary	8-1

Chapter 9 (Conditions)	
9.1 Condition System Concepts	9-1
9.1.1 Condition Types	9-2
9.1.1.1 Serious Conditions	9-3
9.1.2 Creating Conditions	9-3
9.1.2.1 Condition Designators	9-3
9.1.3 Printing Conditions	9-4
9.1.3.1 Recommended Style in Condition Reporting	9-4
9.1.3.1.1 Capitalization and Punctuation in Condition Reports	9-5
9.1.3.1.2 Leading and Trailing Newlines in Condition Reports	9-5
9.1.3.1.3 Embedded Newlines in Condition Reports	9-5
9.1.3.1.4 Note about Tabs in Condition Reports	9-6
9.1.3.1.5 Mentioning Containing Function in Condition Reports	9-6
9.1.4 Signaling and Handling Conditions	9-6
9.1.4.1 Signaling	9-7
9.1.4.1.1 Resignaling a Condition	9-7
9.1.4.2 Restarts	9-8
9.1.4.2.1 Interactive Use of Restarts	9-9
9.1.4.2.2 Interfaces to Restarts	9-9
9.1.4.2.3 Restart Tests	9-9
9.1.4.2.4 Associating a Restart with a Condition	9-9
9.1.5 Assertions	9-10
9.1.6 Notes about the Condition System's Background	9-10
9.2 Conditions Dictionary	9-11

Chapter 10 (Symbols)	
10.1 Symbol Concepts	10-1
10.2 Symbols Dictionary	10-2

Chapter 11 (Packages)	
11.1 Package Concepts	11-1
11.1.1 Introduction to Packages	11-1
11.1.1.1 Package Names and Nicknames	11-1
11.1.1.2 Symbols in a Package	11-1
11.1.1.2.1 Internal and External Symbols	11-1
11.1.1.2.2 Package Inheritance	11-2
11.1.1.2.3 Accessibility of Symbols in a Package	11-2

---

11.1.1.2.4 Locating a Symbol in a Package	11-3
11.1.1.2.5 Prevention of Name Conflicts in Packages	11-3
11.1.2 Standardized Packages	11-4
11.1.2.1 The COMMON-LISP Package	11-4
11.1.2.1.1 Constraints on the COMMON-LISP Package for Conforming Implementations	11-5
11.1.2.1.2 Constraints on the COMMON-LISP Package for Conforming Programs	11-5
11.1.2.1.2.1 Some Exceptions to Constraints on the COMMON-LISP Package for Conforming Programs	11-6
11.1.2.2 The COMMON-LISP-USER Package	11-6
11.1.2.3 The KEYWORD Package	11-7
11.1.2.3.1 Interning a Symbol in the KEYWORD Package	11-7
11.1.2.3.2 Notes about The KEYWORD Package	11-7
11.1.2.4 Implementation-Defined Packages	11-7
11.2 Packages Dictionary	11-8
Chapter 12 (Numbers)	
12.1 Number Concepts	12-1
12.1.1 Numeric Operations	12-1
12.1.1.1 Associativity and Commutativity in Numeric Operations	12-2
12.1.1.1.1 Examples of Associativity and Commutativity in Numeric Operations	12-2
12.1.1.1.2 Contagion in Numeric Operations	12-3
12.1.1.1.3 Viewing Integers as Bits and Bytes	12-3
12.1.1.1.3.1 Logical Operations on Integers	12-3
12.1.1.1.3.2 Byte Operations on Integers	12-3
12.1.1.2 Implementation-Dependent Numeric Constants	12-4
12.1.3 Rational Computations	12-4
12.1.3.1 Rule of Unbounded Rational Precision	12-4
12.1.3.2 Rule of Canonical Representation for Rationals	12-5
12.1.3.3 Rule of Float Substitutability	12-5
12.1.4 Floating-point Computations	12-6
12.1.4.1 Rule of Float and Rational Contagion	12-6
12.1.4.1.1 Examples of Rule of Float and Rational Contagion	12-6
12.1.4.2 Rule of Float Approximation	12-7
12.1.4.3 Rule of Float Underflow and Overflow	12-7
12.1.4.4 Rule of Float Precision Contagion	12-7
12.1.5 Complex Computations	12-7
12.1.5.1 Rule of Complex Substitutability	12-8
12.1.5.2 Rule of Complex Contagion	12-8
12.1.5.3 Rule of Canonical Representation for Complex Rationals	12-8
12.1.5.3.1 Examples of Rule of Canonical Representation for Complex Rationals	12-8
12.1.5.4 Principal Values and Branch Cuts	12-8
12.1.6 Interval Designators	12-9
12.1.7 Random-State Operations	12-10
12.2 Numbers Dictionary	12-11

Chapter 13 (Characters)	
13.1 Character Concepts	13-1
13.1.1 Introduction to Characters	13-1
13.1.2 Introduction to Scripts and Repertoires	13-1
13.1.2.1 Character Scripts	13-1
13.1.2.2 Character Repertoires	13-2
13.1.3 Character Attributes	13-2
13.1.4 Character Categories	13-2
13.1.4.1 Graphic Characters	13-3
13.1.4.2 Alphabetic Characters	13-3
13.1.4.3 Characters With Case	13-3
13.1.4.3.1 Uppercase Characters	13-3
13.1.4.3.2 Lowercase Characters	13-4
13.1.4.3.3 Corresponding Characters in the Other Case	13-4
13.1.4.3.4 Case of Implementation-Defined Characters	13-4
13.1.4.4 Numeric Characters	13-4
13.1.4.5 Alphanumeric Characters	13-4
13.1.4.6 Digits in a Radix	13-4
13.1.5 Identity of Characters	13-5
13.1.6 Ordering of Characters	13-5
13.1.7 Character Names	13-5
13.1.8 Treatment of Newline during Input and Output	13-6
13.1.9 Character Encodings	13-7
13.1.10 Documentation of Implementation-Defined Scripts	13-7
13.2 Characters Dictionary	13-8
 Chapter 14 (Conses)	
14.1 Cons Concepts	14-1
14.1.1 Conses as Trees	14-1
14.1.1.1 General Restrictions on Parameters that must be Trees	14-1
14.1.2 Conses as Lists	14-1
14.1.2.1 Lists as Association Lists	14-2
14.1.2.2 Lists as Sets	14-2
14.1.2.3 General Restrictions on Parameters that must be Lists	14-3
14.2 Conses Dictionary	14-4
 Chapter 15 (Arrays)	
15.1 Array Concepts	15-1
15.1.1 Array Elements	15-1
15.1.1.1 Array Indices	15-1
15.1.1.2 Array Dimensions	15-1
15.1.1.2.1 Implementation Limits on Individual Array Dimensions	15-1
15.1.1.3 Array Rank	15-1
15.1.1.3.1 Vectors	15-1

---

15.1.1.3.1.1 Fill Pointers	15-1
15.1.1.3.2 Multidimensional Arrays	15-2
15.1.1.3.2.1 Storage Layout for Multidimensional Arrays	15-2
15.1.1.3.2.2 Implementation Limits on Array Rank	15-2
15.1.2 Specialized Arrays	15-2
15.1.2.1 Array Upgrading	15-3
15.1.2.2 Required Kinds of Specialized Arrays	15-3
15.2 Arrays Dictionary	15-5
Chapter 16 (Strings)	
16.1 String Concepts	16-1
16.1.1 Implications of Strings Being Arrays	16-1
16.1.2 Subtypes of STRING	16-1
16.2 Strings Dictionary	16-2
Chapter 17 (Sequences)	
17.1 Sequence Concepts	17-1
17.1.1 General Restrictions on Parameters that must be Sequences	17-1
17.2 Rules about Test Functions	17-2
17.2.1 Satisfying a Two-Argument Test	17-2
17.2.1.1 Examples of Satisfying a Two-Argument Test	17-2
17.2.2 Satisfying a One-Argument Test	17-3
17.2.2.1 Examples of Satisfying a One-Argument Test	17-4
17.3 Sequences Dictionary	17-5
Chapter 18 (Hash Tables)	
18.1 Hash Table Concepts	18-1
18.1.1 Hash-Table Operations	18-1
18.1.2 Modifying Hash Table Keys	18-1
18.1.2.1 Visible Modification of Objects with respect to EQ and EQL	18-2
18.1.2.2 Visible Modification of Objects with respect to EQUAL	18-2
18.1.2.2.1 Visible Modification of Conses with respect to EQUAL	18-2
18.1.2.2.2 Visible Modification of Bit Vectors and Strings with respect to EQUAL	18-2
18.1.2.3 Visible Modification of Objects with respect to EQUALP	18-2
18.1.2.3.1 Visible Modification of Structures with respect to EQUALP	18-2
18.1.2.3.2 Visible Modification of Arrays with respect to EQUALP	18-3
18.1.2.3.3 Visible Modification of Hash Tables with respect to EQUALP	18-3
18.1.2.4 Visible Modifications by Language Extensions	18-3
18.2 Hash Tables Dictionary	18-4
Chapter 19 (Filenames)	
19.1 Overview of Filenames	19-1
19.1.1 Namestrings as Filenames	19-1

---

19.1.2 Pathnames as Filenames	19-1
19.1.3 Parsing Namestrings Into Pathnames	19-2
19.2 Pathnames	19-3
19.2.1 Pathname Components	19-3
19.2.1.1 The Pathname Host Component	19-3
19.2.1.2 The Pathname Device Component	19-3
19.2.1.3 The Pathname Directory Component	19-3
19.2.1.4 The Pathname Name Component	19-3
19.2.1.5 The Pathname Type Component	19-3
19.2.1.6 The Pathname Version Component	19-3
19.2.2 Interpreting Pathname Component Values	19-3
19.2.2.1 Strings in Component Values	19-3
19.2.2.1.1 Special Characters in Pathname Components	19-4
19.2.2.1.2 Case in Pathname Components	19-4
19.2.2.1.2.1 Local Case in Pathname Components	19-4
19.2.2.1.2.2 Common Case in Pathname Components	19-4
19.2.2.2 Special Pathname Component Values	19-5
19.2.2.2.1 NIL as a Component Value	19-5
19.2.2.2.2 :WILD as a Component Value	19-5
19.2.2.2.3 :UNSPECIFIC as a Component Value	19-5
19.2.2.2.3.1 Relation between component values NIL and :UNSPECIFIC	19-6
19.2.2.3 Restrictions on Wildcard Pathnames	19-6
19.2.2.4 Restrictions on Examining Pathname Components	19-6
19.2.2.4.1 Restrictions on Examining a Pathname Host Component	19-7
19.2.2.4.2 Restrictions on Examining a Pathname Device Component	19-7
19.2.2.4.3 Restrictions on Examining a Pathname Directory Component	19-7
19.2.2.4.3.1 Directory Components in Non-Hierarchical File Systems	19-8
19.2.2.4.4 Restrictions on Examining a Pathname Name Component	19-9
19.2.2.4.5 Restrictions on Examining a Pathname Type Component	19-9
19.2.2.4.6 Restrictions on Examining a Pathname Version Component	19-9
19.2.2.4.7 Notes about the Pathname Version Component	19-9
19.2.2.5 Restrictions on Constructing Pathnames	19-9
19.2.3 Merging Pathnames	19-10
19.2.3.1 Examples of Merging Pathnames	19-10
19.3 Logical Pathnames	19-12
19.3.1 Syntax of Logical Pathname Namestrings	19-12
19.3.1.1 Additional Information about Parsing Logical Pathname Namestrings	19-12
19.3.1.1.1 The Host part of a Logical Pathname Namestring	19-13
19.3.1.1.2 The Device part of a Logical Pathname Namestring	19-13
19.3.1.1.3 The Directory part of a Logical Pathname Namestring	19-13
19.3.1.1.4 The Type part of a Logical Pathname Namestring	19-13
19.3.1.1.5 The Version part of a Logical Pathname Namestring	19-13
19.3.1.1.6 Wildcard Words in a Logical Pathname Namestring	19-13
19.3.1.1.7 Lowercase Letters in a Logical Pathname Namestring	19-13
19.3.1.1.8 Other Syntax in a Logical Pathname Namestring	19-13

---

19.3.2 Logical Pathname Components	19-14
19.3.2.1 Unspecific Components of a Logical Pathname	19-14
19.3.2.2 Null Strings as Components of a Logical Pathname	19-14
19.4 Filenames Dictionary	19-15
Chapter 20 (Files)	
20.1 File System Concepts	20-1
20.1.1 Coercion of Streams to Pathnames	20-1
20.1.2 File Operations on Open and Closed Streams	20-1
20.1.3 Truenames	20-2
20.1.3.1 Examples of Truenames	20-2
20.2 Files Dictionary	20-3
Chapter 21 (Streams)	
21.1 Stream Concepts	21-1
21.1.1 Introduction to Streams	21-1
21.1.1.1 Abstract Classifications of Streams	21-1
21.1.1.1.1 Input, Output, and Bidirectional Streams	21-1
21.1.1.1.2 Open and Closed Streams	21-2
21.1.1.1.3 Interactive Streams	21-2
21.1.1.2 Abstract Classifications of Streams	21-3
21.1.1.2.1 File Streams	21-3
21.1.1.3 Other Subclasses of Stream	21-3
21.1.2 Stream Variables	21-4
21.1.3 Stream Arguments to Standardized Functions	21-5
21.1.4 Restrictions on Composite Streams	21-6
21.2 Streams Dictionary	21-7
Chapter 22 (Printer)	
22.1 The Lisp Printer	22-1
22.1.1 Overview of The Lisp Printer	22-1
22.1.1.1 Multiple Possible Textual Representations	22-1
22.1.1.1.1 Printer Escaping	22-2
22.1.2 Printer Dispatching	22-2
22.1.3 Default Print-Object Methods	22-2
22.1.3.1 Printing Numbers	22-2
22.1.3.1.1 Printing Integers	22-2
22.1.3.1.2 Printing Ratios	22-3
22.1.3.1.3 Printing Floats	22-3
22.1.3.1.4 Printing Complexes	22-3
22.1.3.1.5 Note about Printing Numbers	22-3
22.1.3.2 Printing Characters	22-4
22.1.3.3 Printing Symbols	22-4

---

22.1.3.3.1 Package Prefixes for Symbols	22-4
22.1.3.3.2 Effect of Readtable Case on the Lisp Printer	22-5
22.1.3.3.2.1 Examples of Effect of Readtable Case on the Lisp Printer	22-6
22.1.3.4 Printing Strings	22-8
22.1.3.5 Printing Lists and Conses	22-8
22.1.3.6 Printing Bit Vectors	22-9
22.1.3.7 Printing Other Vectors	22-9
22.1.3.8 Printing Other Arrays	22-9
22.1.3.9 Examples of Printing Arrays	22-10
22.1.3.10 Printing Random States	22-11
22.1.3.11 Printing Pathnames	22-11
22.1.3.12 Printing Structures	22-11
22.1.3.13 Printing Other Objects	22-11
22.1.4 Examples of Printer Behavior	22-12
22.2 The Lisp Pretty Printer	22-14
22.2.1 Pretty Printer Concepts	22-14
22.2.1.1 Dynamic Control of the Arrangement of Output	22-14
22.2.1.2 Format Directive Interface	22-15
22.2.1.3 Compiling Format Strings	22-16
22.2.1.4 Pretty Print Dispatch Tables	22-16
22.2.1.5 Pretty Printer Margins	22-16
22.2.2 Examples of using the Pretty Printer	22-16
22.2.3 Notes about the Pretty Printer's Background	22-22
22.3 Formatted Output	22-23
22.3.1 FORMAT Basic Output	22-24
22.3.1.1 Tilde C: Character	22-24
22.3.1.2 Tilde Percent: Newline	22-25
22.3.1.3 Tilde Ampersand: Fresh-Line	22-25
22.3.1.4 Tilde Vertical-Bar: Page	22-25
22.3.1.5 Tilde Tilde: Tilde	22-25
22.3.2 FORMAT Radix Control	22-25
22.3.2.1 Tilde R: Radix	22-25
22.3.2.2 Tilde D: Decimal	22-26
22.3.2.3 Tilde B: Binary	22-26
22.3.2.4 Tilde O: Octal	22-26
22.3.2.5 Tilde X: Hexadecimal	22-27
22.3.3 FORMAT Floating-Point Printers	22-27
22.3.3.1 Tilde F: Fixed-Format Floating-Point	22-27
22.3.3.2 Tilde E: Exponential Floating-Point	22-28
22.3.3.3 Tilde G: General Floating-Point	22-29
22.3.3.4 Tilde Dollarsign: Monetary Floating-Point	22-30
22.3.4 FORMAT Printer Operations	22-31
22.3.4.1 Tilde A: Aesthetic	22-31
22.3.4.2 Tilde S: Standard	22-31
22.3.4.3 Tilde W: Write	22-31



---

22.3.5 FORMAT Pretty Printer Operations .....	22-31
22.3.5.1 Tilde Underscore: Conditional Newline .....	22-31
22.3.5.2 Tilde Less-Than-Sign: Logical Block .....	22-32
22.3.5.3 Tilde I: Indent .....	22-33
22.3.5.4 Tilde Slash: Call Function .....	22-33
22.3.6 FORMAT Layout Control .....	22-33
22.3.6.1 Tilde T: Tabulate .....	22-33
22.3.6.2 Tilde Less-Than-Sign: Justification .....	22-34
22.3.6.3 Tilde Greater-Than-Sign: End of Justification .....	22-35
22.3.7 FORMAT Control-Flow Operations .....	22-35
22.3.7.1 Tilde Asterisk: Go-To .....	22-35
22.3.7.2 Tilde Left-Bracket: Conditional Expression .....	22-36
22.3.7.3 Tilde Right-Bracket: End of Conditional Expression .....	22-37
22.3.7.4 Tilde Left-Brace: Iteration .....	22-37
22.3.7.5 Tilde Right-Brace: End of Iteration .....	22-38
22.3.7.6 Tilde Question-Mark: Recursive Processing .....	22-38
22.3.8 FORMAT Miscellaneous Operations .....	22-38
22.3.8.1 Tilde Left-Paren: Case Conversion .....	22-39
22.3.8.2 Tilde Right-Paren: End of Case Conversion .....	22-39
22.3.8.3 Tilde P: Plural .....	22-39
22.3.9 FORMAT Miscellaneous Pseudo-Operations .....	22-40
22.3.9.1 Tilde Semicolon: Clause Separator .....	22-40
22.3.9.2 Tilde Circumflex: Escape Upward .....	22-40
22.3.9.3 Tilde Newline: Ignored Newline .....	22-41
22.3.10 Additional Information about FORMAT Operations .....	22-41
22.3.10.1 Nesting of FORMAT Operations .....	22-42
22.3.10.2 Missing and Additional FORMAT Arguments .....	22-42
22.3.10.3 Additional FORMAT Parameters .....	22-42
22.3.10.4 Undefined FORMAT Modifier Combinations .....	22-42
22.3.11 Examples of FORMAT .....	22-42
22.3.12 Notes about FORMAT .....	22-44
22.4 Printer Dictionary .....	22-46
Chapter 23 (Reader)	
23.1 Reader Concepts .....	23-1
23.1.1 Dynamic Control of the Lisp Reader .....	23-1
23.1.2 Effect of Readtable Case on the Lisp Reader .....	23-1
23.1.2.1 Examples of Effect of Readtable Case on the Lisp Reader .....	23-1
23.1.3 Argument Conventions of Some Reader Functions .....	23-2
23.1.3.1 The EOF-ERROR-P argument .....	23-2
23.1.3.2 The RECURSIVE-P argument .....	23-2
23.2 Reader Dictionary .....	23-4

Chapter 24 (System Construction)

---

24.1 System Construction Concepts .....	24-1
24.1.1 Loading .....	24-1
24.1.2 Features .....	24-1
24.1.2.1 Feature Expressions .....	24-1
24.1.2.1.1 Examples of Feature Expressions .....	24-2
24.2 System Construction Dictionary .....	24-3
Chapter 25 (Environment)	
25.1 The External Environment .....	25-1
25.1.1 Top level loop .....	25-1
25.1.2 Debugging Utilities .....	25-1
25.1.3 Environment Inquiry .....	25-1
25.1.4 Time .....	25-2
25.1.4.1 Decoded Time .....	25-2
25.1.4.2 Universal Time .....	25-3
25.1.4.3 Internal Time .....	25-4
25.1.4.4 Seconds .....	25-4
25.2 Environment Dictionary .....	25-5
Chapter 26 (Glossary)	
26.1 Glossary .....	26-1
Chapter A (Appendix)	
A.1 Removed Language Features .....	A-1
A.1.1 Requirements for removed and deprecated features .....	A-1
A.1.2 Removed Types .....	A-1
A.1.3 Removed Operators .....	A-1
A.1.4 Removed Argument Conventions .....	A-1
A.1.5 Removed Variables .....	A-1
A.1.6 Removed Reader Syntax .....	A-1
A.1.7 Packages No Longer Required .....	A-1

## Index

- # 2-29
- &allow-other-keys 3-35
- &aux 3-37
- &body 3-42
- &environment 3-42
- &key 3-35
- &optional 3-35
- &rest 3-35
- &whole 3-42
- ' 2-24
- ( 2-23
- () 1-13, 26-2
- (setf class-name) 7-89
- (setf documentation) 25-17
- ) 2-23
- \* 12-35, 25-26
- \*\* 25-26
- \*\*\* 25-26
- \*break-on-signals\* 9-35
- \*break-on-warnings\* A-1
- \*compile-file-pathname\* 24-12
- \*compile-file-truename\* 24-12
- \*compile-print\* 24-13
- \*compile-verbose\* 24-13
- \*debug-io\* 21-57
- \*debugger-hook\* 9-34
- \*default-pathname-defaults\* 19-28
- \*error-output\* 21-57
- \*features\* 1-30, 2-37, 24-10
- \*gensym-counter\* 10-9
- \*load-pathname\* 24-13
- \*load-print\* 24-14
- \*load-truename\* 24-13
- \*load-verbose\* 24-14
- \*macroexpand-hook\* 3-80
- \*modules\* 24-14
- \*package\* 11-40
- \*print-array\* 22-66
- \*print-base\* 22-67
- \*print-case\* 22-68
- \*print-circle\* 2-36, 2-37, 22-69
- \*print-escape\* 22-70
- \*print-gensym\* 22-71
- \*print-length\* 22-72
- \*print-level\* 22-72
- \*print-lines\* 22-73
- \*print-miser-width\* 22-74
- \*print-pprint-dispatch\* 22-75
- \*print-pretty\* 22-75
- \*print-radix\* 22-67
- \*print-readably\* 22-76
- \*print-right-margin\* 22-78
- \*query-io\* 21-57
- \*random-state\* 12-53
- \*read-base\* 2-33, 2-34, 23-19
- \*read-default-float-format\* 23-19
- \*read-eval\* 2-33, 23-20
- \*read-suppress\* 23-21
- \*readtable\* 23-22
- \*standard-input\* 21-57
- \*standard-output\* 21-57
- \*terminal-io\* 21-59
- \*trace-output\* 21-57
- + 7-26, 12-36, 25-25
- ++ 25-25
- +++ 25-25
- , 2-28
- 12-36, 25-24
- . 2-23
- .. 2-40, 22-74
- ... 2-40, 22-55
- / 12-37, 25-27
- // 25-27
- /// 25-27
- /= 12-20
- 1+ 12-38
- 1- 12-38
- :absolute 19-7
- :back 19-8
- :common 19-5
- :compile-toplevel 3-60
- :execute 3-60

`:load-toplevel` 3-60  
`:local` 19-4  
`:relative` 19-7  
`:unspecific` 19-6  
`:up` 19-8  
`:wild` 19-5, 19-8  
`:wild-inferiors` 19-5, 19-8  
`;` 2-24  
`<` 12-20  
`<=` 12-20  
`=` 12-20  
`>` 12-20  
`>=` 12-20  
`A` (format directive) 22-31  
`A` (sharpsign reader macro) 2-35  
`abort` 9-65, 9-68  
`abs` 12-39  
`absolute` 26-2  
`:absolute` 19-7  
`access` 26-2  
`accessibility` 26-2  
`accessible` 11-2, 26-2  
`accessor` 26-2  
`acons` 14-43  
`acos` 12-29  
`acosh` 12-33  
`active` 15-2, 26-3  
`actual adjustability` 26-3  
`actual argument` 26-3  
`actual array element type` 15-3, 26-3  
`actual complex part type` 26-3  
`actual parameter` 26-3  
`actually adjustable` 26-3  
`add-method` 7-87  
`adjoin` 14-54  
`adjust-array` 15-14  
`adjustability` 26-3  
`adjustable` 26-3  
`adjustable-array-p` 15-18  
`after method` 26-3  
`alist` 26-3  
`allocate-instance` 7-30  
`alpha-char-p` 13-14  
`alphabetic` 26-3  
`alphanumeric` 26-3  
`alphanumericp` 13-15  
`ampersand` 26-4  
`Ampersand` (format directive) 22-25  
`and` 4-28, 5-68, 7-26  
`anonymous` 26-4  
`apparently uninterned` 26-4  
`append` 7-26, 14-30  
`applicable` 26-4  
`applicable handler` 26-4  
`applicable method` 26-4  
`applicable restart` 26-4  
`apply` 26-4  
`apply` 5-14  
`apropos` 25-8  
`apropos-list` 25-8  
`aref` 15-18  
`argument` 26-4  
`argument evaluation order` 26-4  
`argument precedence order` 26-4  
`arithmetic-error` 12-89  
`arithmetic-error-operands` 12-89  
`arithmetic-error-operation` 12-89  
`around method` 26-4  
`array` 26-4  
`array` 2-35, 15-5  
`array element type` 26-5  
`array total size` 26-5  
`array-dimension` 15-19  
`array-dimension-limit` 15-30  
`array-dimensions` 15-20  
`array-displacement` 15-22  
`array-element-type` 15-21  
`array-has-fill-pointer-p` 15-21  
`array-in-bounds-p` 15-23  
`array-rank` 15-24  
`array-rank-limit` 15-30  
`array-row-major-index` 15-25  
`array-total-size` 15-26  
`array-total-size-limit` 15-31  
`arrayp` 15-27  
`ash` 12-64  
`asin` 12-29  
`asinh` 12-33  
`assert` 9-15  
`assign` 26-5

**assoc** 14-43  
**assoc-if** 14-43  
**assoc-if-not** 14-43  
*association list* 14-2, 26-5  
*asterisk* 26-5  
Asterisk (format directive) 22-36  
Asterisk (sharpsign reader macro) 2-32  
*at-sign* 26-5  
**atan** 12-29  
**atanh** 12-33  
*atom* 26-5  
**atom** 14-5, 14-7  
*atomic* 26-5  
*atomic type specifier* 26-5  
*attribute* 26-5  
*aux variable* 26-5  
*auxiliary method* 26-5  
B (format directive) 22-26  
B (sharpsign reader macro) 2-33  
**:back** 19-8  
*backquote* 26-6  
Backquote (reader macro) 2-26  
*backslash* 26-6  
Backslash (sharpsign reader macro) 2-31  
**bar** 1-15  
*base character* 26-6  
*base string* 26-6  
**base-char** 13-8  
**base-string** 16-2  
**baz** 1-15  
*before method* 26-6  
*bidirectional* 21-2, 26-6  
**bignum** 12-20  
*binary* 21-1, 26-6  
*bind* 26-6  
*binding* 3-1, 26-6  
*bit* 26-6  
**bit** 12-19, 15-36  
*bit array* 26-6  
*bit vector* 15-3, 26-6  
**bit-and** 15-37  
**bit-andc1** 15-37  
**bit-andc2** 15-37  
**bit-eqv** 15-37  
**bit-ior** 15-37  
**bit-nand** 15-37  
**bit-nor** 15-37  
**bit-not** 15-37  
**bit-orc1** 15-37  
**bit-orc2** 15-37  
**bit-vector** 2-32, 15-9  
**bit-vector-p** 15-39  
*bit-wise logical operation specifier* 26-6  
**bit-xor** 15-37  
*block* 26-7  
**block** 5-42  
*block tag* 26-7  
bnf key 1-8  
*boa lambda list* 3-46, 26-7  
*body parameter* 26-7  
**boole** 12-67  
**boole-1** 12-70  
**boole-2** 12-70  
**boole-and** 12-70  
**boole-andc1** 12-70  
**boole-andc2** 12-70  
**boole-c1** 12-70  
**boole-c2** 12-70  
**boole-clr** 12-70  
**boole-eqv** 12-70  
**boole-ior** 12-70  
**boole-nand** 12-70  
**boole-nor** 12-70  
**boole-orc1** 12-70  
**boole-orc2** 12-70  
**boole-set** 12-70  
**boole-xor** 12-70  
*boolean* 26-7  
**boolean** 4-19  
*boolean equivalent* 26-7  
**both-case-p** 13-20  
*bound* 26-7  
*bound declaration* 3-30, 26-7  
*bounded* 26-7  
*bounding index* 26-7  
*bounding index designator* 26-8  
**boundp** 10-20  
**break** 9-33  
*break loop* 26-8  
**\*break-on-signals\*** 9-35

*broadcast stream* 26-8  
**broadcast-stream** 21-7  
**broadcast-stream-streams** 21-47  
*built-in class* 26-8  
*built-in type* 26-8  
**built-in-class** 4-23  
**butlast** 14-33  
*byte* 26-8  
**byte** 12-76  
*byte specifier* 26-8  
**byte-position** 12-76  
**byte-size** 12-76  
C (format directive) 22-24  
C (sharpsign reader macro) 2-34  
**caaaar** 14-9  
**caaadr** 14-9  
**caaar** 14-9  
**caadar** 14-9  
**caaddr** 14-9  
**caadr** 14-9  
**caar** 14-9  
**cadaar** 14-9  
**cadadr** 14-9  
**cadar** 14-9  
**caddar** 14-9  
**caddr** 14-9  
*cadr* 26-8  
**cadr** 14-9  
*call* 26-8  
**call-arguments-limit** 5-29  
**call-method** 7-73  
**call-next-method** 7-74  
*captured initialization form* 26-8  
*car* 26-9  
**car** 14-9  
*case* 26-9  
**case** 5-74  
case in symbol names 1-12  
*case sensitivity mode* 26-9  
*catch* 26-9  
**catch** 5-43  
*catch tag* 26-9  
**ccase** 5-74  
**cdaaar** 14-9  
**cdaadr** 14-9  
**cdaar** 14-9  
**cdadar** 14-9  
**cdaddr** 14-9  
**cdadr** 14-9  
**cdar** 14-9  
**cddaar** 14-9  
**cddadr** 14-9  
**cddar** 14-9  
**cddddar** 14-9  
**cddddr** 14-9  
**cdddr** 14-9  
*cddr* 26-9  
**cddr** 14-9  
*cdr* 26-9  
**cdr** 14-9  
**ceiling** 12-25  
*cell* 26-9  
**cell-error** 9-13  
**cell-error-name** 9-14  
**cerror** 9-19  
**change-class** 7-38  
**char** 16-5  
**char-bit** A-1  
**char-bits** A-1  
**char-bits-limit** A-1  
**char-code** 13-21  
**char-code-limit** 13-23  
**char-control-bit** A-1  
**char-downcase** 13-19  
**char-equal** 13-10  
**char-font** A-1  
**char-font-limit** A-1  
**char-greaterp** 13-10  
**char-hyper-bit** A-1  
**char-int** 13-22  
**char-lessp** 13-10  
**char-meta-bit** A-1  
**char-name** 13-24  
**char-not-equal** 13-10  
**char-not-greaterp** 13-10  
**char-not-lessp** 13-10  
**char-super-bit** A-1  
**char-upcase** 13-19  
**char/=** 13-10

- 
- char<** 13-10
  - char<=** 13-10
  - char=** 13-10
  - char>** 13-10
  - char>=** 13-10
  - character* 13-1, 21-1, 26-9
  - character** 2-31, 13-8, 13-12
  - character code* 26-9
  - character designator* 26-10
  - characterp** 13-13
  - check-type** 9-22
  - circular* 26-10
  - circular list* 14-2, 14-4, 26-10
  - Circumflex (format directive) 22-41
  - cis** 12-55
  - CL package* 11-4
  - CL-USER package* 11-7
  - class* 4-8, 26-10
  - class** 4-23
  - class designator* 26-10
  - class precedence list* 4-8, 4-12, 26-10
  - class-name** 7-88
  - class-of** 7-90
  - clear-input** 21-42
  - clear-output** 21-43
  - close* 26-10
  - close** 21-39
  - closed* 21-2, 26-10
  - closure* 26-10
  - clrhash** 18-14
  - coalesce* 3-14, 26-10
  - code* 26-11
  - code-char** A-1, 13-22
  - coerce* 26-11
  - coerce** 4-30
  - colon* 26-11
  - Colon (sharpsign reader macro) 2-33
  - comma* 26-11
  - Comma (reader macro) 2-28
  - comment* 2-24, 2-38
  - :common** 19-5
  - COMMON-LISP package* 1-35, 11-4
  - COMMON-LISP-USER package* 11-7
  - commonp** A-1
  - compilation* 26-11
  - compilation environment* 3-14, 26-11
  - compilation unit* 26-11
  - compilation-speed** 3-97
  - compile* 26-11
  - compile** 3-18, 3-57, 3-60
  - compile time* 3-15, 26-11
  - compile-file** 3-18, 24-3
  - compile-file-pathname** 24-5
  - \*compile-file-pathname\*** 24-12
  - \*compile-file-truename\*** 24-12
  - \*compile-print\*** 24-13
  - compile-time definition* 3-15, 26-11
  - :compile-toplevel** 3-60
  - \*compile-verbose\*** 24-13
  - compiled code* 3-14, 24-1, 26-11
  - compiled file* 24-1, 26-12
  - compiled function* 26-12
  - compiled-function** 4-22
  - compiled-function-p** 5-28
  - compiler* 3-14, 26-12
  - compiler macro* 3-18, 26-12
  - compiler macro expansion* 26-12
  - compiler macro form* 26-12
  - compiler macro function* 26-12
  - compiler-macro** 25-18
  - compiler-macro-function** 3-66
  - complement** 5-65
  - complex* 26-12
  - complex** 2-34, 12-11, 12-56, 22-4
  - complex float* 26-12
  - complex part type* 26-12
  - complex rational* 26-12
  - complex single float* 26-13
  - complexp** 12-57
  - composite stream* 26-13
  - compound form* 26-13
  - compound type specifier* 4-4, 26-13
  - compute-applicable-methods** 7-76
  - compute-restarts** 9-49
  - concatenate** 17-29
  - concatenated stream* 26-13
  - concatenated-stream** 21-8
  - concatenated-stream-streams** 21-50
  - cond** 5-69
  - condition* 26-13

- condition** 9–11
  - condition designator* 9–3, 26–13
  - condition handler* 26–13
  - condition reporter* 9–4, 26–13
  - conditional newline* 26–13
  - conditional newlines* 22–14
  - conformance* 26–13
  - conforming code* 1–29, 26–13
  - conforming implementation* 1–28, 26–13
  - conforming processor* 26–14
  - conforming program* 1–29, 26–14
  - congruence* 7–19
  - congruent* 26–14
- conjugate** 12–57
- cons* 14–1, 26–14
- cons** 2–26, 2–28, 14–5, 14–6
- consequences 1–17
- consp** 14–6
- constant* 26–14
- constant form* 26–14
- constant object* 26–14
- constant variable* 26–14
- constantly** 5–66
- constantp** 3–104
- constituent* 26–14
- constituent trait* 26–14
- constructed stream* 26–15
- contagion* 26–15
- continuable* 26–15
- continue** 9–66, 9–68
- control form* 26–15
- control-error** 5–104
- copy* 26–15
- copy-alist** 14–45
- copy-list** 14–19
- copy-pprint-dispatch** 22–46
- copy-readtable** 23–4
- copy-seq** 17–5
- copy-structure** 8–18
- copy-symbol** 10–7
- copy-tree** 14–12
- correctable* 26–15
- cos** 12–28
- cosh** 12–33
- count** 17–15
- count-if** 17–15
- count-if-not** 17–15
- ctypecase** 5–76
- current input base* 23–19, 26–15
- current logical block* 26–16
- current output base* 22–67, 26–16
- current package* 11–1, 26–16
- current pprint dispatch table* 22–16, 26–16
- current random state* 26–16
- current readtable* 2–1, 26–16
- D (format directive) 22–26
- data type* 26–16
- debug** 3–97
- debug I/O* 26–16
- \*debug-io\*** 21–57
- debugger* 26–16
- \*debugger-hook\*** 9–34
- decf** 12–43
- declaim** 3–83
- declaration* 3–29, 26–16
- declaration** 3–29, 3–96
- declaration identifier* 3–29, 26–16
- declaration specifier* 3–29, 26–16
- declare** 26–17
- declare** 3–83
- decline* 26–17
- decode-float** 12–82
- decode-universal-time** 25–5
- decoded time* 25–2, 26–17
- default method* 7–19, 26–17
- \*default-pathname-defaults\*** 19–28
- defaulted initialization argument list* 26–17
- defclass** 7–60
- defconstant** 5–31
- defgeneric** 7–65
- define-compiler-macro** 3–67
- define-condition** 9–42
- define-method-combination** 7–76
- define-method-combination arguments lambda list* 3–48, 26–17
- define-modify-macro** 5–92
- define-modify-macro lambda list* 3–48, 26–17
- define-setf-expander** 5–96
- define-symbol-macro** 3–77
- defined name* 26–17



- defining form* 26-17
- defmacro** 3-70
- defmethod** 7-69
- defpackage** 11-29
- defparameter** 5-32
- defsetf** 5-93
- defsetf lambda list* 3-47, 26-17
- defstruct** 8-1
- deftype** 4-33
- deftype lambda list* 3-48, 26-17
- defun** 5-15
- defvar** 5-32
- delete** 17-32
- delete-duplicates** 17-35
- delete-file** 20-9
- delete-if** 17-32
- delete-if-not** 17-32
- delete-package** 11-17
- denominator** 12-61
- denormalized* 26-17
- deposit-field** 12-77
- derived type* 26-18
- derived type specifier* 4-5, 26-18
- describe** 25-9
- describe-object** 25-10
- designator* 1-14, 26-18
- destructive* 26-18
- destructuring lambda list* 3-45, 26-18
- destructuring-bind** 5-35
- different* 26-18
- digit* 26-18
- digit-char** A-1, 13-16
- digit-char-p** 13-16
- dimension* 15-1, 26-18
- direct instance* 26-18
- direct subclass* 4-8, 26-18
- direct superclass* 4-8, 26-18
- directory** 20-3
- directory-namestring** 19-28
- disassemble** 25-17
- disestablish* 26-18
- disjoint* 26-19
- dispatching macro character* 26-19
- displaced array* 26-19
- distinct* 26-19
- division-by-zero** 12-90
- do** 6-31
- do\*** 6-31
- do-all-symbols** 11-33
- do-external-symbols** 11-33
- do-symbols** 11-33
- documentation** 25-17
- documentation string* 26-19
- dolist** 6-37
- Dollarsign (format directive) 22-30
- dot* 2-23, 22-55, 26-19
- Dot (sharpsign reader macro) 2-33
- Dot Dot 2-40, 22-74
- Dot Dot Dot 2-40, 22-55
- dotimes** 6-35
- dotted list* 14-2, 14-4, 26-19
- dotted pair* 26-19
- double float* 26-19
- double-float** 12-14
- double-float-epsilon** 12-88
- double-float-negative-epsilon** 12-88
- double-quote* 26-19
- Double-Quote (reader macro) 2-26
- dpb** 12-78
- dribble** 25-23
- dynamic binding* 26-19
- dynamic environment* 3-2, 26-19
- dynamic extent* 26-19
- dynamic scope* 26-20
- dynamic variable* 26-20
- dynamic-extent** 3-86
- E (format directive) 22-28
- ecase** 5-74
- echo stream* 26-20
- echo-stream** 21-9
- echo-stream-input-stream** 21-49
- echo-stream-output-stream** 21-49
- ed** 25-22
- effective method* 7-22, 26-20
- eighth** 14-25
- element* 26-20
- element type* 26-20
- elt** 17-6
- em* 26-20
- empty list* 14-4, 26-20

*empty type* 26-20  
**encode-universal-time** 25-6  
*end of file* 26-20  
**end-of-file** 21-61  
**endp** 14-28  
**enough-namestring** 19-28  
**ensure-directories-exist** 20-4  
**ensure-generic-function** 7-29  
*environment* 3-1, 26-21  
*environment object* 3-3, 26-21  
*environment parameter* 26-21  
**eq** 5-56  
**eql** 4-30, 5-58  
**equal** 5-59  
Equal-Sign (sharpsign reader macro) 2-36  
**equalp** 5-62  
*error* 26-21  
**error** 9-13, 9-17  
*error output* 26-21  
error terminology 1-15  
**\*error-output\*** 21-57  
*escape* 26-21  
*establish* 26-21  
**etypecase** 5-76  
**eval** 2-33, 3-59, 3-60  
**eval-when** 3-20, 3-60  
*evaluate* 26-21  
*evaluation* 3-1, 26-21  
*evaluation environment* 3-14, 26-21  
*evaluation order* 3-63, 5-2, 5-43, 5-83, 6-5, 6-9, 7-4, 9-16, 12-79  
**evenp** 12-40  
**every** 5-67  
*execute* 26-22  
**:execute** 3-60  
*execution time* 26-22  
*exhaustive partition* 26-22  
*exhaustive union* 26-22  
*exit point* 26-22  
**exp** 12-41  
*explicit return* 26-22  
*explicit use* 26-22  
*exponent marker* 26-22  
*export* 26-22  
**export** 11-8  
*exported* 26-23  
*expressed adjustability* 26-23  
*expressed array element type* 15-3, 26-23  
*expressed complex part type* 26-23  
*expression* 26-23  
*expressly adjustable* 26-23  
**expt** 12-41  
*extended character* 26-23  
*extended function designator* 26-23  
*extended lambda list* 26-23  
**extended-char** 13-9  
*extension* 26-24  
extensions 1-17, 1-18  
*extent* 26-24  
*external file format* 26-24  
*external file format designator* 26-24  
*external symbol* 11-2, 26-24  
*externalizable object* 3-23, 26-24  
F (format directive) 22-27  
*false* 26-24  
*fbound* 26-24  
**fboundp** 5-18  
**fceiling** 12-25  
**fdefinition** 5-17  
*feature* 24-1, 26-24  
*feature expression* 24-1, 26-25  
*features list* 24-1, 26-25  
**\*features\*** 1-30, 2-37, 24-10  
**ffloor** 12-25  
**fifth** 14-25  
*file* 20-1, 26-25  
*file compiler* 26-25  
*file position* 26-25  
*file position designator* 26-25  
*file stream* 21-3, 26-25  
*file system* 26-25  
**file-author** 20-6  
**file-error** 20-10  
**file-error-pathname** 20-11  
**file-length** 21-28  
**file-namestring** 19-28  
**file-position** 21-29  
**file-stream** 21-9  
**file-string-length** 21-31  
**file-write-date** 20-7

*filename* 20-1, 26-25  
**fill** 17-7  
*fill pointer* 15-2, 26-25  
**fill-pointer** 15-27  
fill-style conditional newline 22-18, 22-54  
**find** 17-20  
**find-all-symbols** 11-12  
**find-class** 7-71  
**find-if** 17-20  
**find-if-not** 17-20  
**find-method** 7-85  
**find-package** 11-11  
**find-restart** 9-50  
**find-symbol** 11-9  
**finish-output** 21-43  
*finite* 26-25  
**first** 14-25  
*fixnum* 26-26  
**fixnum** 12-20  
**flet** 5-20  
*float* 26-26  
**float** 12-13, 12-85, 22-3  
**float-digits** 12-82  
**float-precision** 12-82  
**float-radix** 12-82  
**float-sign** 12-82  
**floating-point-inexact** 12-91  
**floating-point-invalid-operation** 12-90  
**floating-point-overflow** 12-91  
**floating-point-underflow** 12-91  
**floatp** 12-86  
**floor** 12-25  
**fmakunbound** 5-19  
font key 1-7  
**foo** 1-15  
*for-value* 26-26  
**force-output** 21-43  
*form* 26-26  
*formal argument* 26-26  
*formal parameter* 26-26  
*format* 26-26  
**format** 22-80  
*format argument* 26-26  
*format control* 22-16, 26-26  
*format directive* 26-26  
*format string* 26-26  
**formatter** 22-46  
**fourth** 14-25  
*free declaration* 3-30, 26-26  
*fresh* 26-26  
**fresh-line** 21-21  
*freshline* 26-27  
**fround** 12-25  
**ftruncate** 12-25  
**ftype** 3-95  
*funbound* 26-27  
**funcall** 5-24  
*function* 26-27  
**function** 2-31, 4-20, 5-25, 25-18  
*function block name* 26-27  
*function cell* 26-27  
*function designator* 26-27  
*function form* 26-27  
*function name* 26-27  
**function-keywords** 7-28  
**function-lambda-expression** 5-26  
*functional evaluation* 26-27  
*functional value* 26-27  
**functionp** 5-28  
*further compilation* 3-14, 26-28  
G (format directive) 22-30  
**gcd** 12-42  
*general* 26-28  
*generalized boolean* 26-28  
*generalized instance* 26-28  
*generalized reference* 5-1, 26-28  
*generalized synonym stream* 26-28  
*generic function* 4-22, 7-17, 26-28  
*generic function lambda list* 3-39, 26-28  
**generic-function** 4-22  
*gensym* 26-28  
**gensym** 10-8  
**\*gensym-counter\*** 10-9  
**gentemp** 10-10  
**get** 10-17  
**get-decoded-time** 25-6  
**get-dispatch-macro-character** 23-13  
**get-internal-real-time** 25-15  
**get-internal-run-time** 25-16  
**get-macro-character** 23-14

**get-output-stream-string** 21–52  
**get-properties** 14–48  
**get-setf-expansion** 5–98  
**get-universal-time** 25–6  
**getf** 14–49  
**gethash** 18–10  
*global declaration* 3–29, 26–29  
*global environment* 3–1, 26–29  
*global variable* 26–29  
*glyph* 26–29  
*go* 26–29  
**go** 5–44  
*go point* 26–29  
*go tag* 26–29  
*graphic* 13–3, 26–29  
**graphic-char-p** 13–17  
Greater-Than-Sign (format directive) 22–36  
*handle* 26–29  
*handler* 26–29  
**handler-bind** 9–37  
**handler-case** 9–38  
*hash table* 26–29  
**hash-table** 18–4  
**hash-table-count** 18–6  
**hash-table-p** 18–5  
**hash-table-rehash-size** 18–7  
**hash-table-rehash-threshold** 18–8  
**hash-table-size** 18–9  
**hash-table-test** 18–9  
*home package* 26–29  
**host-namestring** 19–28  
I (format directive) 22–33  
*I/O customization variable* 26–29  
*identical* 26–30  
*identifier* 26–30  
**identity** 5–64  
**if** 5–70  
**ignorable** 3–85  
**ignore** 3–85  
**ignore-errors** 9–41  
**imagpart** 12–59  
*immutable* 26–30  
*implementation* 26–30  
*implementation limit* 26–30  
*implementation-defined* 26–30  
*implementation-dependent* 26–30  
*implementation-independent* 26–30  
*implicit block* 26–30  
*implicit compilation* 3–14, 26–30  
*implicit progn* 26–30  
*implicit tagbody* 26–31  
*import* 26–31  
**import** 11–12  
*improper list* 14–2, 26–31  
**in-package** 11–26  
*inaccessible* 26–31  
**incf** 12–43  
*indefinite extent* 26–31  
*indefinite scope* 26–31  
*indicator* 26–31  
*indirect instance* 26–31  
*inherit* 26–31  
*initial pprint dispatch table* 26–31  
*initial readtable* 2–2, 26–31  
*initialization argument list* 7–1, 26–31  
*initialization form* 26–31  
**initialize-instance** 7–88  
**inline** 3–93  
*input* 21–1, 26–31  
**input-stream-p** 21–11  
**inspect** 25–23  
*instance* 4–8, 26–31  
**int-char** A–1  
*integer* 26–31  
**integer** 12–17  
**integer-decode-float** 12–82  
**integer-length** 12–65  
**integerp** 12–66  
*interactive stream* 21–2, 26–32  
**interactive-stream-p** 21–12  
*intern* 26–32  
**intern** 11–35  
*internal symbol* 11–2, 26–32  
*internal time* 25–4, 26–32  
*internal time unit* 26–32  
**internal-time-units-per-second** 25–15  
*interned* 26–32  
*interpreted function* 26–32  
*interpreted implementation* 26–32  
**intersection** 14–52

- 
- interval designator* 26-32
  - invalid* 26-32
  - invalid-method-error** 9-25
  - invoke-debugger** 9-32
  - invoke-restart** 9-52
  - invoke-restart-interactively** 9-53
  - is signaled 1-16
  - isqrt** 12-49
  - iteration form* 26-32
  - iteration variable* 26-33
  - key* 26-33
  - keyword* 26-33
  - KEYWORD package* 11-7
  - keyword** 10-4
  - keyword parameter* 26-33
  - keyword/value pair* 26-33
  - keywordp** 10-5
  - labels** 5-20
  - lambda** 3-56
  - lambda combination* 26-33
  - lambda expression* 26-33
  - lambda form* 26-33
  - lambda list* 3-33, 26-33
  - lambda list keyword* 26-34
  - lambda variable* 26-34
  - lambda-list-keywords** 5-30
  - lambda-parameters-limit** 5-30
  - last** 14-34
  - lcm** 12-44
  - ldb** 12-79
  - ldb-test** 12-80
  - ldiff** 14-35
  - leaf* 26-34
  - leap seconds* 26-34
  - least-negative-double-float** 12-87
  - least-negative-long-float** 12-87
  - least-negative-normalized-double-float** 12-87
  - least-negative-normalized-long-float** 12-87
  - least-negative-normalized-short-float** 12-87
  - least-negative-normalized-single-float** 12-87
  - least-negative-short-float** 12-87
  - least-negative-single-float** 12-87
  - least-positive-double-float** 12-87
  - least-positive-long-float** 12-87
  - least-positive-normalized-double-float** 12-87
  - least-positive-normalized-long-float** 12-87
  - least-positive-normalized-short-float** 12-87
  - least-positive-normalized-single-float** 12-87
  - least-positive-short-float** 12-87
  - least-positive-single-float** 12-87
  - leaves* 14-1
  - Left-Brace (format directive) 22-37
  - Left-Bracket (format directive) 22-36
  - Left-Paren (format directive) 22-39
  - left-parenthesis* 26-34
  - Left-Parenthesis (reader macro) 2-23
  - Left-Parenthesis (sharpsign reader macro) 2-31
  - length* 26-34
  - length** 17-16
  - Less-Than-Sign (format directive) 22-32, 22-35
  - Less-Than-Sign (sharpsign reader macro) 2-39
  - let** 5-36
  - let\*** 5-36
  - lexical binding* 26-34
  - lexical closure* 26-34
  - lexical environment* 3-2, 26-34
  - lexical scope* 26-34
  - lexical variable* 26-34
  - linear-style conditional newline 22-17, 22-54
  - LISP package* A-1
  - Lisp image* 26-34
  - Lisp printer* 26-35
  - Lisp read-eval-print loop* 26-35
  - Lisp reader* 26-35
  - lisp-implementation-type** 25-28
  - lisp-implementation-version** 25-28
  - list* 14-2, 14-4, 26-35
  - list** 2-23, 2-26, 2-28, 7-26, 14-4, 14-20
  - list designator* 26-35
  - list structure* 26-35
  - list\*** 14-20
  - list-all-packages** 11-14
  - list-length** 14-21
  - listen** 21-41
  - listp** 14-22
  - literal* 26-35
  - literal object* 3-14
  - load* 26-35
  - load** 3-60, 24-6
  - load time* 26-36

*load time value* 26-36  
**load-logical-pathname-translations** 19-22  
**\*load-pathname\*** 24-13  
**\*load-print\*** 24-14  
**load-time-value** 3-18, 3-63  
**:load-toplevel** 3-60  
**\*load-truename\*** 24-13  
**\*load-verbose\*** 24-14  
*loader* 26-36  
**:local** 19-4  
*local declaration* 3-29, 26-36  
*local precedence order* 4-9, 4-12, 26-36  
*local slot* 26-36  
**locally** 3-100  
**log** 12-45  
**logand** 12-71  
**logandc1** 12-71  
**logandc2** 12-71  
**logbitp** 12-73  
**logcount** 12-74  
**logeqv** 12-71  
*logical block* 26-36  
*logical blocks* 22-14  
*logical host* 26-36  
*logical host designator* 26-36  
*logical pathname* 26-36  
**logical-pathname** 19-15, 19-27  
**logical-pathname-translations** 19-23  
**logior** 12-71  
**lognand** 12-71  
**lognor** 12-71  
**lognot** 12-71  
**logorc1** 12-71  
**logorc2** 12-71  
**logtest** 12-75  
**logxor** 12-71  
*long float* 26-36  
**long-float** 12-14  
**long-float-epsilon** 12-88  
**long-float-negative-epsilon** 12-88  
**long-site-name** 25-28  
**loop** 6-38  
*loop keyword* 26-36  
**loop-finish** 6-42  
**lower-case-p** 13-20  
*lowercase* 26-37  
**machine-instance** 25-29  
**machine-type** 25-30  
**machine-version** 25-30  
*macro* 3-18, 26-37  
*macro character* 26-37  
*macro expansion* 26-37  
*macro form* 26-37  
*macro function* 26-37  
*macro lambda list* 3-41, 26-37  
*macro name* 26-37  
**macro-function** 3-73  
**macroexpand** 3-75  
*macroexpand hook* 26-37  
**macroexpand-1** 3-75  
**\*macroexpand-hook\*** 3-80  
**macrolet** 3-18, 5-20  
**make-array** 15-10  
**make-broadcast-stream** 21-47  
**make-char** A-1  
**make-concatenated-stream** 21-51  
**make-condition** 9-47  
**make-dispatch-macro-character** 23-5  
**make-echo-stream** 21-50  
**make-hash-table** 18-4  
**make-instance** 7-49  
**make-instances-obsolete** 7-50  
**make-list** 14-23  
**make-load-form** 7-51  
**make-load-form-saving-slots** 7-55  
**make-method** 7-73  
**make-package** 11-20  
**make-pathname** 19-17  
**make-random-state** 12-51  
**make-sequence** 17-8  
**make-string** 16-13  
**make-string-input-stream** 21-53  
**make-string-output-stream** 21-53  
**make-symbol** 10-6  
**make-synonym-stream** 21-46  
**make-two-way-stream** 21-48  
**makunbound** 10-21  
*mandatory-style conditional newline* 22-54  
**map** 17-10  
**map-into** 17-12

- mapc** 14-40
- mapcan** 14-40
- mapcar** 14-40
- mapcon** 14-40
- maphash** 18-12
- mapl** 14-40
- maplist** 14-40
- mapping* 26-37
- mask-field** 12-81
- max** 7-26, 12-22
- member** 4-27, 14-39
- member-if** 14-39
- member-if-not** 14-39
- merge** 17-30
- merge-pathnames** 19-38
- metaclass* 4-1, 4-9, 26-37
- Metaobject Protocol* 26-37
- method* 26-38
- method** 4-24
- method combination* 26-38
- method-combination** 4-26, 25-18
- method-combination-error** 9-26
- method-defining form* 26-38
- method-defining operator* 7-18, 26-38
- method-qualifiers** 7-47
- might signal* 1-17
- min** 7-26, 12-22
- minimal compilation* 3-14, 26-38
- Minus (sharpsign reader macro) 2-37
- minusp** 12-24
- miser-style conditional newline 22-17, 22-54
- mismatch** 17-24
- mod** 12-19, 12-47
- modified lambda list* 26-38
- \*modules\*** 24-14
- most recent* 26-38
- most-negative-double-float** 12-87
- most-negative-fixnum** 12-82
- most-negative-long-float** 12-87
- most-negative-short-float** 12-87
- most-negative-single-float** 12-87
- most-positive-double-float** 12-87
- most-positive-fixnum** 12-82
- most-positive-long-float** 12-87
- most-positive-short-float** 12-87
- most-positive-single-float** 12-87
- muffle-warning** 9-66, 9-68
- multiple escape* 2-9, 26-38
- multiple values* 26-38
- multiple-value-bind** 5-79
- multiple-value-call** 5-81
- multiple-value-list** 5-81
- multiple-value-prog1** 5-82
- multiple-value-setq** 5-83
- multiple-values-limit** 5-86
- must signal* 1-16
- name* 1-7, 26-39
- name-char** 13-25
- named constant* 26-39
- namespace* 3-1, 26-39
- namestring* 19-1, 26-39
- namestring** 19-28
- nbutlast** 14-33
- nconc** 7-26, 14-29
- newline* 26-39
- Newline (format directive) 22-42
- next method* 7-23, 26-39
- next-method-p** 7-72
- nickname* 26-39
- nil* 1-13, 26-39
- nil** 1-13, 4-19, 5-54
- nintersection** 14-52
- ninth** 14-25
- no-applicable-method** 7-47
- no-next-method** 7-48
- non-atomic* 26-39
- non-constant variable* 26-39
- non-correctable* 26-40
- non-empty* 26-40
- non-generic function* 26-40
- non-graphic* 13-3, 26-40
- non-list* 26-40
- non-local exit* 26-40
- non-nil* 26-40
- non-null lexical environment* 26-40
- non-simple* 26-40
- non-terminating* 2-8, 26-40
- non-top-level form* 26-40
- normal return* 26-40
- normalized* 26-40

**not** 4-27, 5-55  
**notany** 5-67  
notation 1-7  
**notevery** 5-67  
**notinline** 3-29, 3-93  
**nreconc** 14-31  
**nreverse** 17-17  
**nset-difference** 14-56  
**nset-exclusive-or** 14-58  
**nstring-capitalize** 16-7  
**nstring-downcase** 16-7  
**nstring-upcase** 16-7  
**nsublis** 14-13  
**nsubst** 14-15  
**nsubst-if** 14-15  
**nsubst-if-not** 14-15  
**nsubstitute** 17-26  
**nsubstitute-if** 17-26  
**nsubstitute-if-not** 17-26  
**nth** 14-27  
**nth-value** 5-86  
**nthcdr** 14-37  
*null* 13-2, 26-40  
**null** 14-4, 14-28  
*null lexical environment* 3-3, 26-41  
*number* 26-41  
**number** 12-11  
**numberp** 12-54  
**numerator** 12-61  
*numeric* 26-41  
**nunion** 14-61  
O (format directive) 22-27  
O (sharpsign reader macro) 2-33  
*object* 26-41  
*object-traversing* 26-41  
**oddp** 12-40  
*open* 21-2, 26-41  
**open** 21-32  
**open-stream-p** 21-12  
*operator* 26-41  
**optimize** 3-97  
*optimize quality* 26-41  
*optional parameter* 26-42  
**or** 4-28, 5-71, 7-26  
order of evaluation 3-63, 5-2, 5-43, 5-83, 6-5,  
6-9, 7-4, 9-16, 12-79  
*ordinary function* 26-42  
*ordinary lambda list* 3-33, 26-42  
**otherwise** 5-74, 5-77  
*otherwise inaccessible part* 26-42  
*output* 21-1, 26-42  
**output-stream-p** 21-11  
P (format directive) 22-40  
P (sharpsign reader macro) 2-36  
*package* 11-1, 26-42  
**package** 11-8  
*package cell* 26-42  
*package designator* 26-42  
*package marker* 26-42  
*package prefix* 26-42  
*package registry* 26-42  
**\*package\*** 11-40  
**package-error** 11-41  
**package-error-package** 11-42  
**package-name** 11-36  
**package-nicknames** 11-37  
**package-shadowing-symbols** 11-37  
**package-use-list** 11-38  
**package-used-by-list** 11-39  
**packagep** 11-40  
**pairlis** 14-46  
*pairwise* 26-43  
*parallel* 26-43  
*parameter* 26-43  
*parameter specializer* 26-43  
*parameter specializer name* 26-43  
**parse-error** 9-14  
**parse-integer** 12-66  
**parse-namestring** 19-30  
*pathname* 19-1, 26-43  
**pathname** 2-36, 19-15  
*pathname designator* 26-43  
**pathname-device** 19-20  
**pathname-directory** 19-20  
**pathname-host** 19-20  
**pathname-match-p** 19-34  
**pathname-name** 19-20  
**pathname-type** 19-20  
**pathname-version** 19-20  
**pathnamep** 19-19



**peek-char** 21-17  
**Percent** (format directive) 22-25  
**phase** 12-58  
*physical pathname* 26-43  
**pi** 12-32  
*place* 5-1, 26-43  
*plist* 26-43  
**Plus** (sharpsign reader macro) 2-37  
**plusp** 12-24  
**pop** 14-24  
*portable* 26-43  
**position** 17-21  
**position-if** 17-21  
**position-if-not** 17-21  
*potential copy* 26-44  
*potential number* 26-44  
**pprint** 22-61  
*pprint dispatch table* 22-16, 26-44  
**pprint-dispatch** 22-47  
**pprint-exit-if-list-exhausted** 22-48  
**pprint-fill** 22-49  
**pprint-indent** 22-50  
**pprint-linear** 22-49  
**pprint-logical-block** 22-51  
**pprint-newline** 22-53  
**pprint-pop** 22-55  
**pprint-tab** 22-57  
**pprint-tabular** 22-49  
*predicate* 26-44  
prepared to signal 1-16  
*present* 11-2, 24-1, 26-44  
*pretty print* 26-44  
*pretty printer* 22-14, 26-44  
*pretty printing stream* 26-44  
*primary method* 26-44  
*primary value* 26-44  
**prin1** 22-61  
**prin1-to-string** 22-64  
**princ** 22-61  
**princ-to-string** 22-64  
*principal* 26-44  
**print** 22-61  
*print name* 26-45  
**\*print-array\*** 22-66  
**\*print-base\*** 22-67  
**\*print-case\*** 22-68  
**\*print-circle\*** 2-36, 2-37, 22-69  
**\*print-escape\*** 22-70  
**\*print-gensym\*** 22-71  
**\*print-length\*** 22-72  
**\*print-level\*** 22-72  
**\*print-lines\*** 22-73  
**\*print-miser-width\*** 22-74  
**print-not-readable** 22-79  
**print-not-readable-object** 22-79  
**print-object** 22-57  
**\*print-pprint-dispatch\*** 22-75  
**\*print-pretty\*** 22-75  
**\*print-radix\*** 22-67  
**\*print-readably\*** 22-76  
**\*print-right-margin\*** 22-78  
**print-unreadable-object** 22-59  
*printer control variable* 22-1, 26-45  
*printer escaping* 22-2, 26-45  
*printing* 26-45  
**probe-file** 20-3  
*process* 3-14, 26-45  
*processor* 26-45  
*proclaim* 26-45  
**proclaim** 3-81  
*proclamation* 3-29, 26-45  
**prog** 5-87  
*prog tag* 26-45  
**prog\*** 5-87  
**prog1** 5-89  
**prog2** 5-89  
**progn** 5-91, 7-26  
*program* 26-45  
**program-error** 5-104  
*programmer* 26-45  
*programmer code* 26-45  
**progv** 5-38  
*proper list* 14-2, 14-4, 26-45  
*proper name* 26-45  
*proper sequence* 26-46  
*proper subtype* 26-46  
*property* 26-46  
*property indicator* 26-46  
*property list* 26-46  
*property value* 26-46

**provide** 24-15  
**psetf** 5-99  
**psetq** 5-40  
*purports to conform* 26-46  
**push** 14-23  
**pushnew** 14-55  
*qualified method* 26-46  
*qualifier* 26-46  
*query I/O* 26-46  
**\*query-io\*** 21-57  
Question-Mark (format directive) 22-39  
quotation (of forms) 2-24, 2-26, 2-28  
quotation (of strings) 2-26  
**quote** 2-24, 2-26, 2-28, 3-65  
*quoted object* 26-46  
**quux** 1-15  
R (format directive) 22-25  
R (sharpsign reader macro) 2-34  
*radix* 26-47  
**random** 12-52  
*random state* 26-47  
**random-state** 12-50  
**\*random-state\*** 12-53  
**random-state-p** 12-53  
*rank* 15-1, 26-47  
**rassoc** 14-47  
**rassoc-if** 14-47  
**rassoc-if-not** 14-47  
*ratio* 26-47  
**ratio** 12-16, 22-3  
*ratio marker* 26-47  
*rational* 26-47  
**rational** 12-16, 12-62  
**rationalize** 12-62  
**rationalp** 12-63  
*read* 26-47  
**read** 23-6  
**\*read-base\*** 2-33, 2-34, 23-19  
**read-byte** 21-15  
**read-char** 21-18  
**read-char-no-hang** 21-19  
**\*read-default-float-format\*** 23-19  
**read-delimited-list** 23-8  
**\*read-eval\*** 2-33, 23-20  
**read-from-string** 23-10  
**read-line** 21-24  
**read-preserving-whitespace** 23-6  
**read-sequence** 21-26  
**\*read-suppress\*** 23-21  
*readably* 26-47  
*reader* 26-47  
*reader macro* 26-47  
*reader macro function* 2-8, 26-47  
**reader-error** 23-23  
*readtable* 2-1, 26-47  
**readtable** 23-4  
*readtable case* 26-47  
*readtable designator* 26-48  
**\*readtable\*** 23-22  
**readtable-case** 23-11  
**readtablep** 23-12  
**real** 12-12  
**realp** 12-60  
**realpart** 12-59  
*recognizable subtype* 26-48  
redefinition 11-5  
**reduce** 17-13  
*reference* 26-48  
*registered package* 26-48  
**reinitialize-instance** 7-31  
*relative* 26-48  
**:relative** 19-7  
**rem** 12-47  
**remf** 14-51  
**remhash** 18-11  
**remove** 17-32  
**remove-duplicates** 17-35  
**remove-if** 17-32  
**remove-if-not** 17-32  
**remove-method** 7-49  
**remprop** 10-19  
**rename-file** 20-8  
**rename-package** 11-14  
*repertoire* 13-2, 26-48  
**replace** 17-25  
*report* 26-48  
*report message* 9-4, 26-48  
**require** 24-15  
*required parameter* 26-48  
**rest** 14-38

*rest list* 26-48  
*rest parameter* 26-48  
*restart* 26-48  
**restart** 9-48  
*restart designator* 26-49  
*restart function* 26-49  
**restart-bind** 9-54  
**restart-case** 9-56  
**restart-name** 9-61  
*return* 26-49  
**return** 5-47  
*return value* 26-49  
**return-from** 5-45  
**revappend** 14-31  
**reverse** 17-17  
 Right-Brace (format directive) 22-39  
 Right-Bracket (format directive) 22-37  
 Right-Paren (format directive) 22-40  
*right-parenthesis* 26-49  
 Right-Parenthesis (reader macro) 2-23  
**room** 25-21  
**rotatef** 5-103  
**round** 12-25  
**row-major-aref** 15-28  
**rplaca** 14-8  
**rplacd** 14-8  
*run time* 3-15, 26-49  
*run-time compiler* 3-15, 26-49  
*run-time definition* 3-15, 26-49  
*run-time environment* 3-15, 26-49  
 S (format directive) 22-31  
 S (sharpsign reader macro) 2-36  
*safe* 1-15, 26-49  
*safe call* 3-50, 26-49  
**safety** 3-29, 3-97  
*same* 26-49  
**satisfies** 4-26  
*satisfy the test* 17-2, 17-4, 26-50  
**sbit** 15-36  
**scale-float** 12-82  
**schar** 16-5  
*scope* 26-50  
*script* 26-50  
**search** 17-23  
**second** 14-25  
*secondary value* 26-50  
*section* 26-50  
*sections* 22-14  
*self-evaluating object* 26-50  
*semi-standard* 26-50  
*semicolon* 26-51  
 Semicolon (format directive) 22-40  
 Semicolon (reader macro) 2-24  
*sequence* 17-1, 26-51  
**sequence** 17-5  
*sequence function* 17-1, 26-51  
*sequential* 26-51  
*sequentially* 26-51  
*serious condition* 26-51  
**serious-condition** 9-12  
*session* 26-51  
*set* 26-51  
**set** 10-22  
**set-char-bit** A-1  
**set-difference** 14-56  
**set-dispatch-macro-character** 23-13  
**set-exclusive-or** 14-58  
**set-macro-character** 23-14  
**set-pprint-dispatch** 22-60  
**set-syntax-from-char** 23-16  
**setf** 5-99, 25-18  
*setf expander* 26-51  
*setf expansion* 26-51  
*setf function* 26-51  
*setf function name* 26-51  
**setq** 5-39  
**seventh** 14-25  
*shadow* 3-11, 4-8, 26-51  
**shadow** 11-15  
*shadowing symbol* 11-3, 11-4, 26-51  
*shadowing symbols list* 26-51  
**shadowing-import** 11-16  
*shared slot* 26-52  
**shared-initialize** 7-32  
*sharpsign* 26-52  
 Sharpsign (reader macro) 2-29  
 Sharpsign (sharpsign reader macro) 2-37  
 Sharpsign A (reader macro) 2-35  
 Sharpsign Asterisk (reader macro) 2-32  
 Sharpsign B (reader macro) 2-33

- Sharpsign Backslash (reader macro) 2-31
- Sharpsign C (reader macro) 2-34
- Sharpsign Colon (reader macro) 2-33
- Sharpsign Dot (reader macro) 2-33
- Sharpsign Equal-Sign (reader macro) 2-36
- Sharpsign Left-Parenthesis (reader macro) 2-31
- Sharpsign Less-Than-Sign (reader macro) 2-39
- Sharpsign Minus (reader macro) 2-37
- Sharpsign O (reader macro) 2-33
- Sharpsign P (reader macro) 2-36
- Sharpsign Plus (reader macro) 2-37
- Sharpsign R (reader macro) 2-34
- Sharpsign Right-Parenthesis 2-40
- Sharpsign S (reader macro) 2-36
- Sharpsign Sharpsign (reader macro) 2-37, 22-56
- Sharpsign Single-Quote (reader macro) 2-31
- Sharpsign Vertical-Bar (reader macro) 2-38
- Sharpsign Whitespace 2-39, 2-40
- Sharpsign X (reader macro) 2-34
- shiftf** 5-101
- short float* 26-52
- short-float** 12-14
- short-float-epsilon** 12-88
- short-float-negative-epsilon** 12-88
- short-site-name** 25-28
- should signal 1-16
- sign* 26-52
- signal* 1-16, 1-17, 26-52
- signal** 9-27
- signature* 26-52
- signed-byte** 12-17
- signum** 12-48
- similar* 3-23, 26-52
- similarity* 26-52
- simple* 26-52
- simple array* 26-52
- simple bit array* 26-52
- simple bit vector* 26-52
- simple condition* 26-52
- simple general vector* 26-52
- simple string* 26-52
- simple vector* 26-53
- simple-array** 15-6
- simple-base-string** 16-4
- simple-bit-vector** 2-32, 15-10
- simple-bit-vector-p** 15-40
- simple-condition** 9-28
- simple-condition-format-arguments** 9-29
- simple-condition-format-control** 9-29
- simple-error** 9-25
- simple-string** 16-3
- simple-string-p** 16-4
- simple-type-error** 4-42
- simple-vector** 2-31, 15-8
- simple-vector-p** 15-31
- simple-warning** 9-31
- sin** 12-28
- single escape* 2-9, 26-53
- single float* 26-53
- single-float** 12-14
- single-float-epsilon** 12-88
- single-float-negative-epsilon** 12-88
- single-quote* 26-53
- Single-Quote (reader macro) 2-24
- Single-Quote (sharpsign reader macro) 2-31
- singleton* 26-53
- sinh** 12-33
- situation* 26-53
- sixth** 14-25
- slash* 26-53
- Slash (format directive) 22-33
- sleep** 25-7
- slot* 26-53
- slot specifier* 4-10, 26-53
- slot-boundp** 7-40
- slot-exists-p** 7-41
- slot-makunbound** 7-42
- slot-missing** 7-43
- slot-unbound** 7-44
- slot-value** 7-45
- software-type** 25-31
- software-version** 25-31
- some** 5-67
- sort** 17-18
- source code* 24-1, 26-53
- source file* 24-1, 26-53
- space* 26-53
- space** 3-97
- special** 3-29, 3-98
- special form* 26-53

*special operator* 26-53  
*special variable* 26-53  
**special-operator-p** 3-103  
*specialize* 26-54  
*specialized* 26-54  
*specialized lambda list* 3-40, 26-54  
**speed** 3-97  
*spreadable argument list designator* 26-54  
**sqrt** 12-49  
**stable-sort** 17-18  
*stack allocate* 26-54  
*stack-allocated* 26-54  
**standard** 7-24, 7-26  
*standard character* 2-2, 26-54  
*standard class* 26-54  
*standard generic function* 26-54  
*standard input* 26-54  
*standard method combination* 26-54  
*standard object* 26-54  
*standard output* 26-55  
*standard pprint dispatch table* 26-55  
*standard readtable* 2-1, 26-55  
*standard syntax* 2-1, 26-55  
**standard-char** 13-9  
**standard-char-p** 13-18  
**standard-class** 4-24  
**standard-generic-function** 4-23  
**\*standard-input\*** 21-57  
**standard-method** 4-25  
**standard-object** 4-25  
**\*standard-output\*** 21-57  
*standardized* 26-55  
*startup environment* 3-14, 26-55  
*step* 26-55  
**step** 25-13  
**storage-condition** 9-15  
**store-value** 9-67, 9-68  
*stream* 20-1, 21-1, 21-2, 26-55  
**stream** 21-7  
*stream associated with a file* 20-1, 26-55  
*stream designator* 26-56  
*stream element type* 26-56  
*stream variable* 21-4, 26-56  
*stream variable designator* 26-56  
**stream-element-type** 21-13  
**stream-error** 21-60  
**stream-error-stream** 21-60  
**stream-external-format** 21-36  
**streamp** 21-14  
*string* 15-3, 26-56  
**string** 2-26, 16-2, 16-6  
*string designator* 26-56  
*string equal* 26-56  
*string stream* 26-56  
**string-capitalize** 16-7  
**string-char** A-1  
**string-char-p** A-1  
**string-downcase** 16-7  
**string-equal** 16-10  
**string-greaterp** 16-10  
**string-left-trim** 16-9  
**string-lessp** 16-10  
**string-not-equal** 16-10  
**string-not-greaterp** 16-10  
**string-not-lessp** 16-10  
**string-right-trim** 16-9  
**string-stream** 21-10  
**string-trim** 16-9  
**string-upcase** 16-7  
**string/=** 16-10  
**string<** 16-10  
**string<=** 16-10  
**string=** 16-10  
**string>** 16-10  
**string>=** 16-10  
**stringp** 16-12  
*structure* 26-56  
**structure** 2-36, 25-19  
*structure class* 26-56  
*structure name* 26-56  
**structure-class** 4-24  
**structure-object** 4-25  
*style warning* 26-56  
**style-warning** 9-12  
*subclass* 4-8, 26-56  
*subexpression* 26-57  
*subform* 26-57  
**sublis** 14-13  
*subrepertoire* 26-57  
**subseq** 17-9

**subsetp** 14–59  
**subst** 14–15  
**subst-if** 14–15  
**subst-if-not** 14–15  
**substitute** 17–26  
**substitute-if** 17–26  
**substitute-if-not** 17–26  
*subtype* 26–57  
**subtypep** 4–34  
*superclass* 4–8, 26–57  
*supertype* 26–57  
*supplied-p parameter* 26–57  
**svref** 15–32  
**sxhash** 18–15  
*symbol* 26–57  
**symbol** 2–33, 10–2  
*symbol macro* 3–18, 26–57  
**symbol-function** 10–11  
**symbol-macrolet** 3–18, 3–79  
**symbol-name** 10–13  
**symbol-package** 10–14  
**symbol-plist** 10–15  
**symbol-value** 10–16  
**symbolp** 10–4  
*synonym stream* 26–57  
*synonym stream symbol* 26–57  
**synonym-stream** 21–10  
**synonym-stream-symbol** 21–46  
*syntax type* 2–5, 26–57  
**SYSTEM package** A–1  
*system class* 26–58  
*system code* 26–58  
*t* 26–58  
**t** 4–26, 5–55, 5–74, 5–77, 25–18, 25–19  
**T** (format directive) 22–34  
*tag* 26–58  
**tagbody** 5–48  
*tail* 26–58  
**tailp** 14–35  
**tan** 12–28  
**tanh** 12–33  
*target* 26–58  
**tenth** 14–25  
*terminal I/O* 26–58  
**\*terminal-io\*** 21–59  
*terminating* 2–8, 26–58  
**terpri** 21–21  
*tertiary value* 26–58  
**the** 3–102  
**third** 14–25  
*throw* 26–58  
**throw** 5–49  
*tilde* 26–58  
Tilde (format directive) 22–25  
Tilde A (format directive) 22–31  
Tilde Ampersand (format directive) 22–25  
Tilde Asterisk (format directive) 22–36  
Tilde B (format directive) 22–26  
Tilde C (format directive) 22–24  
Tilde Circumflex (format directive) 22–41  
Tilde D (format directive) 22–26  
Tilde Dollarsign (format directive) 22–30  
Tilde E (format directive) 22–28  
Tilde F (format directive) 22–27  
Tilde G (format directive) 22–30  
Tilde Greater-Than-Sign (format directive) 22–36  
Tilde I (format directive) 22–33  
Tilde Left-Brace (format directive) 22–37  
Tilde Left-Bracket (format directive) 22–36  
Tilde Left-Paren (format directive) 22–39  
Tilde Less-Than-Sign (format directive) 22–32, 22–35  
Tilde Newline (format directive) 22–42  
Tilde O (format directive) 22–27  
Tilde P (format directive) 22–40  
Tilde Percent (format directive) 22–25  
Tilde Question-Mark (format directive) 22–39  
Tilde R (format directive) 22–25  
Tilde Right-Brace (format directive) 22–39  
Tilde Right-Bracket (format directive) 22–37  
Tilde Right-Paren (format directive) 22–40  
Tilde S (format directive) 22–31  
Tilde Semicolon (format directive) 22–40  
Tilde Slash (format directive) 22–33  
Tilde T (format directive) 22–34  
Tilde Tilde (format directive) 22–25  
Tilde Underscore (format directive) 22–32  
Tilde Vertical-Bar (format directive) 22–25  
Tilde W (format directive) 22–32

Tilde X (format directive) 22-27  
*time* 26-58  
**time** 25-14  
*time zone* 26-59  
*token* 2-6, 26-59  
*top level form* 26-59  
**trace** 25-12  
*trace output* 26-59  
**\*trace-output\*** 21-57  
**translate-logical-pathname** 19-35  
**translate-pathname** 19-36  
*tree* 14-1, 26-59  
*tree structure* 26-59  
**tree-equal** 14-18  
*true* 26-59  
*truename* 20-2, 26-59  
**truename** 20-5  
**truncate** 12-25  
*two-way stream* 26-59  
**two-way-stream** 21-11  
**two-way-stream-input-stream** 21-49  
**two-way-stream-output-stream** 21-49  
*type* 26-59  
**type** 3-90, 25-19  
*type declaration* 26-60  
*type equivalent* 26-60  
*type expand* 26-60  
*type specifier* 26-60  
**type-error** 4-41  
**type-error-datum** 4-41  
**type-error-expected-type** 4-41  
**type-of** 4-37  
**typecase** 5-76  
**typep** 4-39  
*unbound* 26-60  
*unbound variable* 26-60  
**unbound-slot** 7-90  
**unbound-slot-instance** 7-91  
**unbound-variable** 10-23  
undefined consequences 1-17  
*undefined function* 26-60  
**undefined-function** 5-104  
Underscore (format directive) 22-32  
**unexport** 11-24  
*unintern* 26-60  
**unintern** 11-25  
*uninterned* 26-60  
**union** 14-61  
*universal time* 25-3, 26-60  
**unless** 5-72  
*unqualified method* 26-60  
**unread-char** 21-22  
*unregistered package* 26-60  
*unsafe* 1-16, 26-60  
*unsafe call* 3-51, 26-61  
**unsigned-byte** 12-18  
**:unspecific** 19-6  
unspecified consequences 1-17  
unspecified values 1-17  
**untrace** 25-12  
**unuse-package** 11-27  
**unwind-protect** 5-51  
**:up** 19-8  
**update-instance-for-different-class** 7-34  
**update-instance-for-redefined-class** 7-35  
*upgrade* 26-61  
*upgraded array element type* 15-3, 26-61  
*upgraded complex part type* 26-61  
**upgraded-array-element-type** 15-29  
**upgraded-complex-part-type** 12-60  
**upper-case-p** 13-20  
*uppercase* 26-61  
*use* 26-61  
*use list* 26-61  
**use-package** 11-28  
**use-value** 9-68  
*user* 26-61  
**USER package** A-1  
**user-homedir-pathname** 25-32  
*valid array dimension* 26-61  
*valid array index* 26-62  
*valid array row-major index* 26-62  
*valid fill pointer* 26-62  
*valid logical pathname host* 26-62  
*valid pathname device* 26-62  
*valid pathname directory* 26-62  
*valid pathname host* 26-62  
*valid pathname name* 26-62  
*valid pathname type* 26-62  
*valid pathname version* 26-62

*valid physical pathname host* 26-62  
*valid sequence index* 26-62  
*value* 26-63  
*value cell* 26-63  
**values** 4-29, 5-84  
**values-list** 5-85  
*variable* 26-63  
**variable** 25-19  
*vector* 15-1, 26-63  
**vector** 2-31, 15-7, 15-33  
**vector-pop** 15-33  
**vector-push** 15-34  
**vector-push-extend** 15-34  
**vectorp** 15-36  
*vertical-bar* 26-63  
Vertical-Bar (format directive) 22-25  
Vertical-Bar (sharpsign reader macro) 2-38  
W (format directive) 22-32  
**warn** 9-29  
**warning** 9-11  
warning 1-18  
**when** 5-72  
*whitespace* 26-63  
*wild* 26-63  
:wild 19-5, 19-8  
:wild-inferiors 19-5, 19-8  
**wild-pathname-p** 19-33  
**with-accessors** 7-56  
**with-compilation-unit** 24-8  
**with-condition-restarts** 9-62  
**with-hash-table-iterator** 18-13  
**with-input-from-string** 21-54  
**with-open-file** 21-37  
**with-open-stream** 21-40  
**with-output-to-string** 21-55  
**with-package-iterator** 11-21  
**with-simple-restart** 9-63  
**with-slots** 7-58  
**with-standard-io-syntax** 23-17  
*write* 26-63  
**write** 22-61  
**write-byte** 21-16  
**write-char** 21-23  
**write-line** 21-25  
**write-sequence** 21-27  
**write-string** 21-25  
**write-to-string** 22-64  
*writer* 26-63  
X (format directive) 22-27  
X (sharpsign reader macro) 2-34  
**y-or-n-p** 21-44  
**yes-or-no-p** 21-44  
*yield* 26-64  
**zerop** 12-25  
' 2-26



## Credits

### Principal Technical Editors:

<b>Kent M. Pitman</b>	Harlequin, Inc.	1993-present
	Symbolics, Inc.	1990-1992
<b>Kathy Chapman</b>	Digital Equipment Corporation	1987-1989

### Occasional Guest Editors:

<b>Richard P. Gabriel</b>	Lucid, Inc.
<b>Sandra Loosemore</b>	self

### Financial Contributors to the Editing Process:

**Digital Equipment Corporation**  
**Harlequin, Ltd. and Harlequin, Inc.**  
**Symbolics, Inc.**  
**Apple, Inc.**  
**Franz, Inc.**  
**Lucid, Inc.**

Special thanks to Guy L. Steele Jr. and Digital Press for producing *Common Lisp: The Language*, and for relaxing copyright restrictions enough to make it possible for that document's text to provide an early basis of this work.

Edit and Review History:

01-Jan-89	Chapman	Draft of Chapters 1.1 (scope).
01-Jan-89	Pitman	Draft of Chapters 5.1 (conditions).
01-May-89	Chapman	Draft of 1.2–1.6.
01-May-89	Gabriel	Rewrite of Chapters 1.1 and 5.1.
01-Jun-89	Loosemore	Review of Chapter 4.2.
01-Jun-89	Pitman	Review of Glossary
15-Jun-89	Gabriel	Rewrite of Glossary
16-Jun-89	Margolin	Comments on Chapters 2.1–2.4 (types, objects).
23-Jun-89	Gabriel	Rewrite of 4.2.
07-Jul-89	Moon	Review of Chapters 4.1, 4.3
12-Jul-89	Gabriel	Revision of 4.2.
15-Jul-89	Pitman	Review of Glossary
18-Jul-89	Gray	Comments on 5.1
25-Jul-89	Gabriel	Revision of Chapters 1.2–1.6, 2.2
26-Jul-89	Gabriel	Rewrite of 5.1
26-Jul-89	Gabriel	Rewrite of 4.1.
27-Jul-89	Pitman	Revision of 5.1
27-Jul-89	Gabriel	Revision of 5.1
28-Jul-89	Chapman	Draft of 2.2, 3.2, 3.3, 5.4
28-Jul-89	Gabriel	Revision of Glossary.
01-Oct-89	Margolin	Review of Dictionary from Jun-89 draft.
20-Jan-91	Pitman	Draft 8.81 (for X3J13 review). Document X3J13/91-101.
29-Jan-91	Waters	Review of 8.81/Chapter 23 (Printer).
01-Mar-91	Moon	Review of 8.81/Chapter 4 (Evaluation and Compilation).
01-Mar-91	Barrett	Review of 8.81/Chapter 4 (Evaluation and Compilation).
01-Mar-91	Moon	Review of 8.81/Glossary.
13-Mar-90	Wechsler	Review of 8.81/Glossary.
21-Mar-91	Kerns	Review of 8.81/Chapter 1.
26-Apr-91	Margolin	Review of 8.81/Chapters 1–12.
15-May-91	Barrett	Review of 8.81/Chapters 5 (Misc), 11 (Conditions).
04-Jun-91	Laddaga	Review of 9.60/Chapter 20 (Pathnames).
10-Jun-91	Pitman	Draft 9.126 (for X3J13 review). Document X3J13/91-102.
02-Sep-91	Barrett	Review of 9.28/Chapter 4 (Evaluation and Compilation).
02-Sep-91	Barrett	Review of 9.52/Chapter 4 (Evaluation and Compilation).
15-Sep-91	Barrett	Review of 9.126/Chapter 4 (Evaluation and Compilation) and Chapter 7 (Evaluation/Compilation). (some comments not yet merged)
18-Sep-91	Wechsler	Review of 9.126.
21-Sep-91	Barrett	Review of 10.16/Chapter 7 (Evaluation/Compilation). (some comments not yet merged)
28-Sep-91	Barrett	Review of 10.95/Chapter 25 (Printer). (some comments not yet merged)

---

13-Oct-91	Barrett	Review (and help editing) of 10.104/Chapter 4 (Evaluation and Compilation)
15-Oct-91	Waters	Review of 10.95/Chapter 25 (Printer).
24-Oct-91	Pitman	Draft 10.156 (for X3J13 review). Document X3J13/91-103.
04-Nov-91	Moon	Review of 10.156/Chapter 5 (Data and Control Flow) and Chapter 26 (Glossary).
11-Nov-91	Loosemore	Review of 10.156/Chapter 2 (Syntax), Chapter 3 (Evaluation and Compilation), Chapter 5 (Data and Control Flow), and Chapter 8 (Structures).
02-Dec-91	Barrett	Review of 10.156/Chapter 4 (Types and Classes), and Chapter 10 (Symbols).
02-Dec-91	Barrett	Review of 10.156/Chapter 3 (Evaluation and Compilation), Chapter 6 (Iteration), Chapter 9 (Conditions), and Chapter 14 (Conses). (some comments not yet merged)
09-Dec-91	Gabriel	Review of 10.156/Chapter 1 (Introduction), Chapter 2 (Syntax), and Chapter 3 (Evaluation and Compilation).
09-Dec-91	Ida	Light review of 10.156/Chapters 1-5.
09-Dec-91	Moon	Review of 10.156/Chapter 3 (Evaluation and Compilation). (some comments not yet merged)
10-Dec-91	Loosemore	Review of 10.156/Chapter 10 (Symbols), Chapter 20 (Files), and Chapter 13 (Characters).
10-Dec-91	Loosemore	Review of 10.156/Chapter 14 (Conses). (some comments not yet merged)
10-Dec-91	Laubsch	Review of 10.156/Chapters 1 (Introduction), Chapter 2 (Syntax), Chapter 3 (Evaluation and Compilation), Chapter 4 (Types and Classes), Chapter 5 (Data and Control Flow), Chapter 7 (Objects), Chapter 11 (Packages), Chapter 19 (Filenames), and Chapter 21 (Streams).
18-Dec-91	Margolin	Review of 10.156/Chapter 18 (Hash Tables).
04-Jan-92	White	Review of 10.156/Chapter 6 (Iteration), Chapter 11 (Packages), Chapter 18 (Hash Tables), and Chapter 23 (Reader).
04-Jan-92	White	Review of 10.156/Chapter 26 (Glossary). (some comments not yet merged)
04-Jan-92	Barrett	Review of 10.156/Chapter 18 (Hash Tables) and Chapter 16 (Strings).
04-Jan-92	Barrett	Review of 10.156/Chapter 15 (Arrays) and Chapter 21 (Streams). (some comments not yet merged)
06-Jan-92	Loosemore	Review of 10.156/Chapter 16 (Strings), Chapter 17 (Sequences), and Chapter 25 (Environment).
06-Jan-92	Loosemore	Review of 10.156/Chapter 21 (Streams) and Chapter 23 (Reader). (some comments not yet merged)
06-Jan-92	Margolin	Review of 10.156/Chapter 2 (Syntax).
07-Jan-92	Margolin	Review of 10.156/Chapter 4 (Types and Classes).
03-Feb-92	Aspinall	Review of 10.156/Chapter 12 (Numbers).

---

16-Feb-92	Pitman	Draft 11.82 (for X3J13 letter ballot). Document X3J13/92-101.
16-Mar-92	Loosemore	Review of 11.82/Chapter 1, 3, 4, 5, 7, 8, 9, 10, 11, 12, 18, 22, 23, 24, 25, and 26.
16-Feb-92	Pitman	Draft 12.24 (for X3 consideration). Document X3J13/92-102.
09-Sep-92	Samson	Public Review Comments (#1). Documents X3J13/92-1001 to 92-1003.
22-Oct-92	Rose, Yen	Public Review Comments (#2). Documents X3J13/92-1101 to 92-1103.
23-Oct-92	Staley	Public Review Comments (#3). Documents X3J13/92-1201 to 92-1204.
09-Nov-92	Barrett	Public Review Comments (#4). Documents X3J13/92-3101 to 92-3110.
11-Nov-92	Moon	Public Review Comments (#5). Documents X3J13/92-3201 to 92-3248.
17-Nov-92	Loosemore	Public Review Comments (#6). Documents X3J13/92-1301 to 92-1335.
23-Nov-92	Margolin	Public Review Comments (#7). Documents X3J13/92-1401 to 92-1419.
23-Nov-92	Withington	Public Review Comments (#8a). Documents X3J13/92-1501 to 92-1512.
23-Nov-92	Feinberg	Public Review Comments (#8b). Documents X3J13/92-1601 to 92-1603.
23-Nov-92	Wechsler	Public Review Comments (#8c). Documents X3J13/92-1701 to 92-1703.
23-Nov-92	Moore	Public Review Comments (#9). Documents X3J13/92-1801 to 92-1802.
23-Nov-92	Flanagan	Public Review Comments (#10). Documents X3J13/92-1901 to 92-1910.
23-Nov-92	Dalton	Public Review Comments (#11). Documents X3J13/92-2001 to 92-2012.
23-Nov-92	Gallagher	Public Review Comments (#12). Documents X3J13/92-2101 to 92-2103.
23-Nov-92	Norvig	Public Review Comments (#13). Documents X3J13/92-2201 to 92-2208.
24-Nov-92	Robertson	Public Review Comments (#14). Document X3J13/92-2301.
23-Nov-92	Kawabe	Public Review Comments (#15). Documents X3J13/92-2401 to 92-2403.
23-Nov-92	Barrett	Public Review Comments (#16). Documents X3J13/92-2511 to X3J13/92-2531.
23-Nov-92	Wertheimer	Public Review Comments (#17). Document X3J13/92-2601.
24-Nov-92	Pitman	Public Review Comments (#18). Documents X3J13/92-2701 to 92-2742.
24-Nov-92	Mato Mira	Public Review Comments (#19). Documents X3J13/92-2801 to 92-2805.
24-Nov-92	Philpot	Public Review Comments (#20). Document X3J13/92-2901.
23-Nov-92	Cerys	Public Review Comments (#21). Document X3J13/92-3001.
30-Aug-93	Pitman	Draft 13.65 (for X3J13 consideration). Document X3J13/93-101.
04-Oct-93	X3J13	Minor fixes to Draft 13.65 before sending to X3.
05-Oct-93	Pitman	Draft 14.10 (for X3 consideration). Document X3J13/93-102.
08-Nov-93	Dalton	“reply to reply to pr comments”. Document X3J13/94-311.
04-Apr-94	Boyer, Kaufmann, Moore	Public Review Comments (#1). Document X3J13/94-305.
05-Apr-94	Pitman	Public Review Comments (#2). Document X3J13/94-306.
14-Mar-94	Schulenburg	Public Review Comments (#3). Document X3J13/94-307.
04-Apr-94	Shepard	Late commentary. Document X3J13/94-309.
05-May-94	X3J13	Editorial-only changes to Draft 14.10 in response to comments.
10-May-94	Pitman	Draft 15.17 (for X3 consideration). Document X3J13/94-101.
12-Aug-94	X3J13	Letter ballot to make specific corrections to Credits. Drafts 15.17 and 15.17R are <i>identical</i> except for: Changes to document date and version number. Disclaimer added to back of cover page. Changes to this Edit and Review History, page <i>Credits iv</i> . Changes to names and headings, pages <i>Credits v-vii</i> .
12-Aug-94	Pitman	Draft 15.17R (for X3 consideration). Document X3J13/94-101R.

The following lists of information are almost certainly incomplete, but it was felt that it was better to risk publishing incomplete information than to fail to acknowledge important contributions by the many people and organizations who have contributed to this effort.

Mention here of any individual or organization does not imply endorsement of this document by that individual or organization.

Ad Hoc Group Chairs:

Characters	Linden, Thom
Charter	Ennis, Susan P.
Compiler Specification	Haflich, Steven M.
	Loosemore, Sandra
Editorial	Chapman, Kathy
	van Roggen, Walter
Error and Condition System	Pitman, Kent M.
Graphics & Windows	Douglas Rand
	Schoen, Eric
Iteration Facility	White, JonL
Language Cleanup	Masinter, Larry
	Fahlman, Scott
Lisp <sub>1</sub> /Lisp <sub>2</sub>	Gabriel, Richard P.
Macros	Haflich, Steven M.
	Pitman, Kent M.
	Wegman, Mark
Object System	Bobrow, Daniel G.
Presentation of Standard	Brown, Gary L.
Pretty Printer	Waters, Richard C.
Public Review	Ida, Masayuki
Types & Declarations	Scherlis, William L.
Validation	Berman, Richard

Major Administrative Contributions:

Barrett, Kim	Mathis, Robert
Brown, Gary L.	Pitman, Kent M.
Eiron, Hanoach	Steele, Guy L., Jr.
Gabriel, Richard P.	Tyson, Mabry
Haflich, Steven M.	Van Deusen, Mary
Ida, Masayuki	White, JonL
Loeffler, David D.	Whittemore, Susan
Loosemore, Sandra	Woodyatt, Anne
Masinter, Larry	Zubkoff, Jan L.

Major Technical Contributions:

Barrett, Kim A.	Keene, Sonya	Moon, David A.
Bobrow, Daniel G.	Kempf, James	Perdue, Crispin
Daniels, Andy	Kerns, Robert W.	Pitman, Kent M.
DeMichiel, Linda G.	Kiczales, Gregor	Steele, Guy L., Jr.
Dussud, Patrick H.	Loosemore, Sandra	Waters, Richard C.
Fahlman, Scott	Margolin, Barry	Weinreb, Daniel
Gabriel, Richard P.	Masinter, Larry	White, JonL
Ida, Masayuki	Mlynarik, Richard	

Participating Companies and Organizations:

AI Architects, Inc.	Lucid, Inc.
Amoco Production Co.	MCC
Aoyama Gakuin University	MIT
Apple Computer	MITRE Corporation
Boeing Advanced Technology Center	MSC
Carnegie-Mellon University	NASA Ames Research Center
Chestnut Software	National Bureau of Standards
Computer Sciences	Nihon Symbolics
Computer & Business Equipment Manufacturing Association (X3 Secretariat)	ParcPlace Systems, Inc.
CONTEL	Prime Computer
CSC	Siemens
DARPA	Southern Illinois University
Digital Equipment Corporation	Sperry
Encore	SRI International
Evans & Sutherland	Sun Microsystems
Franz, Inc.	Symbolics
Gigamos	Tektronix
GMD	Texas Instruments
Gold Hill	The Aerospace Corporation
Grumman Data Systems Corporation	Thinking Machines Corporation
Harlequin, Ltd.	Unisys
Hewlett-Packard	University of Bath
Honeywell	University of Edinburgh
IBM	University of Maryland
Ibuki	University of Utah
Integrated Inference Machines	US Army
International LISP Associates	USC/ISI
Johnson Controls, Inc.	Xerox
LMI	

Individual Participants:

Adler, Annette	Haflich, Steven M.	Peck, Jeff
Allen, Stanley	Harris, Richard M.	Pellegrino, Bob
Antonisse, Jim	Hendler, Jim	Perdue, Crispin
Arbaugh, Bill	Hewitt, Carl	Philipp, Christopher
Balzer, Bob	Hornig, Charles	Pierson, Dan
Barrett, Kim	Ida, Masayuki	Pitman, Kent M.
Bartley, David H.	Kachurik, Catherine A.	Posner, Dave
Beckerle, Michael	Kahn, Ken	Raghavan, B.
Beiser, Paul	Keene, Sonya	Rand, Douglas
Benson, Eric	Keller, Shaun	Rininger, Jeff
Berman, Richard	Kempf, James	Rosenking, Jeffrey P.
Bobrow, Daniel G.	Kerns, Robert W.	Scherlis, William L.
Boelk, Mary P.	Kiczales, Gregor	Shiota, Eiji
Brittain, Skona	Kolb, Dieter	Sizer, Andy
Brown, Gary L.	Koschmann, Timothy	Slater, David
Chailloux, Jerome	Kosinski, Paul	Sodan, Angela
Chapman, Kathy	Larson, Aaron	Soley, Richard M.
Clinger, Will	Latto, Andy	Squires, Stephen L.
Coffee, Peter C.	Laubsch, Joachim	St. Clair, Bill
Cugini, John	Layer, Kevin	Stanhope, Philip
Curtis, Pavel	Linden, Thom	Steele, Guy L., Jr.
Dabrowski, Christopher	Loeffler, David D.	Tucker, Paul
Daessler, Klaus	Loosemore, Sandra	Turba, Thomas
Dalton, Jeff	Magataca, Mituhiro	Unietis, Dave
Daniels, Andy	Margolin, Barry	Van Deusen, Mary
DeMichiel, Linda G.	Masinter, Larry	van Roggen, Walter
Doi, Takumi	Mathis, Robert	Waldrum, Ellen
Drescher, Gary	Matthews, David C.	Waters, Richard C.
Duggan, Jerry	McCarthy, John	Wechsler, Allan
Dussud, Patrick H.	Mikelsons, Martin	Wegman, Mark
Ennis, Susan P.	Mlynarik, Richard	Weinreb, Daniel
Fahlman, Scott	Moon, David A.	Weyhrauch, Richard
Frayman, Felix	Moore, Timothy	White, JonL
Gabriel, Richard P.	Nicoud, Stephen	Wieland, Alexis
Giansiracusa, Bob	Nilsson, Jarl	Withington, P. Tucker
Goldstein, Brad	O'Dell, Jim	Wright, Whitman
Gray, David	Ohlander, Ron	York, Bill
Greenblatt, Richard	Padget, Julian	Zacharias, Gail
Hadden, George D.	Palter, Gary	Zubkoff, Jan L.

Version 15.17R, X3J13/94-101R.  
Fri 12-Aug-1994 6:35pm EDT

---



Version 15.17R, X3J13/94-101R.  
Fri 12-Aug-1994 6:35pm EDT

---

Q X x q