




Local	Report	Sugestão								
Documen- tação	- Delete - Header - Autorization escrito de forma incorreta para programação (Autorisation).	Atualizar Ortografia.								
	<div><div>Header</div><table><tr><th>Campo</th><th>Tipo</th><th>Descrição</th></tr><tr><td>Cookie opcional</td><td>string</td><td>Sets an authorisa alternative to the Valor padrão: tok</td></tr><tr><td>Authorisation opcional</td><td>string</td><td>YWRtaW46cGFzc3 endpoint, can be Valor padrão: Bas</td></tr></table></div>		Campo	Tipo	Descrição	Cookie opcional	string	Sets an authorisa alternative to the Valor padrão: tok	Authorisation opcional	string
Campo	Tipo	Descrição								
Cookie opcional	string	Sets an authorisa alternative to the Valor padrão: tok								
Authorisation opcional	string	YWRtaW46cGFzc3 endpoint, can be Valor padrão: Bas								


Local	Report	Sugestão					
Documen- tação	-Delete - Success 200 - Retorna 201 Created	Retornar Deleted					
	<div><div>Success 200</div><table><tr><th>Campo</th><th>Tipo</th><th>Descrição</th></tr><tr><td>OK</td><td>String</td><td>Default HTTP 201 response</td></tr></table><div>Response: <div>HTTP/1.1 201 Created</div></div></div>		Campo	Tipo	Descrição	OK	String
Campo	Tipo	Descrição					
OK	String	Default HTTP 201 response					

Local	Report	Sugestão								
Postman	-GetBookings - Fazer Consulta Filtro Mal Formatado (Datas) - Retorna 500 - Internal Server Error.	Retornar Bad request.								
	<div><div><div>Treinamento API</div><div><div>GET Get Bookings</div><div>GET Get Booking</div><div>POST Create Token</div><div>PUT UpdateBooking</div><div>POST post booking</div><div>DELETE Delete Booking</div></div></div><div><div>GET</div><div>https://treinamento-api.herokuapp.com/booking?checkin=21-25-1254</div><div><div>Params</div><div>Authorization</div><div>Headers (6)</div><div>Body</div><div>Pre-request Script</div><div>Tests</div><div>Settings</div></div><div><div>Query Params</div><table><tr><th>KEY</th><th>VALUE</th><th>DESCRIPTION</th></tr><tr><td><input checked="" type="checkbox"/> checkin</td><td>21-25-1254</td><td></td></tr><tr><td>Key</td><td>Value</td><td>Description</td></tr></table></div><div><div>Body</div><div>Cookies</div><div>Headers (8)</div><div>Test Results</div></div><div><div>500 Internal Server Error</div><div>1153 ms</div><div>278 B</div></div><div><div>Pretty</div><div>Raw</div><div>Preview</div><div>Visualize</div><div>Text</div><div></div></div><div><div>1 Internal Server Error</div></div></div></div>		KEY	VALUE	DESCRIPTION	<input checked="" type="checkbox"/> checkin	21-25-1254		Key	Value
KEY	VALUE	DESCRIPTION								
<input checked="" type="checkbox"/> checkin	21-25-1254									
Key	Value	Description								

Local	Report	Sugestão
Postman	-postBooking - Campo totalprice aceita String (letras) e retorna 200 totalprice "null".	Campo totalprice aceitar somente números, acusando erro quando for diferente.
		

Local	Report	Sugestão
Postman	-PostBooking - Ao criar reserva com payload inválido onde somente datas são válidas ele retorna 200 ok.	Não deverá autorizar reserva todos dados serem válidos.
		

Local	Report	Sugestão
Documen- tação	- CreateBooking - JSON Responser - Ao criar mensagem é 200 OK	Mensagem exibida 201-Created
	 <p>The screenshot shows the Swagger UI for the 'Booking' API. The 'CreateBooking' endpoint is selected. The JSON response is displayed in a dark-themed code editor, showing a successful response with status 'HTTP/1.1 200 OK' and a JSON object containing booking details.</p> <pre>HTTP/1.1 200 OK { "bookingid": 1, "booking": { "firstname": "Jim", "lastname": "Brown", "totalprice": 111, "depositpaid": true, "bookingdates": { "checkin": "2018-01-01", "checkout": "2019-01-01" }, "additionalneeds": "Breakfast" } }</pre>	

Local	Report	Sugestão
Postman	-GettBookings - campo de checkin nulo retorna 500 - Internal Server error	Retornar 400 - Bad request
	 <p>The screenshot shows the Postman interface for a GET request to the 'Get Bookings' endpoint. The URL is 'https://treinamento-api.herokuapp.com/booking?checkin='. The response is a 500 Internal Server Error, with a status bar indicating '500 Internal Server Error 848 ms 278 B'. The response body is displayed in a dark-themed code editor, showing the error message 'Internal Server Error'.</p>	

Local	Report	Sugestão
Documen- tação	UpdateBooking - Header com Autorizations escrito de forma incorreta. Esta escrito com s.	Atualizar campo com grafia copm Z, pois escrito com S causa erro.
	<p>Booking - UpdateBooking</p> <p>Updates a current booking</p> <p>PUT</p> <p><code>https://treinamento-api.herokuapp.com/booking/:id</code></p> <p>JSON example usage: XML example usage: URLEncoded example usage:</p> <pre>curl -X PUT \ https://treinamento-api.herokuapp.com/booking/1 \ -H 'Content-Type: application/x-www-form-urlencoded' \ -H 'Accept: application/x-www-form-urlencoded' \ -H 'Authorisation: Basic YWRtaW46cGFzc3dvcmQxMjM=' \ -d 'firstname=Jim&lastname=Brown&totalprice=111&depositpaid=true&bookin'</pre> <p>Ver comparativos das próximas telas.</p>	

Autorization com S retorna 403

The screenshot shows a Postman interface for a PUT request to `https://treinamento-api.herokuapp.com/booking/25`. The headers tab is active, showing the following headers:

- User-Agent: PostmanRuntime/7.29.0
- Accept: */*
- Accept-Encoding: gzip, deflate, br
- Connection: keep-alive
- Content-Type: application/x-www-form-urlencoded
- Accept: application/x-www-form-urlencoded
- Authorisation: Basic YWRtaW46cGFzc3dvcmQxMjM=

The response tab shows a **403 Forbidden** status with a response time of 181 ms and a body size of 252 B. The response body is displayed as "Forbidden".

Autorização com Z retorna 200

The image shows the Postman interface for a PUT request to `https://treinamento-api.herokuapp.com/booking/25`. The request is saved and has a status of "200 OK" with a response time of 969 ms and a body size of 399 B. The "Headers" tab is selected, showing 11 headers. The "Body" tab is also visible, showing a raw JSON body.

Headers (11)

Key	Value	Description
User-Agent	PostmanRuntime/7.29.0	
Accept	*/*	
Accept-Encoding	gzip, deflate, br	
Connection	keep-alive	
Content-Type	application/x-www-form-urlencoded	
Accept	application/x-www-form-urlencoded	
Authorization	Basic YWRtaW46cGFzc3dvcmQxMjM=	

Body

```
1  {
  "firstname": "Jim",
  "lastname": "Brown",
  "totalprice": 111,
  "depositpaid": true,
  "bookingdates": {
    "checkin": "2018-01-01",
    "checkout": "2018-01-02"
  },
  "additionalneeds": "Breakfast"
}
```

- Get e Creat não exigem Token para validação!