

MemoryCare — Field Visit Protocol

Version 1.1 · August 7, 2026 · Mandatory for every visit. Embedded as an in-app checklist: a visit cannot be closed until the required items are complete. The report is the company's product; this protocol is its quality guarantee.

Standing rules (always)

Clean MemoryCare uniform, name badge. · Quiet, respectful conduct: never walk across other plots, never move others' belongings, no music, no smoking. · Third-party graves and visitors are never in frame; if visitors are nearby, postpone filming or change the angle. · All interaction with administration or caretakers is courteous, referencing the company's agreement; conflicts are not resolved on site — call the coordinator. · Approved pH-neutral chemistry only; abrasives and chlorine prohibited. · Any damage, however minor: photograph, call the coordinator immediately; the client is informed within 24 hours with a resolution plan.

Step 0 — Znum inspection (where ordered; performed by the light crew)

The reconnaissance visit is the first contact with the plot and the foundation for all subsequent work. Tasks: (1) locate the plot from the family's details and **fix its precise GPS location in the client file** — working crews thereafter navigate by pin, losing no time searching; (2) photo/video documentation of current condition using the standard four angles plus a walk-around; (3) complete the in-app condition checklist (monument, inscriptions, fencing, ground, vegetation, litter) and the **recommended-works list with indicative prices** — it goes into the client's report and forms the basis of the package proposal; (4) if a package is purchased within 30 days, the AMD 20,000 fee is credited automatically. No cleaning is performed on an inspection (it is an information product) — though removing coarse litter from the slab is welcome as a gesture of care visible in the "after" frame.

Step 1 — Before departure (driver-technician)

Route and plot numbers for the day; water tanks filled; inventory per list (soft/medium brushes, plastic scrapers, buckets, gloves, waste bags, secateurs, small rake, sprayer, microfiber); approved chemistry; phone/camera charge $\geq 80\%$; uniforms for all three.

Step 2 — On arrival, BEFORE work (report owner — technician #3)

1. Verify the plot against the order (name, monument photo from the client file, row/landmarks — or the Znum GPS pin).
2. GPS fix in the app (automatic).
3. "BEFORE" photos — four mandatory angles: (1) general view with approach; (2) monument frontal, full height; (3) inscription/portrait close-up; (4) plot boundary and surroundings. Plus a 20–40-second video walk-around.
4. Document pre-existing damage (chips, cracks, tilt) in separate frames — the company's protection against "you broke this" claims.
5. One or two frames of the adjacent plots' condition — the shield against third-party claims.

Step 3 — Works

Deep-care visit: litter and leaf removal; weeding and shoot removal; washing of monument and base with approved chemistry (spot-test on first visit); tile/gravel cleaning; ground/gravel leveling; seasonal plant care per tier; waste carried to the cemetery container (per the operator agreement).

Light visit: condition check; litter/leaf removal; monument wipe-down; watering; flower refresh; minor weeding. Prohibited without separate authorization: moving or dismantling monument elements, painting, work on adjacent plots, tree cutting.

Step 4 — After works

1. "AFTER" photos — the same four angles from the same positions (the app displays the "before" frames as a guide).

2. A 20-40-second video walk-around.
3. In-app checklist: operations performed, chemistry used, observations (tilt, subsidence — recommendations for the client).
4. Close the visit in the app (impossible without GPS + 8 photos + 2 videos).
5. Leave the plot better than found; waste removed; inventory collected.

Step 5 — Quality control

For the first three months the coordinator reviews 100% of reports before client delivery (thereafter 20% sampled, plus all first visits for new clients). Criteria: sharpness and light, before/after angle match, cleanliness of result, tone of observations. A failed report is reshot the same or next day. Target: rework rate below 5%.

Step 6 — Incidents

Property damage → photograph, coordinator call, incident log entry; client informed within 24 hours with a plan; the AMD 500K reserve and insurance applied by decision of the coordinator and owner. · On-site conflict → do not argue; document; hand to counsel. · Client complaint about a report → a free repeat visit within 7 days.