


Project:			
Serial No.:		Brand:	Richford
Product Model:	R203	Place of Origin:	PRC
Product Description:	Back to wall rimless toilet		
Color:	White	Size:	(L)510mm x (W)360mm x (H)410mm



Back to wall rimless toilet

P-trap 180mm Roughing-in

Soft close UF seat cover



MODEL NO. : J43-X
1/2" Plastic float operated valve

WSD GA NO. C20210427F



MODEL NO. : P61
2" Plastic dual flush valve

WSD GA NO. C20210400F



Construction Material
建築物料

Note: All recommended installation dimension are for reference only



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (2) in WSD 3321/2021 T/J(554/2021)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

23 April 2021

Asian Building Material Company
G/F., 184 Shanghai Street,
Yau Ma Tei, Kowloon,
Hong Kong

(Attn.: Mr Eric LEE)

Dear Sir,

**Approval of "OTTER" Float Operated Valve
(General Acceptance No. C20210427F)**

Your letter ref. WRC/21003 dated 7 April 2021 refers.

Having considered the test report ref. J26439 issued on 7 April 2021 by Nutek Systems (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Zhongshan Meitu Plastic Ind Co Ltd

Country of Origin: the Mainland of China

Brand: Otter

Details of Fitting: 1/2" Plastic float operated valve

Model: J43-X

Body Markings: **MEITU**

Expiry Date: 29 March 2026

Proviso: As the fitting has not been tested for use in contact with water intended for human consumption, the fitting can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fitting in flushing water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The flushing volume of the flushing valve should be adjusted to suit the design of the toilet bowl so that wastes can be cleared effectively by a single flush."

"The fitting should be used within the range of working pressures specified by the manufacturer." AND

"The installed fitting should not result in backflow of water that will contaminate the flushing water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in flushing water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(471/2021)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

19 April 2021

Asian Building Material Company
G/F., 184 Shanghai Street,
Yau Ma Tei, Kowloon,
Hong Kong

(Attn.: Mr Eric LEE)

Dear Sir,

**Approval of "OTTER" Flush Valve
(General Acceptance No. C20210400F)**

Your letters both ref. WRC/21002 dated 16 March 2021 and 29 March 2021 refer.

Having considered the test report ref. J25843 issued on 16 March 2021 by Nutek Systems (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Zhongshan Meitu Plastic Ind Co Ltd

Country of Origin: the Mainland of China

Brand: Otter

Details of Fitting: 2" Plastic dual flush valve

Model: P61

Body Markings: **MEITU**

Expiry Date: 6 January 2026

Proviso: As the fitting has not been tested for use in contact with water intended for human consumption, the fitting can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fitting in flushing water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The flushing volume of the flushing valve should be adjusted to suit the design of the toilet bowl so that wastes can be cleared effectively by a single flush."

"The fitting should be used within the range of working pressures specified by the manufacturer." AND

"The installed fitting should not result in backflow of water that will contaminate the flushing water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in flushing water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/5/20/21 Pt.1 T/J(95)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

26 April 2021

Richford Group Limited
G/F, No. 229 Queen's Road West,
Sai Ying Pun, Hong Kong
(Attn.: Mr Steven FU)

Dear Mr FU,

**The Water Efficiency Labelling Scheme (WELS)
on Water Closets
Acceptance of Application for Registration**

With reference to your emails received by us on 8 March 2021 and 30 March 2021 respectively, I am pleased to inform you that your application for the registration of water closet to the captioned scheme has been accepted and the certificate of registration is attached for your retention. The registration information is as follows:

<i>Brand</i>	<i>Model no.</i>	<i>Type</i>	<i>Country/ Region of origin</i>	<i>Registration no.</i>	<i>Water efficiency grade</i>	<i>Water flush volume (full) (litres/flush)</i>	<i>Water flush volume (reduced) (litres/flush)</i>
Richford	R203	Water Closet Pan	China	WC 21-0189	1	4.7	3.0

You are reminded of the requirements to affix the water efficiency labels onto the above water closet/its packaging in accordance with Section 7 of the Scheme Document of the captioned scheme. Soft copies of such labels will be issued to you separately.





自願參與用水效益標籤計劃 - 水廁
Voluntary Water Efficiency Labelling Scheme - Water Closets

Certificate of 註冊證書
Registration

茲證明

This is to certify that

Richford Group Limited

將下列水廁在本計劃內註冊：
has registered the following water closet under this scheme :

牌 子 / Brand	:	Richford
型 號 / Model	:	R203
種 類 / Category	:	Water Closet Pan
原 產 地 / Country or Region Origin	:	China

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:	 滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	1
全沖水量 <i>Water Flush Volume (Full)</i>	:	4.7 公升/沖廁 <i>litres/flush</i>
低沖水量 <i>Water Flush Volume (Reduced)</i>	:	3.0 公升/沖廁 <i>litres/flush</i>

簽發日期:
Date of Issue: 26 April 2021



水 務 署
Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies

+ 上述水廁具額外節水功能，即：重用洗盥水作沖廁用途。
The above water closet is equipped with additional water saving feature, that is: re-use the water collected from wash basin for flushing purpose.

用水效益標籤 Water Efficiency Label



用水效益級別 Water Efficiency Grade 1

水點愈少，用水效益愈高。
The fewer droplets, the more water efficient.

牌子

Brand

Richford

型號

Model

R203

種類

Type

Water Closet Pan

全沖水量 (公升/沖廁)

Water Flush Volume (Full) (litres/flush)

4.7

低沖水量 (公升/沖廁)

Water Flush Volume (Reduced) (litres/flush)

3.0

登記號碼

Registration No.

WC 21-0189



水務署

Water Supplies Department

如需詳細資料，請登入 www.wsd.gov.hk 或致電 2824 5000
For more information, please refer to www.wsd.gov.hk or call 2824 5000