# Richford®

#### RICHFORD GROUP LTD. 滙 嘉 集 團 有 限 公 司

Shop B, G/F Sing Kong Building, 233 Lockhart Road, Wan Chai, Hong Kong

E - info@richford-group.com W - www.richford-group.com

## **Sanitary Wares & Plumbing Fixture Specification Sheet**

Project:					
Serial No.:	Brand:		Richford		
Product Model:	R666D	Place of Origin:	PRC		
Product Description:	Close couple washdown Toilet				
Color:	White	Size:	(L)695mmx(W)360mmx(H)760mm		





### 水務署 Water Supplies Department

總部 Headquarters 香港灣仔告士打道七號入境事務大樓 48 樓 48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref.

(4) in WSD 3321/5/20/21 Pt.1 T/J(99)

電話

Tel.

來函檔號 Your ref. 傳真 Fax.

: 2824 0578

7 May 2021

Richford Group Limited G/F, No. 229 Queen's Road West, Sai Ying Pun, Hong Kong (Attn.: Mr Steven FU)

Dear Mr FU,

### The Water Efficiency Labelling Scheme (WELS) on Water Closets Acceptance of Application for Registration

With reference to your letter received by us on 15 March 2021 and 21 April 2021 respectively, I am pleased to inform you that your application for the registration of water closet to the captioned scheme has been accepted and the certificate of registration is attached for your retention. The registration information is as follows:

Brand	Model no.	Туре	Country/ Region of origin	Registration no.	Water efficiency grade	Water flush volume (full) (litres/flush)	volume (reduced)
Richford + Kims	R666DC + R666DC + B05-505	Close- coupled Suite	China (WC Pan & Cistern)  China (Flushing Valve)	WC 21-0231	3	6.0	Not Specified

<sup>\*</sup>GA acceptance reference no. C20210297F

You are reminded of the requirements to affix the water efficiency labels onto the above water closet/its packaging in accordance with Section 7 of the Scheme





Document of the captioned scheme. Soft copies of such labels will be issued to you separately.

As part of the conditions of our acceptance, your attention is drawn to Sections 9.10, 10 and 11 of the Scheme Document respectively for the requirements of the participant's obligations, legal provisions as well as compliance monitoring and inspection. The Scheme Document can be downloaded from our website:

https://www.wsd.gov.hk/filemanager/en/content\_1786/scheme\_document\_water\_closets.pdf

Should you have any queries on the above, please contact our Engineer Mr Simon HO at telephone no. 3428 5814.

Yours sincerely,

(CHEUNG Yip Kui)

for Director of Water Supplies

Encl.



### 水務署 Water Supplies Department

總部 Headquarters 香港灣仔告士打道七號入境事務大樓 48 樓 48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號

Your ref.

: (4) in WSD 3321/19 T/J(1068/2019)

電話 Tel.

傳真 Fax.

: 2824 0578

13 December 2019

Xiamen R&T Plumbing Technology Co Ltd Local Correspondence Address: 15<sup>th</sup> Floor, Grandion Plaza, 932 Cheung Sha Wan Road, Lai Chi Kok, Kowloon, Hong Kong

Dear Sir/Madam,

### Approval of "R&T" Float Operated Valve (General Acceptance No. C20190602F)

Your letters dated 4 November 2019 and 23 November 2019 refer.

Having considered the test report ref. BC-SUMMARY-2019-66 issued on 17 October 2019 by Castco Testing Centre Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

Xiamen R&T Plumbing Technology Co Ltd

**Country of Origin:** 

the Mainland of China

Brand:

R&T

**Details of Fitting:** 

1/2" Plastic float operated valve

Model:

A1260A

**Body Markings:** 

R&T A1260A

**Expiry Date:** 

15 October 2024





Proviso:

As the fitting has not been tested for use in contact with water intended for human consumption, the fitting can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fitting in flushing water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The flushing volume of the flushing valve should be adjusted to suit the design of the toilet bowl so that wastes can be cleared effectively by a single flush."

> "The fitting should be used within the range of working pressures specified by the manufacturer." AND

> "The installed fitting should not result in backflow of water that will contaminate the flushing water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in flushing water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

for Director of Water Supplies

Encl.

C.C. WSD 3321/1/82 ] - without catalogue

ME/MC ] - with soft copy only



### 自願參與用水效益標籤計劃-水廁 **Voluntary Water Efficiency Labelling Scheme - Water Closets**



### 茲證明 This is to certify that

### Richford Group Limited

將下列水廁在本計劃內註冊:

has registered the following water closet under this scheme:

子 / Brand Richford + Kims

刑 : R666D + R666DC + B05-505 號 / Model

類 / Category : Close-coupled Suite

原產地 / Country or Region Origin : China (WC Pan, Cistern & Flushing Valve)

3

在用水效益標籤上展示的標誌

滴水點 Water droplet (s) Symbolic Presentation on the Water Efficiency Label

用水效益級別

Water Efficiency Grade

全沖水量

公升/沖廁 litres/flush Water Flush Volumn (Full)

低沖水量

公升/沖廁 litres/flush Water Flush Volumn (Reduced)

簽發日期:

7 May 2021 Date of Issue:





## 用水效益標籤 Water Efficiency Label









### 用水效益級別 Water Efficiency Grade

水點愈少,用水效益愈高。 The fewer droplets, the more water efficient.

牌子 **Brand** 

Richford + Kims

型號 Model

R666D + R666DC + B05-505

種類

Close-coupled Suite

Type

全沖水量(公升/沖廁) Water Flush Volume (Full) (litres/flush)

6.0

登記號碼 Registration No.

WC 21-0231

