




Purpose of this Guide



Rapid Cortex is an assistive operational platform. It is intended to support dispatch and response workflows — it does not replace trained personnel, agency policy, or required human judgment. All final decisions remain with your staff.

This guide is for county or city IT administrators, municipal public safety technology teams, 911 center technology support staff, dispatch center supervisors, agency Rapid Cortex administrators, and approved implementation partners.

It explains how to prepare agency workstations, install and configure access, set up users and roles, verify system readiness, maintain the system, respond to common issues, and escalate support when needed.



Agency Responsibilities

Designate these three roles before go-live — each owns a distinct area



Agency Technical Lead

Responsible for workstation readiness, browser and device support, network and firewall rules, user account coordination, and first-line troubleshooting.



Agency Operations Lead

Responsible for dispatch workflow alignment, supervisor escalation procedures, training coordination, and policy and protocol alignment.



Agency Rapid Cortex Admin

Responsible for user provisioning, role assignment, access review, audit review, and local issue reporting.



Each designation should be documented by name and contact info. Keep this current — especially after staff changes. See **Appendix B** for the contact sheet.

1

Workstation Requirements

Hardware, OS, browser, and display minimums for every dispatch position



Rapid Cortex may run as a **secure web application**, a **managed desktop application**, or a **hybrid configuration** depending on your agency rollout model. Use only the production or pilot URL/build assigned to your agency.

Hardware

COMPONENT	MINIMUM	RECOMMENDED
Computer	Modern desktop or laptop	Desktop workstation preferred for dispatch positions
RAM	8 GB	16 GB for positions running CAD side-by-side
Displays	Single monitor, 1920×1080	Dual monitors strongly recommended
Audio device	Headset if transcript/audio features enabled	Agency-approved audio input device
Network	Stable broadband	Wired Ethernet strongly preferred for dispatch positions
Display zoom	125% or less	100% for operational consoles with side-by-side layout

Operating System



Windows 11

Preferred for all dispatch and admin positions.



Windows 10

Supported. Ensure it is fully updated.



macOS

Approved macOS version acceptable for supervisory and admin roles if part of the rollout plan.

I Browser Support (web version)

BROWSER	SUPPORT	NOTES
Google Chrome (latest)	✓ Recommended	Primary supported browser
Microsoft Edge (latest)	✓ Recommended	Fully supported
Firefox (115+)	✓ Supported	Supported; Chrome/Edge preferred
Safari	⚠ Conditional	Only if explicitly approved in rollout plan
Any outdated browser	✗ Not supported	Do not use — will cause unpredictable behavior

2

Network & Security Prerequisites

Verify these before any user attempts to sign in



Agencies using **allowlisting** or **SSL inspection** must resolve these items before go-live. Failure to do so is the most common cause of blank dashboards and auth failures.

- ☐ **Outbound HTTPS (port 443)** — Allow from dispatch workstations to `rapidcortex.us` and `*.amazonaws.com` .
- ☐ **Authentication endpoints** — Allow outbound access to Cognito authentication domains (provided by your Rapid Cortex rep at setup).
- ☐ **WebSocket traffic** — If firewall rules inspect or block WebSocket (WSS) connections, whitelist Rapid Cortex API domains. Required if transcript streaming is enabled.
- ☐ **SSL inspection / TLS intercept** — If your agency performs TLS inspection, add Rapid Cortex and AWS domains to the bypass list. Inspection can break authentication token handling and cause silent login failures.
- ☐ **Endpoint protection** — Confirm your EDR or antivirus solution does not quarantine browser sessions or flag Rapid Cortex domains. Add to trusted sites if required.
- ☐ **Cookies and local storage** — Ensure browser policy does not block cookies or local storage for `rapidcortex.us` . These are required for the login session.
- ☐ **Pop-up blockers** — Allow pop-ups from `rapidcortex.us` . Some auth flows (password reset) require them.
- ☐ **Workstation clock sync** — Ensure workstation time and date are correct. Authentication tokens are time-sensitive — clock drift of more than a few minutes causes silent auth failures.

3

Initial Local Setup Process

Five steps to verify every new workstation before staff use

- ✓ The Rapid Cortex implementation team handles all cloud, server, and authentication infrastructure. Your IT team's job here is to **verify access from each workstation** and confirm the system is operational before staff use it.

1 Confirm workstation readiness

Verify: browser or desktop app is installed and updated · workstation date/time is correct · audio devices connected if required · network access is stable · user has approved credentials ready.

2 Launch Rapid Cortex

Open the approved agency URL in Chrome or Edge: `https://www.rapidcortex.us/[your-slug]/login` — or launch the approved desktop build from the workstation. The login page should load without errors or security warnings.

3 Sign in

Enter assigned credentials. Complete MFA if enabled for your agency. After login, verify the correct agency name and environment are shown in the interface — not a different agency's tenant.

4 Confirm role-based access

Verify the user sees the correct views for their role: dispatchers should see the live dashboard · supervisors should see the review queue · admins should see admin controls · auditors should see only approved read-only views.

5 Verify the system is operational

Confirm: dashboard loads without blank screens · incident data loads · transcript and AI panels load if enabled · **no red banners or "API offline" errors appear**. If any check fails, do not proceed — consult Chapter 11.

! Your agency URL structure

```
# Sign-in https://www.rapidcortex.us/[your-slug]/login # Live dispatcher dashboard
https://www.rapidcortex.us/[your-slug]/dashboard # Supervisor review queue
https://www.rapidcortex.us/[your-slug]/review # Admin area (admin role required)
https://www.rapidcortex.us/[your-slug]/admin # Training / demo mode ONLY – never use
on live calls https://www.rapidcortex.us/[your-slug]/demo
```



Replace `[your-slug]` with your actual jurisdiction slug (e.g. `columbus`, `franklin-county`). Bookmark the correct URLs on every workstation before go-live. **Never use `/demo` on live operational calls.**

4

User Accounts & Roles

Who gets what access — and how to manage it

The five roles

ROLE	WHO IT'S FOR	WHAT THEY CAN ACCESS
dispatcher	Call-takers, operators on shift	Live incident queue, transcript, AI panel, protocol hints. Cannot manage users or settings.
supervisor	Shift supervisors, QA leads	All dispatcher access plus Supervisor Review queue for flagged incidents. Cannot manage users.
admin	IT lead, comms center manager	User management, agency settings, audit log, integration status. Scoped to your agency only.
read-only / auditor	Compliance reviewers where approved	Limited review access only. Cannot take operational actions. Requires explicit approval in your rollout.
superadmin	Rapid Cortex support staff only	Reserved for authorized Rapid Cortex platform staff. Agencies must not assign this role.



Do not assign elevated roles (admin, superadmin) casually or as a workaround for access issues. Use the minimum role required. Superadmin is exclusively for Rapid Cortex staff.

Creating a new user (admin steps)

1

Sign in as admin

Navigate to `/[slug]/admin/users` using your admin account.

2

Invite the user

Enter the staff member's work email address, select their role, and submit. The system logs the invite in the audit trail automatically.

3

Deliver credentials securely

Credentials are delivered out-of-band during the pilot phase. Follow your agency's policy for secure credential distribution — do not send passwords over unencrypted email.

4

First login — password set

On first login, Cognito prompts the staff member to set a new password. This is automatic. Ensure they complete this before their first operational shift.

5

Verify role and dashboard

Confirm the user lands on the correct dashboard with no errors. If they see wrong-agency content or a blank screen, contact your Rapid Cortex rep — a claim may need correction.

Account changes

+ New hire

Create the account in Admin → Users before their first shift. Deliver credentials per your agency's policy.

↔ Role change

Update the role in Admin → Users. Changes take effect at next login — ask the user to sign out and back in.

× Departure

Deactivate the account on their last day. Do not delete — deactivated records preserve the audit trail for that user's activity.

5

Admin Configuration Review

Tasks the agency admin should complete during rollout and verify regularly

User provisioning checklist

- ☐ All authorized users created or invited with correct work email addresses.
- ☐ Each user assigned the correct role — confirm with their supervisor if unsure.
- ☐ Every user has signed in at least once and confirmed they reach their correct dashboard.
- ☐ Unused or duplicate accounts disabled before go-live.

Role verification checklist

- ☐ Dispatchers do **not** have admin functions visible unless explicitly approved.
- ☐ Supervisors can access the review queue and required oversight views.
- ☐ Only approved staff have the admin role — review the list with your operations lead.

Local configuration review

- ☐ Agency name and tenant ID match what your Rapid Cortex rep confirmed during setup.
- ☐ Language and transcript options are configured correctly for your pilot scope.
- ☐ Only approved features are enabled — if something appears that was not expected, contact your rep.
- ☐ Support contacts are documented locally and accessible to all staff (see Appendix B).

6

Go-Live Checklist

Every item must be confirmed before the agency is considered live — tick with a partner and keep a copy



Do not go live until every item on this list is checked. If any item cannot be confirmed, stop and contact your Rapid Cortex implementation rep before dispatchers handle real calls on the platform.

Infrastructure & access

- ☐ **Approved workstations ready** — hardware, OS, and browser meet requirements in Chapter 1.
- ☐ **Network access verified** — firewall and allowlist rules confirmed per Chapter 2.
- ☐ **SSL inspection bypass** confirmed if applicable.

Users & roles

- ☐ **All pilot users provisioned** with correct roles and agency assignment.
- ☐ **Admin can sign in** and reach Admin → Users without errors.
- ☐ **At least one dispatcher can sign in** and sees the live dashboard.
- ☐ **At least one supervisor can sign in** and sees the review queue.

System functionality

- ☐ **Incidents load correctly** — incident list is not blank after login.
- ☐ **Transcript features work** if enabled for your agency.
- ☐ **Translation to English works** if multilingual is in scope.
- ☐ **AI analysis works** if enabled — at least one test analysis completed.
- ☐ **No red banners or "API offline" errors** visible on any test workstation.
- ☐ **Demo mode is not visible** on live-use workstations.

I Operations readiness

- ☐ **Support contact list posted** at every dispatch console (see Appendix B and Wall Card).
- ☐ **Escalation path understood** by all staff — who to call for what type of issue.
- ☐ **Known Limitations reviewed** — all staff understand what is and is not active for this agency.
- ☐ **Training completed** — all operators have completed required Rapid Cortex training.

7

Daily Operational Startup Check

Run by the designated supervisor or IT lead at the start of each shift



This check takes under 5 minutes. If any item fails, consult Chapter 11 before dispatchers use the platform on live calls.

- ☐ Rapid Cortex launches successfully on a test workstation.
- ☐ At least one user can sign in without errors.
- ☐ Dashboard loads current incident data — list is not blank.
- ☐ At least one incident can be opened and viewed.
- ☐ Transcript and AI panels are visible if part of the deployment.
- ☐ No active outage notice is displayed in the interface.
- ☐ Audio devices are functioning if transcript/voice features are enabled.
- ☐ API health indicator in the top bar shows **green / Live** — not "offline" or error.

8

Routine Maintenance

Daily through quarterly responsibilities for IT admin and supervisors

- ✓ Rapid Cortex is cloud-hosted — no server patching, no database backups, no software installs on workstations. Your maintenance is primarily **user management** and **access hygiene**.

DAILY

- Verify users can access the system (daily startup check)
- Review any visible error banners reported by dispatchers
- Confirm no failed login spikes or role issues reported at shift handoff

WEEKLY

- Review inactive accounts — deactivate if staff have changed
- Verify current staff still have correct roles
- Review any known issues or release notices from Rapid Cortex
- Confirm browser/workstation updates have not broken access

MONTHLY

- Full audit of user list — disable accounts for departed or transferred personnel
- Review system health dashboard if available
- Verify support contacts and escalation roster are current
- Review agency-specific settings for correctness
- Review privileged roles — confirm no unnecessary admin assignments

QUARTERLY

- Formal access review — each user's role and need confirmed
- Confirm policy alignment — any SOP changes need to be reflected in training
- Review training refresh needs for staff
- Validate backup and support contacts are current

Account maintenance rules

- ☐ Remove or disable separated employees **promptly on their last day** — do not wait for the monthly audit.
- ☐ **No shared accounts** — every user must have unique credentials unless explicitly approved in writing.
- ☐ Document who the current agency admins are and keep this list updated.

9

Maintenance & Patching

How updates work — browser-based, desktop, and backend



Browser-based

Keep approved browsers updated. Validate changes on a test workstation before widespread rollout. Clear cached application data if instructed during support. Hard refresh (**Ctrl+Shift+R**) resolves most post-update display issues.



Desktop app

Install only approved signed versions. Remove obsolete builds. Apply updates during approved maintenance windows. Validate startup and sign-in after every update before releasing to dispatch staff.



Backend / service

Handled by the Rapid Cortex platform team. Your role: review maintenance notifications, coordinate approved testing windows, and verify system access after any release.



Platform updates deploy automatically. Rapid Cortex will notify you in advance of significant changes. If dispatchers report that the interface looks different after an update, a hard refresh resolves most cases.

10

CAD & Motorola Integration

Current status, integration phases, and what to prepare



As of this release, **live CAD integration is not yet active**. Rapid Cortex runs alongside your CAD — dispatchers use both screens independently. A CAD feed is a planned future phase requiring scoped work with your vendor.

NOW Side-by-side ✓ Active	PHASE A Discovery Scheduled	PHASE B Read-only feed Future	PHASE C Live enabled Future	PHASE D Write-back Governance req'd
---	---	---	---	---

What to prepare when you're ready for CAD integration

- ☐ Contact your **Motorola Solutions account manager** — ask for the integration catalog for your specific product version and deployment.
- ☐ Identify your **CAD product name and version** — what Rapid Cortex can connect to depends entirely on this.
- ☐ Define **data scope** : which fields to share (incident ID, type, location, units, timestamps) and which must never leave CAD per policy.
- ☐ Determine **network path** : public internet with TLS, or private/VPN connection — confirm with your CJIS compliance officer.
- ☐ Get **legal and CJIS sign-off** before any data-sharing arrangement is finalized.
- ☐ Share the above with your Rapid Cortex rep to begin formal integration scoping.



Write-back to CAD is off-limits without explicit governance. Rapid Cortex will never automatically update CAD records without legal review, dual-authorization controls, and vendor approval. This is a hard boundary.

10B

Rapid Cortex Connect — Ring Cameras & Doorbells

Owner-consented emergency video from Ring doorbells and cameras near an active incident



Voluntary, time-limited sharing. Dispatch can request live video from Ring devices near an incident. The **device owner must approve every request** via SMS or email. Rapid Cortex does not access Ring cameras silently. Doorbells and stick-up cameras use the same workflow.



If the **Ring** tab does not appear under **Media** (`/[jurisdiction]/media`), Ring Connect is not enabled for your agency build — contact your Rapid Cortex pilot lead. Do not treat this as a local misconfiguration.

Who can use it

Role	Typical access
Dispatcher	View nearby cameras, send emergency video requests, view approved streams
Supervisor	Same as dispatcher
Agency admin	Integration health and user provisioning — cannot bypass owner consent

Prerequisites — before any camera request

1 Feature enabled for your agency

The **Ring** tab must appear under **Live Camera** on the Media page. If missing, escalate to Rapid Cortex — not agency IT alone.

2 Ring account linked (device owners)

Open `/[jurisdiction]/media` → **Ring** tab → **Connect Ring Account** → complete Ring OAuth. Residents or staff who own doorbells link the same way. After OAuth, return to the app via **Sign in to Rapid Cortex** on the confirmation page.

3 Devices synced and opted in

Linked Ring Devices → **Refresh devices**. For each doorbell or camera to make available: turn **Enable for Connect on** and confirm the device has **GPS coordinates**. Devices without location do not appear in incident search.

4 Active incident with location

Select an **active incident** in **Incident Context** on the Media page before opening available cameras. Incident must have caller/incident coordinates.

| Per doorbell / camera — emergency access (each device is separate)

1

Discover nearby devices

/[jurisdiction]/media → **Ring** → select incident → **View Available Ring Cameras**. List shows devices within search radius (default 500 m, max 2000 m), sorted by distance. Cards show type **DOORBELL** or **CAMERA**.

2

Send emergency video request

Choose duration **10 / 30 / 60 / 120** minutes → **Send Emergency Video Request** → confirm. Status becomes **Sent** when the owner is notified.

3

Owner consent

Owner receives SMS (preferred) or email with **Allow Temporary Access** and **Decline**. No Rapid Cortex login required. **Decline** → no video. **Approve** → time-limited live stream is prepared.

4

View live stream

When status is **Approved**, click **View Live Stream** on that device card. Video is available only for the approved duration.

5

End of access

Sharing ends when duration expires, owner revokes, or dispatch revokes. After **Expired** or **Revoked**, a new request may be sent if the incident is still active and limits allow.

| System limits (per incident)

Rule	Limit
Active request per device	One at a time per incident + device
Requests per hour	Five per incident
Owner consent	Required for every request

| Status reference for dispatch

Status	Meaning
Available	Device in range; no active request
Sent	Owner notified; awaiting response
Approved	Owner allowed sharing; stream may be ready
Declined	Owner declined — do not re-request without cause
Expired / Revoked	Session ended



Policy reminder: Document agency SOP for when community camera requests are appropriate. Train owners that approval shares **live** video for a **fixed window** only. This is decision support — not a substitute for CAD, warrants, or retention policy.

11

Common Issues & Fixes

Check → Try → Escalate for each problem type



For every issue you escalate: collect **UTC time, incident ID, request ID** (from any error box), browser version, and whether one or multiple workstations are affected. See Chapter 13 for the full collection checklist.

LOGIN User cannot log in

CHECK

- Username/password correctness — check CAPS LOCK
- MFA prompt — is the user completing the second factor?
- Correct environment URL — `www.rapidcortex.us/[slug]/login`
- Browser cache or stale session
- Account disabled or role removed by admin
- Identity provider outage (affects all users simultaneously)

TRY

- Sign out fully and relaunch the browser
- Open a private/incognito window
- Clear browser cache and cookies for the site
- Test with another approved browser
- Use "Forgot password" link — reset email arrives within a few minutes (check spam)
- Admin triggers manual reset from Admin → Users

ESCALATE IF

- Multiple users cannot log in simultaneously
- Auth callback fails repeatedly even after cache clear
- Agency admin cannot reset or verify account state

CONNECTION Dashboard is blank after login / "API offline"

Dashboard is blank after login / API errors**CHECK**

- Network connectivity — can the workstation reach other internet sites?
- API health indicator in the top bar — is it showing red/error?
- Expired session — try signing out and back in
- Firewall or content filter blocking API traffic
- Environment mismatch — is the user on the right agency URL?

TRY

- Hard refresh: **Ctrl+Shift+R** (Windows) / **Cmd+Shift+R** (Mac)
- Sign out and back in
- Test on a different workstation — if it works there, the issue is local
- Verify no content filter or firewall rule was recently updated

ESCALATE IF

- Blank dashboard affects multiple users across the agency
- API requests fail consistently even after reconnecting

TRANSCRIPT **Transcript is not appearing****CHECK**

- Transcript feature is enabled for your agency (check Admin → Configuration)
- Audio input source is available and recognized by the browser/app
- Session is attached to the correct incident or call
- Microphone permissions are granted for the site

TRY

- Refresh the incident/session view
- Open a different known-good incident
- Verify microphone permissions in browser settings
- Confirm there is active source audio or an inbound transcript feed

ESCALATE IF

- All transcript sessions fail across the agency
- Only partial segments appear repeatedly
- Transcript ingest is delayed well beyond expected thresholds

TRANSLATION **Translation to English is not appearing**

CHECK

- Multilingual feature is enabled for your agency
- Source language is in the supported language list
- System is actually receiving source transcript text (original must appear first)
- Session has not been marked "low confidence" for language detection

TRY

- Confirm original transcript text appears in the panel
- Refresh the incident/session panel
- Test with a supported language sample if in a training environment

ESCALATE IF

- Original transcript appears but English translation never populates
- Translation failure affects multiple calls or users

AI PANEL AI analysis is missing or delayed**CHECK**

- Incident contains transcript content — analysis requires source text
- AI analysis feature is enabled for your agency
- No active outage banner or backlog indicator visible
- Session has enough transcript data to trigger analysis

TRY

- Refresh the incident detail page
- Verify transcript segments exist before requesting analysis
- Click "Refresh AI" once — do not click repeatedly
- Confirm the user has permission to view analysis results for their role

ESCALATE IF

- Analysis fails across multiple incidents consistently
- Summaries never populate even with transcript present
- AI error indicators persist after refresh

ACCESS User sees "access denied" or missing features**CHECK**

- Assigned role in Admin → Users
- Tenant/agency mapping — is the account in the right agency?

- Whether the feature is restricted to supervisors or admins only
- Whether the user is on the correct environment URL

TRY

- Admin reviews the user account in Admin → Users
- User signs out and back in after any role change — claims update at login
- Verify the account belongs to the correct agency, not a test agency

ESCALATE IF

- Role assignments appear correct but access is still blocked
- Multiple users are mapped to the wrong tenant

PERFORMANCE System is slow or unresponsive**CHECK**

- Local workstation performance — CPU and memory usage in Task Manager
- Browser resource usage — too many tabs or extensions consuming memory
- Network latency — run a speed test from the workstation
- Background downloads or patching running on the workstation

TRY

- Close unnecessary tabs and background apps
- Relaunch the browser or desktop app
- Test on another workstation — if faster, the issue is local hardware/network
- Verify local internet and WAN performance

ESCALATE IF

- Performance degradation affects multiple users across multiple workstations
- API or transcript latency is consistently high across the agency

RING CONNECT Ring tab missing, request stuck, or no live stream**CHECK**

- **Ring** tab under Media — if absent, feature not enabled for your agency build
- Active incident selected in **Incident Context**
- Device has **Enable for Connect** on and valid GPS
- Device within search radius on the available-cameras list
- Request status — **Sent** (waiting), **Approved** (stream), **Declined**
- Hourly limit — max **5 requests per incident per hour**

TRY

- **Connect Ring Account** again if OAuth failed
- **Refresh devices** in Linked Ring Devices
- Re-open **View Available Ring Cameras** after owner approves
- Confirm owner received SMS/email (check phone on account)
- If **Approved** but no video, wait briefly and refresh the device card

ESCALATE IF

- Approved requests never produce a stream after refresh
- OAuth or Connect fails for all users
- Collect UTC time, incident ID, device ID, and request ID — see Chapter 13

BROWSER **Page looks broken or buttons don't work****TRY FIRST**

- Hard refresh: `Ctrl+Shift+R` / `Cmd+Shift+R`
- Clear browser cache: Chrome → Settings → Privacy → Clear cached images/files
- Open a private/incognito window — if it works there, the issue is a cached file
- Confirm browser is Chrome 110+ or Edge 110+ — older browsers are not supported
- Disable browser extensions for `rapidcortex.us` — ad blockers and script blockers can break UI components

12

Low-Confidence & Interpreter-Review Handling

What to do when the system flags uncertain output



Rapid Cortex flags are operational aids — not final authority. When the system marks a transcript, translation, or language detection result as low confidence, treat it as a signal to apply human judgment, not a confirmed result to act on.

When you see a low-confidence or interpreter-review flag

1

Do not assume the output is fully reliable

Low-confidence flags mean the system's certainty is below threshold. The output may still be useful but should not be acted upon without verification.

2

Follow agency SOP for interpreter or human verification

Your agency's standard operating procedure for interpreter engagement or supervisor review takes precedence. Rapid Cortex does not override those procedures.

3

Notify the supervisor if required by policy

Some agencies require supervisor notification when translation confidence is low. Follow your local policy.

4

Continue operations using human judgment

Never pause or delay emergency response waiting for AI output to improve. Use approved procedures and human staff as the primary source of truth.

5

Document repeated low-confidence issues

If a specific language, scenario, or call type consistently generates low-confidence results, log it for technical review and include it in your next Rapid Cortex support check-in.

13

Support & Escalation

Three-tier model — who handles what, and what to collect before you call

TIER 1

Agency Local

TIER
2Agency Technical
LeadTIER
3Rapid Cortex
Platform

Supervisor · Agency IT technician · Agency admin

- Login and password issues
- Browser and workstation issues
- Local network connectivity
- Role and access verification
- Basic "is it working?" checks

Agency Technical Lead or designated IT admin

- Repeated access failures across users
- Tenant or agency mapping issues
- Feature configuration questions
- User provisioning problems
- Local network/firewall policy problems

Rapid Cortex support team (per contract)

- Platform or provider outage
- Transcript/translation failure across users
- Backend errors or configuration defects
- Deployment issues
- Audit or data integrity concerns

I Information to collect before opening a support ticket



Providing this information upfront cuts resolution time significantly. Collect it *before* calling or emailing support.

- ☐ **Agency name** and environment name (pilot / staging / production).
- ☐ **Affected user name and role** — or "all users" if agency-wide.
- ☐ **Affected incident or session ID** — visible in the URL or incident list.
- ☐ **UTC time** of the issue — not local time.
- ☐ **Exact error message** — copy it verbatim, including the Request ID if shown.
- ☐ **Screenshot** of the error if your policy allows capturing operational screens.
- ☐ **One user or many?** — whether the issue is isolated or agency-wide changes the diagnosis entirely.
- ☐ **Browser name and version** (Chrome → Help → About Google Chrome).
- ☐ **Workstation name or ID** .
- ☐ **Steps already attempted** — what you tried from Chapter 11.

I Support routing quick reference

ISSUE TYPE	CONTACT FIRST
Login, password reset, account access	Tier 1 — agency IT or admin; escalate to Rapid Cortex if unresolved
API offline, incidents not loading, platform errors	Tier 3 — Rapid Cortex support (per contract)
Wrong role or agency on an account	Tier 1 — agency admin via Admin → Users; escalate if claims don't update
AI panel errors or poor quality output	Tier 3 — include request ID, UTC time, incident ID
CAD, radio, or 911 phone problems	Your CAD/radio vendor — Rapid Cortex does not control those systems

CAD integration scoping	Rapid Cortex account team + your Motorola Solutions account manager simultaneously
Billing or contract questions	Finance team + Rapid Cortex account manager



Appendices

Fill in one copy of this section per agency — this is what makes the manual yours

Each agency should maintain a **completed copy** of these appendices. The manual is only fully useful when the fillable fields below contain your actual URLs, contacts, and feature status.

APPENDIX A

Approved URLs & Environments

Fill in the URLs assigned to your agency by your Rapid Cortex implementation rep.

Jurisdiction slug e.g. columbus or franklin-county	Production login URL www.rapidcortex.us/[slug]/login
Pilot / staging URL (if separate) www.rapidcortex.us/[slug]-staging/login	Support portal URL Per your pilot agreement
Health / status page Provided by Rapid Cortex if available	Environment name e.g. pilot, staging, production

APPENDIX B Agency Support Contacts

Post a printed copy of this at every dispatch console and in the server/IT room.

Agency Technical Lead — name

Agency Technical Lead — phone

Agency Operations Lead — name

Agency Operations Lead — phone

Agency Rapid Cortex Admin — name

Agency Rapid Cortex Admin — email

Rapid Cortex Support — phone

Rapid Cortex Support — email

Per your pilot agreement

Per your pilot agreement

Support hours

After-hours escalation

e.g. Mon–Fri 8am–6pm ET

APPENDIX C Role Matrix — What Each Role Can Do

Reference for admins and supervisors during provisioning.

CAPABILITY	DISPATCHER	SUPERVISOR	ADMIN	READ-ONLY
Live incident queue	✓	✓	✓	View only
Transcript panel	✓	✓	✓	View only
AI analysis panel	✓	✓	✓	View only
Supervisor review queue	—	✓	✓	—
User management	—	—	✓	—
Agency settings	—	—	✓	—
Audit log	—	—	✓	View only
Integration status	—	—	✓	—

APPENDIX D

Known Limitations — This Agency's Configuration

Fill in accurately. Distribute to all staff before go-live. This prevents misuse and confusion about what is and is not active for your deployment.

AI ANALYSIS

EnabledNot enabledAdvisory only

LIVE TRANSCRIPTION

EnabledNot enabled

Demo/training only

MULTILINGUAL / TRANSLATION

EnabledNot enabledPartial

INTERPRETER WORKFLOW

AI-assistedManual SOP

Not configured

CAD INTEGRATION

LivePartialNot included

RING CONNECT (DOORBELLS / CAMERAS)

EnabledNot enabledPilot only

RADIO INTEGRATION

LivePartialNot included

PROTOCOL PACKS

ActiveNot configured

DEPLOYMENT TYPE

Web appDesktop appHybrid

Additional notes on limitations or scope for this agency

e.g. Audio features deferred to Phase 2; Spanish translation only in pilot period



Console Wall Card

Print and post at every dispatch workstation — use Print / Save PDF above



This card summarizes the most critical actions for dispatch staff. Print one per console. Update the contact fields with your agency's actual numbers before posting.

— RAPID CORTEX — QUICK REFERENCE

🔴 System does not load

- Refresh the page
- Sign out and sign back in
- Try a different approved browser
- Notify your supervisor
- Contact agency IT if persists

🔑 Login fails

- Check CAPS L
- Confirm you're
- Use "Forgot pa
- Contact agenc

⚠️ Transcript / translation seems wrong

- Treat output as assistive only
- Follow your agency SOP
- Escalate low-confidence flags to supervisor
- Use interpreter workflow if required
- Never delay response waiting for AI

🔴 Outage affects multiple users

- Notify supervisor immediately
- Follow local continuity procedures
- Contact Rapid Cortex support
- Collect: UTC time · incident ID · error message

RAPID CORTEX SUPPORT

Phone:

Email:

AGENCY IT LEAD

Name:

Phone:

YOUR AGENCY URL

rapidcortex.us/

PART 2 — INTERNAL USE

Admin Team

Troubleshooting

The operational playbook for Rapid Cortex implementation teams, and technical support leads, for resolving, and escalating customer issues.

AUDIENCE

Admin staff · Support leads · Technical

CLASSIFICATION

Internal — do not distribute to customers



Mission-critical mindset required. Rapid Cortex supports public-safety agencies. Delayed action, misconfiguration, audio failure, or incorrect routing may affect emergency operations. Every issue must be treated with urgency, clarity, consistency, and complete documentation.

First five questions on every contact



Is it happening now?

Determine whether this is an active, ongoing issue or a past event. This sets triage priority immediately.



Is live emergency workflow impacted?

If yes — escalate before completing intake. Do not delay triage to gather paperwork.



What is the scope?

One user? One workstation? One site? Entire agency? Scope determines severity and escalation path.



Is there a workaround?

Can the user switch from desktop to web, or to another workstation? A workaround buys diagnosis time.

I Golden rules — non-negotiable



Never guess when a fact can be verified. Check logs, timestamps, and account status before forming a conclusion.



Never tell a customer an issue is resolved until testing confirms it. Verify the exact failed action works before closing.



Never alter production settings without recording what changed. Every change must be logged with timestamp and reason.



Never close a ticket without root cause, corrective action, and prevention step. Incomplete closures repeat as future incidents.



Never blame the customer. The system exists to serve them. If they misuse it, that's a training gap — not their fault.



Always preserve evidence. Logs, timestamps, screenshots, user details, device details, and reproduction steps before making any change.



Always assume the customer needs status updates. Silence feels like abandonment to an agency mid-incident.



Support Team Roles

Who owns what — and when to hand off

First Line Admin Support Representative

Receives the issue, verifies severity, captures facts, performs standard troubleshooting, applies approved fixes, escalates when needed, keeps the customer informed.

Lead Support Lead / Operations Manager

Prioritizes major incidents, coordinates internal response, approves emergency workarounds, ensures communication cadence is maintained, reviews root-cause documentation.

Specialist Technical / Implementation Specialist

Handles desktop deployment issues, configuration problems, agency environment mismatches, network, VPN, firewall, microphone, headset, and workstation mapping issues, integration troubleshooting.

Engineering Engineering / DevOps / Infrastructure

Platform bugs, API failures, AI pipeline failures, sync issues across web and desktop, authentication defects, database problems, websocket or streaming issues, system-wide incidents.

Success Training / Customer Success

Usage confusion, workflow coaching, SOP alignment, implementation best practices, retraining when issues are caused by process gaps rather than system defects.



Incident Severity Levels

Classify every issue before troubleshooting begins

S1 Critical

- Agency cannot use Rapid Cortex for live operations
- Core calls cannot be processed

- Audio/transcription completely unavailable during active use
- Multiple users or entire center down
- Both desktop and web fail for same agency
- Routing, dispatch guidance, or core AI nonfunctional
- Suspected data loss in operational area

RESPONSE

Immediate acknowledgment. Escalate to support lead and technical team now. Begin incident log. Do not wait for full intake before starting triage.

S2 High

- Major feature unavailable but workaround exists
- Several users impacted
- AI outputs degraded or unreliable
- Login failures affecting a team or location
- Sync delays affect reporting or operational review
- Audio is intermittent

S3 Medium

- One user or one workstation affected
- Non-critical module malfunctioning
- Issue is repeatable but not blocking operations
- Configuration mismatch preventing a role from doing all tasks

S4 Low

- Informational request
- Cosmetic issue
- Customer needs guidance or retraining
- Minor annoyance without operational impact

4

Intake Checklist

Gather all of this before troubleshooting — every field matters



Customer Identity

Agency name · Site or center name · Department/unit · Primary contact name · Callback number · Email · Time zone



User & Device Details

Affected user name(s) · Role(s) · Desktop or web app · Windows or macOS · Device hostname · Browser type and version (web) · App version (desktop) · Headset or audio device type



Issue Details

Exact problem description · When it started · Ongoing or intermittent · Exact error message · What the user was doing before it happened · One person or many · Happens every time? · Started after update/change/hardware replacement?



Evidence to Request

Screenshot or screen recording · Error text copied exactly · Timestamp of the failure · Affected call/session ID · Audio sample or transcript example · Log export if available

Immediate classification questions

- ☐ Is live service impacted **right now** ?
- ☐ Can the user continue on another workstation?
- ☐ Can the user switch from desktop to web (or vice versa)?
- ☐ Is this isolated to a headset, station, room, or the entire agency?
- ☐ Did the issue begin after a new install, update, or network change?

5

Standard Troubleshooting Workflow

Follow this sequence for every issue — don't skip steps

1

Confirm scope

Determine whether the issue is user-specific, workstation-specific, network-specific, site-specific, role-specific, environment-specific, or system-wide. Scope determines severity and escalation path.

2

Confirm reproducibility

Can they show the exact steps? Does it happen every time? Does it happen on another device? Does another user on the same machine see the same thing?

3

Check known conditions

Review: current incidents · planned maintenance · recent releases · recent config changes · known bugs · expired credentials or certificates · local network changes.

4

Run category-specific troubleshooting

Use the relevant issue category in Section 6 of this guide. Do not free-form troubleshoot — the category steps exist to be systematic.

5

Test after each change

After any fix or change, verify: the user can perform the failed action · logs no longer show the same error · audio, sync, or routing works · other connected functions remain intact.

6

Document everything

Symptoms · scope · exact steps taken · outcome of each step · final fix or escalation · follow-up actions. See Section 9 for documentation standards.

6A

Login & Access Issues

Can't sign in, wrong permissions, MFA failures, stale sessions

SYMPTOMS

Cannot sign in · invalid credentials · wrong dashboard · MFA fails · password reset not received

CHECK

- Correct email/username entered
- Account status (active, pending, suspended)
- Assigned role matches expected access
- MFA delivery functioning
- Device date/time is correct
- Recent password change, domain migration, or auth update

TRY

- Full sign out and re-login
- Private/incognito window (web)
- Clear browser cache/cookies for app domain
- Fully close and relaunch desktop app
- Test same account on another device
- Confirm MFA delivery if enabled

ESCALATE IF

- Authentication service is down
- Multiple users locked out without explanation
- Role or token logic is broken
- Permission mismatch persists after re-login

6B

Desktop App — Won't Open or Crashes

App fails to launch, freezes, crashes on Windows or macOS

SYMPTOMS

**Won't launch · crashes immediately · freezes on login · permission errors on macOS
· hangs after Windows update**

CHECK

- OS version and exact app version
- Update or install just before the failure
- Workstation meets minimum requirements
- Installed from correct official package
- Endpoint protection blocking the executable
- User has local permissions to run the app

TRY

- Fully quit and retry; then reboot
- Test another user account on same machine
- Test same user on another machine
- Clear local cache/config if approved operation
- Review local crash logs
- Reinstall from latest approved build if all else fails

ESCALATE IF

- Multiple workstations fail after same release
- Crash logs indicate application defect
- Reinstall does not resolve
- Issue correlates with new build or env change

**macOS-specific checks**

Security settings allow the app to run · Microphone permissions granted · App not quarantined by Gatekeeper · Accessibility or input permissions approved if required

**Windows-specific checks**

Antivirus/EDR not sandboxing the app · Install path and user permissions correct · Microphone enabled in Windows Privacy settings · No new GPO restrictions introduced

6C

Web App — Not Loading or Broken

Blank screen, partial load, buttons unresponsive, stale data

SYMPTOMS

Blank screen · spinner never completes · partial dashboard · buttons do nothing · websocket/live updates fail · stale data

CHECK

- Browser and version (Chrome 110+, Edge 110+)
- VPN or restrictive proxy active
- Backend API and websocket service status
- Auth session not expired
- Whether issue affects all users or one

TRY

- Test in another supported browser
- Test in private/incognito window
- Disable browser extensions
- Sign out and back in
- Test from another network if feasible
- Capture console errors if technical staff available

ESCALATE IF

- Multiple agencies report same page failure
- Dashboard actions fail despite successful login
- Live update channels are down
- API endpoints show widespread failure

6D

Audio / Microphone / Headset Issues

No audio input, wrong device, distortion, intermittent drops



Quick isolation logic: Mic fails in all apps → device or OS issue. Mic works in OS but not Rapid Cortex → app permission or device selection. Audio present but transcription fails → AI/audio pipeline issue.

SYMPTOMS

No audio input · meter flat · transcription blank or incomplete · distorted/intermittent audio · wrong device selected · audio drops mid-session

CHECK

- Which headset/mic should be active
- Correct device selected in app and OS
- OS microphone permissions
- Microphone muted or gain too low
- Competing software locking the device
- Bandwidth stability if audio is streamed live

TRY

- Select the correct device in app
- Test device in another application
- Try another approved headset
- Disconnect and reconnect the device
- Reboot the workstation
- Compare behavior on web vs desktop

ESCALATE IF

- Multiple users lose audio after an update
- Audio stream reaches system but transcription doesn't begin
- Audio devices randomly switch during active workflows
- Agency-wide audio degradation reported

6E

Transcription Issues

No transcript, late start, omissions, wrong language, lag

SYMPTOMS

No transcript · late start · phrases omitted · wrong language · significant lag · inconsistent quality

CHECK

- Audio input is actually present
- All calls or specific calls only
- Detected language is correct
- Expected language configuration is enabled
- Network stability during the session
- Speech-to-text provider health

TRY

- Confirm latency vs. accuracy vs. absence
- Compare performance on another workstation
- Compare on another call
- Capture sample audio and output for engineering if quality is poor

ESCALATE IF

- Transcript service entirely unavailable
- Latency exceeds operational threshold across many users
- Language detection consistently fails after a release
- Missing segments appear across multiple sessions

6F

AI Guidance & Response Quality

No guidance, delays, irrelevant output, incomplete summaries



Do not tell a customer an AI quality issue is "just user error." Distinguish clearly between: **system not responding** · **system responding slowly** · **system responding inaccurately**. These have different root causes and different escalation paths.

SYMPTOMS

No guidance · delayed output · irrelevant or low-quality response · incomplete summaries · inconsistent confidence

CHECK

- Transcription completed correctly first
- Recent changes to AI workflows or prompts
- Issue isolated to one model path or all model paths
- Fallback model behavior occurred
- One call or many affected

TRY

- Capture exact timestamp and example output
- Compare same workflow on another session
- Route examples with full context to engineering

ESCALATE IF

- AI guidance disappears across agencies or sites
- Output becomes clearly unreliable in core workflow
- Output contradicts platform rules or policy
- Issue began immediately after AI workflow changes

6G

Call Routing / Workflow / Session Handling

Session won't start, routing mismatch, events out of order, status not updating

SYMPTOMS

Session doesn't start · screen freezes · events out of order · wrong routing destination · data attaches to wrong record · live status doesn't update

CHECK

- Record exact session or event ID
- Whether routing rules were recently modified
- Whether user was on correct workflow screen
- Event timestamps and sequencing

TRY

- Document expected vs. actual workflow precisely
- Confirm reproducibility on another station or role
- Determine if UI display issue or backend routing

ESCALATE IF

- Affects active operations immediately
- Routing logic is producing wrong outcomes
- Partial save failures confirmed

6H

Data Sync — Web vs. Desktop Mismatch

Actions on one platform don't appear on the other

SYMPTOMS

Desktop and web show different status · notes missing in one interface · stale session data · completed actions appear unprocessed

CHECK

- Which platform shows the correct state
- Timestamps on both views
- Whether the action actually saved server-side
- Whether issue is display-only or true persistence failure

TRY

- Refresh both platforms
- Sign out/in on affected platform if safe
- Verify network connectivity
- Compare another user's view of same data

ESCALATE IF

- Mismatch persists after refresh and re-login
- Action writes are missing in backend records
- Multiple users report inconsistent shared state

6I

Integration Issues

CAD, mapping, reporting, GPS, third-party systems

SYMPTOMS

Imported data missing · export fails · map not updating · external record not received · integration disconnected after credential change

CHECK

- Started after credential, password, cert, or network change?
- Last known successful run
- Failure inbound, outbound, or both
- Integration error logs
- Allowlists and firewall rules still valid

TRY

- Confirm test payloads succeed
- Confirm endpoint accessibility
- Engage implementation specialist if customer-side config involved

ESCALATE IF

- Production integration stops completely
- Credentials valid but communication fails
- Data mapping broken after release
- Multiple agencies using same integration type affected

6J

Performance / Slowness

Slow login, delayed dashboard, frozen UI, transcript lag

SYMPTOMS

Slow login · delayed dashboard load · lag in transcript or AI · delayed saves · frozen UI during heavy use

CHECK

- Which step is slow and by how much
- Worse at certain times of day
- CPU/memory on workstation unusually high
- Current service health and recent deployment history
- Slowness tied to specific calls, pages, or workflows

TRY

- Test on another machine or browser
- Confirm local vs. broad issue
- Review workstation resource usage

ESCALATE IF

- Core workflow response exceeds operational threshold
- Affects many users or sites
- Slowdown correlates to backend or provider incident

6K

Permissions / Role / Admin Console Issues

Wrong workspace, can't manage users, role not taking effect

SYMPTOMS

Admin can't see controls · dispatcher sees wrong workspace · user accessing unauthorized area · new role not taking effect

CHECK

- Expected role vs. current assigned role
- Whether re-login refreshes permissions
- Tenant/agency scope correct
- Recent permission model changes

TRY

- Compare another user with same role
- Determine if UI hiding or backend denial
- Confirm tenant/agency assignment

ESCALATE IF

- User sees unauthorized access — treat as security event
- Correct role doesn't produce correct access after re-auth
- Cross-agency data is visible

6L

Offline / Connectivity / Network Issues

Intermittent disconnects, session drops, reconnect loops

SYMPTOMS

Intermittent disconnects · live session drops · desktop goes offline · reconnect loops · actions fail during network transitions

CHECK

- Wired or wireless connection
- Other systems on same network affected
- Issue at one site only or multiple
- VPN status
- Firewall or proxy changes
- API traffic working while live updates fail

TRY

- Test another network if feasible
- Check DNS resolution
- Confirm websocket not blocked by proxy

ESCALATE IF

- Issue is site-wide
- Reconnect logic malfunctioning despite stable network
- Live channels fail broadly after a release

7

Major Incident Process

Invoke when S1 is declared or multiple customers are affected



Invoke this process for: S1 declaration · multiple customers affected · core operations impaired · production release causing widespread failure · suspected data loss, security exposure, or routing failure.

1

Open incident record immediately

Capture first report time. Do not wait to gather all facts before opening.

2

Identify impacted scope

Which customers, modules, and environments are affected. Stop duplicate troubleshooting from fragmenting information — one owner, one thread.

3

Notify support lead and technical incident owner

Immediate notification regardless of time. The support lead coordinates response; they do not troubleshoot.

4

Send customer-facing update (use template below)

What happened · What is affected · What is not affected · What is being done now · Current workaround · Next update time.

5

Record every change, finding, and time

The incident log is the authoritative record. Every action logged in sequence with timestamps.

6

Confirm resolution with testing before closure

Do not close until the exact failed workflow is confirmed working. Complete post-incident review — see Section 14.

8

Escalation Matrix

Who gets the issue and when

ESCALATE TO	WHEN
Support Lead	Severity unclear but impact may be high · Customer highly escalated or executive-facing · Multiple tickets indicate a pattern · Workaround affects policy or operations
Technical Specialist	Desktop install or environment issue · Customer-side network, permissions, or hardware needs technical validation · Integration setup appears broken
Engineering	Issue reproducible in product logic · API/service defect suspected · Release regression likely · Auth, sync, AI, routing, or persistence is broken
Security/Compliance	Unauthorized access suspected · Cross-agency data visible · Credential misuse suspected · Audit concerns arise — treat as urgent
Training / Customer Success	System works but workflow is misunderstood · Repeated operator confusion indicates adoption gaps · Agency needs refresher training or SOP alignment

9

Documentation Standards

What every ticket must contain — no exceptions

Ticket fields

Ticket number · Date/time opened · Customer/agency · Contact person · Severity · Affected users/locations · Description



Diagnostic fields

Exact symptoms · Reproduction steps · Business/operational impact · Screenshots/attachments · Logs/timestamps



Resolution fields

Actions taken · Current status · Resolution or escalation path · Root cause · Preventive action · Date/time closed

Good vs. bad ticket example

✗ DO NOT WRITE THIS

"User says app broken."

✓ WRITE THIS INSTEAD

"Dispatcher at Muscogee County site reported on April 20, 2026 at 9:12 AM CT that desktop app version X on Windows 11 launched successfully but failed to start live transcription. Microphone input meter remained flat despite headset functioning in another application. Issue reproduced on one workstation only. Re-login, device reselection, and Windows microphone privacy checks failed to resolve. Escalated to technical specialist for local audio device policy review."

10

Call Scripts for Admin Staff

Use these verbatim or as a starting point for each stage of a support contact

OPENING First contact

"Thank you for contacting Rapid Cortex support. I'm going to document the issue and work through this with you. First, I need to confirm whether this is affecting live operations right now, how many users are impacted, and what exact error or behavior you are seeing."

CLARIFICATION Getting precise details

"To make sure we troubleshoot the right issue, can you walk me through the exact steps you took right before the problem happened and tell me the exact time it occurred?"

SCOPE Determining impact

"Is this happening to just you, this workstation, multiple users in your center, or everyone at your site?"

TESTING Walking through changes

"I'd like to test one change at a time so we can identify the exact cause. After each step, please try the same action again and tell me whether the behavior changes."

ESCALATION Handing off

"I've completed the first-line troubleshooting steps and I'm escalating this to our technical team with the details we captured. I'm documenting the exact symptoms, timestamps, and environment so they can move faster."

RESOLUTION Closing the case

"We've confirmed the issue is resolved. Before we close this, I want to verify the exact workflow now works as expected on your side and document the root cause and fix for future prevention."

12

Scenario Playbooks

Step-by-step for the most common inbound scenarios

A One user cannot log in

1. Confirm email/username is correct
2. Verify account status in admin controls
3. Confirm correct role assigned
4. Have user retry in web and desktop if available
5. Clear session or try private window
6. Reset password or unlock if needed
7. Escalate if correct account status still fails

B Desktop app opens but no transcription starts

1. Confirm microphone is selected in the app
2. Verify OS microphone permissions
3. Test headset in another application
4. Reconnect device; relaunch app
5. Compare on another workstation
6. Escalate if audio is present but transcript never begins

C Entire center reports slow system

1. Confirm whether issue affects web, desktop, or both
2. Confirm exact timeframe and whether all users are impacted
3. Check current incidents and recent releases
4. Test network conditions — are other systems slow?
5. Escalate as high-severity performance incident immediately

D User sees wrong permissions or access

1. Verify expected role and actual assigned role
2. Have user sign out and back in

3. Confirm tenant/agency mapping is correct
4. Compare another user with the same role
5. Escalate if role mapping is correct but permissions remain wrong

E Web and desktop data do not match

1. Confirm which action was performed and on which platform
2. Refresh both clients
3. Re-login if it is safe to do so
4. Compare backend record if available
5. Escalate if persistence or live sync is confirmed failing

15

Admin Team Daily Operating Checklist

What to do at the start, during, and end of each day

START OF DAY

- Review open critical tickets
- Review unresolved high-priority tickets
- Check overnight incidents
- Note recent releases or maintenance
- Check pending escalations
- Review known provider or infrastructure issues
- List customer follow-ups due today

DURING THE DAY

- Classify all new tickets on receipt
- Ensure all critical issues have assigned owners
- Send customer updates on time
- Escalations include full evidence before handoff
- Link duplicate tickets immediately

END OF DAY

- Hand off all unresolved critical items with full notes
- Update all open incident records
- Correct tickets missing root-cause fields
- Flag recurring issue trends for weekly review

13

Root Cause Categories

Select one when closing every ticket

- User error / training gap
- Local device configuration
- Headset or hardware failure
- OS permission issue
- Browser / session issue
- Local network issue
- Customer environment policy restriction
- Authentication service issue
- Application defect
- Release regression
- Integration credential / config failure
- Third-party service degradation
- Unknown — pending engineering analysis

16

Tools & Data Access

What the admin team must be able to access or request



App version inventory



User / account status view



Role / permission viewer



Environment status dashboard



Authentication health dashboard



API error dashboard



WebSocket / live session dashboard



AI / transcription provider health status



Ticketing system with severity tracking



Customer environment registry



Deployment / release history



Known issue register

| What not to do — enforced standards