

IT Complete Reference

Infrastructure Stacks · API Gateway IDs · Lambda Functions · Role Reference

Classification	INTERNAL — IT USE ONLY
Generated	July 11, 2026
Environment	Production · us-east-1
AWS Account	158961537080 · Root stack: rapid-cortex-dev
Total Lambdas	139 functions across 9 nested SAM stacks
Total Roles	29 roles · 9 active · 12 seeded · 8 defined
Cognito Pool	us-east-1_QgqAYyRwg · Client: 7moi6sgc2uf4o31omgvo77h3v5
Stack IDs	Confirmed from API Gateway console 2026-07-10
Status legend	● Active ● Seeded / test ● Defined

Contents

PART A — INFRASTRUCTURE STACKS

1. Web Application (rapid-cortex-web-ssr-prod-v2)
2. Marketing Site (rapid-cortex-v2-web-hosting-prod)
3. Downloads CDN (rapid-cortex-downloads-prod)
4. Web CI Pipeline (rapid-cortex-web-pipeline-prod)
5. API — SAM 1 (AppSamStackV2 · k26yw4o3xk) · 47 Lambda functions
6. API — SAM 2 (AppSam2Stack · t4bdwpjfs5) · 39 Lambda functions
7. API — SAM 3 (AppSam3Stack · tbr4zvjl5) · 20 Lambda functions
8. API — SAM 4 (AppSam4Stack · 7c70vqd1p5) · 19 Lambda functions
9. API — SAM 5 (AppSam5Stack · ubartq53a8) · 33 Lambda functions
10. API — SAM QR (AppSamQrStack) · 9 Lambda functions
11. API — Realtime (AppSamRealtime2Stack · g0wzu18e2k WebSocket) · 9 Lambda functions
12. API — Hospital (AppSamHospital2Stack) · 3 Lambda functions
13. Data Layer (DataLayerStack) · 62 DynamoDB tables · 3 S3 buckets · 2 Secrets

PART B — ROLE REFERENCE

14. Core PSAP / Communications Center Roles (6 agency-assignable)
15. Platform / RC Internal Roles (3 — not agency-assignable)
16. Campus Safety Vertical Roles (5)
17. Venue Safety Vertical Roles (5)
18. Hospital Portal Roles (2 legacy + 4 vertical)
19. Transit Vertical Roles (4)
20. Role Assignment Notes · Legacy Token Map · Cognito Attributes

All stacks us-east-1 · Account 158961537080 · Root: rapid-cortex-dev. Physical stack names and API Gateway IDs confirmed from console 2026-07-10. Do NOT modify resources directly in the console — all changes through the deploy pipeline.

1 · Web Application

rapid-cortex-web-ssr-prod-v2 · ECS Fargate · app.rapidcortex.us

Production dispatcher interface. Next.js SSR on Fargate (2 tasks). Serves app.rapidcortex.us and report.rapidcortex.us.

Resource	Description
ECS Cluster + Task	Next.js SSR on Fargate (2 tasks). Dispatcher dashboard, supervisor views, agency portal.
ALB (WebAlb)	HTTPS load balancer. TLS termination for app.rapidcortex.us and report.rapidcortex.us.
CloudFront (WebCdnDistribution)	CDN in front of ALB. Caches static assets; passes SSR and API requests to origin.
WAFv2 (CdnWebAcl)	Web ACL on CloudFront. Rate limiting and AWS managed rule groups.
Route53	A/AAAA aliases for app.rapidcortex.us and report.rapidcortex.us → CloudFront.
ECS IAM Roles	Task execution role (ECR pull, CloudWatch logs) + task role (Secrets Manager, API calls).
CloudWatch Alarms	ALB 5xx error rate + unhealthy target count → SNS.

2 · Marketing Site

rapid-cortex-v2-web-hosting-prod · S3 + CloudFront ·
rapidcortex.us

Resource	Description
S3 Bucket	Static HTML/CSS/JS. Served exclusively via CloudFront OAC — direct URLs return 403.
CloudFront	CDN. HTTPS termination and global edge caching.
OAC	Restricts S3 to CloudFront only.
ACM Certificate	SSL/TLS for rapidcortex.us and www.rapidcortex.us.
Route53	A/AAAA aliases for rapidcortex.us and www → CloudFront.

3 · Downloads CDN

rapid-cortex-downloads-prod · S3 + CloudFront

Resource	Description
S3 Bucket	Versioned desktop artifacts (.dmg, .exe, .ApplImage). Managed via upload-desktop-downloads.sh.
CloudFront	Global CDN. Signed URLs for protected downloads.
OAC	S3 restricted to CloudFront only.

4 · Web CI Pipeline

rapid-cortex-web-pipeline-prod · CodeBuild + ECR

Resource	Description
CodeBuild Project	Builds Next.js Docker image from source zip, pushes to ECR. Triggered by deploy-web-no-docker.sh.
S3 Source Bucket	Receives zipped monorepo source uploaded by the deploy script.
IAM Role	CodeBuild role: ECR push, CloudWatch Logs, Secrets Manager reads.

5 · API — SAM 1 (Primary)

AppSamStackV2 · 47 functions · api.rapidcortex.us

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSamStackV2	rapid-cortex-dev-AppSamStackV2-1BR5EYUP7MO39	k26yw4o3xk	api.rapidcortex.us (custom domain)

Core incident, agency, user, CAD, and triage API. Serves api.rapidcortex.us custom domain.

Group	Lambda Functions
Incidents	CreateIncident, GetIncident, ListIncidents, PatchIncident, PatchIncidentLegalHold, AnalyzeIncidentFunction, GetIncidentAnalysis
Transcripts	AddTranscriptChunk, ListTranscript, PostIncidentAudioChunk
Triage	TriageQueueFunction, TriageOverrideQueueFunction, GetTriageResult, OverrideTriage, DetectIncidentType
Users / Auth	GetMe, AdminCreateUser, AdminListUsers, AdminActivateUser, AdminDeactivateUser, AdminUpdateUser, CognitoPostConfirmation, AuthPasswordRenewalSync
Agencies	CreateAgency, GetAgency, ListAgencies, PatchAgency, GetAgencyProfile, PostAgencyInvite, ListAgencyInvites, PostAgencySopUploadUrl
Incident Shares	PostIncidentShare, ListIncidentShares, ListIncomingIncidentShares, RevokeIncidentShare
CAD	CadAdminHttp, CadApiPoller, CadWebhookHttp, CadWebhookWorker, PostCadWritebackBlocked
QA / SEO	QaHttp, QaScoring, SeoIntelligenceHttp, StaffingForecast
Other	Health, IntegrationStatus, DeceptionDecoyHttp, DeceptionEventsAdminHttp

47 functions · Physical: rapid-cortex-dev-AppSamStackV2-1BR5EYUP7MO39 · API: k26yw4o3xk

6 · API — SAM 2

AppSam2Stack · 39 functions

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSam2Stack	rapid-cortex-dev-AppSam2Stack-1URVS591Q6ESS	t4bdwpjfs5	t4bdwpjfs5.execute-api.us-east-1.amazonaws.com

Analytics, caller intelligence, language/translation, billing add-ons, coaching, platform tooling.

Group	Lambda Functions
Analytics	GetAdminAnalytics, GetAdminAnalyticsCsv, PostAdminAnalyticsRefresh, AggregateAnalytics, CallQualityTrendsHttp, GetSupervisorPerformanceMetrics, GetDispatcherPerformanceDetail
Language / Translation	CallIntelligenceLanguages, StartLanguageSession, FinalizeLanguageSession, GetLanguageSessionStatus, TranslateLanguageSession
Caller Card / Premise	GetCallerCard, CreatePremiseNote, PatchPremiseNote, AcknowledgeTraumaFlag
Coaching	CoachingNotesHttp, PostDispatcherCoachingNote, ListWellnessFlags
Reports / SLA	ReportsHttp, SlaHttp, IncidentTimelineHttp
Audit / RC Admin	ListAuditEvents, RcAdminGetUsage, RcAdminExportUsage, PostIncidentReviewHttp, QaScorecardHttp
Platform	PlatformNoticesActive, PlatformNoticesAdmin, ManageAddons, StakeholderHttp, WarRoomHttp, SurgeIncidentsHttp, RetentionExecutor, DemoScenarios, StartDemoScenario, ExternalV1Http, RCLiteV1Http, CallerMediaHttp, CadWritebackHttp

39 functions · Physical: rapid-cortex-dev-AppSam2Stack-1URVS591Q6ESS · API: t4bdwpjfs5

7 · API — SAM 3

AppSam3Stack · 20 functions

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSam3Stack	rapid-cortex-dev-AppSam3Stack-648NXCFBZ3XD	tbr4zvjl5	tbr4zvjl5.execute-api.us-east-1.amazonaws.com

Agency admin, platform admin, video assist, desktop/sales integrations.

Group	Lambda Functions
Agency Admin	AgencyAdminGetAccessOverride, AgencyAdminListAccessOverrides, AgencyAdminListApiClients, AgencyAdminListUserAccessOverrides, AgencyAdminListWebhooks, AgencyAdminPatchAccessOverrideRevoke, AgencyAdminPatchApiClient, AgencyAdminPostAccessOverrides, AgencyAdminPostApiClients, AgencyAdminPostWebhooks, AgencyAdminRotateApiClient
Platform / RC Admin	GetPlatformAuditEvents, GetPlatformSummary, RcAdminListApiClients, ListRcAdminAgreements
Video Assist	VideoAssistIncidentsHttp, VideoAssistPublicHttp
Desktop / Sales	GetDesktopReleasesOverview, PostDesktopReleaseSignedUrl, PostContactSalesLead, PostAgencySharePartner

20 functions · Physical: rapid-cortex-dev-AppSam3Stack-648NXCFBZ3XD · API: tbr4zvjl5

8 · API — SAM 4

AppSam4Stack · 19 functions

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSam4Stack	rapid-cortex-dev-AppSam4Stack-QVWYM7W29YV	7c70vqd1p5	7c70vqd1p5.execute-api.us-east-1.amazonaws.com

Billing subsystem, agency billing, network/camera policy, Ring Connect OAuth.

Group	Lambda Functions
Billing Core	BillingCustomersHttp, BillingInvoicesHttp, BillingSchedulesHttp, BillingServicesHttp, BillingTenantHttp, BillingPaymentsHttp, BillingScheduler, BillingPaymentsDisabledCatchAll
Agency Billing	GetAgencyBillingProfile, PatchAgencyBillingProfile, ListAgencyBillingInvoices, PostAgencyBillingInvoice, ListAgencyBillingPaymentMethods, PostAgencyBillingPaymentMethodDefault
Admin Billing	AdminInvoicesHttp, BulkDraftInvoicesHttp, ListBillingPlans
Network / Cameras	AgencyNetworkPolicyHttp, NestCamerasProvidersHttp

19 functions · Physical: rapid-cortex-dev-AppSam4Stack-QVWYM7W29YV · API: 7c70vqd1p5

9 · API — SAM 5

AppSam5Stack · 33 functions · KVS WebRTC · Silent Text

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSam5Stack	rapid-cortex-dev-AppSam5Stack-1T38GG051RWIG	ubartq53a8	ubartq53a8.execute-api.us-east-1.amazonaws.com

Venue and campus verticals, live video (KVS WebRTC), silent text (Twilio SMS), Pinpoint, SMS routing.

Group	Lambda Functions
Venue	GetVenueIncident, GetVenueIncidents, GetVenueIntelligence, GetVenueProfile, PatchVenueProfile, GetIncidentVenueIntelligence, GetVenueSections, PutVenueSection, DeleteVenueSection, PatchVenueSectionStatus, VenueCameraRequest, VenueSmsInbound
Campus	GetCampusIncident, GetCampusIncidents, GetCampusBuildings, GetCampusAnalytics, PatchCampusIncident, PostCampusIncident, PostCampusIncidentNote, PostCampusIncidentEscalate, PostCampusPublicReport
Live Video	LiveVideoIncidentsHttp, LiveVideoPublicHttp, StreamSessionStatus, StreamViewerToken
Silent Text	SilentTextIncidentsHttp, SilentTextPublicHttp
Other	IncidentMediaHttp, PublicIncidentMediaHttp, PinpointIncidentsHttp, PinpointPublicHttp, SmsRoutingHttp, LocatePublicHttp, BridgeHealthMonitor

Named IAM execution roles (fixed — bypasses 64-char truncation):

Resource	Description
rapid-cortex-lv-svt-dev	StreamViewerTokenFunction execution role
rapid-cortex-lv-vcv-dev	VenueCameraViewerTokenFunction execution role
rapid-cortex-lv-ccv-dev	CampusCameraViewerTokenFunction execution role
rapid-cortex-lv-inc-dev	LiveVideoIncidentsHttp execution role
rapid-cortex-lv-pub-dev	LiveVideoPublicHttp execution role

33 functions · Physical: rapid-cortex-dev-AppSam5Stack-1T38GG051RWIG · API: ubartq53a8 · KVS: rc-live-dev / rc-lvsv-dev

10 · API — SAM QR

AppSamQrStack · 9 functions

Group	Lambda Functions
QR / NFC / Location	LocationIntake, LocationMediaUpload, LocationQr, LocationResolve, LocationsAdmin, QrNfcEngage, QrNfcHttp, PublicReportSubmit, GetVenueIncidents

9 functions

11 · API — Realtime

AppSamRealtime2Stack · WebSocket · 9 functions

Logical ID	Physical Stack Name	API ID	Endpoint / Domain
AppSamRealtime2Stack	rapid-cortex-websocket-dev	g0wzu18e2k	g0wzu18e2k.execute-api.us-east-1.amazonaws.com (WebSocket)

Group	Lambda Functions
WebSocket	WebSocketConnect, WebSocketDefault, WebSocketDisconnect
Call Transfer	DispatcherAcceptTransfer, DispatcherDeclineTransfer, DispatcherListActiveCalls, SupervisorListActiveCalls, SupervisorTakeoverCall, SupervisorTransferCall

9 functions · Physical: rapid-cortex-websocket-dev · API: g0wzu18e2k · Description: Real-time call control notifications

12 · API — Hospital

AppSamHospital2Stack · 3 functions

Group	Lambda Functions
Hospital	EmergencyConnectHttp, HospitalPortalHttp, HospitalRoutingHttp

3 functions

13 · Data Layer

DataLayerStack · 62 DynamoDB tables · 3 S3 buckets · 2 Secrets

All persistent storage. Do not modify tables directly — naming is tied to CloudFormation exports consumed by SAM stacks 1–5.

Key DynamoDB Tables

Resource	Description
IncidentsTable	Primary incident records. Indexed by agencyId, status, createdAt.
AgenciesTable	Agency config, billing plan, feature flags, SOP settings.
TranscriptsTable	Incident transcript chunks and audio segment references.
AuditTable	Immutable audit log. PK: eventId. GSI: agencyId-createdAt-index. ALWAYS query via GSI — do not scan.
SilentTextSessionsTable	Active and completed silent text SMS sessions per incident.
LiveVideoSessionsTable	KVS WebRTC video assist sessions per incident.
LanguageSessionsTable	Real-time language translation sessions.
NonEmergencyQueueTable	Non-emergency triage queue. AppSamStackV2 ONLY — never pass as param to SAM 2–5.
PremiseNotesTable	Persistent premise/hazard notes keyed by normalized address.
TraumaFlagsTable	Dispatcher trauma and wellness flag records.
BillingProfilesTable	Agency billing profiles and payment methods.
InvoicesTable	Invoice records and payment history.
QRLocationsTable	QR/NFC location registrations and check-in records.
+ 49 additional tables	WebSocketConnectionsTable, CAD, SOP, coaching, stakeholder, war room, SLA, platform config tables.

S3 Buckets

Resource	Description
AssetsBucket	Incident media uploads — photos, audio, video assets.
BillingInvoicesBucket	Generated invoice PDF documents.
BillingPosBucket	Point-of-sale billing artifacts.

Secrets Manager

Resource	Description
rapid-cortex/incident-media/twilio	Twilio credentials for Silent Text + Pinpoint. Shape: {accountSid, apiKeySid, apiKeySecret, messagingServiceSid, fromNumber}. ARN: arn:aws:secretsmanager:us-east-1:158961537080:secret:rapid-cortex/incident-media/twilio-az6LeK
rapid-cortex/connect/ring-credentials	Ring Connect OAuth credentials for camera integration. ARN: arn:aws:secretsmanager:us-east-1:158961537080:secret:rapid-cortex/connect/ring-credentials-D3f1sN

PART B — ROLE REFERENCE

Role tokens stored in Cognito custom:role, read by every Lambda authorizer. custom:agencyId scopes all data. custom:vertical routes login to the correct dashboard.

14 · Core PSAP / Communications Center Roles

6 agency-assignable · custom:vertical = (none)

Role Token	Display Name	Assigned By	Status	What this role can do
dispatcher	Dispatcher	Agency Admin	● Active	Frontline telecommunicator. Full live call workspace: AI-assisted triage, CAD entry and submission, real-time translation, caller media (photo/video/silent text), SOP protocol AI, Pinpoint location. Cannot access QA scorecards, billing, or user management.
supervisor	Supervisor	Agency Admin	● Active	Shift supervisor. All dispatcher access plus: live floor monitoring, CAD approval, QA scorecards and coaching notes, war rooms, incident command and escalation, cross-jurisdiction shares (flag-gated), stakeholder status pages. Cannot access billing.
agencyadmin	Agency Admin	Agency Admin	● Active	Communications center manager. Full agency config: user provisioning, role assignment, billing, add-ons, QA management, compliance, data retention, SLA thresholds, API keys, webhooks, CAD integration, full incident control. Highest privilege agency role.
agencyit	Agency IT	Agency Admin	● Active	Agency IT director. CAD integration, API keys, webhooks, MFA policy, security settings, integrations. Can view users and audit logs. No live operations access — cannot see or act on incidents in real time.
analyst	Analyst	Agency Admin	● Active	QI staff. Read-only: analytics dashboards, QA scorecards, performance metrics, SLA reports, CSV exports. No live ops access. Cannot create, update, or close incidents.
auditor	Auditor	Agency Admin	● Active	Compliance auditor. Read-only: audit logs, incident records, transcripts, compliance exports, access reports. Cannot modify any records. Highest data read scope with zero write access.

6 roles · Assigned via: [Agency Admin Console](#) → [Users](#) → [Assign Role](#)

15 · Platform / RC Internal Roles

3 roles · NOT agency-assignable · RC staff only

Role Token	Display Name	Assigned By	Status	What this role can do
rcsuperadmin	Platform Owner	rcsuperadmin only	● Active	Immutable full platform access. Feature flags, financial revenue totals, transcript deletion, tenant impersonation (audited), time-boxed permission grants. Only role with billing.revenue_view and system.impersonate. Cannot be restricted or delegated.
rcadmin	RC Operations	rcsuperadmin	● Active	Multi-tenant platform management. Agency onboarding/deprovisioning, billing and subscription admin, platform health monitoring (all tenants), Adobe Sign agreements, developer portal, platform notice broadcasts. Cannot view revenue totals.
rcitadmin	RC IT Admin	rcsuperadmin	● Active	Cross-tenant user support and infrastructure diagnostics. Password resets, account unlocks, MFA re-enrollment, invitation resends, login activity review (all agencies), emergency account deactivation. Cannot access billing, incidents, or live operations.

3 platform roles · Assigned via: [Cognito Console](#) → rcsuperadmin only

16 · Campus Safety Vertical Roles

5 roles · custom:vertical = campus

Routes to /campus dashboard. Agency must have vertical=campus in AgenciesTable.

Role Token	Display Name	Assigned By	Status	What this role can do
campus_admin	Campus Admin	Agency Admin	● Seeded	Campus safety director. Zone/building setup, incident management, user provisioning, campus analytics, escalation policy. Equivalent to agencyadmin scoped to campus. Test: campusadmin@appsondemand.net
campus_supervisor	Campus Supervisor	Agency Admin	● Seeded	Campus safety supervisor. Live incident dashboard, zone status monitoring, escalation workflows, inter-department coordination. Test: campussupervisor@appsondemand.net
campus_security	Campus Security	Agency Admin	● Seeded	Campus security officer. Incident creation and update, patrol reporting, campus dispatch workspace, zone check-in. Primary field role. Test: campussecurity@appsondemand.net
campus_counselor	Campus Counselor	Agency Admin	● Seeded	Counselor or mental health staff. Wellness incident notes, student support workflows, trauma flag acknowledgment. Cannot access law enforcement or tactical details. Test: campuscounselor@appsondemand.net
campus_faculty	Campus Faculty	Agency Admin	● Seeded	Faculty/staff reporter. Public report submission, limited incident status lookup. Cannot modify or close incidents. Cannot access the campus operations dashboard. Test: campusfaculty@appsondemand.net

5 roles · All 5 seeded on test-campus-uga

17 · Venue Safety Vertical Roles

5 roles · custom:vertical = venue

Routes to /venue dashboard. Agency must have vertical=venue in AgenciesTable.

Role Token	Display Name	Assigned By	Status	What this role can do
venue_admin	Venue Admin	Agency Admin	● Seeded	Venue safety administrator. Section/zone setup, staff management, incident oversight, camera routing, venue profile. Equivalent to agencyadmin scoped to venue. Test: venue-admin@appsondemand.net
venue_supervisor	Venue Supervisor	Agency Admin	● Seeded	Venue operations supervisor. Live section status dashboard, incident escalation, camera request approval, inter-zone coordination. Test: venue-supervisor@appsondemand.net
venue_security	Venue Security	Agency Admin	● Seeded	Venue security officer. Section patrol, incident creation and update, guest report intake, camera request initiation. Test: venue-security@appsondemand.net
venue_operator	Venue Operator	Agency Admin	■ Defined	Venue operations staff. Status updates, capacity monitoring, non-incident operational workflows (gate management, concourse logistics). Not yet assigned.

venue_guest	Venue Guest Services	Agency Admin	■ Defined	Guest services staff. Limited read-only access for guest-facing incident intake and status lookups. Cannot initiate security incidents or request cameras. Not yet assigned.
-------------	----------------------	--------------	-----------	--

5 roles · 3 seeded on test-venue-mbs · venue_operator and venue_guest defined but not yet seeded

18 · Hospital Portal Roles

Legacy: 2 · Vertical: 4 · custom:vertical = hospital

Legacy Hospital Roles (currently active on test-hospital)

Role Token	Display Name	Assigned By	Status	What this role can do
hospitaladmin	Hospital Admin	Agency Admin	● Seeded	Full hospital portal: capacity management, pre-alert acknowledgment, MCI planning, hospital profile configuration, staff management. Test: hospital-admin@appsondemand.net
hospitalstaff	Hospital Staff	Agency Admin	● Seeded	Clinical staff. Pre-alert review, bed status and capacity updates, department-level acknowledgment. Test: hospital-staff@appsondemand.net

Vertical Hospital Roles (canonical — use for new agencies)

Role Token	Display Name	Assigned By	Status	What this role can do
hospital_admin	Hospital Admin	Agency Admin	● Seeded	Hospital administrator (vertical token). Same as legacy hospitaladmin with routing via custom:vertical = hospital.
hospital_supervisor	Hospital Supervisor	Agency Admin	■ Defined	Charge nurse or department supervisor. Departmental capacity oversight, MCI coordination, pre-alert escalation. Not yet seeded.
hospital_staff	Hospital Staff	Agency Admin	■ Defined	Clinical staff (vertical token). Bed status updates, pre-alert acknowledgment. Not yet seeded — use hospitalstaff (legacy) for now.
hospital_coord	Hospital Coordinator	Agency Admin	■ Defined	Coordination staff. Inter-department and inter-facility coordination workflows, mutual aid capacity requests. Not yet implemented in UI.

Legacy tokens normalize at JWT parse time automatically

19 · Transit Vertical Roles

4 roles · custom:vertical = transit

Routes to /transit dashboard. Agency must have vertical=transit in AgenciesTable. Two roles seeded for testing.

Role Token	Display Name	Assigned By	Status	What this role can do
transit_admin	Transit Admin	Agency Admin	● Seeded	Transit authority administrator. Full config, incident management, route/vehicle setup, staff management. Test: transit-admin@appsondemand.net
transit_supervisor	Transit Supervisor	Agency Admin	■ Defined	Transit operations supervisor. Live incident dashboard, operator dispatch, escalation, cross-route coordination. Not yet seeded.
transit_security	Transit Security	Agency Admin	● Seeded	Transit security officer. Incident creation and reporting on routes, stations, and vehicles. Test: transit-security@appsondemand.net
transit_operator	Transit Operator	Agency Admin	■ Defined	Transit vehicle operator. Mobile-first incident reporting, passenger safety alerts, vehicle status updates. Not yet seeded.

4 roles · 2 seeded on test-transit

20 · Role Assignment Notes · Legacy Tokens · Cognito Attributes

Reference for IT provisioning

Cognito User Attributes

Resource	Description
custom:role	Canonical role token (lowercase). Every Lambda authorizer reads this. Example: dispatcher
custom:agencyId	Agency identifier. Scopes all DynamoDB queries. Must match AgenciesTable. Example: test-agency
custom:vertical	Vertical routing hint: campus venue hospital transit (empty for PSAP). Routes login without DynamoDB lookup.
custom:status	Account status: active inactive. Inactive users receive 401 on every API call regardless of role.
custom:agencyName	Display name. Used in header and email templates. Not used for access control.

Agency-Assignable Roles (UI picker)

AGENCY_ASSIGNABLE_ROLES: dispatcher, supervisor, agencyadmin, agencyit, analyst, auditor. Vertical roles assigned directly in Cognito by RC staff during agency onboarding.

Legacy Token Normalization

Resource	Description
admin → agencyadmin	Legacy. Do not write this token into Cognito for new users.
it_admin → agencyit	Legacy. Use agencyit for all new assignments.
commsupervisor → supervisor	Was canonical in Role Access Matrix v1.0 — reverted.
readonly_auditor → auditor	Legacy alias.
platform_superadmin / rc_superadmin → rcsuperadmin	Both normalize to rcsuperadmin.

SelfSignupDefaultRole

Set to dispatcher in AppSamStackV2 (SAM 1) parameters. Self-registered users land as dispatcher with custom:status=pending until activated by Agency Admin. Do not change without a security review.

New Vertical Agency Provisioning Checklist

Resource	Description
1. AgenciesTable record	PUT record with agencyId, name, vertical, status=active, plan=pilot. Script: scripts/seed-vertical-agencies.sh
2. Cognito users	Use scripts/seed-role-test-users.ts or Cognito Console. Set custom:role, custom:agencyId, custom:vertical, custom:status=active.
3. Patch vertical attr	Run scripts/patch-vertical-user-attributes.sh and scripts/add-vertical-attributes.sh.

4. Verify routing	Log in as each role — confirm redirect to correct vertical dashboard. Driven by custom:vertical, not custom:role.
5. Confirm API	GET /api/agencies/{agencyId} should return record with vertical field populated.

API stacks → scripts/deploy.sh dev · Targeted nested → scripts/deploy-lean-dev.sh · Web → scripts/deploy-web-no-docker.sh prod · Env: scripts/env-api-dev.sh (API) / scripts/env-web-ssr-prod.sh (web) · Cognito pool: us-east-1_QgqAYyRwg · Client: 7moi6sgc2uf4o31omgvo77h3v5 · Stack IDs confirmed from API Gateway console 2026-07-10.