



Rapid Cortex

Real-Time AI Intelligence for Emergency Response

CAD Integration Guide

Complete Setup, Configuration & Troubleshooting Booklet for Public Safety Agencies

Version 1.0 | May 2026 | Public Safety AI Platform

support@rapidcortex.us | rapidcortex.us

Table of Contents

Introduction & Platform Overview	3
How Rapid Cortex CAD Integration Works	4
Master Integration Checklist	5
Motorola PremierOne CAD — Full Guide	7
Tyler New World CAD — Full Guide	11
CentralSquare CAD — Full Guide	15
Hexagon HxGN OnCall (I/CAD) — Full Guide	19
Generic Webhook Integration — Full Guide	23
Troubleshooting Reference	27
Data Security, CJIS & Compliance	29
CAD Vendor Information Worksheet	30
Go-Live Planning & FAQ	34
Support Contacts & Escalation	36

Introduction & Platform Overview

What Rapid Cortex does and how CAD integration works

What is Rapid Cortex?

Rapid Cortex is a Real-Time AI Intelligence platform for public safety agencies. It connects to your existing Computer-Aided Dispatch (CAD) system and provides dispatchers, supervisors, and agency administrators with AI-assisted incident intelligence, live transcription, translation, caller analysis, and decision support — all in real time.

■ CRITICAL

Rapid Cortex is supplemental intelligence ONLY.

Your CAD system remains the authoritative system of record for all dispatch operations.

Rapid Cortex does NOT replace CAD, telephony, or your agency systems of record.

What Does CAD Integration Do?

When integrated with your CAD system, Rapid Cortex:

- Receives incident data from your CAD system in real time as incidents are created or updated
- Displays live CAD incident details in the dispatcher workspace alongside AI overlays
- Enables supervisors to monitor active incidents with full AI context
- Optionally submits dispatcher notes and AI-generated CAD narratives back to your CAD system (write-back mode)
- Maintains a full audit trail of all AI-assisted actions per CJIS requirements

Data Flow Diagram

The following diagram shows how data flows between your CAD system and Rapid Cortex:

Stage	Direction	What Happens	Protocol
1. Incident Created	CAD → Rapid Cortex	CAD sends incident data via webhook or API push	HTTPS POST
2. RC Receives Data	Internal	RC validates token, parses payload, normalizes fields	Internal
3. AI Processing	Internal	Transcription, translation, AI summary generated	Internal

4. Dispatcher View	RC → Browser	Dispatcher sees incident + AI overlay in real time	HTTPS/WSS
5. Write-Back (optional)	RC → CAD	Dispatcher submits narrative back to CAD	HTTPS POST

Supported CAD Vendors

Vendor	Product	Min Version	Connection Type	Self-Configure?
Motorola Solutions	PremierOne CAD	5.0+	Webhook (JSON/XML)	Yes
Tyler Technologies	New World CAD	11.0+	Webhook / API Poll	Requires Tyler Support
CentralSquare	CAD (Tritech/Superion)	2020+	Webhook (JSON)	Yes
Hexagon Safety	HxGN OnCall / I/CAD	9.0+	Webhook (JSON/XML)	May need license
Generic	Any HTTP CAD	Any	Webhook (JSON)	Yes — with field mapping

How Rapid Cortex CAD Integration Works

Technical overview for IT administrators

The Webhook Model

Rapid Cortex uses an **inbound webhook** model. Your CAD system is configured to send an HTTPS POST request to a Rapid Cortex URL each time an incident is created, updated, or closed. No software is installed on your CAD server.

■ TIP

Nothing is installed on your CAD server.

Rapid Cortex only requires your CAD to make outbound HTTPS connections to our API.

Your Unique Webhook URL

Each agency and integration gets a unique webhook URL in this format:

```
https://api.rapidcortex.us/api/cad/webhook/{agencyId}/{integrationId}
```

Where:

{agencyId}	Your agency's unique identifier in Rapid Cortex (shown in Admin panel)
{integrationId}	The unique ID for this specific CAD integration (auto-generated)

Authentication — Security Token

Every webhook request must include a security token in the HTTP header. This prevents unauthorized sources from injecting fake incident data.

Required HTTP Header:

```
X-RC-Token: your-32-character-security-token-here
```

■ WARNING

The security token is generated automatically when you create an integration.

It is shown ONCE and cannot be retrieved later — copy it immediately to a secure location.

If lost, delete the integration and create a new one to generate a new token.

What Rapid Cortex Expects in the Payload

Rapid Cortex accepts JSON payloads. The minimum required fields are:

Field	Type	Required	Description
Incident/Call Number	String	Yes	Your CAD's unique incident identifier (any format)
Incident Type / Nature	String	Yes	Call type or nature code (e.g. VEHCOL, MEDIC, THEFT)
Location / Address	String	Yes	Incident location as a string
Priority	String or Number	Yes	Priority level (mapped to P1–P4 by RC)
Status	String	Recommended	Current incident status (ACTIVE, PENDING, CLOSED)
Caller Phone	String	Recommended	Callback number
Units	Array	Recommended	List of assigned unit IDs
GPS Coordinates	Object/Array	Optional	Latitude and longitude
Timestamp	ISO8601 String	Recommended	When the incident was created/updated

■ TIP

Field names vary by CAD vendor — see vendor-specific sections for exact field names.
Use Generic Webhook integration to manually map your CAD's field names to RC fields.

Master Integration Checklist

Complete for any CAD vendor — recommended to print and use

Pre-Integration — Complete Before Starting

- Identify CAD vendor, product name, and exact version number
- Confirm CAD version meets minimum requirements (see vendor guide)
- Identify agency IT administrator (name, phone, email)
- Identify CAD vendor support contact and account/contract number
- Identify who will perform firewall/network changes
- Confirm Rapid Cortex account is active with Admin role
- Schedule maintenance window (recommend off-peak hours, not during active shift)
- Notify dispatch supervisor of upcoming changes
- Download and complete the Vendor Information Worksheet (see end of guide)
- For Tyler New World: contact Tyler support team BEFORE starting (2–5 day lead time)
- For Hexagon: confirm Integration Manager license is active

Network & Firewall — Complete Before CAD Configuration

- Submit firewall change request ticket (document ticket number below)
- Firewall rule added: outbound HTTPS port 443 from CAD server to api.rapidcortex.us
- Firewall rule added: outbound HTTPS port 443 to downloads.rapidcortex.us (updates)
- If SSL inspection is active: add api.rapidcortex.us to SSL bypass list
- If proxy server is in use: configure CAD server to bypass proxy for api.rapidcortex.us
- Test connectivity from CAD server: curl https://api.rapidcortex.us/api/health
- Confirm response is: HTTP 200 {"status":"ok"}
- Document firewall change ticket #: _____

Rapid Cortex Setup — Generate Credentials

- Log into rapidcortex.us with Admin credentials
- Navigate to Admin → CAD Integrations
- Click 'Add Integration'
- Select correct CAD vendor
- Enter descriptive name (e.g. 'Primary CAD — PremierOne Production')
- Click Generate
- IMMEDIATELY copy and securely store the Webhook URL
- IMMEDIATELY copy and securely store the Security Token (shown once only)

- Record Integration ID and Agency ID from the admin panel
- Complete Section 4 of the Vendor Information Worksheet

CAD System Configuration — Vendor Specific

- Follow the vendor-specific guide in this document for your CAD system
- Enter the Rapid Cortex Webhook URL in your CAD push/webhook config
- Enter the Security Token in the correct authentication field
- Select correct data format (JSON preferred)
- Subscribe to events: Incident Create, Update, Close, Unit Status Change
- Save the CAD configuration
- Confirm the CAD system shows the webhook as active/enabled

Testing — Validate Before Go-Live

- Click 'Send Test Incident' in RC Admin → CAD Integrations → [your integration]
- Test incident appears in dispatcher dashboard within 30 seconds
- Incident number displays correctly
- Priority level maps correctly (P1/P2/P3/P4)
- Location/address text displays correctly
- Caller callback number is present (if applicable)
- Assigned units appear correctly
- Incident type / nature code is readable
- Check Raw Webhook Log — no errors shown
- Send 3 additional live test incidents and validate each
- Dispatcher reviews and signs off on data quality
- Supervisor reviews and approves for go-live

Go-Live Authorization

- All testing checklist items above are complete
- Dispatcher sign-off obtained (signature in Worksheet Section 5)
- Supervisor/manager sign-off obtained
- RC onboarding contact notified
- Integration enabled in RC Admin (Status: Active)
- Go-live date and time documented: _____
- 30-day check-in scheduled: _____

Motorola PremierOne CAD

Complete Integration Guide — Motorola Solutions

Vendor	Minimum Version	Est. Setup Time	Self-Configure?
Motorola Solutions	PremierOne CAD 5.0+	30–45 minutes	Yes

■ WARNING

PremierOne sends both JSON and XML. Always select JSON format for simplest integration.

Prerequisites

- PremierOne CAD version 5.0 or later
- Access to PremierOne CAD Administration Console (admin credentials)
- Outbound HTTPS (port 443) from CAD server to api.rapidcortex.us
- Rapid Cortex Admin account credentials
- Firewall change request submitted and approved

Step 1 — Generate Integration Credentials in Rapid Cortex

Complete this step first before touching the CAD system.

Step 1. Open a web browser and go to **https://rapidcortex.us**

Step 2. Sign in with your Rapid Cortex **Admin** account credentials

Step 3. In the left navigation, click **Admin**

Step 4. Click **CAD Integrations** in the admin menu

Step 5. Click the blue **Add Integration** button

Step 6. In the vendor dropdown, select **Motorola PremierOne CAD**

Step 7. In the Name field, enter a descriptive name — for example: *Primary CAD — Motorola Solutions Production*

Step 8. Click the **Generate** button

Step 9. **IMMEDIATELY** copy the **Webhook URL** — paste it into a text document or password manager

Step 10. **IMMEDIATELY** copy the **Security Token** — this is shown only once and cannot be recovered

Step 11. Also note the **Agency ID** and **Integration ID** shown on the page

Step 12. Click **Save**

■ CRITICAL

If you close the page before copying the Security Token, you must delete the integration and create a new one. There is no 'show token again' option.

Step 2 — Configure Network & Firewall

This step must be completed before the CAD system can reach Rapid Cortex. Work with your network/firewall administrator to add the following rules:

Rule	Source	Destination	Port	Protocol	Action
RC API	CAD Server IP	api.rapidcortex.us	443	TCP/HTTPS	ALLOW
RC Updates	CAD Server IP	downloads.rapidcortex.us	443	TCP/HTTPS	ALLOW

Test connectivity by running this command from the CAD server:

```
curl -v https://api.rapidcortex.us/api/health
```

Expected response:

```
HTTP/2 200 {"status":"ok","version":"1.x"}
```

■ TIP

If SSL inspection (SSL/TLS interception) is active on your firewall or proxy, add api.rapidcortex.us to the SSL bypass list. SSL inspection

■ TIP

If a proxy server is in use, configure the CAD server to bypass the proxy for api.rapidcortex.us, or configure the proxy to allow CONNE

■ TIP

Rapid Cortex uses TLS 1.2 and TLS 1.3 only. TLS 1.0 and 1.1 are not supported.

Step 3 — Configure Motorola PremierOne CAD

Admin Console Menu Path: PremierOne Admin Console → System Administration → Integrations → External Notifications → Add Notification

Data Format: JSON (preferred) or XML | **Authentication:** Custom HTTP Header: X-RC-Token: {your-token}

Events to Enable: IncidentCreate, IncidentUpdate, IncidentClose, UnitStatusChange, UnitAssign, UnitUnassign

Step 1. Log into the **PremierOne CAD Administration Console** with admin credentials

Step 2. In the top menu, click **System Administration**

Step 3. In the left panel, expand **Integrations** and click **External Notifications**

Step 4. Click the **Add Notification** button (top right of the notifications list)

Step 5. In the **URL** field, paste your Rapid Cortex Webhook URL exactly as copied

Step 6. Set **HTTP Method** to **POST**

Step 7. Set **Data Format** to **JSON** (if JSON is not available, select XML)

Step 8. In the **Custom Headers** section, click **Add Header**

Step 9. Enter Header Name: **X-RC-Token** and Header Value: **[your Security Token]**

Step 10. Under **Event Subscriptions**, check the following events:

Step 11. — IncidentCreate (fires when a new incident is opened)

Step 12. — IncidentUpdate (fires when incident details change)

Step 13. — IncidentClose (fires when incident is closed/cleared)

Step 14. — UnitStatusChange (fires when a unit changes status)

Step 15. — UnitAssign (fires when a unit is assigned to an incident)

Step 16. Click **Save**

Step 17. Click **Test** to send a test payload and confirm Rapid Cortex receives it

■ **TIP**

If PremierOne shows SSL errors when sending to RC: ensure the CAD server's trust store includes the DigiCert Global CA. Update W

■ **TIP**

If using XML format: the field names in the parser may differ. Contact support@rapidcortex.us for XML field mapping assistance.

■ **TIP**

PremierOne versions before 5.0 may use a different menu path. Check System Administration → Integrations → WebHooks in older v

Step 4 — Send a Test Incident

After saving the CAD configuration, immediately send a test to confirm the webhook is working end-to-end.

Step 1. In Rapid Cortex Admin → CAD Integrations, click on your new integration

Step 2. Click the **Send Test Incident** button

Step 3. Within 30 seconds, open the Dispatcher Dashboard — the test incident should appear

Step 4. Click **Raw Webhook Log** in the integration detail panel

Step 5. Confirm the log shows a received entry with status **200 OK**

Step 6. Verify the integration Status badge changes to **Active** (green)

■ **WARNING**

If the test incident does not appear within 60 seconds:

1. Check Raw Webhook Log for error messages
2. Verify the Webhook URL is entered exactly as shown in RC Admin
3. Verify the Security Token is in the correct header field
4. Re-test the network connectivity (Step 2)

Step 5 — Verify Field Mapping

Confirm the following fields are mapping correctly from your CAD to Rapid Cortex. Check each in the dispatcher dashboard after sending a test incident:

CAD Field Name	Maps To in Rapid Cortex	Check
IncidentNumber	cadIncidentId (the CAD incident ID)	■
NatureCode	cadNatureCode and incidentType	■
Address or Location	location	■
Priority (1, 2, 3, or 4)	priority mapped to P1, P2, P3, P4	■
CallerPhone or ANIPhone	callerCallback	■
CallerName or ANIName	callerName	■
Units[] array	cadUnits[]	■
Latitude + Longitude	cadCoordinates {lat, lng}	■
EventType	used to determine create vs update	■
Timestamp or EventTime	cadLastSyncAt	■

Step 6 — Go Live

- Complete all items in the Master Checklist above
- Enable the integration: RC Admin → CAD Integrations → Status → **Active**
- Brief dispatchers: explain that RC will now show live CAD data alongside AI overlays
- Monitor the first 10 real incidents — confirm data quality in dispatcher view
- Keep RC support on standby during the first shift: support@rapidcortex.us
- If any serious issues: immediately set integration Status to **Inactive** and contact RC support

Appendix — Sample Webhook Payload

The following shows an example JSON payload that Motorola PremierOne CAD sends to Rapid Cortex:

```
{ "IncidentNumber": "2026-04-15-00142", "NatureCode": "VEHCOL", "EventType": "IncidentCreate",
  "Priority": 1, "Address": "1400 Main Street, Springfield", "Latitude": 37.7749, "Longitude":
  -122.4194, "CallerPhone": "555-013-4491", "CallerName": "John Smith", "Units": ["E-12", "M-4",
  "L-7"], "Status": "ACTIVE", "Timestamp": "2026-04-15T14:22:31Z" }
```

Troubleshooting

Symptom	Likely Cause	Resolution
No test received in RC	Firewall blocking or URL wrong	1. Run: curl https://api.rapidcortex.us/api/health 2. Verify URL matches exactly (no trailing /) 3. Check PremierOne notification log for send errors

401 in RC webhook log	Wrong token or header name	Header must be exactly X-RC-Token (case sensitive) Verify token was copied without extra spaces
XML parse errors	Format mismatch	Switch format to JSON in PremierOne notification config Or contact RC support for XML mapping
Units not appearing	UnitAssign event not subscribed	In notification config, verify UnitAssign and UnitStatusChange are checked
Duplicate incidents	Retry without dedup header	Check Idempotency-Key header setting RC auto-deduplicates by IncidentNumber

Support for This Integration

Rapid Cortex Support: support@rapidcortex.us

Motorola Solutions Support: 1-800-367-2346 | motorolasolutions.com/support | Account Manager: see your contract

Tyler Technologies New World CAD

Complete Integration Guide — Tyler Technologies

Vendor	Minimum Version	Est. Setup Time	Self-Configure?
Tyler Technologies	New World CAD 11.0+	3–5 business days (Tyler config) + 30 min agency config	Requires Tyler Support Team

■ WARNING

Tyler New World **REQUIRES** Tyler Technologies to be involved before you start.
Email publicsafety.support@tylertech.com with your contract number **BEFORE** generating RC credentials.
Expect 2–5 business days for Tyler to enable the HTTP push interface.

Prerequisites

- New World CAD version 11.0 or later
- Active Tyler Technologies support contract
- Tyler Technologies must be contacted **BEFORE** starting — allow 2–5 business days
- Tyler Professional Services or support team will configure the HTTP push interface
- Agency IT admin credentials to CAD administration console
- Outbound HTTPS (port 443) from CAD server to api.rapidcortex.us

Step 1 — Generate Integration Credentials in Rapid Cortex

Complete this step first before touching the CAD system.

- Step 1.** Open a web browser and go to <https://rapidcortex.us>
- Step 2.** Sign in with your Rapid Cortex **Admin** account credentials
- Step 3.** In the left navigation, click **Admin**
- Step 4.** Click **CAD Integrations** in the admin menu
- Step 5.** Click the blue **Add Integration** button
- Step 6.** In the vendor dropdown, select **Tyler Technologies New World CAD**
- Step 7.** In the Name field, enter a descriptive name — for example: *Primary CAD — Tyler Technologies Production*
- Step 8.** Click the **Generate** button
- Step 9.** **IMMEDIATELY** copy the **Webhook URL** — paste it into a text document or password manager
- Step 10.** **IMMEDIATELY** copy the **Security Token** — this is shown only once and cannot be recovered

Step 11. Also note the **Agency ID** and **Integration ID** shown on the page

Step 12. Click **Save**

■ CRITICAL

If you close the page before copying the Security Token, you must delete the integration and create a new one. There is no 'show token again' option.

Step 2 — Configure Network & Firewall

This step must be completed before the CAD system can reach Rapid Cortex. Work with your network/firewall administrator to add the following rules:

Rule	Source	Destination	Port	Protocol	Action
RC API	CAD Server IP	api.rapidcortex.us	443	TCP/HTTPS	ALLOW
RC Updates	CAD Server IP	downloads.rapidcortex.us	443	TCP/HTTPS	ALLOW

Test connectivity by running this command from the CAD server:

```
curl -v https://api.rapidcortex.us/api/health
```

Expected response:

```
HTTP/2 200 {"status":"ok","version":"1.x"}
```

■ TIP

If SSL inspection (SSL/TLS interception) is active on your firewall or proxy, add api.rapidcortex.us to the SSL bypass list. SSL inspection

■ TIP

If a proxy server is in use, configure the CAD server to bypass the proxy for api.rapidcortex.us, or configure the proxy to allow CONNE

■ TIP

Rapid Cortex uses TLS 1.2 and TLS 1.3 only. TLS 1.0 and 1.1 are not supported.

Step 3 — Configure Tyler Technologies New World CAD

Admin Console Menu Path: System Setup → Agency Setup → Interface Configuration → HTTP Push Notifications (Tyler may configure this for you)

Data Format: JSON | **Authentication:** Bearer Token in Authorization header OR Custom X-RC-Token header (confirm with Tyler support)

Events to Enable: CallCreated, CallUpdated, CallClosed, UnitStatusChanged

Step 1. FIRST: Email Tyler Technologies Public Safety Support at publicsafety.support@tylertech.com

Step 2. In your email, include: your agency name, contract number, New World version, and request to enable HTTP Push Notifications for a third-party integration

Step 3. Provide Tyler with your Rapid Cortex Webhook URL and Security Token

Step 4. Tyler will configure the interface on their side — this takes 2–5 business days

Step 5. Once Tyler confirms the interface is configured, log into **New World CAD Administration**

Step 6. Navigate to **System Setup → Agency Setup → Interface Configuration**

Step 7. Click **HTTP Push Notifications**

Step 8. Verify the Rapid Cortex endpoint is listed and enabled

Step 9. Confirm the event types include: CallCreated, CallUpdated, CallClosed, UnitStatusChanged

Step 10. Click **Test** to send a test payload to Rapid Cortex

Step 11. Verify the test appears in RC Admin → CAD Integrations → Raw Webhook Log

■ TIP

Tyler New World requires their professional services or support team to enable the HTTP Push interface. You cannot configure this yourself.

■ TIP

Tyler support contact: publicsafety.support@tylertech.com — reference your contract number.

■ TIP

Some Tyler New World versions expose a REST API for polling instead of push. If your version does not support push, RC can poll the data.

Step 4 — Send a Test Incident

After saving the CAD configuration, immediately send a test to confirm the webhook is working end-to-end.

Step 1. In Rapid Cortex Admin → CAD Integrations, click on your new integration

Step 2. Click the **Send Test Incident** button

Step 3. Within 30 seconds, open the Dispatcher Dashboard — the test incident should appear

Step 4. Click **Raw Webhook Log** in the integration detail panel

Step 5. Confirm the log shows a received entry with status **200 OK**

Step 6. Verify the integration Status badge changes to **Active** (green)

■ WARNING

If the test incident does not appear within 60 seconds:

1. Check Raw Webhook Log for error messages
2. Verify the Webhook URL is entered exactly as shown in RC Admin
3. Verify the Security Token is in the correct header field
4. Re-test the network connectivity (Step 2)

Step 5 — Verify Field Mapping

Confirm the following fields are mapping correctly from your CAD to Rapid Cortex. Check each in the dispatcher dashboard after sending a test incident:

CAD Field Name	Maps To in Rapid Cortex	Check
CallId	cadIncidentId	■

CallType or NatureCode	incidentType	■
Location or Address	location	■
Priority (1–4 or text)	priority mapped to P1–P4	■
CallerPhone	callerCallback	■
CallerName	callerName	■
AssignedUnits[] array	cadUnits[]	■
GPSCoordinates or Lat/Lon	cadCoordinates	■
CallStatus	cadStatus	■
CreatedAt or EventTime	cadLastSyncAt	■

Step 6 — Go Live

- Complete all items in the Master Checklist above
- Enable the integration: RC Admin → CAD Integrations → Status → **Active**
- Brief dispatchers: explain that RC will now show live CAD data alongside AI overlays
- Monitor the first 10 real incidents — confirm data quality in dispatcher view
- Keep RC support on standby during the first shift: support@rapidcortex.us
- If any serious issues: immediately set integration Status to **Inactive** and contact RC support

Appendix — Sample Webhook Payload

The following shows an example JSON payload that Tyler Technologies New World CAD sends to Rapid Cortex:

```
{ "CallId": "CAD-2026-04182", "CallType": "THEFT", "NatureCode": "484", "Priority": 2, "Location": "500 Oak Avenue, Suite 3B, Springfield", "CallerPhone": "555-291-0033", "CallerName": "Jane Doe", "AssignedUnits": ["P-22", "P-08"], "CallStatus": "DISPATCHED", "CreatedAt": "2026-04-18T09:14:55Z", "UpdatedAt": "2026-04-18T09:15:10Z" }
```

Troubleshooting

Symptom	Likely Cause	Resolution
Tyler says interface is not available	License or version restriction	Confirm New World version is 11.0+ Ask Tyler if HTTP Push module is included in your license

Tyler configured it but RC gets nothing	Firewall blocking Tyler's server	Tyler pushes from their infrastructure — confirm firewall allows inbound from Tyler IPs to CAD server, then outbound from CAD to RC
Authentication failing	Token format mismatch	Confirm with Tyler whether they send Bearer or custom header Provide Tyler the exact header format RC expects: X-RC-Token: {token}
Fields not mapping	Tyler field names differ by version	Open Raw Webhook Log in RC Admin → View Raw Payload Note exact field names and use Generic mapper if needed

Support for This Integration

Rapid Cortex Support: support@rapidcortex.us

Tyler Technologies Support: publicsafety.support@tylertech.com | tylertech.com | Your account manager: see contract

CentralSquare CAD

Complete Integration Guide — CentralSquare (formerly Trittech / Superion / Zuercher)

Vendor	Minimum Version	Est. Setup Time	Self-Configure?
CentralSquare (formerly Trittech / Superion / Zuercher)	CentralSquare CAD 2020+ (Trittech 4.x or Zuercher also supported)	45–60 minutes	Yes

■ WARNING

CentralSquare cloud-hosted (SaaS) deployments may require CentralSquare to configure outbound webhooks on your behalf. Contact their support before starting.

Prerequisites

- CentralSquare CAD 2020 or later (or Trittech 4.x / Zuercher equivalent)
- Access to CentralSquare CAD Administration Portal (admin credentials)
- Outbound HTTPS (port 443) from CAD server to api.rapidcortex.us
- Rapid Cortex Admin account credentials
- Firewall change request submitted and approved
- Note: If running legacy Trittech branding, menu paths may differ slightly — see Notes below

Step 1 — Generate Integration Credentials in Rapid Cortex

Complete this step first before touching the CAD system.

Step 1. Open a web browser and go to <https://rapidcortex.us>

Step 2. Sign in with your Rapid Cortex **Admin** account credentials

Step 3. In the left navigation, click **Admin**

Step 4. Click **CAD Integrations** in the admin menu

Step 5. Click the blue **Add Integration** button

Step 6. In the vendor dropdown, select **CentralSquare CAD**

Step 7. In the Name field, enter a descriptive name — for example: *Primary CAD — CentralSquare (formerly Trittech / Superion / Zuercher) Production*

Step 8. Click the **Generate** button

Step 9. **IMMEDIATELY** copy the **Webhook URL** — paste it into a text document or password manager

Step 10. **IMMEDIATELY** copy the **Security Token** — this is shown only once and cannot be recovered

Step 11. Also note the **Agency ID** and **Integration ID** shown on the page

Step 12. Click Save**■ CRITICAL**

If you close the page before copying the Security Token, you must delete the integration and create a new one. There is no 'show token again' option.

Step 2 — Configure Network & Firewall

This step must be completed before the CAD system can reach Rapid Cortex. Work with your network/firewall administrator to add the following rules:

Rule	Source	Destination	Port	Protocol	Action
RC API	CAD Server IP	api.rapidcortex.us	443	TCP/HTTPS	ALLOW
RC Updates	CAD Server IP	downloads.rapidcortex.us	443	TCP/HTTPS	ALLOW

Test connectivity by running this command from the CAD server:

```
curl -v https://api.rapidcortex.us/api/health
```

Expected response:

```
HTTP/2 200 {"status":"ok","version":"1.x"}
```

■ TIP

If SSL inspection (SSL/TLS interception) is active on your firewall or proxy, add api.rapidcortex.us to the SSL bypass list. SSL inspection

■ TIP

If a proxy server is in use, configure the CAD server to bypass the proxy for api.rapidcortex.us, or configure the proxy to allow CONNE

■ TIP

Rapid Cortex uses TLS 1.2 and TLS 1.3 only. TLS 1.0 and 1.1 are not supported.

Step 3 — Configure CentralSquare CAD

Admin Console Menu Path: Administration → System Configuration → External Interfaces → REST Webhooks → Add New Interface

Data Format: JSON | **Authentication:** Custom Header: X-RC-Token: {your-token} (or API Key header depending on version)

Events to Enable: EventCreate, EventUpdate, EventClose, UnitStatusChange

Step 1. Log into the **CentralSquare CAD Administration Portal** with admin credentials

Step 2. In the top navigation, click **Administration**

Step 3. Under System Configuration, click **External Interfaces**

Step 4. Click **REST Webhooks** (in older versions this may be labeled 'HTTP Push' or 'External Notifications')

Step 5. Click **Add New Interface**

Step 6. In the **Interface Name** field, enter: **Rapid Cortex Integration**

Step 7. In the **Endpoint URL** field, paste your Rapid Cortex Webhook URL

Step 8. Under Authentication, select **Custom Header**

Step 9. Set Header Name: **X-RC-Token** and Header Value: **[your Security Token]**

Step 10. Set **Output Format** to **JSON**

Step 11. Under Event Subscriptions, check: **EventCreate, EventUpdate, EventClose, UnitStatusChange**

Step 12. Set **Retry on Failure** to: **3 retries, 30 second interval**

Step 13. Click **Save Interface**

Step 14. Click **Test Endpoint** — CentralSquare will send a test payload to RC

Step 15. Verify in RC Admin → CAD Integrations → Raw Webhook Log that the test was received

■ **TIP**

Legacy Trittech versions may show the webhook config under: [System Administration → Integrations → HTTP Push](#). The field names

■ **TIP**

Legacy Zuercher/Superion versions: use [Administration → Agency Configuration → Web Services → Outbound Webhooks](#).

■ **TIP**

CentralSquare versions before 2020 may not support REST webhooks. Contact CentralSquare support to confirm and potentially upgrade.

■ **TIP**

If your CentralSquare instance is cloud-hosted by CentralSquare, contact their support team to configure outbound webhooks — you may not have access.

Step 4 — Send a Test Incident

After saving the CAD configuration, immediately send a test to confirm the webhook is working end-to-end.

Step 1. In Rapid Cortex Admin → CAD Integrations, click on your new integration

Step 2. Click the **Send Test Incident** button

Step 3. Within 30 seconds, open the Dispatcher Dashboard — the test incident should appear

Step 4. Click **Raw Webhook Log** in the integration detail panel

Step 5. Confirm the log shows a received entry with status **200 OK**

Step 6. Verify the integration Status badge changes to **Active** (green)

■ **WARNING**

If the test incident does not appear within 60 seconds:

1. Check Raw Webhook Log for error messages
2. Verify the Webhook URL is entered exactly as shown in RC Admin
3. Verify the Security Token is in the correct header field
4. Re-test the network connectivity (Step 2)

Step 5 — Verify Field Mapping

Confirm the following fields are mapping correctly from your CAD to Rapid Cortex. Check each in the dispatcher dashboard after sending a test incident:

CAD Field Name	Maps To in Rapid Cortex	Check
EventId or IncidentId	cadIncidentId	■
EventType or CallType	incidentType	■
Address or Location	location	■
Priority (1–4 or text)	priority mapped to P1–P4	■
CallerNumber or ANI	callerCallback	■
CallerName or ALI	callerName	■
Units[] or Resources[]	cadUnits[]	■
GeoLocation {Lat, Lon}	cadCoordinates	■
EventStatus	cadStatus	■
Timestamp or EventTime	cadLastSyncAt	■

Step 6 — Go Live

- Complete all items in the Master Checklist above
- Enable the integration: RC Admin → CAD Integrations → Status → **Active**
- Brief dispatchers: explain that RC will now show live CAD data alongside AI overlays
- Monitor the first 10 real incidents — confirm data quality in dispatcher view
- Keep RC support on standby during the first shift: support@rapidcortex.us
- If any serious issues: immediately set integration Status to **Inactive** and contact RC support

Appendix — Sample Webhook Payload

The following shows an example JSON payload that CentralSquare CAD sends to Rapid Cortex:

```
{ "EventId": "EVT-20260420-0091", "EventType": "BURGLARY", "Priority": 2, "Address": "2200 Commerce Blvd, Suite 100", "CallerNumber": "555-448-2219", "CallerName": "Security Desk", "Units": ["A-5", "K-2"], "GeoLocation": { "Lat": 38.8977, "Lon": -77.0365 }, "EventStatus": "ACTIVE", "Timestamp": "2026-04-20T11:30:00Z" }
```

Troubleshooting

Symptom	Likely Cause	Resolution
---------	--------------	------------

Test endpoint says success but RC gets nothing	URL entered incorrectly	Copy URL fresh from RC Admin Confirm no trailing slash Check CentralSquare outbound log for HTTP errors
401 in RC webhook log	API Key vs custom header mismatch	In CentralSquare, use Custom Header (not API Key) Header name must be X-RC-Token exactly
Cloud-hosted CentralSquare — no admin access	SaaS deployment	Contact CentralSquare support Request they configure outbound webhook to RC Provide RC webhook URL and token
Legacy Trittech — menu path not found	Version difference	Try: System Administration → Integrations → HTTP Push Or contact CentralSquare for version-specific docs

Support for This Integration

Rapid Cortex Support: support@rapidcortex.us

CentralSquare (formerly Trittech / Superion / Zuercher) Support: support.centalsquare.com | 1-800-727-8088 | Your account manager: see contract

Hexagon HxGN OnCall (I/CAD)

Complete Integration Guide — Hexagon Safety & Infrastructure

Vendor	Minimum Version	Est. Setup Time	Self-Configure?
Hexagon Safety & Infrastructure	HxGN OnCall Dispatch 9.0+ or I/CAD 9.0+	60–90 minutes (may require Hexagon support)	May require Integration Manager license

■ WARNING

Hexagon Integration Manager is a licensed module — confirm it is active **BEFORE** starting. Contact your Hexagon account manager to verify and activate if needed.

Prerequisites

- HxGN OnCall Dispatch 9.0+ or Intergraph I/CAD 9.0 or later
- Integration Manager module licensed and active (contact Hexagon account manager to confirm)
- Access to HxGN OnCall Administration console (admin credentials)
- Outbound HTTPS (port 443) from CAD server to api.rapidcortex.us
- Rapid Cortex Admin account credentials
- Firewall change request submitted and approved

Step 1 — Generate Integration Credentials in Rapid Cortex

Complete this step first before touching the CAD system.

Step 1. Open a web browser and go to <https://rapidcortex.us>

Step 2. Sign in with your Rapid Cortex **Admin** account credentials

Step 3. In the left navigation, click **Admin**

Step 4. Click **CAD Integrations** in the admin menu

Step 5. Click the blue **Add Integration** button

Step 6. In the vendor dropdown, select **Hexagon HxGN OnCall (I/CAD)**

Step 7. In the Name field, enter a descriptive name — for example: *Primary CAD — Hexagon Safety & Infrastructure Production*

Step 8. Click the **Generate** button

Step 9. **IMMEDIATELY** copy the **Webhook URL** — paste it into a text document or password manager

Step 10. **IMMEDIATELY** copy the **Security Token** — this is shown only once and cannot be recovered

Step 11. Also note the **Agency ID** and **Integration ID** shown on the page

Step 12. Click Save**■ CRITICAL**

If you close the page before copying the Security Token, you must delete the integration and create a new one. There is no 'show token again' option.

Step 2 — Configure Network & Firewall

This step must be completed before the CAD system can reach Rapid Cortex. Work with your network/firewall administrator to add the following rules:

Rule	Source	Destination	Port	Protocol	Action
RC API	CAD Server IP	api.rapidcortex.us	443	TCP/HTTPS	ALLOW
RC Updates	CAD Server IP	downloads.rapidcortex.us	443	TCP/HTTPS	ALLOW

Test connectivity by running this command from the CAD server:

```
curl -v https://api.rapidcortex.us/api/health
```

Expected response:

```
HTTP/2 200 {"status":"ok","version":"1.x"}
```

■ TIP

If SSL inspection (SSL/TLS interception) is active on your firewall or proxy, add api.rapidcortex.us to the SSL bypass list. SSL inspection

■ TIP

If a proxy server is in use, configure the CAD server to bypass the proxy for api.rapidcortex.us, or configure the proxy to allow CONNE

■ TIP

Rapid Cortex uses TLS 1.2 and TLS 1.3 only. TLS 1.0 and 1.1 are not supported.

Step 3 — Configure Hexagon HxGN OnCall (I/CAD)

Admin Console Menu Path: System Configuration → Integration Manager → Outbound Interfaces → Add Interface → HTTP REST

Data Format: JSON (preferred) or XML | **Authentication:** Custom HTTP Header: X-RC-Token: {your-token} (API Key header also supported)

Events to Enable: IncidentCreate, IncidentUpdate, IncidentClose, UnitStatusChange, UnitAssign

Step 1. Log into **HxGN OnCall Dispatch Administration** with admin credentials

Step 2. In the main menu, click **System Configuration**

Step 3. Click **Integration Manager** in the left panel

Step 4. If Integration Manager is not visible: contact your Hexagon account manager — a license add-on may be required

Step 5. Click **Outbound Interfaces**

Step 6. Click **Add Interface**

Step 7. Select Interface Type: **HTTP REST**

Step 8. Enter Interface Name: **Rapid Cortex Integration**

Step 9. In the **Target URL** field, paste your Rapid Cortex Webhook URL

Step 10. Under Authentication, select **Custom Header**

Step 11. Set Header Name: **X-RC-Token** and Header Value: **[your Security Token]**

Step 12. Set **Output Format** to **JSON**

Step 13. Under Event Triggers, select: **IncidentCreate, IncidentUpdate, IncidentClose, UnitStatusChange, UnitAssign**

Step 14. Set **Timeout** to **15000 ms** (15 seconds)

Step 15. Click **Save**

Step 16. Click **Test Connection** — Hexagon will send a test payload

Step 17. Verify in RC Admin → Raw Webhook Log that the test was received

■ **TIP**

Hexagon Integration Manager may require a separate license module. Confirm with your Hexagon account manager before starting.

■ **TIP**

Hexagon I/CAD (legacy branding) uses the same menu path in versions 9.0+. In older I/CAD versions (pre-9.0), check System Configuration.

■ **TIP**

If Hexagon sends XML instead of JSON: RC can handle Hexagon XML, but JSON is simpler. Set to JSON in the interface config.

■ **TIP**

Hexagon WS-Security authentication is not recommended for RC integration — use the simpler custom header approach.

■ **TIP**

For Hexagon cloud-hosted deployments, the Integration Manager may be accessible through a web admin portal rather than a local console.

Step 4 — Send a Test Incident

After saving the CAD configuration, immediately send a test to confirm the webhook is working end-to-end.

Step 1. In Rapid Cortex Admin → CAD Integrations, click on your new integration

Step 2. Click the **Send Test Incident** button

Step 3. Within 30 seconds, open the Dispatcher Dashboard — the test incident should appear

Step 4. Click **Raw Webhook Log** in the integration detail panel

Step 5. Confirm the log shows a received entry with status **200 OK**

Step 6. Verify the integration Status badge changes to **Active** (green)

■ WARNING

If the test incident does not appear within 60 seconds:

1. Check Raw Webhook Log for error messages
2. Verify the Webhook URL is entered exactly as shown in RC Admin
3. Verify the Security Token is in the correct header field
4. Re-test the network connectivity (Step 2)

Step 5 — Verify Field Mapping

Confirm the following fields are mapping correctly from your CAD to Rapid Cortex. Check each in the dispatcher dashboard after sending a test incident:

CAD Field Name	Maps To in Rapid Cortex	Check
IncidentId or CallId	cadIncidentId	■
CallType or NatureCode	incidentType and cadNatureCode	■
Location or Address	location	■
Priority (1–4)	priority mapped to P1–P4	■
Caller.Phone or ANI	callerCallback	■
Caller.Name or ALI	callerName	■
Units[] or Resources[]	cadUnits[]	■
Coordinates {Latitude, Longitude}	cadCoordinates	■
IncidentStatus	cadStatus	■
Timestamp or EventDateTime	cadLastSyncAt	■

Step 6 — Go Live

- Complete all items in the Master Checklist above
- Enable the integration: RC Admin → CAD Integrations → Status → **Active**
- Brief dispatchers: explain that RC will now show live CAD data alongside AI overlays
- Monitor the first 10 real incidents — confirm data quality in dispatcher view
- Keep RC support on standby during the first shift: support@rapidcortex.us
- If any serious issues: immediately set integration Status to **Inactive** and contact RC support

Appendix — Sample Webhook Payload

The following shows an example JSON payload that Hexagon HxGN OnCall (I/CAD) sends to Rapid Cortex:

```
{ "IncidentId": "HXG-2026-00314", "CallType": "MEDIC", "NatureCode": "CHEST", "Priority": 1,
  "Location": "9800 Airport Blvd, Terminal B", "Caller": { "Phone": "555-737-0011", "Name": "Airport
  Security" }, "Units": ["M-1", "E-3"], "Coordinates": { "Latitude": 29.9902, "Longitude": -95.3368
}, "IncidentStatus": "DISPATCHED", "Timestamp": "2026-04-22T16:45:00Z" }
```

Troubleshooting

Symptom	Likely Cause	Resolution
Integration Manager not visible in admin	License not active	Contact Hexagon account manager Request Integration Manager module be enabled
WS-Security authentication errors	Complex WS-Security setup	Switch to Custom Header authentication instead Header: X-RC-Token: {token} — much simpler
Large payloads taking long	Full history included in payload	Enable delta/incremental mode in Hexagon interface config OR increase CAD timeout setting to 30s
XML parse errors in RC	XML namespace issues	Set output format to JSON in Hexagon interface config Contact RC support if XML is required
Interface not found — older I/CAD	Legacy menu path	Try: System Configuration → External Interfaces → HTTP Notifications

Support for This Integration

Rapid Cortex Support: support@rapidcortex.us

Hexagon Safety & Infrastructure Support: hexagonsafetyinfrastructure.com/support | Your Hexagon account manager: see contract

Generic Webhook Integration

Complete Integration Guide — Any HTTP-capable CAD system

Vendor	Minimum Version	Est. Setup Time	Self-Configure?
Any HTTP-capable CAD system	Any CAD system with HTTP POST / webhook capability	1–2 hours (includes field mapping configuration)	Yes — requires field mapping setup in RC Admin

■ WARNING

Generic integration requires manual field mapping in RC Admin after setup.
Contact support@rapidcortex.us if you need assistance configuring field mappings.

Prerequisites

- CAD system capable of sending HTTP POST requests to external URLs
- CAD system can send JSON payload (preferred) or XML
- Outbound HTTPS (port 443) from CAD server to api.rapidcortex.us
- Rapid Cortex Admin account credentials
- Knowledge of your CAD system's field names (e.g. what field holds the incident number)
- Firewall change request submitted and approved

Step 1 — Generate Integration Credentials in Rapid Cortex

Complete this step first before touching the CAD system.

Step 1. Open a web browser and go to <https://rapidcortex.us>

Step 2. Sign in with your Rapid Cortex **Admin** account credentials

Step 3. In the left navigation, click **Admin**

Step 4. Click **CAD Integrations** in the admin menu

Step 5. Click the blue **Add Integration** button

Step 6. In the vendor dropdown, select **Generic Webhook Integration**

Step 7. In the Name field, enter a descriptive name — for example: *Primary CAD — Any HTTP-capable CAD system Production*

Step 8. Click the **Generate** button

Step 9. **IMMEDIATELY** copy the **Webhook URL** — paste it into a text document or password manager

Step 10. **IMMEDIATELY** copy the **Security Token** — this is shown only once and cannot be recovered

Step 11. Also note the **Agency ID** and **Integration ID** shown on the page

Step 12. Click Save**■ CRITICAL**

If you close the page before copying the Security Token, you must delete the integration and create a new one. There is no 'show token again' option.

Step 2 — Configure Network & Firewall

This step must be completed before the CAD system can reach Rapid Cortex. Work with your network/firewall administrator to add the following rules:

Rule	Source	Destination	Port	Protocol	Action
RC API	CAD Server IP	api.rapidcortex.us	443	TCP/HTTPS	ALLOW
RC Updates	CAD Server IP	downloads.rapidcortex.us	443	TCP/HTTPS	ALLOW

Test connectivity by running this command from the CAD server:

```
curl -v https://api.rapidcortex.us/api/health
```

Expected response:

```
HTTP/2 200 {"status":"ok", "version":"1.x"}
```

■ TIP

If SSL inspection (SSL/TLS interception) is active on your firewall or proxy, add api.rapidcortex.us to the SSL bypass list. SSL inspection

■ TIP

If a proxy server is in use, configure the CAD server to bypass the proxy for api.rapidcortex.us, or configure the proxy to allow CONNE

■ TIP

Rapid Cortex uses TLS 1.2 and TLS 1.3 only. TLS 1.0 and 1.1 are not supported.

Step 3 — Configure Generic Webhook Integration

Admin Console Menu Path: Varies by CAD system — consult your CAD vendor documentation for HTTP push / webhook configuration

Data Format: JSON (strongly preferred) or XML | **Authentication:** Custom HTTP Header: X-RC-Token: {your-token}

Events to Enable: Incident Create, Incident Update, Incident Close (and Unit Status if available)

Step 1. In Rapid Cortex Admin → CAD Integrations → Add Integration → select **Generic Webhook**

Step 2. Enter a descriptive name and click Generate to get your Webhook URL and Security Token

Step 3. In your CAD system's administration console, find the HTTP push / webhook settings

Step 4. Enter the Rapid Cortex Webhook URL as the destination URL

Step 5. Add HTTP header: Name = **X-RC-Token** | Value = **[your Security Token]**

Step 6. Set the output format to **JSON** if available

Step 7. Subscribe to incident create, update, and close events

Step 8. Save the CAD configuration

Step 9. Send a test payload using the curl command below (substitute your actual values)

Step 10. In RC Admin → CAD Integrations → your integration → **Configure Field Mapping**

Step 11. For each RC field, enter the exact field name your CAD uses in its JSON output

Step 12. Test with a real incident and verify all fields map correctly

■ **TIP**

Field mapping is required for Generic integrations. You must tell RC what field names your CAD uses.

■ **TIP**

To find your CAD's field names: send a test payload and view it in RC Admin → Raw Webhook Log → View Raw.

■ **TIP**

If your CAD sends XML: RC can accept XML, but you will need to contact support@rapidcortex.us for XML field mapping assistance.

■ **TIP**

Priority mapping: if your CAD uses text priorities (HIGH, LOW, etc.) instead of numbers, use the priority mapper in RC Admin field map

■ **TIP**

If your CAD cannot send custom HTTP headers, contact support@rapidcortex.us for alternative authentication options.

Step 4 — Send a Test Incident

After saving the CAD configuration, immediately send a test to confirm the webhook is working end-to-end.

Step 1. In Rapid Cortex Admin → CAD Integrations, click on your new integration

Step 2. Click the **Send Test Incident** button

Step 3. Within 30 seconds, open the Dispatcher Dashboard — the test incident should appear

Step 4. Click **Raw Webhook Log** in the integration detail panel

Step 5. Confirm the log shows a received entry with status **200 OK**

Step 6. Verify the integration Status badge changes to **Active** (green)

■ **WARNING**

If the test incident does not appear within 60 seconds:

1. Check Raw Webhook Log for error messages
2. Verify the Webhook URL is entered exactly as shown in RC Admin
3. Verify the Security Token is in the correct header field
4. Re-test the network connectivity (Step 2)

Step 5 — Verify Field Mapping

Confirm the following fields are mapping correctly from your CAD to Rapid Cortex. Check each in the dispatcher dashboard after sending a test incident:

CAD Field Name	Maps To in Rapid Cortex	Check
[Your incident ID field]	cadIncidentId — e.g. IncidentId, CallNumber, EventId	■
[Your call type field]	incidentType — e.g. CallType, NatureCode, EventType	■
[Your address field]	location — e.g. Address, Location, Street	■
[Your priority field]	priority — will be mapped to P1–P4	■
[Your caller phone field]	callerCallback — e.g. CallerPhone, ANI, CallbackNumber	■
[Your caller name field]	callerName — e.g. CallerName, ALI	■
[Your units field]	cadUnits — e.g. Units, Resources, AssignedUnits	■
[Your GPS/coordinates field]	cadCoordinates — {lat, lng} or {Latitude, Longitude}	■
[Your status field]	cadStatus — e.g. Status, EventStatus, CallStatus	■
[Your timestamp field]	cadLastSyncAt — ISO8601 datetime string	■

Step 6 — Go Live

- Complete all items in the Master Checklist above
- Enable the integration: RC Admin → CAD Integrations → Status → **Active**
- Brief dispatchers: explain that RC will now show live CAD data alongside AI overlays
- Monitor the first 10 real incidents — confirm data quality in dispatcher view
- Keep RC support on standby during the first shift: support@rapidcortex.us
- If any serious issues: immediately set integration Status to **Inactive** and contact RC support

Appendix — Sample Webhook Payload

The following shows an example JSON payload that Generic Webhook Integration sends to Rapid Cortex:

```
# 1. Replace the URL and TOKEN with your actual values from RC Admin # 2. Run from your CAD server
(or any machine on the same network) # 3. Adjust the JSON fields to match what your CAD actually
sends curl -X POST \ https://api.rapidcortex.us/api/cad/webhook/{agencyId}/{integrationId} \ -H
"X-RC-Token: your-security-token-here" \ -H "Content-Type: application/json" \ -d '{ "IncidentId":
"TEST-001", "CallType": "TRAFFIC STOP", "Priority": "2", "Location": "123 Main Street",
"CallerPhone": "555-000-0000", "Units": ["UNIT-1"], "Status": "ACTIVE" }' # Expected response: HTTP
200 # {"ok":true,"incidentId":"rc-xxxx","message":"Incident received"}
```

Troubleshooting

Symptom	Likely Cause	Resolution
curl test returns 401	Wrong token or header name	Header name must be exactly X-RC-Token (case sensitive) No spaces before/after the token value
curl test returns 404	Wrong webhook URL	Copy URL fresh from RC Admin Verify {agencyId} and {integrationId} are replaced with actual values
Fields show as blank in RC	Field mapping not configured	Go to RC Admin → CAD Integrations → your integration → Configure Field Mapping Enter your CAD's exact field names
Priority shows as Unknown	Priority value format not recognized	Open RC field mapping → Priority Map tab Add your CAD's priority values and map to P1–P4
CAD can't send custom headers	CAD limitation	Contact support@rapidcortex.us for alternative auth options

Support for This Integration

Rapid Cortex Support: support@rapidcortex.us

Any HTTP-capable CAD system Support: support@rapidcortex.us — RC support assists with all generic integrations

Troubleshooting Reference

Systematic diagnosis for all CAD integration issues

Diagnostic Decision Tree

Work through these steps in order when incidents are not appearing:

Step 1. Is the integration Status 'Active'? If No → enable it in RC Admin → CAD Integrations

Step 2. Does the Raw Webhook Log show any entries? If No → the CAD is not reaching RC (network issue)

Step 3. Does the log show entries but with errors? If Yes → check the error message (auth failure, parse error, etc.)

Step 4. Do entries show 200 OK but no incidents appear? If Yes → field mapping issue or agency ID mismatch

Step 5. Do incidents appear but with missing/wrong fields? If Yes → field mapping needs adjustment

Common Issues — All Vendors

Symptom	Likely Cause	Diagnostic Command / Fix
No incidents in RC at all	Firewall blocking outbound HTTPS	Run from CAD server: curl https://api.rapidcortex.us/api/health Expected: HTTP 200
401 Unauthorized in webhook log	Wrong or missing Security Token	In CAD config: verify header name is exactly X-RC-Token Regenerate token in RC Admin if needed
404 Not Found in webhook log	Wrong webhook URL	Copy URL exactly from RC Admin — no trailing slash Verify agencyId and integrationId in URL
Connection timeout	Firewall or proxy blocking	Check proxy bypass list Check SSL inspection bypass for api.rapidcortex.us
SSL certificate error	SSL inspection intercepting TLS	Add api.rapidcortex.us to SSL bypass/whitelist in firewall
Incidents appear but fields missing	Field mapping mismatch	Open Raw Webhook Log → View Raw Payload Check which field names your CAD sends
Priority shows as blank	Priority value not recognized	Check your CAD sends priority as 1/2/3/4 or P1/P2/P3/P4 Use Generic field mapper to remap

Duplicate incidents created	CAD retrying on timeout	RC auto-deduplicates by incident number Increase CAD webhook timeout to 15 seconds
Integration shows Error badge	Recent delivery failure	Click integration → Raw Webhook Log Read error message for specific cause

Useful Diagnostic Commands

Run these from the CAD server or a workstation on the same network:

```
# Test basic connectivity to RC API curl -v https://api.rapidcortex.us/api/health # Test webhook
authentication (replace values with yours) curl -X POST \
https://api.rapidcortex.us/api/cad/webhook/{agencyId}/{integrationId} \ -H "X-RC-Token:
your-token-here" \ -H "Content-Type: application/json" \ -d
'{"IncidentId":"DIAG-001","Priority":"1","Location":"Test"}' # Expected: HTTP 200 {"ok":true}
```

Data Security, CJIS & Compliance

How Rapid Cortex protects your agency's data

Encryption

- All data in transit encrypted with TLS 1.2 or TLS 1.3 — TLS 1.0/1.1 not supported
- All data at rest encrypted with AES-256
- Security tokens hashed — never stored in plaintext
- Database-level encryption enabled on all DynamoDB tables

Access Controls

- Role-based access control (RBAC) on all API endpoints — dispatchers cannot access admin functions
- Agency data strictly isolated — no data is ever accessible across agency boundaries
- All API access authenticated via Cognito JWT tokens (15-minute expiry)
- Admin actions require elevated role (admin or rc_admin)
- MFA enforced for all user logins using TOTP authenticator apps

CJIS Alignment (13 Policy Areas)

- Information Exchange Agreements: agency data sharing governed by RC Terms of Service
- Security Awareness Training: RC personnel with data access undergo background checks
- Incident Response: security incidents logged, investigated, and reported per CJIS 5.3
- Auditing & Accountability: all access and actions audit-logged with user, timestamp, IP
- Access Control: RBAC + MFA + session timeout implemented
- Identification & Authentication: Cognito-based identity with MFA
- Configuration Management: infrastructure changes tracked via CloudFormation
- Media Protection: data encrypted at rest; no physical media exported
- Physical Protection: hosted on AWS — SOC2 and ISO 27001 certified data centers
- Systems & Communications Protection: VPC isolation, WAF, DDoS protection
- Formal Audits: RC undergoes periodic security assessments

Data Retention & Deletion

- CAD incident data retained 90 days by default (configurable per agency policy)
- Audit logs retained per your agency's records retention schedule
- Data deletion available on written request for agency offboarding
- No CAD data or PII shared with third parties

- Caller PII (name, phone) masked in diagnostic logs — never appears in CloudWatch

■ WARNING

Rapid Cortex is designed to support agency CJIS compliance.
However, each agency is responsible for its own CJIS Security Policy compliance.
Consult your CJIS Systems Officer (CSO) before going live.

CAD Vendor Information Worksheet

Print and complete — required before starting integration

■ TIP

Complete Sections 1–3 before your integration call.
Complete Section 4 immediately after generating RC credentials.
Complete Sections 5–6 after successful testing.

Section 1 — Agency Information

Agency / PSAP Full Legal Name (e.g. Springfield County Emergency Communications Center)

Agency ORI Number (9-character identifier assigned by FBI CJIS — e.g. CA0123456)

PSAP/Agency Physical Address (Street, City, State, ZIP)

Dispatch Center Phone Number (Main dispatch center phone)

Agency IT Administrator Full Name (Person responsible for CAD server and firewall)

IT Administrator Direct Phone (Mobile preferred)

IT Administrator Email Address

Number of Active Dispatch Positions (How many workstations run dispatcher software)

Average Daily Incident Volume (Approximate number of CAD incidents per day)

Rapid Cortex Admin Account Email (The email used to log into rapidcortex.us)

Rapid Cortex Agency ID (Found in RC Admin → Settings — fill in after account setup)

Section 2 — CAD System Details

CAD Vendor Name (e.g. Motorola Solutions, Tyler Technologies, CentralSquare)

CAD Product Name (e.g. PremierOne CAD, New World CAD, Zuercher CAD)

CAD Software Version (Exact version number — check Help → About in CAD admin console)

CAD Server Hostname or IP Address (The server that runs the CAD software)

CAD Server Operating System & Version (e.g. Windows Server 2019)

CAD Admin Console URL (URL to access the CAD administration interface)

CAD Vendor Account Number (Your contract or account number with CAD vendor)

CAD Vendor Support Phone (Technical support line for your CAD vendor)

CAD Vendor Support Email or Portal URL

CAD Vendor Account Manager Name (Your named contact at the CAD vendor)

Does CAD support outbound HTTP webhooks? (Circle one: Yes / No / Unknown — check with vendor)

Does CAD support JSON output? (Circle one: Yes / No / XML Only / Unknown)

Current data integration method (if any) (e.g. existing REST API, file export, none)

Section 3 — Network & Firewall Details

Firewall / Network Administrator Name (Person who can add firewall rules)

Firewall Administrator Phone

Firewall Administrator Email

Firewall Platform / Brand (e.g. Palo Alto, Cisco ASA, Fortinet, pfSense, Sophos)

CAD Server Public IP Address (The external/NAT IP from which outbound traffic originates)

Proxy Server in Use? (Circle: Yes / No — If Yes, proxy hostname and port:)

SSL/TLS Inspection Active? (Circle: Yes / No — If Yes, bypass list manager:)

Change Management System (e.g. ServiceNow ticket system, Jira — ticket # for firewall change:)

Estimated Firewall Change Lead Time (e.g. 2 business days, same day, weekly change window)

Preferred Maintenance Window (Day and time when changes can be made safely)

Section 4 — Rapid Cortex Integration Credentials

■ CRITICAL

Fill in immediately after generating credentials in RC Admin → CAD Integrations.
Store this page in a secure location — treat the Security Token like a password.
Do NOT email the Security Token.

Integration Name in RC Admin (The name you gave this integration)

Webhook URL (Full URL — copy exactly from RC Admin, no trailing slash)

Security Token (32+ character token — shown once only)

Agency ID (From RC Admin → Settings)

Integration ID (From RC Admin → CAD Integrations → integration detail)

Date Credentials Generated

Generated By (Name)

Stored In (Password Manager / Location) (Where the token is saved securely)

Section 5 — Testing Sign-Off

Test Item	Result	Tested By	Date
Test incident sent and appeared in dispatcher dashboard	Pass / Fail	_____	_____
Incident number displays correctly	Pass / Fail	_____	_____
Priority level maps correctly (P1–P4)	Pass / Fail	_____	_____
Location / address displays correctly	Pass / Fail	_____	_____
Caller callback number present	Pass / Fail	_____	_____
Assigned unit IDs appear correctly	Pass / Fail	_____	_____

Incident type / nature code readable	Pass / Fail	_____	_____
Raw Webhook Log shows no errors	Pass / Fail	_____	_____
3 live test incidents validated	Pass / Fail	_____	_____
Dispatcher reviewed and approves	Pass / Fail	_____	_____

Section 6 — Go-Live Authorization Signatures

Agency IT Administrator

Signature _____ Date _____ Phone _____

Dispatch Supervisor / Manager

Signature _____ Date _____ Phone _____

Rapid Cortex Onboarding Contact

Signature _____ Date _____ Phone _____

Go-Live Planning Guide

Timeline, day-of checklist, and FAQs

Recommended Integration Timeline

Week	Phase	Who	Activities
Week 1	Pre-Integration	Agency IT, RC Admin	Complete worksheet; identify contacts; submit firewall change request; Tyler users contact Tyler support
Week 2	Setup & Config	Agency IT, CAD Vendor	Firewall changes applied; generate RC credentials; configure CAD webhook; test connectivity
Week 3	Testing	Agency IT, Dispatch Supervisor	Send test incidents; validate all field mappings; dispatcher training session (30 min)
Week 4	Go-Live	All Stakeholders	Enable integration; monitor first full shift; document go-live; get sign-offs
Week 5+	Post Go-Live	Dispatch Supervisor	30-day review; optimize field mappings; consider enabling write-back mode

Day-of Go-Live Checklist

- All test incidents in Section 5 are marked Pass — no open Fail items
- Dispatcher sign-off and supervisor signature complete in Section 6
- Brief all on-shift dispatchers — 15 minute walkthrough of RC overlay features
- Open RC Admin → CAD Integrations on a supervisor monitor to watch for errors
- Set integration Status to **Active** in RC Admin
- Verify first real incident appears in RC dispatcher view within expected time
- Monitor Raw Webhook Log for the first 30 minutes
- Have RC support contact ready: support@rapidcortex.us
- Document actual go-live date and time: _____
- If critical issues arise — set Status to Inactive immediately and call RC support

Frequently Asked Questions

Q: Will this slow down or affect my CAD system?

A: No. Rapid Cortex only receives data — it does not write to your CAD unless you explicitly enable write-back mode. The webhook is a one-way push from CAD to RC. Your CAD performance is unaffected.

Q: What happens if Rapid Cortex is unavailable?

A: Your CAD system is completely unaffected. Dispatchers continue using CAD normally. RC will log any missed webhook deliveries and may request a resync when service is restored.

Q: Can we run multiple CAD systems to one RC account?

A: Yes. Each integration has its own unique webhook URL and security token. This supports multi-CAD agencies, backup CAD systems, and multi-jurisdiction setups.

Q: Do dispatchers need training before go-live?

A: We recommend a 30-minute walkthrough of the RC dispatcher workspace. Key points: RC is supplemental only, CAD remains authoritative, AI suggestions require dispatcher review.

Q: Does Rapid Cortex store 911 caller names and phone numbers?

A: Caller information is stored encrypted (AES-256) and subject to your agency's configured retention policy (default 90 days). It is never shared between agencies or with third parties. Caller PII is masked in all diagnostic and system logs.

Q: What if our CAD doesn't support webhooks?

A: Contact support@rapidcortex.us before starting. We support API polling for some vendors and can discuss custom integration options on a case-by-case basis.

Q: We have Tyler New World. Do we really need to call Tyler first?

A: Yes — Tyler New World CAD requires Tyler Technologies to configure and enable the HTTP push interface. This typically takes 2–5 business days. Start by emailing publicsafety.support@tylertech.com with your contract number and requesting CAD webhook configuration for Rapid Cortex.

Q: How do we know if something is wrong after go-live?

A: RC Admin → CAD Integrations shows a live status badge (Active/Error). The Raw Webhook Log shows every received payload with timestamps. CloudWatch alarms will alert the RC team to elevated error rates. You will receive an email alert if your integration goes silent for more than 2 hours.

Support Contacts & Escalation

How to get help with your CAD integration

Contact	How to Reach	Response Time	For
Rapid Cortex Support	support@rapidcortex.us	< 4 hours (business)	All RC integration issues
RC Emergency	See RC Admin → Support	< 1 hour	Production outages only
Motorola Solutions	1-800-367-2346	Per SLA	PremierOne CAD config
Tyler Technologies	publicsafety.support@tylertech.com	Per SLA	New World CAD config
CentralSquare	support.centalsquare.com	Per SLA	CentralSquare CAD config
Hexagon Safety	hexagonsafetyinfrastructure.com/support	Per SLA	I/CAD config

Rapid Cortex — Intelligence at the Speed of Response

Real-Time AI Intelligence for Emergency Response

rapidcortex.us | support@rapidcortex.us