

INPUT	EXP. OUT.	OUTPUT	COMMENTS
I	1	1	
i	1	1	
XI	11	11	
xi	11	11	
XII	12	12	
xii	12	12	
XIII	13	13	
xiii	13	13	
XIV	14	14	
xiv	14	14	
XXVI	26	26	
xxvi	26	26	
XXVII	27	27	
xxvii	27	27	
XXVIII	28	28	
xxviii	28	28	
XXIX	29	29	
xxix	29	29	
XXX	30	30	
xxx	30	30	
XXXI	31	31	
xxxi	31	31	
MMMCMXXI	3921	3921	
mmcmxxi	3921	3921	
MMMCMXXII	3922	3922	
mmcmxxii	3922	3922	
MMMCMXXIII	3923	3923	
mmcmxxiii	3923	3923	
			Program correctly flags
			numeral that my Python
			program accidently
MMMCMXXIV	-1	-1	created
mmcmxxiv	-1	-1	
MMMCMLXXXIX	3989	3989	
mmcmclxxxix	3989	3989	
MMMCMXC	3990	3990	
mmcmxc	3990	3990	
MMMCMXCIV	3994	3994	
mmcmxciv	3994	3994	
MMMCMXCV	3995	3995	
mmcmxcv	3995	3995	
MMMCMXCVI	3996	3996	

mmmcmx cvi	3996	3996	
MMMCMXCVII	3997	3997	
mmmcmx cvii	3997	3997	
MMMCMXCVIII	3998	3998	
mmmcmx cviii	3998	3998	
MMMCMXCIX	3999	3999	
mmmcmx cix	3999	3999	
xlxcxl	-1	-1	Handles illogical numerals
VCXLCLV	-1	-1	"
ixxcdxlc mcm c	-1	-1	"
XVXLLXL	-1	-1	"
xcccdxlcxlvm	-1	-1	"
IXCXICDLIX	-1	-1	"
xlci xxc d	-1	-1	"
XLXCXCCXCCMCCDIX	-1	-1	"
mcicmvxxl	-1	-1	"
MCIXX	-1	-1	"
ivxlxcxlvii vxc	-1	-1	"
IVLIVCDIXXXXCI	-1	-1	"
iviccmxixv	-1	-1	"
CIXIV	-1	-1	"
ivcvi	-1	-1	"
VXXLCIVIIIX	-1	-1	"
cixxc	-1	-1	"
XCIXIXIV	-1	-1	"
xivxcivxixlcd	-1	-1	"
MMIVIV	-1	-1	"
HvK@PppLcVr	-1	-1	Handles crap
:m4z+5EBrE&s/x	-1	-1	"
ixe	-1	-1	"
ks[-t4.&l<q:T=	-1	-1	"
*C2	-1	-1	"
%ZBi	-1	-1	"
-(sd6'JV&	-1	-1	"
(c3c_dYCaC[XN	-1	-1	"
T7>D27	-1	-1	"
OS%}NjX	-1	-1	"
_)S	-1	-1	"
Dz)Wct8Jk	-1	-1	"
}RIY{jY	-1	-1	"
CD9~G	-1	-1	"
https://xkcd.com/327/	-1	-1	Handles XKCD
Python's_a_better_programming_language	-1	-1	Handles FACTS

SELECT * FROM Users WHERE UserId = 105

-1

-1 Handles SQLI